



Project	Contract	Station	Date	Parameter	Start Time	Result	Unit
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Feb-19	1-hr TSP	08:45	87	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Feb-19	1-hr TSP	09:45	93	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Feb-19	1-hr TSP	10:45	83	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	08-Feb-19	1-hr TSP	09:05	51	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	08-Feb-19	1-hr TSP	10:05	47	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	08-Feb-19	1-hr TSP	11:05	43	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Feb-19	1-hr TSP	09:12	65	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Feb-19	1-hr TSP	10:12	64	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Feb-19	1-hr TSP	11:12	71	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Feb-19	1-hr TSP	09:09	57	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Feb-19	1-hr TSP	10:09	44	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Feb-19	1-hr TSP	11:09	33	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	25-Feb-19	1-hr TSP	09:00	60	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	25-Feb-19	1-hr TSP	10:00	66	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	25-Feb-19	1-hr TSP	11:00	68	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	01-Feb-19	1-hr TSP	08:56	46	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	01-Feb-19	1-hr TSP	09:56	41	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	01-Feb-19	1-hr TSP	10:56	37	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Feb-19	1-hr TSP	10:08	40	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Feb-19	1-hr TSP	11:08	42	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Feb-19	1-hr TSP	12:08	36	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	09-Feb-19	1-hr TSP	08:33	44	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	09-Feb-19	1-hr TSP	09:33	43	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	09-Feb-19	1-hr TSP	10:33	42	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Feb-19	1-hr TSP	08:10	25	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Feb-19	1-hr TSP	09:10	22	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Feb-19	1-hr TSP	10:10	21	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Feb-19	1-hr TSP	08:10	85	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Feb-19	1-hr TSP	09:10	80	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Feb-19	1-hr TSP	10:10	69	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Feb-19	1-hr TSP	08:20	50	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Feb-19	1-hr TSP	09:20	48	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Feb-19	1-hr TSP	10:20	41	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	01-Feb-19	1-hr TSP	09:52	42	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	01-Feb-19	1-hr TSP	10:52	40	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	01-Feb-19	1-hr TSP	11:52	38	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Feb-19	1-hr TSP	08:07	93	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Feb-19	1-hr TSP	09:07	99	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Feb-19	1-hr TSP	10:07	80	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	09-Feb-19	1-hr TSP	09:48	37	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	09-Feb-19	1-hr TSP	10:48	56	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	09-Feb-19	1-hr TSP	11:48	49	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Feb-19	1-hr TSP	10:03	27	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Feb-19	1-hr TSP	11:03	26	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Feb-19	1-hr TSP	12:03	24	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Feb-19	1-hr TSP	10:05	58	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Feb-19	1-hr TSP	11:05	47	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Feb-19	1-hr TSP	12:05	37	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Feb-19	1-hr TSP	14:14	43	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Feb-19	1-hr TSP	15:14	48	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Feb-19	1-hr TSP	16:14	71	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Feb-19	24-hr TSP	08:00	74	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	08-Feb-19	24-hr TSP	12:10	62	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	12-Feb-19	24-hr TSP	08:00	35	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	18-Feb-19	24-hr TSP	08:00	36	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	22-Feb-19	24-hr TSP	08:00	87	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	28-Feb-19	24-hr TSP	08:00	60	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	01-Feb-19	24-hr TSP	08:56	74	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Feb-19	24-hr TSP	10:23	50	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	09-Feb-19	24-hr TSP	13:58	55	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Feb-19	24-hr TSP	08:19	46	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Feb-19	24-hr TSP	08:16	45	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Feb-19	24-hr TSP	10:09	84	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	01-Feb-19	24-hr TSP	09:55	109	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Feb-19	24-hr TSP	12:20	58	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	09-Feb-19	24-hr TSP	14:17	60	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Feb-19	24-hr TSP	10:09	74	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Feb-19	24-hr TSP	10:09	84	µg/m <sup>3</sup>
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Feb-19	24-hr TSP	14:12	76	µg/m <sup>3</sup>


Air Quality Monitoring (1-hr TSP) at AMS2




Air Quality Monitoring (1-hr TSP) at AMS3C




### Air Quality Monitoring (1-hr TSP) at AMS7B




### Air Quality Monitoring (24-hr TSP) at AMS2



### Air Quality Monitoring (24-hr TSP) at AMS3C





### Air Quality Monitoring (24-hr TSP) at AMS7B



Project	Contract	Date	Station	Start Time	Noise Level for 30 min, dB(A)			Weather	Wind Speed, m/s	Facade / Free Field	Limit Level, dB(A)
					L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>				
HKBCF	HY/2013/04	01-Feb-19	NMS2 Seaview Crescent	10:46	65	69	61	Cloudy	<5	Facade	75
HKBCF	HY/2013/04	04-Feb-19	NMS2 Seaview Crescent	08:54	64	67	59	Sunny	<5	Facade	75
HKBCF	HY/2013/04	15-Feb-19	NMS2 Seaview Crescent	11:03	65	68	61	Sunny	<5	Facade	75
HKBCF	HY/2013/04	21-Feb-19	NMS2 Seaview Crescent	11:05	64	66	60	Sunny	<5	Facade	75
HKBCF	HY/2013/04	27-Feb-19	NMS2 Seaview Crescent	11:31	63	66	59	Sunny	<5	Facade	75
HKBCF	HY/2013/04	01-Feb-19	NMS3C Ying Tung Estate Refuse Collection Point	08:04	61	65	53	Cloudy	<5	Free Field *	70
HKBCF	HY/2013/04	04-Feb-19	NMS3C Ying Tung Estate Refuse Collection Point	10:36	63	66	59	Sunny	<5	Free Field *	70
HKBCF	HY/2013/04	15-Feb-19	NMS3C Ying Tung Estate Refuse Collection Point	08:29	65	68	61	Sunny	<5	Free Field *	70
HKBCF	HY/2013/04	21-Feb-19	NMS3C Ying Tung Estate Refuse Collection Point	08:30	65	67	62	Sunny	<5	Free Field *	70
HKBCF	HY/2013/04	27-Feb-19	NMS3C Ying Tung Estate Refuse Collection Point	08:45	67	71	62	Sunny	<5	Free Field *	70

Remark: \* Free field measurement; noise level shown includes +3dB(A) correction factor



Remark: The measured noise level on 19 November 2018 at NMS3C exceeded the noise Limit Level of 65 dB(A) during examination period at Ho Yu College but it was below the baseline level. Therefore, it is not considered as an exceedance. As such the Event and Action Plan was not triggered.

The measured noise levels recorded at NMS3C on 15 January 2019 and 21 January 2019 were 68.4 dB(A) and 66.7 dB(A) respectively, which exceeded the noise level of 65dB(A) during examination period and were higher than the baseline level of 66.3 dB(A). Therefore, baseline correction was carried out and the corrected noise levels which solely represent the noise level of construction works were 64.2 dB(A) and 56.1 dB(A) respectively, therefore there was no exceedance after correction. As such the Event and Action Plan was not triggered.