



Project	Contract	Station	Date	Parameter	Start Time	Result	Unit
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Apr-19	1-hr TSP	13:37	30	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Apr-19	1-hr TSP	14:37	29	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Apr-19	1-hr TSP	15:37	31	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	08-Apr-19	1-hr TSP	13:32	42	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	08-Apr-19	1-hr TSP	14:32	40	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	08-Apr-19	1-hr TSP	15:32	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Apr-19	1-hr TSP	13:28	75	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Apr-19	1-hr TSP	14:28	60	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Apr-19	1-hr TSP	15:28	66	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	18-Apr-19	1-hr TSP	13:28	27	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	18-Apr-19	1-hr TSP	14:28	30	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	18-Apr-19	1-hr TSP	15:28	33	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	24-Apr-19	1-hr TSP	13:12	40	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	24-Apr-19	1-hr TSP	14:12	29	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	24-Apr-19	1-hr TSP	15:12	40	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Apr-19	1-hr TSP	13:03	43	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Apr-19	1-hr TSP	14:03	42	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Apr-19	1-hr TSP	15:03	44	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Apr-19	1-hr TSP	08:09	29	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Apr-19	1-hr TSP	09:09	25	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Apr-19	1-hr TSP	10:09	23	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	08-Apr-19	1-hr TSP	08:12	31	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	08-Apr-19	1-hr TSP	09:12	29	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	08-Apr-19	1-hr TSP	10:12	28	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Apr-19	1-hr TSP	08:20	25	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Apr-19	1-hr TSP	09:20	35	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Apr-19	1-hr TSP	10:20	52	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	18-Apr-19	1-hr TSP	08:11	34	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	18-Apr-19	1-hr TSP	09:11	27	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	18-Apr-19	1-hr TSP	10:11	21	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	24-Apr-19	1-hr TSP	08:13	42	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	24-Apr-19	1-hr TSP	09:13	40	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	24-Apr-19	1-hr TSP	10:13	44	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Apr-19	1-hr TSP	08:02	47	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Apr-19	1-hr TSP	09:02	48	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Apr-19	1-hr TSP	10:02	46	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Apr-19	1-hr TSP	12:47	21	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Apr-19	1-hr TSP	13:47	23	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Apr-19	1-hr TSP	14:47	27	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	08-Apr-19	1-hr TSP	12:48	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	08-Apr-19	1-hr TSP	13:48	42	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	08-Apr-19	1-hr TSP	14:48	40	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Apr-19	1-hr TSP	12:15	124	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Apr-19	1-hr TSP	13:15	101	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Apr-19	1-hr TSP	14:15	113	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	18-Apr-19	1-hr TSP	12:13	27	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	18-Apr-19	1-hr TSP	13:13	30	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	18-Apr-19	1-hr TSP	14:13	40	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	24-Apr-19	1-hr TSP	12:11	41	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	24-Apr-19	1-hr TSP	13:11	42	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	24-Apr-19	1-hr TSP	14:11	41	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Apr-19	1-hr TSP	12:08	27	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Apr-19	1-hr TSP	13:08	48	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Apr-19	1-hr TSP	14:08	45	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Apr-19	24-hr TSP	13:58	55	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	08-Apr-19	24-hr TSP	13:40	29	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Apr-19	24-hr TSP	13:29	36	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	18-Apr-19	24-hr TSP	13:25	26	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	24-Apr-19	24-hr TSP	17:39	25	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Apr-19	24-hr TSP	13:15	63	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Apr-19	24-hr TSP	08:11	84	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	08-Apr-19	24-hr TSP	08:19	68	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Apr-19	24-hr TSP	08:29	42	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	18-Apr-19	24-hr TSP	12:22	39	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	24-Apr-19	24-hr TSP	08:21	50	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Apr-19	24-hr TSP	08:15	57	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Apr-19	24-hr TSP	12:55	65	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	08-Apr-19	24-hr TSP	12:53	56	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Apr-19	24-hr TSP	12:19	57	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	18-Apr-19	24-hr TSP	08:19	24	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	24-Apr-19	24-hr TSP	12:23	60	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Apr-19	24-hr TSP	12:13	36	µg/m ³


Air Quality Monitoring (1-hr TSP) at AMS2




Air Quality Monitoring (1-hr TSP) at AMS3C




Air Quality Monitoring (1-hr TSP) at AMS7B




Air Quality Monitoring (24-hr TSP) at AMS2



Air Quality Monitoring (24-hr TSP) at AMS3C





Air Quality Monitoring (24-hr TSP) at AMS7B



Project	Contract	Date	Station	Start Time	Noise Level for 30 min, dB(A)			Weather	Wind Speed, m/s	Facade / Free Field	Limit Level, dB(A)
					L _{eq}	L ₁₀	L ₉₀				
HKBCF	HY/2013/04	02-Apr-19	NMS2 Seaview Crescent	14:40	65	68	61	Sunny	<5	Facade	75
HKBCF	HY/2013/04	08-Apr-19	NMS2 Seaview Crescent	14:14	62	64	60	Sunny	<5	Facade	75
HKBCF	HY/2013/04	18-Apr-19	NMS2 Seaview Crescent	14:03	64	67	60	Fine	<5	Facade	75
HKBCF	HY/2013/04	24-Apr-19	NMS2 Seaview Crescent	13:39	62	64	59	Sunny	<5	Facade	75
HKBCF	HY/2013/04	30-Apr-19	NMS2 Seaview Crescent	13:46	63	65	60	Cloudy	<5	Facade	75
HKBCF	HY/2013/04	02-Apr-19	NMS3C Ying Tung Estate Refuse Collection Point	09:56	66	69	62	Sunny	<5	Free Field *	65
HKBCF	HY/2013/04	08-Apr-19	NMS3C Ying Tung Estate Refuse Collection Point	09:55	64	65	62	Sunny	<5	Free Field *	65
HKBCF	HY/2013/04	18-Apr-19	NMS3C Ying Tung Estate Refuse Collection Point	09:58	66	69	63	Fine	<5	Free Field *	70
HKBCF	HY/2013/04	24-Apr-19	NMS3C Ying Tung Estate Refuse Collection Point	09:56	62	64	61	Sunny	<5	Free Field *	70
HKBCF	HY/2013/04	30-Apr-19	NMS3C Ying Tung Estate Refuse Collection Point	08:31	65	65	63	Cloudy	<5	Free Field *	65

Remark: * Free field measurement; noise level shown includes +3dB(A) correction factor

The measured noise level recorded at NMS3C on 2 April 2019 was 65.9 dB(A), which exceeded the noise Limit Level of 65 dB(A) during examination period at Ho Yu College but it was below the baseline level. Therefore, it is not considered as an exceedance. As such the Event and Action Plan was not triggered.



Remark: The measured noise levels recorded at NMS3C on 15 January 2019 and 21 January 2019 were 68.4 dB(A) and 66.7 dB(A) respectively, which exceeded the noise level of 65 dB(A) during examination period and were higher than the baseline level of 66.3 dB(A). Therefore, baseline correction was carried out and the corrected noise levels which solely represent the noise level of construction works were 64.2 dB(A) and 56.1 dB(A) respectively, therefore there was no exceedance after correction. As such the Event and Action Plan was not triggered.

The measured noise level recorded at NMS3C on 2 April 2019 was 65.9 dB(A), which exceeded the noise Limit Level of 65 dB(A) during examination period at Ho Yu College but it was below the baseline level. Therefore, it is not considered as an exceedance. As such the Event and Action Plan was not triggered.