



Project	Contract	Station	Date	Parameter	Start Time	Result	Unit
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Jun-19	1-hr TSP	11:44	39	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Jun-19	1-hr TSP	12:44	38	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Jun-19	1-hr TSP	13:44	42	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	10-Jun-19	1-hr TSP	13:39	45	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	10-Jun-19	1-hr TSP	14:39	44	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	10-Jun-19	1-hr TSP	15:39	46	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Jun-19	1-hr TSP	13:41	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Jun-19	1-hr TSP	14:41	39	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Jun-19	1-hr TSP	15:41	38	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	20-Jun-19	1-hr TSP	13:44	18	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	20-Jun-19	1-hr TSP	14:44	14	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	20-Jun-19	1-hr TSP	15:44	27	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	26-Jun-19	1-hr TSP	13:11	39	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	26-Jun-19	1-hr TSP	14:11	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	26-Jun-19	1-hr TSP	15:11	43	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Jun-19	1-hr TSP	08:16	45	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Jun-19	1-hr TSP	09:16	46	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Jun-19	1-hr TSP	10:16	40	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	10-Jun-19	1-hr TSP	08:17	42	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	10-Jun-19	1-hr TSP	09:17	43	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	10-Jun-19	1-hr TSP	10:17	43	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Jun-19	1-hr TSP	08:21	48	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Jun-19	1-hr TSP	09:21	27	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Jun-19	1-hr TSP	10:21	22	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	20-Jun-19	1-hr TSP	08:20	20	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	20-Jun-19	1-hr TSP	09:20	18	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	20-Jun-19	1-hr TSP	10:20	21	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	26-Jun-19	1-hr TSP	08:14	46	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	26-Jun-19	1-hr TSP	09:14	41	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	26-Jun-19	1-hr TSP	10:14	40	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Jun-19	1-hr TSP	12:36	41	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Jun-19	1-hr TSP	13:36	42	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Jun-19	1-hr TSP	14:36	46	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	10-Jun-19	1-hr TSP	12:20	44	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	10-Jun-19	1-hr TSP	13:20	45	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	10-Jun-19	1-hr TSP	14:20	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Jun-19	1-hr TSP	12:31	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Jun-19	1-hr TSP	13:31	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Jun-19	1-hr TSP	14:31	43	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	20-Jun-19	1-hr TSP	12:16	18	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	20-Jun-19	1-hr TSP	13:16	27	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	20-Jun-19	1-hr TSP	14:16	27	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	26-Jun-19	1-hr TSP	12:13	46	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	26-Jun-19	1-hr TSP	13:13	26	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	26-Jun-19	1-hr TSP	14:13	23	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Jun-19	24-hr TSP	14:51	27	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	10-Jun-19	24-hr TSP	13:49	36	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Jun-19	24-hr TSP	13:39	44	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	20-Jun-19	24-hr TSP	13:53	21	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	26-Jun-19	24-hr TSP	17:02	24	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Jun-19	24-hr TSP	08:26	25	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	10-Jun-19	24-hr TSP	08:17	35	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Jun-19	24-hr TSP	08:28	73	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	20-Jun-19	24-hr TSP	08:27	36	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	26-Jun-19	24-hr TSP	14:37	28	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Jun-19	24-hr TSP	12:42	42	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	10-Jun-19	24-hr TSP	12:29	84	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Jun-19	24-hr TSP	12:37	50	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	20-Jun-19	24-hr TSP	12:27	39	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	26-Jun-19	24-hr TSP	18:00	33	µg/m ³


Air Quality Monitoring (1-hr TSP) at AMS2




Air Quality Monitoring (1-hr TSP) at AMS3C




Air Quality Monitoring (1-hr TSP) at AMS7B




Air Quality Monitoring (24-hr TSP) at AMS2



Air Quality Monitoring (24-hr TSP) at AMS3C





Air Quality Monitoring (24-hr TSP) at AMS7B



Project	Contract	Date	Station	Start Time	Noise Level for 30 min, dB(A)			Weather	Wind Speed, m/s	Facade / Free Field	Limit Level, dB(A)
					L _{eq}	L ₁₀	L ₉₀				
HKBCF	HY/2013/04	04-Jun-19	NMS2 Seaview Crescent	13:29	64	66	61	Sunny	<5	Facade	75
HKBCF	HY/2013/04	10-Jun-19	NMS2 Seaview Crescent	14:19	65	66	62	Sunny	<5	Facade	75
HKBCF	HY/2013/04	20-Jun-19	NMS2 Seaview Crescent	14:24	62	63	60	Sunny	<5	Facade	75
HKBCF	HY/2013/04	26-Jun-19	NMS2 Seaview Crescent	13:59	65	67	62	Cloudy	<5	Facade	75
HKBCF	HY/2013/04	04-Jun-19	NMS3C Ying Tung Estate Refuse Collection Point	10:02	64	65	63	Sunny	<5	Free Field *	70
HKBCF	HY/2013/04	10-Jun-19	NMS3C Ying Tung Estate Refuse Collection Point	09:30	63	64	62	Sunny	<5	Free Field *	65
HKBCF	HY/2013/04	20-Jun-19	NMS3C Ying Tung Estate Refuse Collection Point	10:05	63	64	62	Sunny	<5	Free Field *	70
HKBCF	HY/2013/04	26-Jun-19	NMS3C Ying Tung Estate Refuse Collection Point	10:06	62	64	61	Cloudy	<5	Free Field *	70

Remark: * Free field measurement; noise level shown includes +3dB(A) correction factor



Remark: The measured noise level recorded at NMS3C on 2 April 2019 was 65.9 dB(A), which exceeded the noise Limit Level of 65 dB(A) during examination period at Ho Yu College but it was below the baseline level. Therefore, it is not considered as an exceedance. As such the Event and Action Plan was not triggered.

Date (yyyy-mm-dd)	Tide	Station	Weather	Sea condition	Sampling Time	Water Depth (m)	Sampling Water Level	Replicate	Water Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average of DO (mg/L)	DO Saturation (%)	Turbidity (NTU)	Turbidity (NTU) (depth-averaged)	SS	SS (mg/L) (depth-averaged)	
2019-06-26	Mid-Ebb	CS(Mf)5	Cloudy	Moderate	7:42	13.3	Surface	1st	28.5	7.7	14.0	5.7	4.5	78.9	9.7	10.3	1.2	1.8	
							Surface	2nd	28.5	7.7	14.0	5.7							
							Middle	1st	27.7	7.7	22.1	3.2	2.6	38.9	10.5				1.6
							Middle	2nd	27.7	7.7	22.1	3.2							
							Bottom	1st	26.0	7.6	32.2	2.6	38.9	10.5	1.8				
							Bottom	2nd	26.0	7.6	32.2	2.6							
2019-06-26	Mid-Ebb	SR3(N)	Cloudy	Moderate	9:12	3.5	Surface	1st	28.5	7.9	14.5	5.4	5.4	74.9	12.1	13.6	3.4	3.4	
							Surface	2nd	28.5	7.9	14.5	5.4							
							Middle	1st					4.9	69.1	15.0				3.4
							Middle	2nd											
							Bottom	1st	28.3	7.8	16.8	4.9	69.1	15.0	3.3				
							Bottom	2nd	28.3	7.8	16.8	4.9							
2019-06-26	Mid-Ebb	CS2A	Cloudy	Moderate	9:50	7.2	Surface	1st	28.4	7.6	14.7	4.7	3.4	64.9	10.2	12.7	1.4	1.8	
							Surface	2nd	28.4	7.6	14.7	4.7							
							Middle	1st	27.3	7.5	28.1	2.1	31.6	11.7	1.6				
							Middle	2nd	27.3	7.5	28.1	2.1							
							Bottom	1st	27.1	7.5	29.5	2.5	2.5	37.0	16.3				2.2
							Bottom	2nd	27.1	7.5	29.5	2.5							
2019-06-26	Mid-Ebb	SR2(A)	Cloudy	Moderate	9:29	8.9	Surface	1st	28.4	7.7	13.9	5.1	3.7	71.0	10.2	12.1	3.3	3.2	
							Surface	2nd	28.4	7.7	13.9	5.1							
							Middle	1st	27.3	7.7	27.2	2.2	32.1	12.2	3.0				
							Middle	2nd	27.3	7.7	27.2	2.2							
							Bottom	1st	27.2	7.7	28.9	2.2	2.2	33.0	13.8				3.2
							Bottom	2nd	27.2	7.7	28.9	2.2							
2019-06-26	Mid-Flood	CS(Mf)5	Cloudy	Moderate	14:54	12.4	Surface	1st	28.6	7.7	15.1	5.8	4.5	81.9	8.8	9.0	2.0	2.3	
							Surface	2nd	28.6	7.7	15.1	5.8							
							Middle	1st	26.7	7.6	28.0	3.1	44.6	9.0	2.2				
							Middle	2nd	26.7	7.6	28.0	3.1							
							Bottom	1st	26.0	7.6	32.6	3.5	3.5	51.1	9.1				2.3
							Bottom	2nd	26.0	7.6	32.6	3.5							
2019-06-26	Mid-Flood	SR3(N)	Cloudy	Moderate	12:31	3.7	Surface	1st	28.5	7.7	17.4	5.3	5.3	74.9	10.5	10.6	2.8	3.0	
							Surface	2nd	28.5	7.7	17.4	5.3							
							Middle	1st					5.6	78.8	10.7				3.2
							Middle	2nd											
							Bottom	1st	28.4	7.7	17.6	5.6	78.8	10.7	3.3				
							Bottom	2nd	28.4	7.7	17.6	5.6							
2019-06-26	Mid-Flood	CS2A	Cloudy	Moderate	11:57	7.1	Surface	1st	28.8	7.7	10.1	5.4	4.1	73.6	11.4	12.9	2.7	3.2	
							Surface	2nd	28.8	7.7	10.1	5.4							
							Middle	1st	27.7	7.6	24.9	2.8	40.3	12.6	2.9				
							Middle	2nd	27.7	7.6	24.9	2.8							
							Bottom	1st	27.2	7.6	29.3	2.6	2.6	39.0	14.6				3.6
							Bottom	2nd	27.2	7.6	29.3	2.6							
2019-06-26	Mid-Flood	SR2(A)	Cloudy	Moderate	12:14	8.4	Surface	1st	28.7	7.7	12.4	5.6	4.3	77.7	9.6	10.7	2.9	2.9	
							Surface	2nd	28.7	7.7	12.4	5.6							
							Middle	1st	27.8	7.6	22.2	2.9	42.5	10.9	2.8				
							Middle	2nd	27.8	7.6	22.2	2.9							
							Bottom	1st	27.3	7.5	28.4	3.3	3.3	48.3	11.5				3.1
							Bottom	2nd	27.3	7.5	28.4	3.3							

