



Project	Contract	Station	Date	Parameter	Start Time	Result	Unit
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Sep-19	1-hr TSP	09:16	40	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Sep-19	1-hr TSP	10:16	39	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Sep-19	1-hr TSP	11:16	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	07-Sep-19	1-hr TSP	08:58	46	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	07-Sep-19	1-hr TSP	09:58	48	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	07-Sep-19	1-hr TSP	10:58	23	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Sep-19	1-hr TSP	09:01	43	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Sep-19	1-hr TSP	10:01	42	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Sep-19	1-hr TSP	11:01	44	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Sep-19	1-hr TSP	09:15	33	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Sep-19	1-hr TSP	10:15	29	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Sep-19	1-hr TSP	11:15	31	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	25-Sep-19	1-hr TSP	09:20	26	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	25-Sep-19	1-hr TSP	10:20	39	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	25-Sep-19	1-hr TSP	11:20	47	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Sep-19	1-hr TSP	13:00	89	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Sep-19	1-hr TSP	14:00	74	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Sep-19	1-hr TSP	15:00	58	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Sep-19	1-hr TSP	13:40	23	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Sep-19	1-hr TSP	14:40	24	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Sep-19	1-hr TSP	15:40	27	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	07-Sep-19	1-hr TSP	12:51	43	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	07-Sep-19	1-hr TSP	13:51	56	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	07-Sep-19	1-hr TSP	14:51	53	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Sep-19	1-hr TSP	12:33	47	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Sep-19	1-hr TSP	13:33	20	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Sep-19	1-hr TSP	14:33	47	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	19-Sep-19	1-hr TSP	13:00	36	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	19-Sep-19	1-hr TSP	14:00	43	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	19-Sep-19	1-hr TSP	15:00	42	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	25-Sep-19	1-hr TSP	13:02	66	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	25-Sep-19	1-hr TSP	14:02	72	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	25-Sep-19	1-hr TSP	15:02	46	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Sep-19	1-hr TSP	08:10	137	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Sep-19	1-hr TSP	09:10	159	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Sep-19	1-hr TSP	10:10	160	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Sep-19	1-hr TSP	08:34	25	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Sep-19	1-hr TSP	09:34	29	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Sep-19	1-hr TSP	10:34	22	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	07-Sep-19	1-hr TSP	08:04	55	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	07-Sep-19	1-hr TSP	09:04	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	07-Sep-19	1-hr TSP	10:04	33	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Sep-19	1-hr TSP	08:17	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Sep-19	1-hr TSP	09:17	45	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Sep-19	1-hr TSP	10:17	20	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	19-Sep-19	1-hr TSP	08:15	36	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	19-Sep-19	1-hr TSP	09:15	33	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	19-Sep-19	1-hr TSP	10:15	31	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	25-Sep-19	1-hr TSP	08:15	25	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	25-Sep-19	1-hr TSP	09:15	28	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	25-Sep-19	1-hr TSP	10:15	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Sep-19	1-hr TSP	12:18	119	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Sep-19	1-hr TSP	13:18	113	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Sep-19	1-hr TSP	14:18	88	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Sep-19	24-hr TSP	09:30	33	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	07-Sep-19	24-hr TSP	09:08	72	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Sep-19	24-hr TSP	09:08	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Sep-19	24-hr TSP	09:26	88	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	25-Sep-19	24-hr TSP	09:28	80	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Sep-19	24-hr TSP	13:10	109	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Sep-19	24-hr TSP	13:39	30	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	07-Sep-19	24-hr TSP	12:57	76	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Sep-19	24-hr TSP	12:45	39	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	19-Sep-19	24-hr TSP	13:12	112	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	25-Sep-19	24-hr TSP	13:14	85	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Sep-19	24-hr TSP	08:17	159	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Sep-19	24-hr TSP	17:33	37	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	07-Sep-19	24-hr TSP	08:09	102	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Sep-19	24-hr TSP	08:16	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	19-Sep-19	24-hr TSP	08:27	127	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	25-Sep-19	24-hr TSP	08:22	128	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Sep-19	24-hr TSP	12:17	211	µg/m ³


Air Quality Monitoring (1-hr TSP) at AMS2




Air Quality Monitoring (1-hr TSP) at AMS3C




Air Quality Monitoring (1-hr TSP) at AMS7B




Air Quality Monitoring (24-hr TSP) at AMS2



Air Quality Monitoring (24-hr TSP) at AMS3C





Air Quality Monitoring (24-hr TSP) at AMS7B



Project	Contract	Date	Station	Start Time	Noise Level for 30 min, dB(A)			Weather	Wind Speed, m/s	Facade / Free Field	Limit Level, dB(A)
					L _{eq}	L ₁₀	L ₉₀				
HKBCF	HY/2013/04	02-Sep-19	NMS2 Seaview Crescent	10:32	64	67	61	Cloudy	<5	Facade	75
HKBCF	HY/2013/04	02-Sep-19	NMS3C Ying Tung Estate Refuse Collection Point	14:29	65	67	62	Cloudy	<5	Free Field *	70

Remark: * Free field measurement; noise level shown includes +3dB(A) correction factor

A proposal to terminate impact monitoring for noise at NMS2 and NMS3C was justified by the ET Leader of this Contract and verified by the IEC on 13 August 2019, and approved by EPD on 3 September 2019. Therefore, the last impact noise monitoring event for this Contract was conducted on 2 September 2019.



Remark: A proposal to terminate impact monitoring for noise at NMS2 and NMS3C was justified by the ET Leader of this Contract and verified by the IEC on 13 August 2019, and approved by EPD on 3 September 2019. Therefore, the last impact noise monitoring event under this Contract was conducted on 2 September 2019.

Date (yyyy-mm-dd)	Tide	Station	Weather	Sea condition	Sampling Time	Water Depth (m)	Sampling Water Level	Replicate	Water Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average of DO (mg/L)	DO Saturation (%)	Turbidity (NTU)	Turbidity (NTU) (depth-averaged)	SS	SS (mg/L) (depth-averaged)
2019-09-20	Mid-Ebb	CS(M)5	Fine	Moderate	16:49:00	12.5	Surface	1st	30.0	7.8	25.2	5.2	4.9	78.8	3.6	3.7	8.4	7.5
	Mid-Ebb	CS(M)5					Surface	2nd	30.0	7.8	25.2	5.3		79.9	3.6		9.4	
	Mid-Ebb	CS(M)5					Middle	1st	29.2	7.8	27.6	4.6	5.0	70.4	4.1		7.1	
	Mid-Ebb	CS(M)5					Middle	2nd	29.2	7.8	27.5	4.6		69.9	4.1		8.1	
	Mid-Ebb	CS(M)5					Bottom	1st	29.2	7.8	28.2	5.0		76.8	3.5		6.3	
	Mid-Ebb	CS(M)5					Bottom	2nd	29.2	7.8	28.2	4.9		75.0	3.5		5.9	
2019-09-20	Mid-Ebb	SR3(N)	Fine	Calm	15:32:00	4.4	Surface	1st	30.1	7.8	23.9	6.0	6.0	91.2	3.9	3.4	7.7	7.3
	Mid-Ebb	SR3(N)					Surface	2nd	30.1	7.8	23.9	6.0		91.2	4.0		6.7	
	Mid-Ebb	SR3(N)					Middle	1st										
	Mid-Ebb	SR3(N)					Middle	2nd										
	Mid-Ebb	SR3(N)					Bottom	1st	30.1	7.8	24.1	6.4	6.4	97.2	2.7		7.6	
	Mid-Ebb	SR3(N)					Bottom	2nd	30.1	7.8	24.1	6.4		97.1	2.8		7.0	
2019-09-20	Mid-Ebb	CS2(A)	Fine	Moderate	14:59:00	7.2	Surface	1st	29.9	7.8	22.7	6.1	5.6	90.4	1.8	8.3	10.1	9.0
	Mid-Ebb	CS2(A)					Surface	2nd	29.9	7.8	22.7	6.1		90.7	1.6		9.1	
	Mid-Ebb	CS2(A)					Middle	1st	29.3	7.8	27.5	5.2	5.2	78.3	7.7		9.2	
	Mid-Ebb	CS2(A)					Middle	2nd	29.3	7.8	27.5	5.1		78.1	7.5		9.5	
	Mid-Ebb	CS2(A)					Bottom	1st	29.2	7.8	27.9	5.2		78.8	15.8		7.6	
	Mid-Ebb	CS2(A)					Bottom	2nd	29.2	7.8	27.9	5.2		78.8	15.6		8.7	
2019-09-20	Mid-Ebb	SR2(A)	Fine	Moderate	15:16:00	7.7	Surface	1st	29.7	7.8	23.7	5.3	5.0	80.1	5.5	7.6	10.6	9.9
	Mid-Ebb	SR2(A)					Surface	2nd	29.7	7.8	23.7	5.4		80.8	5.4		9.8	
	Mid-Ebb	SR2(A)					Middle	1st	29.3	7.8	26.6	4.7	4.9	71.5	7.9		10.3	
	Mid-Ebb	SR2(A)					Middle	2nd	29.3	7.8	26.6	4.7		71.5	7.5		9.9	
	Mid-Ebb	SR2(A)					Bottom	1st	29.2	7.8	27.1	4.9		74.2	9.9		9.2	
	Mid-Ebb	SR2(A)					Bottom	2nd	29.2	7.8	27.1	4.9		73.6	9.6		9.8	
2019-09-20	Mid-Flood	CS(M)5	Fine	Moderate	9:45:00	13.1	Surface	1st	29.9	7.8	25.3	4.9	4.7	74.1	1.3	3.9	5.9	6.2
	Mid-Flood	CS(M)5					Surface	2nd	29.9	7.8	25.2	5.1		76.6	1.1		5.7	
	Mid-Flood	CS(M)5					Middle	1st	29.2	7.8	27.6	4.4	4.6	67.5	4.0		5.0	
	Mid-Flood	CS(M)5					Middle	2nd	29.2	7.8	27.6	4.4		67.0	3.8		5.2	
	Mid-Flood	CS(M)5					Bottom	1st	29.1	7.8	28.2	4.6		70.5	6.6		7.7	
	Mid-Flood	CS(M)5					Bottom	2nd	29.1	7.8	28.3	4.6		69.6	6.6		7.4	
2019-09-20	Mid-Flood	SR3(N)	Fine	Calm	11:19:00	4.2	Surface	1st	29.6	7.7	24.3	4.9	4.9	73.7	5.9	6.5	8.5	8.7
	Mid-Flood	SR3(N)					Surface	2nd	29.6	7.7	24.3	4.9		73.7	5.7		9.5	
	Mid-Flood	SR3(N)					Middle	1st										
	Mid-Flood	SR3(N)					Middle	2nd										
	Mid-Flood	SR3(N)					Bottom	1st	29.6	7.7	24.3	5.0	5.0	75.3	7.2		8.0	
	Mid-Flood	SR3(N)					Bottom	2nd	29.6	7.7	24.3	5.0		75.4	7.3		8.9	
2019-09-20	Mid-Flood	CS2(A)	Fine	Moderate	11:55:00	7.4	Surface	1st	29.7	7.8	22.7	5.6	5.1	83.9	7.8	7.8	10.5	8.9
	Mid-Flood	CS2(A)					Surface	2nd	29.7	7.8	22.7	5.6		83.8	7.8		10.2	
	Mid-Flood	CS2(A)					Middle	1st	29.3	7.8	26.8	4.6	4.6	70.3	7.8		9.0	
	Mid-Flood	CS2(A)					Middle	2nd	29.3	7.8	26.9	4.6		70.3	7.8		8.0	
	Mid-Flood	CS2(A)					Bottom	1st	29.3	7.8	27.0	4.6		70.1	7.8		8.4	
	Mid-Flood	CS2(A)					Bottom	2nd	29.3	7.8	27.0	4.6		69.9	7.8		7.4	
2019-09-20	Mid-Flood	SR2(A)	Fine	Calm	11:36:00	7.2	Surface	1st	29.5	7.8	23.1	5.2	5.1	77.0	7.8	7.8	9.4	9.5
	Mid-Flood	SR2(A)					Surface	2nd	29.5	7.8	23.0	5.2		77.2	7.8		8.7	
	Mid-Flood	SR2(A)					Middle	1st	29.6	7.8	24.4	5.0	5.0	74.4	7.8		10.0	
	Mid-Flood	SR2(A)					Middle	2nd	29.6	7.8	24.5	5.0		74.7	7.8		9.0	
	Mid-Flood	SR2(A)					Bottom	1st	29.5	7.8	24.9	5.0		74.7	7.8		10.3	
	Mid-Flood	SR2(A)					Bottom	2nd	29.5	7.8	24.9	5.0		74.4	7.8		9.7	

