



Project	Contract	Station	Date	Parameter	Start Time	Result	Unit
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	05-Oct-19	1-hr TSP	09:00	23	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	05-Oct-19	1-hr TSP	10:00	27	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	05-Oct-19	1-hr TSP	11:00	27	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	11-Oct-19	1-hr TSP	09:08	40	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	11-Oct-19	1-hr TSP	10:08	33	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	11-Oct-19	1-hr TSP	11:08	29	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	17-Oct-19	1-hr TSP	09:08	38	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	17-Oct-19	1-hr TSP	10:08	32	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	17-Oct-19	1-hr TSP	11:08	31	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	23-Oct-19	1-hr TSP	13:05	27	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	23-Oct-19	1-hr TSP	14:05	23	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	23-Oct-19	1-hr TSP	15:05	22	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	29-Oct-19	1-hr TSP	09:03	21	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	29-Oct-19	1-hr TSP	10:03	19	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	29-Oct-19	1-hr TSP	11:03	19	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	05-Oct-19	1-hr TSP	12:43	28	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	05-Oct-19	1-hr TSP	13:43	23	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	05-Oct-19	1-hr TSP	14:43	22	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	11-Oct-19	1-hr TSP	12:34	69	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	11-Oct-19	1-hr TSP	13:34	69	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	11-Oct-19	1-hr TSP	14:34	72	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	17-Oct-19	1-hr TSP	12:33	35	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	17-Oct-19	1-hr TSP	13:33	29	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	17-Oct-19	1-hr TSP	14:33	28	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	23-Oct-19	1-hr TSP	08:11	33	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	23-Oct-19	1-hr TSP	09:11	32	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	23-Oct-19	1-hr TSP	10:11	31	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	29-Oct-19	1-hr TSP	12:33	29	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	29-Oct-19	1-hr TSP	13:33	33	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	29-Oct-19	1-hr TSP	14:33	29	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	05-Oct-19	1-hr TSP	08:08	29	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	05-Oct-19	1-hr TSP	09:08	26	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	05-Oct-19	1-hr TSP	10:08	40	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	11-Oct-19	1-hr TSP	08:14	60	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	11-Oct-19	1-hr TSP	09:14	60	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	11-Oct-19	1-hr TSP	10:14	63	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	17-Oct-19	1-hr TSP	08:22	39	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	17-Oct-19	1-hr TSP	09:22	37	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	17-Oct-19	1-hr TSP	10:22	36	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	23-Oct-19	1-hr TSP	12:17	22	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	23-Oct-19	1-hr TSP	13:17	22	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	23-Oct-19	1-hr TSP	14:17	20	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	29-Oct-19	1-hr TSP	08:14	21	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	29-Oct-19	1-hr TSP	09:14	21	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	29-Oct-19	1-hr TSP	10:14	22	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	05-Oct-19	24-hr TSP	09:24	51	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	11-Oct-19	24-hr TSP	09:20	80	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	17-Oct-19	24-hr TSP	09:19	79	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	23-Oct-19	24-hr TSP	13:18	62	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	29-Oct-19	24-hr TSP	09:16	65	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	05-Oct-19	24-hr TSP	12:51	65	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	11-Oct-19	24-hr TSP	12:40	110	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	17-Oct-19	24-hr TSP	12:44	90	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	23-Oct-19	24-hr TSP	08:18	83	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	29-Oct-19	24-hr TSP	12:41	82	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	05-Oct-19	24-hr TSP	08:17	116	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	11-Oct-19	24-hr TSP	08:25	152	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	17-Oct-19	24-hr TSP	08:29	80	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	23-Oct-19	24-hr TSP	12:26	79	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	29-Oct-19	24-hr TSP	08:23	85	µg/m ³


Air Quality Monitoring (1-hr TSP) at AMS2




Air Quality Monitoring (1-hr TSP) at AMS3C




Air Quality Monitoring (1-hr TSP) at AMS7B




Air Quality Monitoring (24-hr TSP) at AMS2



Air Quality Monitoring (24-hr TSP) at AMS3C





Air Quality Monitoring (24-hr TSP) at AMS7B



No monitoring results are presented for the reporting period.

Remark: A proposal to terminate impact monitoring for noise at NMS2 and NMS3C was justified by the ET Leader of this Contract and verified by the IEC on 13 August 2019, and approved by EPD on 3 September 2019. Therefore, the last impact noise monitoring event for this Contract was conducted on 2 September 2019. No noise monitoring was conducted during the reporting period.



Remark: A proposal to terminate impact monitoring for noise at NMS2 and NMS3C was justified by the ET Leader of this Contract and verified by the IEC on 13 August 2019, and approved by EPD on 3 September 2019. Therefore, the last impact noise monitoring event under this Contract was conducted on 2 September 2019. No impact noise monitoring was conducted during the reporting period.

Date (yyyy-mm-dd)	Tide	Station	Weather	Sea condition	Sampling Time	Water Depth (m)	Sampling Water Level	Replicate	Water Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average of DO (mg/L)	DO Saturation (%)	Turbidity (NTU)	Turbidity (NTU) (depth-averaged)	SS	SS (mg/L) (depth-averaged)
2019-10-23	Mid-Ebb	CS(M)5	Fine	Moderate	7:10:00	13.1	Surface	1st	27.2	8.0	29.4	5.8	5.7	85.5	3.2	3.6	6.3	6.8
	Mid-Ebb	CS(M)5					Surface	2nd	27.2	8.0	29.4	5.8		85.6	3.2		6.9	
	Mid-Ebb	CS(M)5					Middle	1st	27.7	8.0	29.7	5.5	82.1	3.2	6.0			
	Mid-Ebb	CS(M)5					Middle	2nd	27.6	8.0	29.7	5.5	82.2	3.2	6.6			
	Mid-Ebb	CS(M)5					Bottom	1st	28.1	8.0	31.5	5.1	78.3	4.3	7.8			
	Mid-Ebb	CS(M)5					Bottom	2nd	28.1	8.0	31.6	5.1	77.9	4.4	7.1			
2019-10-23	Mid-Ebb	SR3(N)	Fine	Calm	8:50:00	3.5	Surface	1st	27.2	8.0	29.3	5.9	5.9	86.9	7.3	8.1	7.5	8.4
	Mid-Ebb	SR3(N)					Surface	2nd	27.2	8.0	29.3	5.9		86.8	7.1		6.9	
	Mid-Ebb	SR3(N)					Middle	1st										
	Mid-Ebb	SR3(N)					Middle	2nd										
	Mid-Ebb	SR3(N)					Bottom	1st	27.2	8.0	29.4	6.0	89.4	9.1	9.6			
	Mid-Ebb	SR3(N)					Bottom	2nd	27.2	8.0	29.4	6.0	89.1	8.7	9.4			
2019-10-23	Mid-Ebb	CS2(A)	Fine	Moderate	9:27:00	6.3	Surface	1st	27.2	8.0	29.1	6.0	6.1	89.6	8.9	10.5	7.1	7.7
	Mid-Ebb	CS2(A)					Surface	2nd	27.2	8.1	29.1	6.0		89.6	8.7		7.1	
	Mid-Ebb	CS2(A)					Middle	1st	27.2	8.0	29.1	6.1	90.0	12.4	7.2			
	Mid-Ebb	CS2(A)					Middle	2nd	27.2	8.0	29.1	6.1	89.9	12.5	7.8			
	Mid-Ebb	CS2(A)					Bottom	1st	27.2	8.0	29.1	6.1	91.0	10.5	8.2			
	Mid-Ebb	CS2(A)					Bottom	2nd	27.2	8.0	29.1	6.1	90.8	10.0	8.9			
2019-10-23	Mid-Ebb	SR2(A)	Fine	Moderate	9:06:00	8.1	Surface	1st	27.6	8.1	30.0	5.5	5.5	82.1	5.4	6.6	7.3	7.3
	Mid-Ebb	SR2(A)					Surface	2nd	27.6	8.1	30.0	5.5		82.2	5.4		7.6	
	Mid-Ebb	SR2(A)					Middle	1st	27.8	8.1	30.5	5.4	82.1	6.8	7.6			
	Mid-Ebb	SR2(A)					Middle	2nd	27.8	8.1	30.5	5.4	82.1	6.7	7.1			
	Mid-Ebb	SR2(A)					Bottom	1st	27.8	8.0	30.5	5.5	83.2	7.7	7.4			
	Mid-Ebb	SR2(A)					Bottom	2nd	27.8	8.0	30.5	5.5	83.0	7.7	7.0			
2019-10-23	Mid-Flood	CS(M)5	Fine	Moderate	16:56:00	11.6	Surface	1st	28.0	8.1	29.6	5.7	5.6	85.8	5.2	9.7	6.5	7.8
	Mid-Flood	CS(M)5					Surface	2nd	28.0	8.1	29.6	5.7		86.1	5.0		6.2	
	Mid-Flood	CS(M)5					Middle	1st	28.0	8.0	30.6	5.5	83.5	11.0	7.1			
	Mid-Flood	CS(M)5					Middle	2nd	28.0	8.0	30.6	5.5	83.5	10.9	6.4			
	Mid-Flood	CS(M)5					Bottom	1st	28.1	8.1	30.6	5.8	88.3	13.2	10.5			
	Mid-Flood	CS(M)5					Bottom	2nd	28.1	8.1	30.6	5.8	88.2	13.0	10.0			
2019-10-23	Mid-Flood	SR3(N)	Fine	Calm	15:17:00	3.6	Surface	1st	27.8	8.1	29.2	6.0	6.0	90.5	11.1	11.4	15.0	15.8
	Mid-Flood	SR3(N)					Surface	2nd	27.8	8.1	29.2	6.0		90.4	11.2		14.1	
	Mid-Flood	SR3(N)					Middle	1st										
	Mid-Flood	SR3(N)					Middle	2nd										
	Mid-Flood	SR3(N)					Bottom	1st	27.8	8.1	29.2	6.2	92.3	11.7	16.8			
	Mid-Flood	SR3(N)					Bottom	2nd	27.8	8.1	29.2	6.1	91.8	11.7	17.1			
2019-10-23	Mid-Flood	CS2(A)	Fine	Moderate	14:41:00	6.4	Surface	1st	27.7	8.2	28.9	6.0	5.9	90.0	9.8	11.2	14.2	12.6
	Mid-Flood	CS2(A)					Surface	2nd	27.7	8.2	28.8	6.0		90.1	9.3		14.8	
	Mid-Flood	CS2(A)					Middle	1st	27.7	8.1	29.5	5.7	85.2	10.1	11.7			
	Mid-Flood	CS2(A)					Middle	2nd	27.7	8.1	29.5	5.7	85.2	10.1	12.0			
	Mid-Flood	CS2(A)					Bottom	1st	27.8	8.1	29.9	5.7	85.5	13.9	11.9			
	Mid-Flood	CS2(A)					Bottom	2nd	27.8	8.1	29.9	5.7	85.3	13.8	11.0			
2019-10-23	Mid-Flood	SR2(A)	Fine	Calm	14:58:00	8.1	Surface	1st	27.8	8.1	29.3	5.7	5.6	85.8	5.2	9.7	15.4	16.2
	Mid-Flood	SR2(A)					Surface	2nd	27.8	8.1	29.3	5.7		86.1	5.0		15.0	
	Mid-Flood	SR2(A)					Middle	1st	27.7	8.1	29.3	5.5	83.5	11.0	16.1			
	Mid-Flood	SR2(A)					Middle	2nd	27.7	8.1	29.3	5.5	83.5	10.9	16.4			
	Mid-Flood	SR2(A)					Bottom	1st	27.7	8.1	29.3	5.8	88.3	13.2	16.6			
	Mid-Flood	SR2(A)					Bottom	2nd	27.7	8.1	29.3	5.8	88.2	13.0	17.4			

