



Project	Contract	Station	Date	Parameter	Start Time	Result	Unit
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Nov-19	1-hr TSP	09:13	43	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Nov-19	1-hr TSP	10:13	43	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Nov-19	1-hr TSP	11:13	42	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	09-Nov-19	1-hr TSP	13:07	22	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	09-Nov-19	1-hr TSP	14:07	26	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	09-Nov-19	1-hr TSP	15:07	29	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Nov-19	1-hr TSP	12:05	48	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Nov-19	1-hr TSP	13:05	43	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Nov-19	1-hr TSP	14:05	46	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	21-Nov-19	1-hr TSP	09:02	38	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	21-Nov-19	1-hr TSP	10:02	31	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	21-Nov-19	1-hr TSP	11:02	30	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	27-Nov-19	1-hr TSP	11:54	43	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	27-Nov-19	1-hr TSP	12:54	50	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	27-Nov-19	1-hr TSP	13:54	65	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Nov-19	1-hr TSP	12:43	49	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Nov-19	1-hr TSP	13:43	48	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Nov-19	1-hr TSP	14:43	49	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	09-Nov-19	1-hr TSP	08:06	36	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	09-Nov-19	1-hr TSP	09:06	37	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	09-Nov-19	1-hr TSP	10:06	40	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Nov-19	1-hr TSP	08:07	59	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Nov-19	1-hr TSP	09:07	60	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Nov-19	1-hr TSP	10:07	60	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Nov-19	1-hr TSP	12:31	38	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Nov-19	1-hr TSP	13:31	47	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Nov-19	1-hr TSP	14:31	49	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Nov-19	1-hr TSP	08:05	49	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Nov-19	1-hr TSP	09:05	57	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Nov-19	1-hr TSP	10:05	66	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Nov-19	1-hr TSP	08:13	41	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Nov-19	1-hr TSP	09:13	44	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Nov-19	1-hr TSP	10:13	46	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	09-Nov-19	1-hr TSP	12:21	27	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	09-Nov-19	1-hr TSP	13:21	26	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	09-Nov-19	1-hr TSP	14:21	29	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Nov-19	1-hr TSP	12:51	61	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Nov-19	1-hr TSP	13:51	55	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Nov-19	1-hr TSP	14:51	53	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Nov-19	1-hr TSP	08:16	40	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Nov-19	1-hr TSP	09:16	35	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Nov-19	1-hr TSP	10:16	37	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Nov-19	1-hr TSP	12:41	53	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Nov-19	1-hr TSP	13:41	92	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Nov-19	1-hr TSP	14:41	76	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	04-Nov-19	24-hr TSP	09:20	139	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	09-Nov-19	24-hr TSP	13:16	84	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Nov-19	24-hr TSP	13:38	99	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	21-Nov-19	24-hr TSP	09:12	118	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	27-Nov-19	24-hr TSP	11:58	129	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	04-Nov-19	24-hr TSP	12:43	170	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	09-Nov-19	24-hr TSP	08:15	104	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Nov-19	24-hr TSP	08:07	112	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Nov-19	24-hr TSP	12:41	121	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Nov-19	24-hr TSP	08:14	124	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	04-Nov-19	24-hr TSP	08:22	160	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	09-Nov-19	24-hr TSP	12:28	97	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Nov-19	24-hr TSP	12:58	114	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Nov-19	24-hr TSP	08:23	218	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Nov-19	24-hr TSP	12:52	165	µg/m ³


Air Quality Monitoring (1-hr TSP) at AMS2




Air Quality Monitoring (1-hr TSP) at AMS3C




Air Quality Monitoring (1-hr TSP) at AMS7B




Air Quality Monitoring (24-hr TSP) at AMS2



Air Quality Monitoring (24-hr TSP) at AMS3C





Air Quality Monitoring (24-hr TSP) at AMS7B



No monitoring results are presented for the reporting period.

Remark: A proposal to terminate impact monitoring for noise at NMS2 and NMS3C was justified by the ET Leader of this Contract and verified by the IEC on 13 August 2019, and approved by EPD on 3 September 2019. Therefore, the last impact noise monitoring event for this Contract was conducted on 2 September 2019. No noise monitoring was conducted during the reporting period.



Remark: A proposal to terminate impact monitoring for noise at NMS2 and NMS3C was justified by the ET Leader of this Contract and verified by the IEC on 13 August 2019, and approved by EPD on 3 September 2019. Therefore, the last impact noise monitoring event under this Contract was conducted on 2 September 2019. No impact noise monitoring was conducted during the reporting period.

Date (yyyy-mm-dd)	Tide	Station	Weather	Sea condition	Sampling Time	Water Depth (m)	Sampling Water Level	Replicate	Water Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average of DO (mg/L)	DO Saturation (%)	Turbidity (NTU)	Turbidity (NTU) (depth-averaged)	SS	SS (mg/L) (depth-averaged)
2019-11-20	Mid-Ebb	CS(M)5	Cloudy	Moderate	5:06:00	12.2	Surface	1st	24.1	8.1	32.7	7.5	7.3	107.2	1.1	1.6	1.7	2.3
	Mid-Ebb	CS(M)5					Surface	2nd	24.1	8.1	32.7	7.5		107.2	1.1			
	Mid-Ebb	CS(M)5					Middle	1st	24.8	8.0	33.5	7.0	7.1	102.0	1.9		2	
	Mid-Ebb	CS(M)5					Middle	2nd	24.8	8.0	33.5	7.0		102.0	1.9		2.2	
	Mid-Ebb	CS(M)5					Bottom	1st	24.8	8.0	33.7	7.1	103.9	1.8	3			
	Mid-Ebb	CS(M)5					Bottom	2nd	24.8	8.0	33.7	7.1	103.9	1.8	2.9			
2019-11-20	Mid-Ebb	SR3(N)	Cloudy	Moderate	6:27:00	4.2	Surface	1st	23.8	8.2	31.7	7.8	7.8	110.9	4.0	4.1	4.3	4.8
	Mid-Ebb	SR3(N)					Surface	2nd	23.8	8.2	31.7	7.8		110.9	4.0		3.9	
	Mid-Ebb	SR3(N)					Middle	1st										
	Mid-Ebb	SR3(N)					Middle	2nd										
	Mid-Ebb	SR3(N)					Bottom	1st	24.1	8.2	32.2	7.8	7.8	111.3	4.1		5.3	
	Mid-Ebb	SR3(N)					Bottom	2nd	24.1	8.2	32.2	7.8		111.3	4.1		5.6	
2019-11-20	Mid-Ebb	CS2(A)	Cloudy	Moderate	7:03:00	7.2	Surface	1st	24.1	8.0	33.3	6.9	7.0	99.6	14.3	13.8	12.4	12.3
	Mid-Ebb	CS2(A)					Surface	2nd	24.1	8.0	33.3	6.9		99.6	14.3		12.1	
	Mid-Ebb	CS2(A)					Middle	1st	24.2	8.0	33.3	7.0	7.0	100.8	13.3		12.3	
	Mid-Ebb	CS2(A)					Middle	2nd	24.2	8.0	33.3	7.0		100.8	13.3		12.1	
	Mid-Ebb	CS2(A)					Bottom	1st	24.2	8.0	33.4	7.0	101.4	13.8	12.4			
	Mid-Ebb	CS2(A)					Bottom	2nd	24.2	8.0	33.4	7.0	101.4	13.8	12.2			
2019-11-20	Mid-Ebb	SR2(A)	Cloudy	Moderate	6:43:00	8.5	Surface	1st	24.0	8.1	32.8	7.1	7.1	100.9	4.1	4.4	4.2	5.0
	Mid-Ebb	SR2(A)					Surface	2nd	24.0	8.1	32.8	7.1		100.9	4.1		3.9	
	Mid-Ebb	SR2(A)					Middle	1st	24.4	8.1	33.8	7.1	7.4	102.9	4.9		4.9	
	Mid-Ebb	SR2(A)					Middle	2nd	24.4	8.1	33.8	7.1		102.9	4.9		5.2	
	Mid-Ebb	SR2(A)					Bottom	1st	24.4	8.2	33.9	7.4	107.6	4.3	5.8			
	Mid-Ebb	SR2(A)					Bottom	2nd	24.4	8.2	33.9	7.4	107.6	4.3	6.2			
2019-11-20	Mid-Flood	CS(M)5	Cloudy	Moderate	15:06:00	11.7	Surface	1st	24.5	8.1	32.5	7.7	7.3	110.8	1.4	4.0	3.7	5.2
	Mid-Flood	CS(M)5					Surface	2nd	24.5	8.1	32.5	7.7		110.8	1.4		4.1	
	Mid-Flood	CS(M)5					Middle	1st	24.6	8.0	33.4	6.9	7.2	100.3	4.1		4.4	
	Mid-Flood	CS(M)5					Middle	2nd	24.6	8.0	33.4	6.9		100.3	4.1		4.6	
	Mid-Flood	CS(M)5					Bottom	1st	24.6	8.0	33.4	7.2	103.9	6.6	7.4			
	Mid-Flood	CS(M)5					Bottom	2nd	24.6	8.0	33.4	7.2	103.9	6.6	7.2			
2019-11-20	Mid-Flood	SR3(N)	Cloudy	Moderate	13:51:00	3.5	Surface	1st	24.3	8.1	31.9	7.8	7.8	110.9	8.8	9.1	8.1	8.3
	Mid-Flood	SR3(N)					Surface	2nd	24.3	8.1	31.9	7.8		110.9	8.8		8.5	
	Mid-Flood	SR3(N)					Middle	1st										
	Mid-Flood	SR3(N)					Middle	2nd										
	Mid-Flood	SR3(N)					Bottom	1st	24.2	8.0	31.9	7.7	7.7	110.0	9.4		8.3	
	Mid-Flood	SR3(N)					Bottom	2nd	24.2	8.0	31.9	7.7		110.0	9.4		8.2	
2019-11-20	Mid-Flood	CS2(A)	Cloudy	Moderate	13:18:00	6.8	Surface	1st	24.1	8.1	32.2	8.0	7.9	114.9	4.3	7.7	6.4	6.9
	Mid-Flood	CS2(A)					Surface	2nd	24.1	8.1	32.2	8.0		114.9	4.3		6.2	
	Mid-Flood	CS2(A)					Middle	1st	24.1	8.1	32.3	7.8	7.6	111.2	8.3		7.3	
	Mid-Flood	CS2(A)					Middle	2nd	24.1	8.1	32.3	7.8		111.2	8.3		6.8	
	Mid-Flood	CS2(A)					Bottom	1st	24.1	8.0	32.9	7.5	108.4	10.4	7.4			
	Mid-Flood	CS2(A)					Bottom	2nd	24.1	8.0	32.9	7.6	108.4	10.4	7.1			
2019-11-20	Mid-Flood	SR2(A)	Cloudy	Moderate	13:34:00	8.4	Surface	1st	24.2	8.1	32.0	7.8	7.8	111.4	6.1	6.5	6.6	7.4
	Mid-Flood	SR2(A)					Surface	2nd	24.2	8.1	32.0	7.8		111.4	6.1		6.8	
	Mid-Flood	SR2(A)					Middle	1st	24.2	8.1	32.1	7.8	7.7	111.6	6.3		7.1	
	Mid-Flood	SR2(A)					Middle	2nd	24.2	8.1	32.1	7.8		111.6	6.3		6.7	
	Mid-Flood	SR2(A)					Bottom	1st	24.3	8.1	32.2	7.7	110.1	7.0	8.9			
	Mid-Flood	SR2(A)					Bottom	2nd	24.3	8.1	32.2	7.7	110.1	7.0	8.3			

