



Project	Contract	Station	Date	Parameter	Start Time	Result	Unit
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Dec-19	1-hr TSP	09:11	47	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Dec-19	1-hr TSP	10:11	48	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Dec-19	1-hr TSP	11:11	20	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	07-Dec-19	1-hr TSP	09:02	44	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	07-Dec-19	1-hr TSP	10:02	38	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	07-Dec-19	1-hr TSP	11:02	30	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Dec-19	1-hr TSP	11:56	28	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Dec-19	1-hr TSP	12:56	20	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Dec-19	1-hr TSP	13:56	49	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Dec-19	1-hr TSP	09:09	38	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Dec-19	1-hr TSP	10:09	27	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Dec-19	1-hr TSP	11:09	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	24-Dec-19	1-hr TSP	09:04	40	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	24-Dec-19	1-hr TSP	10:04	38	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	24-Dec-19	1-hr TSP	11:04	31	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Dec-19	1-hr TSP	09:07	147	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Dec-19	1-hr TSP	10:07	132	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Dec-19	1-hr TSP	11:07	77	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Dec-19	1-hr TSP	12:41	23	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Dec-19	1-hr TSP	13:41	25	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Dec-19	1-hr TSP	14:41	23	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	07-Dec-19	1-hr TSP	12:46	31	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	07-Dec-19	1-hr TSP	13:46	27	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	07-Dec-19	1-hr TSP	14:46	26	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Dec-19	1-hr TSP	08:06	61	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Dec-19	1-hr TSP	09:06	56	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Dec-19	1-hr TSP	10:06	52	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	19-Dec-19	1-hr TSP	12:58	224	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	19-Dec-19	1-hr TSP	13:58	230	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	19-Dec-19	1-hr TSP	14:58	233	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	24-Dec-19	1-hr TSP	12:32	30	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	24-Dec-19	1-hr TSP	13:32	43	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	24-Dec-19	1-hr TSP	14:32	28	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Dec-19	1-hr TSP	12:36	151	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Dec-19	1-hr TSP	13:36	115	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Dec-19	1-hr TSP	14:36	89	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Dec-19	1-hr TSP	08:28	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Dec-19	1-hr TSP	09:28	49	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Dec-19	1-hr TSP	10:28	22	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	07-Dec-19	1-hr TSP	08:15	51	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	07-Dec-19	1-hr TSP	09:15	46	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	07-Dec-19	1-hr TSP	10:15	39	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Dec-19	1-hr TSP	12:47	31	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Dec-19	1-hr TSP	13:47	28	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Dec-19	1-hr TSP	14:47	25	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	19-Dec-19	1-hr TSP	08:09	62	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	19-Dec-19	1-hr TSP	09:09	55	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	19-Dec-19	1-hr TSP	10:09	40	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	24-Dec-19	1-hr TSP	08:14	41	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	24-Dec-19	1-hr TSP	09:14	37	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	24-Dec-19	1-hr TSP	10:14	35	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Dec-19	1-hr TSP	08:24	112	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Dec-19	1-hr TSP	09:24	127	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Dec-19	1-hr TSP	10:24	105	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	02-Dec-19	24-hr TSP	09:18	130	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	07-Dec-19	24-hr TSP	09:12	92	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	13-Dec-19	24-hr TSP	13:38	68	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	19-Dec-19	24-hr TSP	09:17	138	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	24-Dec-19	24-hr TSP	09:17	88	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	30-Dec-19	24-hr TSP	09:17	34	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	02-Dec-19	24-hr TSP	12:43	164	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	07-Dec-19	24-hr TSP	12:57	108	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	13-Dec-19	24-hr TSP	08:12	87	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	19-Dec-19	24-hr TSP	13:06	140	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	24-Dec-19	24-hr TSP	12:39	87	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	30-Dec-19	24-hr TSP	12:46	33	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	02-Dec-19	24-hr TSP	08:34	198	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	07-Dec-19	24-hr TSP	08:23	136	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	13-Dec-19	24-hr TSP	12:55	96	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	19-Dec-19	24-hr TSP	08:19	173	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	24-Dec-19	24-hr TSP	08:23	134	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	30-Dec-19	24-hr TSP	08:21	39	µg/m ³


Air Quality Monitoring (1-hr TSP) at AMS2




Air Quality Monitoring (1-hr TSP) at AMS3C




Air Quality Monitoring (1-hr TSP) at AMS7B




Air Quality Monitoring (24-hr TSP) at AMS2



Air Quality Monitoring (24-hr TSP) at AMS3C



Air Quality Monitoring (24-hr TSP) at AMS7B



No monitoring results are presented for the reporting period.

Remark: A proposal to terminate impact monitoring for noise at NMS2 and NMS3C was justified by the ET Leader of this Contract and verified by the IEC on 13 August 2019, and approved by EPD on 3 September 2019. Therefore, the last impact noise monitoring event for this Contract was conducted on 2 September 2019. No noise monitoring was conducted during the reporting period.

Date (yyyy-mm-dd)	Tide	Station	Weather	Sea condition	Sampling Time	Water Depth (m)	Sampling Water Level	Replicate	Water Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average of DO (mg/L)	DO Saturation (%)	Turbidity (NTU)	Turbidity (NTU) (depth-averaged)	SS	SS (mg/L) (depth-averaged)
2019-12-23	Mid-Ebb	CS(M)5	Cloudy	Rough	9:21:00	13.1	Surface	1st	20.4	7.7	33.6	6.5	6.4	88.0	2.9	3.4	5.4	5.5
	Mid-Ebb	CS(M)5					Surface	2nd	20.4	7.7	33.6	6.5		87.8	2.8		5.1	
	Mid-Ebb	CS(M)5					Middle	1st	20.5	7.7	33.8	6.3	85.3	2.7	5.6			
	Mid-Ebb	CS(M)5					Middle	2nd	20.5	7.7	33.8	6.3	85.4	2.6	5.1			
	Mid-Ebb	CS(M)5					Bottom	1st	20.5	7.7	33.9	6.3	85.0	4.4	5.6			
	Mid-Ebb	CS(M)5					Bottom	2nd	20.5	7.7	33.9	6.3	84.7	5.0	6			
2019-12-23	Mid-Ebb	SR3(N)	Cloudy	Calm	10:41:00	4.2	Surface	1st	20.7	7.8	33.2	7.0	7.0	94.3	4.2	4.8	6.8	7.5
	Mid-Ebb	SR3(N)					Surface	2nd	20.7	7.8	33.2	7.0		94.2	4.0		6.7	
	Mid-Ebb	SR3(N)					Middle	1st										
	Mid-Ebb	SR3(N)					Middle	2nd										
	Mid-Ebb	SR3(N)					Bottom	1st	20.6	7.8	33.2	7.0	94.3	5.4	8			
	Mid-Ebb	SR3(N)					Bottom	2nd	20.6	7.8	33.2	7.0	94.2	5.4	8.6			
2019-12-23	Mid-Ebb	CS2(A)	Cloudy	Moderate	11:13:00	7.2	Surface	1st	20.2	7.8	33.2	7.3	7.2	97.5	2.4	3.0	8.3	7.3
	Mid-Ebb	CS2(A)					Surface	2nd	20.2	7.8	33.2	7.2		97.0	2.3		8.2	
	Mid-Ebb	CS2(A)					Middle	1st	20.1	7.8	33.4	7.2	96.9	3.0	7.6			
	Mid-Ebb	CS2(A)					Middle	2nd	20.1	7.8	33.4	7.2	96.9	3.0	7.1			
	Mid-Ebb	CS2(A)					Bottom	1st	20.1	7.8	33.6	7.3	97.4	3.5	5.6			
	Mid-Ebb	CS2(A)					Bottom	2nd	20.1	7.8	33.6	7.3	97.4	3.6	6.7			
2019-12-23	Mid-Ebb	SR2(A)	Cloudy	Calm	10:57:00	8.2	Surface	1st	20.2	7.8	33.3	7.2	7.2	97.0	3.1	3.7	5.7	5.9
	Mid-Ebb	SR2(A)					Surface	2nd	20.2	7.8	33.3	7.2		97.1	3.0		5.3	
	Mid-Ebb	SR2(A)					Middle	1st	20.1	7.8	33.5	7.2	96.4	3.9	6.1			
	Mid-Ebb	SR2(A)					Middle	2nd	20.1	7.8	33.5	7.2	96.6	3.8	5.9			
	Mid-Ebb	SR2(A)					Bottom	1st	20.2	7.8	33.6	7.2	96.7	4.0	6.6			
	Mid-Ebb	SR2(A)					Bottom	2nd	20.2	7.8	33.6	7.2	96.3	4.1	6			
2019-12-23	Mid-Flood	CS(M)5	Cloudy	Moderate	17:12:00	12.9	Surface	1st	20.6	7.7	33.8	6.4	6.4	86.1	5.4	8.3	7.5	8.5
	Mid-Flood	CS(M)5					Surface	2nd	20.6	7.7	33.8	6.4		86.1	5.4		7.4	
	Mid-Flood	CS(M)5					Middle	1st	20.6	7.7	33.8	6.3	86.0	9.4	9.2			
	Mid-Flood	CS(M)5					Middle	2nd	20.6	7.7	33.8	6.4	86.2	9.0	8.7			
	Mid-Flood	CS(M)5					Bottom	1st	20.6	7.6	33.8	6.5	88.0	10.3	9.2			
	Mid-Flood	CS(M)5					Bottom	2nd	20.6	7.6	33.8	6.5	87.6	10.2	8.8			
2019-12-23	Mid-Flood	SR3(N)	Cloudy	Calm	15:49:00	4.0	Surface	1st	20.9	7.7	33.1	7.0	7.0	94.4	8.5	9.5	26.2	26.6
	Mid-Flood	SR3(N)					Surface	2nd	20.9	7.7	33.1	6.9		94.4	8.5		25.8	
	Mid-Flood	SR3(N)					Middle	1st										
	Mid-Flood	SR3(N)					Middle	2nd										
	Mid-Flood	SR3(N)					Bottom	1st	20.9	7.7	33.1	7.0	95.6	10.4	18.8			
	Mid-Flood	SR3(N)					Bottom	2nd	20.9	7.7	33.1	7.0	95.2	10.5	35.7			
2019-12-23	Mid-Flood	CS2(A)	Cloudy	Moderate	15:14:00	6.7	Surface	1st	20.5	7.8	32.9	7.2	7.2	97.0	4.2	5.7	9.2	9.1
	Mid-Flood	CS2(A)					Surface	2nd	20.5	7.8	32.8	7.2		97.1	4.2		8.6	
	Mid-Flood	CS2(A)					Middle	1st	20.2	7.8	33.3	7.2	96.4	5.3	8.9			
	Mid-Flood	CS2(A)					Middle	2nd	20.2	7.8	33.3	7.2	96.2	5.2	9.1			
	Mid-Flood	CS2(A)					Bottom	1st	20.2	7.8	33.4	7.2	96.4	7.5	9.1			
	Mid-Flood	CS2(A)					Bottom	2nd	20.2	7.8	33.4	7.2	96.6	7.5	9.5			
2019-12-23	Mid-Flood	SR2(A)	Cloudy	Moderate	15:31:00	7.9	Surface	1st	20.8	7.7	33.3	7.1	7.1	95.9	6.2	7.1	14.1	15.6
	Mid-Flood	SR2(A)					Surface	2nd	20.8	7.7	33.3	7.1		95.9	6.2		13.9	
	Mid-Flood	SR2(A)					Middle	1st	20.7	7.7	33.4	7.1	95.8	7.7	16.3			
	Mid-Flood	SR2(A)					Middle	2nd	20.7	7.7	33.4	7.1	96.1	7.6	15.9			
	Mid-Flood	SR2(A)					Bottom	1st	20.6	7.8	33.4	7.1	96.4	7.4	17			
	Mid-Flood	SR2(A)					Bottom	2nd	20.6	7.8	33.4	7.1	96.5	7.5	16.6			

