


HONG KONG – ZHUHAI – MACAO BRIDGE HONG KONG PORT

Annual Landscape Monitoring Site Audit Checklist – 2020

Revised on 14 December 2020

Reported by:



Adrian Wong
Chief Manager (Greenscape Limited)

Date: 14 December 2020

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Covering Period: 24 October 2019 to 23 October 2020

Reported By: Adrain Wong

Time: 10:00 – 16:00

Weather Condition: Sunny

Participants: Patrick Wong (Greenscape Limited), Zora Tang (Greenscape Limited)

1	Zone 1 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
1.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	Zone 2 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
2.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3	Zone 3 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
3.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.11	Are trees of limb overhanging branches pruned?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4	Zone 4 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
4.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 4 _____
4.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

5	Zone 5 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
5.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
6	Zone 6 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
6.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
6.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
6.3	Are litter and debris removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
6.4	Are planting areas matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
6.5	Is planting pattern matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
6.6	Are planting locations and spacing matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
6.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
6.8	Are the plants in satisfied condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
6.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>

7	Zone 7 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
7.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
7.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
7.3	Are litter and debris removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
7.4	Are planting areas matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
7.5	Is planting pattern matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
7.6	Are planting locations and spacing matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
7.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
7.8	Are the plants in satisfied condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
7.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>

8	Zone 8 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
8.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

9	Zone 9 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
9.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
9.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
9.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
9.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
9.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
9.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
9.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
9.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
9.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

10	Zone 10 (Reference Drawing No. C2-a and C2-b)	N/A or not observed	Yes	No	Remarks / Photo
10.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

11	Zone 11 (Reference Drawing No. C1,C3)	N/A or not observed	Yes	No	Remarks / Photo
11.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
11.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
11.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
11.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
11.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12	Zone 12 (Reference Drawing No. C1,C3)	N/A or not observed	Yes	No	Remarks / Photo
12.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
12.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
12.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
12.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

13	Zone 13 (Reference Drawing No. C1,C3)	N/A or not observed	Yes	No	Remarks / Photo
13.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
13.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
13.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
13.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

14	Zone 14 (Reference Drawing No. C1,C3)	N/A or not observed	Yes	No	Remarks / Photo
14.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
14.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
14.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
14.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

15	Zone 15 (Reference Drawing No. C1,C3)	N/A or not observed	Yes	No	Remarks / Photo
15.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

16	Zone 16 (Reference Drawing No. C1,C3)	N/A or not observed	Yes	No	Remarks / Photo
16.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
16.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
16.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
16.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 2
16.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 2
16.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 2
16.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
16.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
16.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

17	Zone 17 (Reference Drawing No. C1,C3)	N/A or not observed	Yes	No	Remarks / Photo
17.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
17.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
17.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
17.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
17.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
17.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 2</u>
17.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
17.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
17.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

18	Zone 18 (Reference Drawing No. C1,C3)	N/A or not observed	Yes	No	Remarks / Photo
18.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
18.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
18.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
18.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
18.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
18.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
18.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
18.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
18.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

19	Building 022 at-grade planting (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
19.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
19.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
19.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
19.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
19.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
19.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
19.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
19.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
19.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

20	Building 023 at-grade planting (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
20.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

21	Building 023 roof greening (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
21.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

22	Building 025 at-grade planting (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
22.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
22.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
22.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
22.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
22.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
22.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
22.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
22.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
22.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

23	Building 025 roof greening (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
23.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
23.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
23.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
23.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
23.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
23.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
23.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
23.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
23.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

24	Building 032 at-grade planting (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
24.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
24.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
24.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
24.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
24.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
24.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
24.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
24.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
24.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

25	Building 032 roof greening (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
25.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
25.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
25.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
25.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
25.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
25.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
25.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
25.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
25.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

26	Building 044 roof greening (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
26.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
26.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
26.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
26.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
26.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
26.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
26.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
26.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
26.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

27	Building 045 roof greening (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
27.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
27.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
27.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
27.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
27.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
27.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
27.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
27.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
27.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

28	Building 053 at-grade planting (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
28.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
28.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
28.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
28.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
28.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
28.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
28.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
28.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
28.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

29	Building 058 at-grade planting (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
29.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
29.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
29.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
29.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
29.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
29.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
29.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
29.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
29.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

30	Building 059 at-grade planting (Reference Drawing No.B.5c)	N/A or not observed	Yes	No	Remarks / Photo
30.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
30.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
30.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
30.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
30.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
30.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
30.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
30.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
30.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

31	General Document	N/A or not observed	Yes	No	Remarks / Photo
31.1	Are the records of watering, fertilizing, weeding, pruning and mowing kept for checking?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

Follow up actions for previous Site Audit:

N/A

Observations:

1. All trees and plants (shrubs, ground cover and turf) were in reasonable good condition.

Corrective Action (if any):

N/A

Remark:

1. Zone 7 and most areas of Zone 6 were taken over by AAHK for ITT project under short-term tenancy CX2862 on 2 July 2020. Please refer to the layout plan as *Figure 1a* at page 37 for reference. Prior hand-over to AAHK, the landscape is in satisfactory condition.
2. Part of areas in Zone 11, 12, 13, 14, 16 and 17 were temporarily taken over by HyD Contractor under HY/2019/01 (C9) project in Dec 2019 and part of areas in Zone 12 were taken over by ArchSD in Sept 2020. Please refer to *Figure 1b* at page 38. Prior hand-over, the landscape is in satisfactory condition.
3. During the monitoring period (24 Oct 2019 – 23 Oct 2020), around 170 number of trees were planted by HyD on Zone 11 and Zone 15 under C9 project.
4. For QCV leak in Zone 4 (Photo 07), it has been fixed in mid-November 2020.

General Conclusion:

1. All trees and plants (shrubs, ground cover and turf) were in reasonable condition.
2. There are underground pipes burst and the water pressure of water pump room W01 and W02 is affected so that the W01 and W02 water pump cannot be operated in normal operation. The automatic irrigation system of Zone 1 to 10 is not in order. Greenscape has reported the defects to EMSD for repair of underground pipe and we would use our best endeavor to provide manual watering to the affected areas.
3. C9 Tree planting work under C9 started during the monitoring period. Total number of 1,266 trees would be planted under the C9 Contract.
4. Tropical cyclone warning signal number 8 or higher were hoist on 18 Aug 2020, 19 Aug 2020 and 13 Oct 2020 (HIGOS and NAMGKA) during the monitoring period.
5. Two trees replacement works T007 and T111 were completed on 15 Oct 2020 and 16 Oct 2020.

Reported by:
(Maintenance Agency)

Adrian Wong

Title: Chief Manager
(Greenscape Limited)

Signature:



Date: 14 December 2020

Reviewed by:
(Management Agency)

Marco Shiu

Title: Chief Facilities Manager
(Guardian Property Management Limited)

Signature:







Date: 14 December 2020

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo	
Zone 1	<i>Lantana montevidensis</i> , <i>Ophiopogon japonicus</i> , <i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i>		
		Photo 01	Photo 02
Zone 2	<i>Lantana montevidensis</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Zoysia sp.</i>		
		Photo 03	Photo 04

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records





Location	Species/Description	Photo	
Zone 3	<i>Lantana montevidensis</i> , <i>Zoysia sp.</i> , <i>Bauhinia variegata</i>		
		Photo 05	Photo 06
Zone 4	<i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes candida</i>		
		Photo 07	Photo 08

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo
Zone 5	<i>Lantana montevidensis</i> , <i>Zephyranthes candida</i> , <i>Zoysia sp.</i>	
		Photo 09
Zone 6	Temporary work carried out by CLP. Area to be reinstated by CLP after completion.	
		Photo 10

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo	
Zone 7	The area is handed over to AAHK for ITT project		
		Photo 11	Photo 12
Zone 8	<i>Lantana montevidensis</i> , <i>Zephyranthes candida</i> , <i>Phyllanthus myrtifolius</i> , <i>Ophiopogon japonicus</i> , <i>Rhododendron pulchrum</i>		
		Photo 13	Photo 14

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo	
Zone 9	<i>Ophiopogon japonicus</i> , <i>Liriope spicata</i> , <i>Lantana montevidensis</i> , <i>Aglaia odorata</i>		
		Photo 15	Photo 16
Zone 10	<i>Lantana montevidensis</i> , <i>Zephyranthes rosea</i> , <i>Zoysia sp.</i>		
		Photo 17	Photo 18

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo	
Zone 11	<i>Aglaia odorata</i> , <i>Strelitzia reginae</i> , <i>Ophiopogon japonicus</i> , <i>Zephyranthes rosea</i> , <i>Zephyranthes candida</i> , <i>Albizia lebbbeck</i> , <i>Zoysia sp.</i>		
		Photo 19	Photo 20
Zone 11	<i>Ficus macrocarpa</i> 'golden leaves', <i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Zoysia sp.</i>		
		Photo 21	Photo 22

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Zone 11	<i>Ficus benjamina</i> , <i>Bauhinia variegata</i> , <i>Spathiphyllum commutatum</i> , <i>Iris tectorum</i> , <i>Wedelia trilobata</i> , <i>Lantana montevidensis</i> , <i>Plumeria rubra</i> , <i>Zoysia sp.</i>		
		Photo 23	Photo 24
Zone 12	<i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Lantana montevidensis</i> , <i>Ophiopogon japonicus</i> , <i>Rhododendron pulchrum</i>		
		Photo 25	Photo 26

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo	
Zone 12	<i>Wedelia trilobata</i> , <i>Spathiphyllum commutatum</i> , <i>Zoysia sp.</i>		
		Photo 27	Photo 28
Zone 12	<i>Zephyranthes rosea</i> , <i>Zephyranthes candida</i> , <i>Zoysia sp.</i>		
		Photo 29	Photo 30

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo	
Zone 13	<i>Zoysia sp.</i> , <i>Wedelia trilobata</i> , <i>Ophiopogon japonicus</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Liriope spicata</i> , <i>Lantana montevidensis</i> , <i>Bermuda spp</i> , Hydroseeding		
		Photo 31	Photo 32
Zone 14	<i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Lantana montevidensis</i> , <i>Lantana montevidensis</i>		
		Photo 33	Photo 34

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Zone 14	<i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Lantana montevidensis</i> , <i>Lantana montevidensis</i>		
		Photo 35	Photo 36
Zone 15	<i>Zephyranthes rosea</i> , <i>Zoysia sp.</i> , <i>Wedelia trilobata</i> , <i>Ophiopogon japonicus</i> , <i>Lantana montevidensis</i> , <i>Rhododendron pulchrum</i> , <i>Strelitzia reginae</i> , <i>Ficus macrocarpa</i> 'golden leaves', <i>Liriope spicata</i>		
		Photo 37	Photo 38

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Zone 15	<i>Zephyranthes rosea</i> , <i>Zoysia sp.</i> , <i>Wedelia trilobata</i> , <i>Ophiopogon japonicus</i> , <i>Lantana montevidensis</i> , <i>Rhododendron pulchrum</i> , <i>Strelitzia reginae</i> , <i>Ficus macrocarpa</i> 'golden leaves', <i>Liriope spicata</i> ,		
		Photo 39	Photo 40
Zone 16	<i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Lantana montevidensis</i> , <i>Ophiopogon japonicus</i>		
		Photo 41	Photo 42

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo	
Zone 16	<i>Syngonium podophyllum</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Zoysia sp.</i> , <i>Wedelia trilobata</i>	 14.09.2020	 14.09.2020
		Photo 43	Photo 44
Zone 17	<i>Lantana montevidensis</i> , <i>Zephyranthes rosea</i> , <i>Zephyranthes candida</i>	 14.09.2020	 14.09.2020
		Photo 45	Photo 46

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records






Location	Species/Description	Photo	
Zone 17	<i>Zephyranthes rosea</i> , <i>Ophiopogon japonicus</i> , <i>Bermuda spp</i> , Hydroseeding		
		Photo 47	Photo 48
Zone 18	<i>Zephyranthes rosea</i> , <i>Ophiopogon japonicus</i> , <i>Zephyranthes candida</i> , <i>Zoysia sp.</i>		
		Photo 49	Photo 50

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo	
Zone 18	<i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Lantana montevidensis</i> , <i>Zoysia sp.</i>		
		Photo 51	Photo 52
Building 022 At-grade Planting	<i>Zoysia sp.</i>		
		Photo 53	

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records






Location	Species/Description	Photo	
Building 023 At-grade Planting	<i>Zoysia sp.</i> , <i>Rhododendron pulchrum</i> , <i>Wedelia trilobata</i> , <i>Lantana montevidensis</i>		
		Photo 54	Photo 55
Building 023 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 56	Photo 57

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Building 025 At-grade Planting	<i>Liriope spicata</i>		
		Photo 58	
Building 025 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 59	Photo 60

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records







Location	Species/Description	Photo	
Building 032 At-grade Planting	<i>Ophiopogon japonicus</i>		
		Photo 61	
Building 032 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 62	Photo 63

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist
Photographic Records





Location	Species/Description	Photo	
Building 044 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 64	Photo 65
Building 045 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 66	Photo 67

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Building 053 At-grade Planting	<i>Wedelia trilobata</i> , <i>Lantana montevidensis</i>		
		Photo 68	
Building 058 At-grade Planting	<i>Zoysia sp.</i>		
		Photo 69	

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records





Location	Species/Description	Photo	
Building 059 At-grade Planting	<i>Lantana montevidensis</i>		
		Photo 70	

Figure 1a
Landscape Area Labeling Plan (Zone 1-10)



LEGEND

	ZONE 1
	ZONE 2
	ZONE 3
	ZONE 4
	ZONE 5
	ZONE 6
	ZONE 7
	ZONE 8
	ZONE 9
	ZONE 10
	Take over by AAHK for ITT project under STT CX2862





Figure 1b
Landscape Area Labeling Plan (Zone 11-18)



LEGEND

- ZONE 11
- ZONE 12
- ZONE 13
- ZONE 14
- ZONE 15
- ZONE 16
- ZONE 17
- ZONE 18
- Take over by HyD Contractor (C9 project)
- Take over by ArchSD







Figure 1c
Landscape Area Labeling Plan (Roof Garden)



LEGEND

023RG	海關	043RG	衛生署
025RG	路政署	044RG	機電署
026RG	入境署	045RG	路政署
031RG	入境署		
032RG	路政署		
037RGA	海關		
037RGB	海關		
038RG	漁農署		
039RG	警察		
041RGA	消防		
041RGB	消防		






60191048-01
 2017.12.22


AECOM **Aedas**
 Rogers Stirk Harbour + Partners
 BURO HAPPOLD ATKINS ADI

AGREEMENT No. CE 13/2010 (CE)
 HONG KONG-ZHUHAI-MACAO BRIDGE HONG KONG BOUNDARY CROSSING FACILITIES
 (SUPERSTRUCTURES AND INFRASTRUCTURES) - DESIGN AND CONSTRUCTION
MASTER LANDSCAPE PLAN (LEVEL: +6.0mPD)

SCALE	SEE SCALE BAR	DATE	22 DEC 2017
CHECK	WGH	DRAWN	PKC
JOB No.	60191048	DRAWING No.	FIGURE 2a
		REV	B

P:\Projects\60191048\OTHER\XREF\ACM-60191048-P-A3\FRAME-N.dgn





TREE PLANTING ⁽¹⁾					GROUND COVER PLANTING ⁽¹⁾				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [m]	SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [mm]
AL **	<i>Albizia lebbbeck</i>	大葉合歡	4000-5000(H) x 3000(SP) x 100(DBH)	3 - 4	Aag	<i>Agave angustifolia</i>	狹葉龍舌蘭	200(H) x 300(SP)	200
BV	<i>Bauhinia variegata</i>	宮粉羊蹄甲	4000-5000(H) x 3000(SP) x 100(DBH)	3 - 4	Aam	<i>Agave americana</i>	龍舌蘭	100(H) x 100(SP)	100
CV	<i>Calistemon viminalis</i>	串錢柳	4000-5000(H) x 3000(SP) x 100(DBH)	3 - 4	Asl	<i>Aglaonema 'Silver King'</i>	銀王銀肋草	150(H) x 150(SP)	100
CS **	<i>Cassia siamea</i>	鐵刀木	4000-5000(H) x 3000(SP) x 100(DBH)	3 - 4	Ave	<i>Alternanthera versicolor</i>	錦繡鳶 紅草	100(H) x 100(SP)	100
GR	<i>Grevillea robusta</i>	銀樺	4000-5000(H) x 3000(SP) x 100(DBH)	3 - 4	Ite	<i>Iris tectorum</i>	鳶尾	100(H) x 100(SP)	100
JA	<i>Jacaranda mimosifolia</i>	藍花楸	4000-5000(H) x 3000(SP) x 100(DBH)	3 - 4	Lmo	<i>Lantana montevidensis</i>	鋪地曼金鳳	200(H) x 300(SP)	200
JC **	<i>Juniperus chinensis</i>	龍柏	4000-5000(H) x 3000(SP) x 100(DBH)	3 - 4	Lsp *	<i>Liriope spicata</i>	山麥冬	100(H) x 100(SP)	100
TP * **	<i>Thespesia populnea</i>	恒春黃槿	4000-5000(H) x 3000(SP) x 100(DBH)	3 - 4	Nex *	<i>Nephrolepis hirsutula</i>	毛蕨腎蕨	150(H) x 200(SP)	150
					Oja *	<i>Ophiopogon japonicus</i>	麥冬	150(H) x 150(SP)	100
					Rds	<i>Rhoeo discolor</i>	紫背萬年青	150(H) x 200(SP)	100
					Spo **	<i>Syngonium podophyllum</i>	合果芋	200(H) x 200(SP)	150
					Wtr **	<i>Wedelia trilobata</i>	豨薟菊	100(H) x 100(SP)	100
					Zan	<i>Zephyranthes candida</i>	蔥蓮	100(H) x 100(SP)	100
					Zro	<i>Zephyranthes rosea</i>	玫瑰蔥蓮	150(H) x 200(SP)	100
					TURFING ⁽¹⁾				
					SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	
					Zja **	<i>Zoysia sp.</i>	朝鮮草	25(H)	
					HYDROSEEDING ^{(1),(2)}				
					SPECIES CODE	BOTANICAL NAME	CHINESE NAME		
					Cda * **	<i>Cynodon dactylon</i>	百慕達草		
					Pno	<i>Paspalum notatum</i>	百喜草		
					Eop * / Lpe	<i>Eremochloa ophiuroides / Lolium perenne</i>	假儉草 / 黑麥草		
					INDOOR PLANTING IN PASSENGER CLEARANCE BUILDING ⁽¹⁾				
					SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [m]
					TREE				
					FB **	<i>Ficus benjamina</i>	垂榕	5000(H) x 4000(SP) x 150(DBH)	N.A.
					SHRUB				
					Ite	<i>Iris tectorum</i>	鳶尾	300(H) x 200(SP)	150
					Sco	<i>Spathiphyllum commutatum</i>	白掌	300(H) x 300(SP)	200

NOTES:

⁽¹⁾ All proposed plant species and specifications are subject to change during construction to suit the site conditions.

⁽²⁾ Minimum requirement of grass seed mix for hydroseeding shall follow General Specification for Civil Engineering Works Clause 3.26(3).

* Species native to Hong Kong according to the Hong Kong Herbarium website <<http://www.herbarium.gov.hk>>

** Species which is salt spray tolerant