

# HONG KONG – ZHUHAI – MACAO BRIDGE HONG KONG PORT

## Annual Landscape Monitoring Site Audit Checklist – 2024

**Reported by:**



---

**Steward CHENG**

Title: Arborist (Greenscape Limited)

Date: 03/01/2025

# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

Covering Period:	24/10/2023 – 23/10/2024	Reported By:	Zora TANG (Greenscape Limited)
Time:	4/9, 11/9, 13/9, 24/9, 30/9, (10:00 – 16:00)	Weather Condition:	Sunny, cloudy
	3/10, 16/10, 18/10, 23/10	Participants:	Zora TANG (Greenscape Limited)

1	Zone 1 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
1.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
1.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
1.3	Are litter and debris removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
1.4	Are planting areas matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
1.5	Is planting pattern matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
1.6	Are planting locations and spacing matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
1.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
1.8	Are the plants in satisfied condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
1.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
2	Zone 2 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
2.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1, 2
2.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
2.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
2.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
2.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
2.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
2.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
2.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
2.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1

3	Zone 3 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
3.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1, 2
3.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
3.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
3.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
3.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
3.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
3.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
3.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1
3.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
3.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
3.11	Are trees of limb overhanging branches pruned?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 1
4	Zone 4 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
4.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 2
4.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

5	Zone 5 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
5.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 1, 2, 3
5.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
5.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
5.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
5.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
5.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
5.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
5.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
5.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
5.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
5.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
6	Zone 6 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
6.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3, 4
6.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
6.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
6.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
6.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
6.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
6.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
6.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 3
6.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3

7	Zone 7 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
7.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
7.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
7.3	Are litter and debris removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
7.4	Are planting areas matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
7.5	Is planting pattern matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
7.6	Are planting locations and spacing matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
7.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
7.8	Are the plants in satisfied condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
7.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 3
8	Zone 8 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
8.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 4
8.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
8.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

9	Zone 9 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
9.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 4
9.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
9.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10	Zone 10 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
10.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 4
10.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
10.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

11	Zone 11 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
11.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
11.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 5</u>
12	Zone 12 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
12.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 6</u>
12.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 6</u>
12.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 6</u>
12.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 6</u>
12.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 6</u>
12.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 6</u>
12.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 6</u>
12.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 6</u>
12.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 3, 6</u>

13	Zone 13 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
13.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
13.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 5
14	Zone 14 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
14.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
14.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
14.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
14.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
14.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
14.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
14.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
14.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
14.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	



15	Zone 15 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
15.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
15.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
16	Zone 16 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
16.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
16.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
16.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
16.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
16.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
16.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
16.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
16.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
16.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 7

17	Zone 17 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
17.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
17.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
17.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
17.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
17.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
17.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
17.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
17.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
17.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 8
18	Zone 18 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
18.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

19	Zone 19 (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
19.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6
19.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 6

20	Building 022 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
20.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
20.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
21	Building 023 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
21.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
21.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

22	Building 023 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
22.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
22.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
22.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
22.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
22.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
22.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
22.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
22.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
22.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
23	Building 025 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
23.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
23.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
23.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
23.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
23.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
23.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
23.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
23.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
23.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

24	Building 025 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
24.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
24.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
24.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
24.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
24.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
24.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
24.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
24.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
24.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
25	Building 032 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
25.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
25.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
25.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
25.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
25.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
25.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
25.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
25.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
25.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

26	Building 032 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
26.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
26.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
26.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
26.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
26.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
26.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
26.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
26.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
26.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
27	Building 044 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
27.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
27.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
27.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
27.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
27.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
27.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
27.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
27.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
27.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

28	Building 045 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
28.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
28.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
28.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
28.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
28.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
28.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
28.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
28.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
28.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
29	Building 053 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
29.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
29.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
29.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
29.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
29.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
29.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
29.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
29.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
29.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	



<b>30</b>	<b>Building 058 at-grade planting (Reference Drawing Figure 1.1)</b>	<b>N/A or Not Observed</b>	<b>Yes</b>	<b>No</b>	<b>Remarks / Photo</b>
30.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
30.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
30.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
30.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
30.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
30.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
30.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
30.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
30.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>31</b>	<b>Building 059 at-grade planting (Reference Drawing Figure 1.1)</b>	<b>N/A or Not Observed</b>	<b>Yes</b>	<b>No</b>	<b>Remarks / Photo</b>
31.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
31.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
31.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
31.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
31.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
31.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
31.7	Are the planting species on site matched with Figure 3.6 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
31.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
31.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 7
<b>32</b>	<b>General Document</b>	<b>N/A or Not Observed</b>	<b>Yes</b>	<b>No</b>	<b>Remarks / Photo</b>
32.1	Are the records of watering, fertilizing, weeding, pruning, and mowing kept for checking?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

**Follow up actions for previous Site Audit:**

N.A.

**Observation:**

1. According to the requirements of the Environmental Monitoring and Audit Manual of Hong Kong Boundary Crossing Facilities, the 5th Annual Landscape Monitoring Site Audit Checklist is carried out to keep monitoring and ensuring the tree/shrub/green roof ground cover/climber/ground cover/turfing/hydroseeding plantings at HZMB-HKP in fair condition under the period covering 24 Oct 2023 - 23 Oct 2024. The 5th Annual Landscape Monitoring Site Audit Checklist which is combined the contracts of HY/2013/01, HY/2013/02, HY/2013/03 and HY/2014/05 under Highway Department (HyD)'s memo of 16 October 2019 (Year 6 monitoring) as well as HY/2019/01 under HyD's memo of 20 January 2023 (Year 3 monitoring).
2. A portion of the landscape areas in Zone 12, Zone 15 and Zone 19 (Reference Drawing Figure 1.3) had been handed-over to Airport Authority Hong Kong (AAHK) since 8 July 2024 according to the Short-Term Tenancy (STT-IS0246) published by the Lands Department.

**Corrective Action (if any):**

N.A.

**Remarks:**

1. Zone 1, most of Zone 2 and 3 and a portion of Zone 5 (refer to the layout plan as shown on Figure 1.3) have been taken over by AAHK for road connection work since 23 Nov 2020. A portion of Zone 3 has been taken up by CLP Power Hong Kong Limited (CLP) for LV cable laying since August 2024. The condition of associated areas was satisfactory before handed over to AAHK and CLP.
2. The operation of W02 pump house had been resumed normally on 4 Dec 2023 since the operation suspension from 5 Oct 2023 due to water pipe bursting. After that, the operation of W02 pump house was suspended a few times between Mar 2024 and Aug 2024 due to water pipes bursting. The operation of W02 pump house has resumed normally since 4 Oct 2024 and is normal now.
3. Zone 7, most portions of Zone 6, a portion of Zones 5, 11 and 12 (refer to the layout plan as shown on Figure 1.3) have been taken over by AAHK for Airport City Link and ITT project phase-by-phase since 10 Jun 2019. A portion of Zone 12 has also been taken up by AAHK for Expo Marshalling Area since 7 July 2021. The site conditions were satisfactory before handed over to AAHK.
4. The operation of W01 pump house was in order between Oct 2023 and Mar 2024. The operation of W01 pump house was suspended a few times between Apr 2024 and Sept 2024 due to water pipes bursting. The operation of W01 pump house has resumed normally since 26 Sept 2024 and is normal now.
5. A portion of Zones 11 and 13 (refer to the layout plan as shown on Figure 1.3) have been taken over by AAHK for the development works of Inbound Carparks at HKBCF since 25 Nov 2020. The condition of associated areas was satisfactory before handed over to AAHK.
6. A portion of Zones 12, 15 and 19 (refer to the layout plan as shown on Figure 1.3) have been taken over by AAHK for construction support of airport city development since 8 Jul 2024. The condition of associated areas was satisfactory before handed over to AAHK.
7. A Portion of Zone 16 and Building 059 at-grade planting areas have been taken over by the contractor under AAHK for the ITT project (ITT BVB) since April 2022. The condition of associated areas was satisfactory before handed over to the mentioned contractor.
8. A portion of Zone 17 (refer to the layout plan as shown on Figure 1.3) have been taken over by AAHK for construction support of airport development since 26 Jul 2023. The condition of associated areas was satisfactory before handed over to AAHK.

**General Conclusion:**

The aforementioned handed over landscaped areas concerned to AAHK via STT were in a satisfactory condition before being handed over. Upon evaluating all the soft landscaped areas at HZMB-HKP that are now under Government Property Agency (GPA)'s purview, the overall condition was fair.


Reported by:

Steward CHENG

Title: Arborist

(Maintenance Agency)

Signature:



(Greenscape Limited)

Date: 03/01/2025

Reviewed by:

Marco SHIU

Title: Chief Facilities Manager

(Management Agency)

Signature:







(MOM)

Date: 8/1/2025

# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist Photographic Records



Location	Species/Description	Photo	
Zone 1	The area is taken up by AAHK (Road connection Work)		
		Photo 01	Photo 02
Zone 2	Part of the area is taken up by AAHK (Road connection Work)  <i>Zoysia sp.</i>		
		Photo 03	Photo 04







# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records




Location	Species/Description	Photo	
Zone 3	<p>Part of the area is taken up by AAHK (Road connection between AAHK and HZMB)</p> <p>Part of the area is taken up by CLP for LV cable laying</p>		
		Photo 05	Photo 06
Zone 4	<p><i>Zephyranthes candida</i>, <i>Wedelia trilobata</i>, <i>Zoysia sp.</i></p>		
		Photo 07	Photo 08







# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records



Location	Species/Description	Photo	
Zone 5	<i>Aglia odorata</i> , <i>Wedelia trilobata</i> , <i>Zoysia sp.</i>  Part of the area is taken up by AAHK (Airport City Link and ITT BVB)		
		Photo 09	Photo 10
Zone 6	Part of the area is taken up by AAHK (Airport City Link and ITT BVB)  <i>Rhododendron pulchrum</i> , <i>Zoysia sp.</i>		
		Photo 11	Photo 12







# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records



Location	Species/Description	Photo	
Zone 7	The area is taken up by AAHK (Airport City Link and ITT BVB)		
		Photo 13	Photo 14
Zone 8	<i>Aglaia odorata</i> , <i>Lantana montevidensis</i> , <i>Liriope spicata</i> , <i>Phyllanthus myrtifolius</i> , <i>Zephyranthes candida</i>		
		Photo 15	Photo 16







# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records



Location	Species/Description	Photo	
Zone 9	<i>Aglaia odorata</i> , <i>Liriope spicata</i> , <i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i>		
		Photo 17	Photo 18
Zone 10	<i>Aglaia odorata</i> , <i>Lantana montevidensis</i> , <i>Zephyranthes rosea</i> , <i>Zoysia sp.</i>		
		Photo 19	Photo 20







# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records



Location	Species/Description	Photo	
Zone 11	Part of the area is taken up by AAHK (Inbound Carparks at HKBCF)  <i>Albizia lebbbeck</i> , <i>Phyllanthus myrtifolius</i> , <i>Zoysia sp.</i>		
		Photo 21	Photo 22
Zone 11	Part of the area is taken up by AAHK (Airport City Link and ITT BVB)  <i>Grevillea banksia</i> , <i>Plumeria rubra</i> , <i>Lantana montevidensis</i> , <i>Zephyranthes rosea</i>		
		Photo 23	Photo 24



# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records




Location	Species/Description	Photo	
Zone 11	<i>Bauhinia variegata</i> , <i>Jacaranda mimosifolia</i> , <i>Plumeria rubra</i> , <i>Rhododendron pulchrum</i> , <i>Zoysia</i> sp.		
		Photo 25	Photo 26
Zone 12	Part of the area is taken up by AAHK (Expo Marshalling Area)  <i>Wedelia trilobata</i> , <i>Zephyranthes rosea</i>		
		Photo 27	Photo 28







# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records




Location	Species/Description	Photo	
Zone 12	<i>Rhododendron pulchrum</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Zoysia sp.</i>		
		Photo 29	Photo 30
Zone 13	Part of the area is taken up by AAHK (Inbound Carparks at HKBCF)		
		Photo 31	Photo 32







# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records




Location	Species/Description	Photo	
Zone 14	<i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Zoysia sp.</i>		
		Photo 33	Photo 34
Zone 15	<i>Bauhinia variegata</i> , <i>Rhododendron pulchrum</i> , <i>Ophiopogon japonicus</i> , <i>Wedelia trilobata</i> , <i>Zoysia sp.</i>		
		Photo 35	Photo 36







# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records




Location	Species/Description	Photo	
Zone 16	Part of the area is taken up by AAHK (ITT BVB)  <i>Lantana montevidensis</i> , <i>Ophiopogon japonicus</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i>		
		Photo 37	Photo 38
Zone 17	Part of the area is taken up by AAHK (Works Area for Construction Support for Airport Developments)  <i>Zephyranthes candida</i> , <i>Zoysia sp.</i>		
		Photo 39	Photo 40



# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records



Location	Species/Description	Photo	
Zone 18	<i>Lantana montevidensis</i> , <i>Zephyranthes candida</i> , <i>Zoysia sp.</i>		
		Photo 41	Photo 42
Zone 19	<i>Lantana montevidensis</i> , <i>Plumeria rubra</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> , <i>Zoysia sp.</i>		
		Photo 43	Photo 44

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist  
Photographic Records







Location	Species/Description	Photo	
Zone 19	<i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Lantana montevidensis</i> , <i>Zoysia sp.</i>		
		Photo 45	Photo 46
Building 022 At-grade Planting	<i>Zoysia sp.</i>		
		Photo 47	



# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist Photographic Records






Location	Species/Description	Photo	
Building 023 At-grade Planting	<i>Zoysia sp.</i> , <i>Rhododendron pulchrum</i>		
		Photo 48	Photo 49
Building 023 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 50	Photo 51

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist  
Photographic Records



Location	Species/Description	Photo	
Building 025 At-grade Planting	<i>Liriope spicata</i>		
		Photo 52	
Building 025 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 53	Photo 54



Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist  
Photographic Records



Location	Species/Description	Photo	
Building 032 At-grade Planting	<i>Ophiopogon japonicus</i>		
		Photo 55	
Building 032 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 56	Photo 57





# Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

## Annual Landscape Monitoring Site Audit Checklist

### Photographic Records



綠石環境美化有限公司  
Greenscape Limited


Location	Species/Description	Photo	
Building 044 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 58	Photo 59
Building 045 Roof Greening	<i>Zephyranthes candida</i>		
		Photo 60	Photo 61





## Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

### Annual Landscape Monitoring Site Audit Checklist

#### Photographic Records



Location	Species/Description	Photo
Building 053 At-grade Planting	<i>Wedelia trilobata</i> , <i>Lantana montevidensis</i>	
		Photo 62
Building 058 At-grade Planting	<i>Zoysia sp.</i>	
		Photo 63

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist  
Photographic Records



Location	Species/Description	Photo
Building 059 At-grade Planting	Part of the area is taken up by AAHK (ITT BVB)  <i>Lantana montevidensis</i>	<p>A photograph showing a paved road area with a red line marking a boundary. A building is visible in the background. Text overlay: "Landscape area affected by construction (ITT BVB)". Date stamp: "16.10.2024".</p>
		Photo 64

## Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

### Annual Landscape Monitoring Site Audit Checklist

#### Figures




#### List of Figures

Figure 1.1	Landscape Area Labeling Plan (Zone 1 -19)
Figure 1.2	Landscape Area Labeling Plan (Roof Garden)
Figure 1.3	Master Plan of Underway Construction Works (updated as at 08/11/2024)
Figure 1.4	C9 Planting Plan (As-built Drawing, new landscape area under “C9 Contract” handed-over from HyD since 05/01/2023)
Figure 1.5	C1, C2, C3 and C8 Planting Plan [Extracted from Landscape and Visual Plan (updated March 2022)]
Figure 2.1	Master Landscape Plan (Level: Ground Level) [Extracted from Landscape and Visual Plan (updated March 2022)]
Figure 2.2	Master Landscape Plan (Level: First Floor) [Extracted from Landscape and Visual Plan (updated March 2022)]
Figure 2.3	Master Landscape Plan (Level: Top View) [Extracted from Landscape and Visual Plan (updated March 2022)]
Figure 3.1	Design and Construction Planting Schedule [Extracted from Landscape and Visual Plan (updated March 2022)]




**Figure 1.1**  
**Landscape Area Labeling Plan (Zone 1 – 19)**





**Figure 1.2**  
**Landscape Area Labeling Plan (Roof Garden)**


- 023RG C&ED Outbound Cargo Examination Building and Examination Platform (single user building)
- 025RG Inbound Private Car Annexure (Multi-user buildings)
- 026RG Inbound ImmD and DoH Secondary Screening Building (Multi-User Building)
- 031RG Outbound ImmD and DoH Secondary Screening Building (Multi-User Building)
- 032RG Outbound Private Car Annexure (Multi-user buildings)
- 037RG A C&ED Tower cum Inbound Cargo Examination Building and Examination Platform (single user building)
- 037RG B
- 038RG AFCD Office and its adjacent buildings (Single User Building)
- 039RG Police Main Building (Single User Building)
- 041RG A Fire Station cum Ambulance Depot (Single User Building)
- 041RG B
- 043RG DoH Cargo Clearance Building (Single User Building)
- 044RG E&M Maintenance Building (Multi-user buildings)
- 045RG Highways Depot and Administration Building (Multi-user buildings)



**Figure 1.3**

**Master Plan of Underway Construction Works (updated as at 08/11/2024)**

- Road Connection Work  
(under STT No.: STTIS0052 (former known as CX2959))
- Airport City Link and ITT BVB  
(under STT No.: CX2862)
- Inbound Carpark  
(under STT No.: STTIS0055 (former known as CX2972))
- Expo Marshalling Area  
(under STT No.: STTIS0056)
- Works Area for Construction Support for Airport  
Developments (under STT No.: STTIS0137)
- Works Area for Construction Support for Airport City  
Developments (under STT No.: STTIS0246)



FOR REFERENCE ONLY


**Disclaimer:**

1. All data indicated in the above map are for reference only. The Contractors may revise their program of works for the Engineer's approval.
2. All data indicated is assumed based on the given information by the Contractors only.



**Figure 1.4**


C9 Planting Plan (As-built Drawing, new landscape area under "C9 Contract" handed-over from HyD since 05/01/2023)



**Figure 1.5**

[Extracted from Landscape and Visual Plan (updated March 2022)]

C1, C2, C3 and C8 Planting Plan






**Figure 2.1**

[Extracted from Landscape and Visual Plan (updated March 2022)]

**Master Landscape Plan (Level: G/F)**

Hong Kong-Zhuhai-Macao Bridge  
Hong Kong Boundary Crossing Facilities (HKBCF) Superstructures and Infrastructures

For submission of Landscape and Visual Plan to EPD





[Extracted from Landscape and Visual Plan (updated March 2022)]  
Master Landscape Plan (Level: 1/F)

For submission of Landscape and Visual Plan to EPD






**Figure 2.3**

**Extracted from Landscape and Visual Plan (updated March 2022))**  
**Master Landscape Plan (Level: Roof)**

Hong Kong-Zhuhai-Macao Bridge  
 Hong Kong Boundary Crossing Facilities (HKBCF) Superstructures and Infrastructures

For submission of Landscape and Visual Plan to EPD



**Figure 3.1**

[Extracted from Landscape and Visual Plan (updated March 2022)]

# Design and Construction Planting Schedule

TREE PLANTING <sup>(1)</sup>				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [m]
AL **	<i>Albizia lebbbeck</i>	大葉合歡	4000-5000(H) x 3000(SP) x 100(DBH)	4
BV	<i>Bauhinia variegata</i>	高粉羊蹄甲	4000-5000(H) x 3000(SP) x 100(DBH)	4
BA ^	<i>Brassia adinophylla</i>	垂樹	3000-4000(H) x 2500(SP) x 100(DBH)	3
CV	<i>Callistemon viminalis</i>	串錢柳	4000-5000(H) x 3000(SP) x 100(DBH)	4
CS **	<i>Cassia siamea</i>	鐵刀木	4000-5000(H) x 3000(SP) x 100(DBH)	4
GB ** ^	<i>Grevillea banksii</i>	紅花銀樺	3000-4000(H) x 2500(SP) x 100(DBH)	3
GR ^	<i>Grevillea robusta</i>	銀樺	4000-5000(H) x 3000(SP) x 100(DBH)	4
HF ^	<i>Heteropanax fragrans</i>	蝦蟇楓	3000-4000(H) x 2500(SP) x 100(DBH)	3
JA ^	<i>Jacaranda mimosifolia</i>	藍花楸	4000-5000(H) x 3000(SP) x 100(DBH)	4
JC **	<i>Juniperus chinensis</i>	龍柏	4000-5000(H) x 3000(SP) x 100(DBH)	4
PR ^	<i>Plumeria rubra</i>	雞蛋花	2500-3000(H) x 2500(SP) x 100(DBH)	3
TP **	<i>Thespesia populnea</i>	恒春黃槿	4000-5000(H) x 3000(SP) x 100(DBH)	4

SHRUB PLANTING <sup>(1)</sup>				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [mm]
Aod ^	<i>Aglaia odorata</i>	米仔蘭	700(H) x 500(SP)	400
Cha	<i>Calliandra haematocephala</i>	紅絨球	700(H) x 500(SP)	400
Fmi **, ^	<i>Ficus microcarpa 'golden leaves'</i>	黃金榕	1000(H) x 700(SP)	600
Ich ^	<i>Ixora chinensis</i>	龍眼花	500(H) x 400(SP)	350
Mar	<i>Malvaviscus arboreus</i>	大紅袍	700(H) x 500(SP)	450
Mfi	<i>Michelia figo</i>	含笑	800(H) x 500(SP)	400
Pmy	<i>Phyllanthus myrsinifolius</i>	樟腰葉下珠	400(H) x 300(SP)	250
Rpu ^	<i>Rhododendron pulchrum</i>	錦繡杜鵑	600(H) x 400(SP)	300
Rsi ^	<i>Rhododendron simsii</i>	紅木樨	600(H) x 400(SP)	300
Sco	<i>Spathiphyllum commutatum</i>	白掌	300(H) x 300(SP)	200
Sre ^	<i>Strelitzia reginae</i>	天堂鳥蕉	500(H) x 400(SP)	350

GREEN ROOF GROUND COVER PLANTING <sup>(1)</sup>				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [mm]
Zan	<i>Zephyranthes candida</i>	蘭蓮	100(H) x 100(SP)	100

CLIMBER PLANTING <sup>(1)</sup>				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [mm]
Pda	<i>Parthenocissus dalzielii</i>	異葉爬山虎	300(H) x 250(SP)	250
Pve **	<i>Pyrostegia venusta</i>	炮仗花	300(H) x 250(SP)	250

GROUND COVER PLANTING <sup>(1)</sup>				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [mm]
Aag ^	<i>Agave angustifolia</i>	狹葉龍舌蘭	200(H) x 300(SP)	200
Aam ^	<i>Agave americana</i>	龍舌蘭	100(H) x 100(SP)	100
Asl ^	<i>Aglaonema 'Silver King'</i>	銀王粗肋草	150(H) x 150(SP)	100
Ave ^	<i>Alternanthera versicolor</i>	錦繡草, 紅草	100(H) x 100(SP)	100
Ite ^	<i>Iris tectorum</i>	鳶尾	100(H) x 100(SP)	100
Lmo ^	<i>Lantana montevidensis</i>	鋪地黃金鳳	200(H) x 300(SP)	200
Lsp ^	<i>Liriope spicata</i>	山麥冬	100(H) x 100(SP)	100
Nex ^	<i>Nephrolepis hirsutula</i>	毛蕨腎蕨	150(H) x 200(SP)	150
Oja ^	<i>Ophiopogon japonicus</i>	麥冬	150(H) x 150(SP)	100
Rds ^	<i>Rhoeo discolor</i>	紫背萬年青	150(H) x 200(SP)	100
Spo **	<i>Syngonium podophyllum</i>	合果芋	200(H) x 200(SP)	150
Wlr **, ^	<i>Wedelia trilobata</i>	錦繡菊	100(H) x 100(SP)	100
Zan ^	<i>Zephyranthes candida</i>	蘭蓮	100(H) x 100(SP)	100
Zro ^	<i>Zephyranthes rosea</i>	玫瑰蘭蓮	150(H) x 200(SP)	100

TURFING <sup>(1)</sup>			
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]
Zia **, ^	<i>Zoysia sp.</i>	硬草	25(H)

HYDROSEEDING <sup>(1),(2)</sup>		
SPECIES CODE	BOTANICAL NAME	CHINESE NAME
Cda **, ^	<i>Cynodon dactylon</i>	百慕達草
Pno ^	<i>Paspalum notatum</i>	百喜草
Eop **, ^ / Lpe ^	<i>Eremochloa ophiuroides / Lolium perenne</i>	假綠草 / 黑麥草

INDOOR PLANTING IN PASSENGER CLEARANCE BUILDING <sup>(1)</sup>				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [m]
TREE				
FB **	<i>Ficus benjamina</i>	垂榕	5000(H) x 4000(SP) x 150(DBH)	N.A.
SHRUB				
Ite	<i>Iris tectorum</i>	鳶尾	300(H) x 200(SP)	150
Sco	<i>Spathiphyllum commutatum</i>	白掌	300(H) x 300(SP)	200

## NOTES:

<sup>(1)</sup> All proposed plant species and specifications are subject to change during construction to suit the site conditions.

<sup>(2)</sup> Minimum requirement of grass seed mix for hydroseeding shall follow General Specification for Civil Engineering Works Clause 3.26(3).

\* Species native to Hong Kong according to the Hong Kong Herbarium website <<http://www.herbarium.gov.hk>>

\*\* Species which is salt spray tolerant

^ Species proposed on landscape berms

^ Selected from updated Hong Kong International Airport Approved Plant Species List (Revision 5.0, January 2018)