



Contract No. GPA/BCP/HZMB - HKP/2022

Provision of Management, Operation and Maintenance to the Boundary
Crossing Facilities at the Hong Kong-Zhuhai-Macao Bridge Hong Kong Port

HONG KONG – ZHUHAI – MACAO BRIDGE HONG KONG PORT

Annual Landscape Monitoring Site Audit Checklist – 2025

Reported by:

A handwritten signature in black ink, appearing to read 'CHENG SHIU BUN', written over a horizontal line.

CHENG Shiu Bun, Steward

Title: Head Horticulturist (Greenscape Limited)

Date: 14/01/2026

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Covering Period:	<u>24/10/2024 – 15/7/2025</u>	Reported By:	<u>Zora TANG (Greenscape Limited)</u>
Time:	<u>5/2, 30/4, 1/5, 14/5, 28/5, 4/6, 27/6,</u>	Weather Condition:	<u>Sunny, cloudy</u>
(10:00 – 16:00)	<u>30/6, 2/7, 9/7</u>	Participants:	<u>Zora TANG (Greenscape Limited)</u>

1	Zone 1 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
1.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
1.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
1.3	Are litter and debris removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
1.4	Are planting areas matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
1.5	Is planting pattern matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
1.6	Are planting locations and spacing matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
1.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
1.8	Are the plants in satisfied condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
1.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>

2	Zone 2 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
2.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 3,7</u>
2.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
2.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
2.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
2.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
2.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
2.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
2.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
2.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>

3	Zone 3 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
3.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 3,7</u>
3.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
3.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
3.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
3.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
3.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
3.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
3.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
3.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
3.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
3.11	Are trees of limb overhanging branches pruned?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>

4	Zone 4 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
4.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 1,3</u>
4.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
4.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
4.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
4.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
4.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
4.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
4.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>
4.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 1</u>

5	Zone 5 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
5.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 2,3,7</u>
5.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
5.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
5.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
5.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
5.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
5.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
5.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
5.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
5.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
5.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>

6	Zone 6 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
6.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 2,7</u>
6.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
6.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
6.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
6.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
6.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
6.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
6.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
6.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>

9	Zone 9 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
9.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 2
9.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
9.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

10	Zone 10 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
10.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 2
10.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
10.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

11	Zone 11 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
11.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>
11.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,6,7</u>

12	Zone 12 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
12.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
12.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
12.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
12.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
12.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
12.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
12.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
12.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
12.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>

13	Zone 13 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
13.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 4,5,7</u>
13.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>
13.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>
13.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>
13.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>
13.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>
13.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>
13.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>
13.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>
13.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>
13.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,7</u>

14	Zone 14 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
14.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

15	Zone 15 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
15.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 4,7</u>
15.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
15.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
15.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
15.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
15.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
15.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
15.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
15.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
15.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
15.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>

16	Zone 16 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
16.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 6</u>
16.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 6</u>
16.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 6</u>
16.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 6</u>
16.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 6</u>
16.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 6</u>
16.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 6</u>
16.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 6</u>
16.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 6</u>

17	Zone 17 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
17.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
17.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
17.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
17.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
17.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
17.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
17.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
17.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 7
17.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remark 7

18	Zone 18 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
18.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
18.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

19	Zone 19 (Reference Drawing Figure 1.1 (a))	N/A or Not Observed	Yes	No	Remarks / Photo
19.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 4,7</u>
19.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
19.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
19.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
19.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
19.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
19.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
19.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
19.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
19.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>
19.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 7</u>

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Covering Period:	<u>16/7/2024 – 23/10/2025</u>	Reported By:	<u>Zora TANG (Greenscape Limited)</u>
Time:	<u>3/9, 4/9, 7/9, 17/9, 3/10, 15/10, 22/10,</u>	Weather Condition:	<u>Sunny, cloudy</u>
(10:00 – 16:00)	<u>23/10</u>	Participants:	<u>Zora TANG (Greenscape Limited)</u>

1	Zone 1 (Reference Drawing Figure 1.1 (b))	N/A or Not Observed	Yes	No	Remarks / Photo
1.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 8,9,10</u>
1.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
1.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
1.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
1.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
1.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
1.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
1.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
1.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
1.10	Are tree stakes, guys, and ties provided properly for safety and avoid chaffing of bark?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
1.11	Are trees of limb overhanging branches pruned?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>

4	Zone 4 (Reference Drawing Figure 1.1 (b))	N/A or Not Observed	Yes	No	Remarks / Photo
4.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
4.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
4.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
4.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
4.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
4.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
4.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
4.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
4.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>

5	Zone 5 (Reference Drawing Figure 1.1 (b))	N/A or Not Observed	Yes	No	Remarks / Photo
5.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 8, 9</u>
5.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
5.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
5.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
5.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
5.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
5.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
5.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>
5.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remark 8</u>

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Covering Period:	24/10/2024 – 23/10/2025	Reported By:	Zora TANG (Greenscape Limited)
Time:	4/9, 8/9, 17/9, 9/10, 15/10, 16/10,	Weather Condition:	Sunny, cloudy
(10:00 – 16:00)	21/10, 23/10	Participants:	Zora TANG (Greenscape Limited)

6	Building 022 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
6.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
6.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
6.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
6.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
6.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
6.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

7	Building 023 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
7.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
7.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
7.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
7.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
7.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
7.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
7.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
7.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
7.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

8	Building 023 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
8.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
8.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

9	Building 025 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
9.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,8</u>
9.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,8</u>
9.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,8</u>
9.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,8</u>
9.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,8</u>
9.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,8</u>
9.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,8</u>
9.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,8</u>
9.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Remarks 5,8</u>

10	Building 025 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
10.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
10.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

11	Building 032 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
11.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8 _____
11.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8 _____
11.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8 _____
11.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8 _____
11.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8 _____
11.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
11.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

12	Building 032 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
12.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
12.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

13	Building 044 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
13.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
13.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

14	Building 045 roof greening (Reference Drawing Figure 1.2)	N/A or Not Observed	Yes	No	Remarks / Photo
14.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
14.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

15	Building 053 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
15.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
15.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
15.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
15.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
15.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
15.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
15.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

16	Building 058 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
16.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
16.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
16.3	Are litter and debris removed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
16.4	Are planting areas matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
16.5	Is planting pattern matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
16.6	Are planting locations and spacing matched with the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
16.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Remark 8
16.8	Are the plants in satisfied condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
16.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

17	Building 059 at-grade planting (Reference Drawing Figure 1.1)	N/A or Not Observed	Yes	No	Remarks / Photo
17.1	Is watering provided to all plants to ensure satisfactory growth and health (manual and automatic irrigation)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remarks 6,8
17.2	After exceptional weather conditions, are proper action implemented to replace dead plants, repair damaged plants, bed in all plants that have blown over, firm up all other plants and immediately thereafter, remove dead plants and plant debris from the site?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remarks 6,8
17.3	Are litter and debris removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remarks 6,8
17.4	Are planting areas matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remarks 6,8
17.5	Is planting pattern matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remarks 6,8
17.6	Are planting locations and spacing matched with the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remarks 6,8
17.7	Are the planting species on site matched with Figure 3.1 of the approved landscape plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remarks 6,8
17.8	Are the plants in satisfied condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remarks 6,8
17.9	Are the plants affected by pest or fungus?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Remarks 6,8

18	General Document	N/A or Not Observed	Yes	No	Remarks / Photo
18.1	Are the records of watering, fertilizing, weeding, pruning, and mowing kept for checking?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Follow up actions for previous Site Audit:

N.A.

Observation:

1. According to the requirements of the Environmental Monitoring and Audit Manual of Hong Kong Boundary Crossing Facilities ("HKBCF"), the 7th Annual Landscape Monitoring Site Audit Checklist is carried out to keep monitoring and ensuring the tree/shrub/green roof/climber/ground cover/turfing/hydroseeding plantings at HKBCF are in fair condition under the period from 24 Oct 2024 to 23 Oct 2025. The 7th Annual Landscape Monitoring Site Audit Checklist consolidates the contracts HY/2013/01, HY/2013/02, HY/2013/03 and HY/2014/05 under Highway Department (HyD)'s memo dated 16 October 2019 (Year 7 monitoring) as well as HY/2019/01 under HyD's memo dated 20 January 2023 (Year 4 monitoring).
2. Referring to the Chek Lap Kok Lot No.5 ("CLKL5") Land Grant plan issued by the Lands Department, a significant portion of land encompassing HKBCF's landscape areas and 2 pump houses with associated irrigation systems was granted to Airport Authority Hong Kong ("AAHK") on 16 July 2025. AAHK now oversees long-term management and maintenance of these areas. Consequently, the labelling plan for landscape areas under GPA's purview has been revised (Reference Drawing Figure 1.1 (b)).
3. 2 active Short-Term Tenancies ("STTs") remain at HKBCF as issued by the Lands Department (Reference Drawing Figure 1.3). Other previously issued STTs have been superseded by CLKL5.

Corrective Action (if any):

N.A.

Remark:Before 16.7.2025

1. A portion of Zone 4 (Reference Drawing, Figure 1.1(a)) was taken over by HyD for the ELS works and associated replacement of fire mains in May 2025. The condition of the associated areas was satisfactory before it was handed over to HyD.
2. The operation of the W01 pump house was generally satisfactory throughout the reporting period, except for one interruption period (i.e. Feb 2025) due to water pipes bursting. The operation of W01 pump house resumed normally on 21 Feb 2025.
3. The operation of the W02 pump house was generally satisfactory throughout the reporting period, except for two interruption periods (i.e. Dec 2024 to Jan 2025 and Apr 2025) due to water pipes bursting. The operation of W02 pump house resumed normally on 16 Jan 2025 & 23 Apr 2025 respectively. The associated irrigation system was in order from 24 Oct 2024 to 15.7.2025.
4. The operation of the W03 and W04 pump houses with associated irrigation systems was in order from 24 Oct 2024 to 15.7.2025.
5. A portion of Zones 11, 13 and Building 025 at-grade planting areas was taken over by AAHK for the development works of Inbound Carparks at HKBCF in 25 Nov 2020 (Reference Drawing Figure 1.3(a)). The condition of the associated areas was satisfactory before they were handed over to AAHK.
6. A portion of Zones 11, 16 and Building 059 at-grade planting areas was taken over by the contractor under AAHK for the ITT project (ITT BVB) in April 2022 (Reference Drawing Figure 1.3(a)). The condition of the associated areas was satisfactory before they were handed over to the mentioned contractor.
7. A portion of Zones 1 to 3, 5 to 7, 11 to 13, 15, 17 & 19 have been taken over by AAHK for development from 2019 to 2024 respectively (Reference Drawing Figure 1.3 (a)).

After 16.7.2025


8. The whole landscape area of Zones 1, 3, 5, and 6 and a portion of the landscape area of Zones 2, 4, 7, 8, 11, 12, 13, 15, 17 and 19 (Reference Drawing Figure 1.1 (a)) were granted to AAHK with effective 16 Jul 2025 in accordance with CLKL 5. The condition of the associated landscape areas including those previously handed over to AAHK under STTs was satisfactory before they were granted to AAHK on 16 Jul 2025 with 2 areas concerned (Reference Drawing Figure 1.3 (b)) remaining under STTs after 16.7.2025. The remaining landscape areas at HZMB-HKP under GPA's purview have been replanned for the landscaping zones (Reference Drawing, Figure 1.1(b)) and the condition of Zones 1 to 5 (after rezoning since 16 July 2025) of the landscape areas was

satisfactory from 16 Jul 2025 to 23 Oct 2025. A portion of Zone 5 under GPA's purview (Reference Drawing, Figure 1.1(b) & PS 36) is still undergoing the repair works by the HyD as mentioned in Remark 1.

9. 2 pump houses (i.e., W02 and W04) with associated irrigation systems were handed over to AAHK on 16 Jul 2025 according to CLKL 5. The operation of 2 pump houses was in order before they were handed over to AAHK on 16 Jul 2025.
10. The operation of the W01 pump house was generally satisfactory throughout the reporting period, except for one interruption period (i.e. Oct 2025) due to water pipes bursting. The operation of W01 pump house resumed normally on 24 Oct 2025. The operation of the W03 pump house with associated irrigation system was in order from 16 July 2025 to 23 Oct 2025.

General Conclusion:

The aforementioned landscaped areas concerned were in a satisfactory condition before being handed over to AAHK via STTs or Land Grant Lot No. 5. The overall condition of the remaining landscaped areas (i.e. Zones 1 to 5) under the GPA's purview at HZMB-HKP was fair upon evaluation.

Reported by:	Steward CHENG	Title:	Head Horticulturist
(Maintenance Agency)			(Greenscape Limited)
Signature:	_____	Date:	14/01/2026
Reviewed by:	Marco SHIU	Title:	Chief Facilities Manager
(Management Agency)			(MOM)
Signature:	_____	Date:	14/01/2026


Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
<p>Zone 1 [Figure 1.1 (a)]</p>	<p>The area is taken up by AAHK (Road connection Work) via STT before 15.07.2025</p> <p>Effective from 16.07.2025, Zone 1 is granted to AAHK</p>	 <p>Landscape area affected by construction (Road connection Work)</p> <p>02.07.2025</p> <p>PS 01 (before 15.07.2025)</p>	 <p>22.10.2025</p> <p>PS 01 (granted to AAHK)</p>
<p>Zone 2 [Figure 1.1 (a)]</p>	<p>Part of the area is taken up by AAHK (Road connection Work) via STT before 15.07.2025</p> <p>Effective from 16.07.2025, most area of Zone 2 is granted to AAHK</p>	 <p>Landscape area affected by construction (Road connection Work)</p> <p>27.06.2025</p> <p>PS 02 (before 15.07.2025)</p>	 <p>22.10.2025</p> <p>PS 02 (granted to AAHK)</p>


Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Zone 3 [Figure 1.1 (a)]	Effective from 16.07.2025, Zone 3 is granted to AAHK		
		PS 03 (before 15.07.2025)	PS 03 (granted to AAHK)
Zone 4 [Figure 1.1 (a)]	Effective from 16.07.2025, most area of Zone 4 is granted to AAHK		
		PS 04 (before 15.07.2025)	PS 04 (granted to AAHK)

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Zone 5 [Figure 1.1 (a)]	Effective from 16.07.2025, Zone 5 is granted to AAHK	 <p style="text-align: right; color: orange;">02.07.2025</p>	 <p style="text-align: right; color: orange;">22.10.2025</p>
		PS 05 (before 15.07.2025)	PS 05 (granted to AAHK)
Zone 6 [Figure 1.1 (a)]	Part of the area is taken up by AAHK (Airport City Link and ITT BVB) via STT before 15.07.2025 Effective from 16.07.2025, Zone 6 is granted to AAHK	 <p style="color: red; font-weight: bold;">Landscape area affected by construction (Airport City Link and ITT BVB)</p> <p style="text-align: right; color: orange;">02.07.2025</p>	 <p style="text-align: right; color: orange;">22.10.2025</p>
	PS 06 (before 15.07.2025)	PS 06 (granted to AAHK)	

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Zone 7 [Figure 1.1 (a)]	The area is taken up by AAHK (Airport City Link and ITT BVB) via STT before 15.07.2025 Effective from 16.07.2025, most of Zone 7 is granted to AAHK		
		PS 07 (before 15.07.2025)	PS 07 (after 15.07.2025)
Zone 8 [Figure 1.1 (a)]	Effective from 16.07.2025, some area of Zone 8 is granted to AAHK		
		PS 08 (before 15.07.2025)	PS 08 (granted to AAHK)

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Zone 9 [Figure 1.1 (a)]	<i>Liriope spicata</i> , <i>Zephyranthes candida</i> , <i>Zephyranthes rosea</i> Zone 9 is not granted to AAHK		
		PS 09 (before 15.07.2025)	PS 09 (after 15.07.2025)
Zone 10 [Figure 1.1 (a)]	<i>Lantana montevidensis</i> , <i>Zephyranthes rosea</i> , <i>Zoysia sp.</i> Zone 10 is not granted to AAHK		
		PS 10 (before 15.07.2025)	PS 10 (after 15.07.2025)


Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Zone 11 [Figure 1.1 (a)]	Part of the area is taken up by AAHK (Inbound Carparks at HKBCF) via STT before 15.07.2025 Effective from 16.07.2025, part of Zone 11 area is granted to AAHK	 <p data-bbox="763 823 1099 855">PS 11 (before 15.07.2025)</p>	 <p data-bbox="1576 823 1912 855">PS 11 (granted to AAHK)</p>
Zone 12 [Figure 1.1 (a)]	Part of the area is taken up by AAHK (Works Area for Construction Support for Airport City Developments) via STT before 15.07.2025 Effective from 16.07.2025, most of Zone 12 area is granted to AAHK	 <p data-bbox="763 1394 1099 1426">PS 12 (before 15.07.2025)</p>	 <p data-bbox="1576 1394 1912 1426">PS 12 (granted to AAHK)</p>


Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Zone 13 [Figure 1.1 (a)]	Part of the area is taken up by AAHK (Inbound Carparks at HKBCF) via STT before 15.07.2025 Effective from 16.07.2025, most of Zone 13 area is granted to AAHK	 <p>Landscape area affected by construction (Inbound Carparks at HKBCF)</p> <p>30.06.2025</p>	 <p>Area granted to AAHK</p> <p>Landscape area affected by construction (Inbound Carparks at HKBCF)</p> <p>23.10.2025</p>
		PS 13 (before 15.07.2025)	PS 13 (granted to AAHK)
Zone 14 [Figure 1.1 (a)]	<i>Wedelia trilobata</i> , <i>Zephyranthes candida</i> , <i>Zoysia sp.</i> Zone 14 is not granted to AAHK	 <p>14.05.2025</p>	 <p>09.10.2025</p>
		PS 14 (before 15.07.2025)	PS 14 (after 15.07.2025)

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Zone 15 [Figure 1.1 (a)]	Effective from 16.07.2025, part of Zone 15 area is granted to AAHK	 <p data-bbox="763 823 1099 855">PS 15 (before 15.07.2025)</p>	 <p data-bbox="1581 823 1917 855">PS 15 (granted to AAHK)</p>
Zone 16 [Figure 1.1 (a)]	<i>Wedelia trilobata</i> , <i>Rhododendron pulchrum</i> Zone 16 is not granted to AAHK	 <p data-bbox="763 1358 1099 1390">PS 16 (before 15.07.2025)</p>	 <p data-bbox="1581 1358 1917 1390">PS 16 (after 15.07.2025)</p>

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
<p>Zone 17 [Figure 1.1 (a)]</p> <p>Part of the area is taken up by AAHK (Works Area for Construction Support for Airport Developments) via STT before 15.07.2025</p> <p>Effective from 16.07.2025, part of Zone 17 area is granted to AAHK</p>		 <p>Landscape area affected by construction (Works Area for Construction Support for Airport Developments)</p> <p>30.04.2025</p>	 <p>Area granted to AAHK</p> <p>09.10.2025</p>
		PS 17 (before 15.07.2025)	PS 17 (granted to AAHK)
<p>Zone 18 [Figure 1.1 (a)]</p> <p>Zone 18 is not granted to AAHK</p>		 <p>30.06.2025</p>	 <p>15.10.2025</p>
		PS 18 (before 15.07.2025)	PS 18 (after 15.07.2025)

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records




Location	Species/Description	Photo	
Zone 19	Effective from 16.07.2025, most of Zone 19 area is granted to AAHK		
		PS 19 (before 15.07.2025)	PS 19 (granted to AAHK)

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
<p>Zone 1 [Figure 1.1 (b)]</p>	<p>Part of the area is taken up by AAHK (Inbound Carparks at HKBCF) via STT</p> <p><i>Wedelia trilobata</i>, <i>Zoysia sp.</i></p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>	 <p style="text-align: center;">PS 20</p>	 <p style="text-align: center;">PS 21</p>
<p>Zone 1 [Figure 1.1 (b)]</p>	<p><i>Wedelia trilobata</i>, <i>Aglaia odorata</i>, <i>Brassaia actinophylla</i>, <i>Iris tectorum</i>, <i>Spathiphyllum commutatum</i></p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>	 <p style="text-align: center;">PS 22</p>	 <p style="text-align: center;">PS 23</p>

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Zone 2 [Figure 1.1 (b)]	<p> <i>Wedelia trilobata</i>, <i>Zephyranthes candida</i>, <i>Zephyranthes rosea</i>, <i>Zoysia sp.</i>, <i>Lantana montevidensis</i> </p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>		
		PS 24	PS 25
Zone 2 [Figure 1.1 (b)]	<p> <i>Zoysia sp.</i>, <i>Zephyranthes candida</i>, <i>Lantana montevidensis</i>, <i>Rhododendron pulchrum</i>, <i>Plumeria rubra</i>, <i>Bauhinia variegata</i> </p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>		
		PS 26	PS 27

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Zone 3 [Figure 1.1 (b)]	<p><i>Wedelia trilobata</i>, <i>Zephyranthes candida</i>, <i>Zephyranthes rosea</i>, <i>Zoysia sp.</i>, <i>Lantana montevidensis</i></p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>		
		PS 28	PS 29
Zone 3 [Figure 1.1 (b)]	<p><i>Wedelia trilobata</i>, <i>Zephyranthes candida</i>, <i>Zoysia sp.</i></p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>		
		PS 30	PS 31

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Zone 4 [Figure 1.1 (b)]	<p><i>Zephyranthes rosea</i>, <i>Ophiopogon japonicus</i>, <i>Zoysia sp.</i></p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>	 <p data-bbox="891 837 974 869">PS 32</p>	 <p data-bbox="1697 837 1780 869">PS 33</p>
Zone 4 [Figure 1.1 (b)]	<p><i>Wedelia trilobata</i>, <i>Zephyranthes rosea</i>, <i>Zoysia sp.</i>, <i>Lantana montevidensis</i>, <i>Rhododendron pulchrum</i></p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>	 <p data-bbox="891 1380 974 1412">PS 34</p>	 <p data-bbox="1697 1380 1780 1412">PS 35</p>

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Zone 5 [Figure 1.1 (b)]	Part of the area is taken up by HyD (ELS works and associated replacement of fire mains) <i>Zephyranthes candida</i> Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5	 <p data-bbox="891 826 972 858">PS 36</p>	 <p data-bbox="1697 826 1778 858">PS 37</p>
Zone 5 [Figure 1.1 (b)]	<i>Zoysia sp., Ophiopogon japonicus, Wedelia trilobata</i> Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5	 <p data-bbox="891 1362 972 1394">PS 38</p>	 <p data-bbox="1697 1362 1778 1394">PS 39</p>

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Building 023 Roof Greening [Figure 1.2]	<i>Zephyranthes candida</i>	 <p style="text-align: center;">PS 43</p>	 <p style="text-align: center;">PS 44</p>
Building 025 At-grade Planting [Figure 1.1 (b)]	Part of the area is taken up by AAHK (Inbound Carparks at HKBCF) <i>Liriope spicata</i> Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5	 <p style="text-align: center;">PS 45</p>	

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo	
Building 025 Roof Greening [Figure 1.2]	<i>Zephyranthes candida</i>	 <p data-bbox="891 837 974 869">PS 46</p>	 <p data-bbox="1697 837 1780 869">PS 47</p>
Building 032 At-grade Planting [Figure 1.1 (b)]	<i>Ophiopogon japonicus</i> Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5	 <p data-bbox="1294 1380 1377 1412">PS 48</p>	

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Building 032 Roof Greening [Figure 1.2]	<i>Zephyranthes candida</i>	 <p style="text-align: right; color: orange;">17.09.2025</p>	 <p style="text-align: right; color: orange;">09.10.2025</p>
		PS 49	PS 50
Building 044 Roof Greening [Figure 1.2]	<i>Zephyranthes candida</i>	 <p style="text-align: right; color: orange;">21.10.2025</p>	 <p style="text-align: right; color: orange;">21.10.2025</p>
		PS 51	PS 52

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



綠苑環境美化有限公司
Greenscape Limited

Location	Species/Description	Photo	
Building 045 Roof Greening [Figure 1.2]	<i>Zephyranthes candida</i>	 <p data-bbox="891 839 972 868">PS 53</p>	 <p data-bbox="1697 839 1778 868">PS 54</p>
Building 053 At-grade Planting [Figure 1.1 (b)]	<i>Wedelia trilobata</i> , <i>Lantana montevidensis</i> Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5	 <p data-bbox="1294 1385 1375 1414">PS 55</p>	

Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities

Annual Landscape Monitoring Site Audit Checklist

Photographic Records



Location	Species/Description	Photo
Building 058 At-grade Planting [Figure 1.1 (b)]	<p><i>Zoysia sp.</i></p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>	 <p style="text-align: center;">PS 56</p>
Building 059 At-grade Planting [Figure 1.1 (b)]	<p>Part of the area is taken up by AAHK (ITT BVB)</p> <p><i>Lantana montevidensis</i></p> <p>Rezoning the landscape areas under GPA's purview with effect from 16.7.2025 in accordance with CLKL 5</p>	 <p style="text-align: center;">PS 57</p>

List of Figures

Figure 1.1	a. Landscape Area Labeling Plan (Zone 1 - 19) Before 16.7.2025 b. Landscape Area Labeling Plan (Zone 1 - 5) With effective from 16.7.2025
Figure 1.2	Landscape Area Labeling Plan (Roof Garden)
Figure 1.3 (a)	Master Plan of Underway Construction Works Before 16.7.2025
Figure 1.3 (b)	Master Plan of Underway Construction Works under GPA's Purview After 16.7.2025
Figure 1.4	C9 Planting Plan (As-built Drawing, new landscape area under "C9 Contract" handed-over from HyD since 05/01/2023)
Figure 1.5	C1, C2, C3 and C8 Planting Plan [Extracted from Landscape and Visual Plan (updated March 2022)]
Figure 2.1	Master Landscape Plan (Level: Ground Level) [Extracted from Landscape and Visual Plan (updated March 2022)]
Figure 2.2	Master Landscape Plan (Level: First Floor) [Extracted from Landscape and Visual Plan (updated March 2022)]
Figure 2.3	Master Landscape Plan (Level: Top View) [Extracted from Landscape and Visual Plan (updated March 2022)]
Figure 3.1	Design and Construction Planting Schedule [Extracted from Landscape and Visual Plan (updated March 2022)]

Figure 1.1

a. Landscape Area Labeling Plan (Zone 1 – 19) Before 16.7.2025




Figure 1.1

b. Landscape Area Labeling Plan (Zone 1 – 5) With effective from 16.7.2025


LEGEND:

-  BCF CLOSED AREA
-  LAND TO BE GRANTED TO AA
-  LAND WITHIN BCF CLOSED AREA TO BE GRANTED TO AA
-  LAND BELOW EXISTING BRIDGE TO BE GRANTED TO AA
-  BRIDGE / PLATFORM ABOVE EXISTING CARRIAGEWAY OR SEA AREA TO BE GRANTED TO AA
-  AREA AROUND EXISTING TUNNEL / STRUCTURE TO BE GRANTED TO AA
-  CLOSED ROAD TO BE GRANTED TO AA
-  SEA AREA TO BE GRANTED TO AA
-  AREA BELOW HZMB UPPER GROUND DROP-OFF DECK TO BE GRANTED TO AA
-  RAILWAY RESERVE
-  TUN MUN CHEK LAP KOK TUNNEL PROTECTION ZONE
-  AREA WITHIN BCF CLOSED AREA FOR STRATUM BETWEEN INDICATED LEVEL TO BE GRANTED TO AA
-  AREA WITHIN BCF CLOSED AREA FOR STRATUM BELOW INDICATED LEVEL TO BE GRANTED TO AA
-  ZONE FOR INSTALLATION AND MAINTENANCE OF AA UNDERGROUND CABLING WORKS (3m BELOW GROUND SURFACE)
-  AREA ABOVE 5.1m FROM ROAD SURFACE TO BE GRANTED TO AA
-  AREA BELOW HZMB SOUTH FOOTBRIDGE AS SPECIFIED LEVEL TO BE GRANTED TO AA
-  BOX CULVERT TO BE GRANTED TO AA
-  AREA BETWEEN GROUND SURFACE AND +14.0mPD TO BE GRANTED TO AA

Landscape Areas under GPA's Purview:

-  Landscape Area (Zone 1)
-  Landscape Area (Zone 2)
-  Landscape Area (Zone 3)
-  Landscape Area (Zone 4)
-  Landscape Area (Zone 5)

 **Photography Spot (PS)**



FOR REFERENCE ONLY

Landscape Area Labeling Plan (Zone 1 - 5)

Figure 1.2
Landscape Area Labeling Plan (Roof Garden)

- 023RG C&ED Outbound Cargo Examination Building and Examination Platform (single user building)
- 025RG Inbound Private Car Annexure (Multi-user buildings)
- 026RG Inbound ImmD and DoH Secondary Screening Building (Multi-User Building)
- 031RG Outbound ImmD and DoH Secondary Screening Building (Multi-User Building)
- 032RG Outbound Private Car Annexure (Multi-user buildings)
- 037RG A C&ED Tower cum Inbound Cargo Examination Building and Examination Platform (single user building)
- 037RG B
- 038RG AFCD Office and its adjacent buildings (Single User Building)
- 039RG Police Main Building (Single User Building)
- 041RG A Fire Station cum Ambulance Depot (Single User Building)
- 041RG B
- 043RG DoH Cargo Clearance Building (Single User Building)
- 044RG E&M Maintenance Building (Multi-user buildings)
- 045RG Highways Depot and Administration Building (Multi-user buildings)





Figure 1.3 (a)

Master Plan of Underway Construction Works Before 16.7.2025

- Road Connection Work
(under STT No.: STTIS0052 (former known as CX2959))
- Airport City Link and ITT BVB
(under STT No.: CX2862)
- Inbound Carpark
(under STT No.: STTIS0055 (former known as CX2972))
- Expo Marshalling Area
(under STT No.: STTIS0056)
- Works Area for Construction Support for Airport
Developments (under STT No.: STTIS0137)
- Works Area for Construction Support for Airport City
Developments (under STT No.: STTIS0246)
- ITT BVB Project Related Works
- Inbound Carpark Related Works



FOR REFERENCE ONLY


Disclaimer:

1. All data indicated in the above map are for reference only. The Contractors may revise their program of works for the Engineer's approval.
2. All data indicated is assumed based on the given information by the Contractors only.

Figure 1.3 (b)

Master Plan of Underway Construction Works under GPA's Purview After 16.7.2025

- Airport City Link and ITT BVB
(under STT No.: CX2862)
- Inbound Carpark
(under STT No.: STTIS0055 (former known as CX2972))
- ITT BVB Project Related Works
- Inbound Carpark Related Works



FOR REFERENCE ONLY

Disclaimer:

1. All data indicated in the above map are for reference only. The Contractors may revise their program of works for the Engineer's approval.
2. All data indicated is assumed based on the given information by the Contractors only.

Figure 1.4

C9 Planting Plan (As-built Drawing, new landscape area under "C9 Contract" handed-over from HyD since 05/01/2023)




Figure 1.5

[Extracted from Landscape and Visual Plan (updated March 2022)]

C1, C2, C3 and C8 Planting Plan




Figure 2.1

[Extracted from Landscape and Visual Plan (updated March 2022)]

Master Landscape Plan (Level: G/F)

Hong Kong-Zhuhai-Macao Bridge
Hong Kong Boundary Crossing Facilities (HKBCF) Superstructures and Infrastructures

For submission of Landscape and Visual Plan to EPD





Figure 2.2

[Extracted from Landscape and Visual Plan (updated March 2022)]
Master Landscape Plan (Level: 1/F)

Hong Kong-Zhuhai-Macao Bridge
 Hong Kong Boundary Crossing Facilities (HKBCF) Superstructures and Infrastructures

For submission of Landscape and Visual Plan to EPD



- LEGEND:**
- HKBCF site boundary
 - Elevated bridges with bridge pier/ decks/ footbridges/ canopies
 - Boundary fence (1m maintenance path on both sides of fence)
 - Planting pattern formed by shrubs, groundcover & turves
 - Hydroseeding area
 - Multi-purpose areas (footpath/ at grade carriageway/ amenity area)
 - Multi-purpose areas with hard-paving (footpath/ at grade carriageway/ amenity area)
 - Green roof
 - Gentle landscape barm (not higher than 3m, slope gradient not larger than 14.5°)
 - Tree planting
 - Water features (around and inside PCB area)
 - Attenuation pond and bio-swale
 - Stone swathe feature
 - Stone gravel finish (for future development)
 - Ancillary building
 - Vertical greening
 - SMAAR slope
 - Site boundary of "Intermodal Transfer Terminal - bonded vehicular Bridge and Associated Road" (provided by Permit Holder of Environmental Permit No. EP-563/01/B. This area is covered in Environmental Permit No. EP-562/2018 and is excluded from the Environmental Permit of HKBCF Project No. EP-302/2020/1/E.
 - Site boundary of "Airport Core Line" (provided by Permit Holder of Environmental Permit No. EP-561/2020. This area is covered in Environmental Permit No. EP-561/2020 and is excluded from the Environmental Permit of HKBCF Project No. EP-302/2020/1/E.
 - Site boundary of "NOMH-HKBCF - Inbound Carpark A (Phase 1) and Inbound Carpark B (Phase 1) (provided by Permit Holder of Environmental Permit No. EP-023/2020/1/E. These areas are covered in Environmental Permit No. EP-023/2020/1/E and are excluded from the Environmental Permit of HKBCF Project No. EP-302/2020/1/E.

Building Number and Name

001	Passenger Clearance Building
002	1/F of PCB
003	Outbound Vehicle Clearance Plaza
004	Inbound Vehicle Clearance Plaza
005	Overflow carpark
006	...
007	...
008	...
009	...
010	...
011	...
012	...
013	...
014	...
015	...
016	...
017	...
018	...
019	...
020	...
021	...
022	...
023	...
024	...
025	...
026	...
027	...
028	...
029	...
030	...
031	...
032	...
033	...
034	...
035	...
036	...
037	...
038	...
039	...
040	...
041	...
042	...
043	...
044	...
045	...
046	...
047	...
048	...
049	...
050	...
051	...
052	...
053	...
054	...
055	...
056	...
057	...
058	...
059	...
060	...
061	...
062	...
063	...
064	...
065	...
066	...
067	...
068	...
069	...
070	...
071	...
072	...
073	...
074	...
075	...
076	...
077	...
078	...
079	...
080	...
081	...
082	...
083	...
084	...
085	...
086	...
087	...
088	...
089	...
090	...
091	...
092	...
093	...
094	...
095	...
096	...
097	...
098	...
099	...
100	...

Figure 2.3

**[Extracted from Landscape and Visual Plan (updated March 2022)]
Master Landscape Plan (Level: Roof)**

Hong Kong-Zhuhai-Macao Bridge
Hong Kong Boundary Crossing Facilities (HKBCF) Superstructures and Infrastructures

For submission of Landscape and Visual Plan to EPD




Figure 3.1

[Extracted from Landscape and Visual Plan (updated March 2022)]

Design and Construction Planting Schedule

TREE PLANTING ⁽¹⁾				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [m]
AL ** #	<i>Albizia lebbek</i>	大葉合歡	4000-5000(H) x 3000(SP) x 100(DBH)	4
BV	<i>Bauhinia variegata</i>	宮粉羊蹄甲	4000-5000(H) x 3000(SP) x 100(DBH)	4
BA ^	<i>Brassaia actinophylla</i>	傘樹	3000-4000(H) x 2500(SP) x 100(DBH)	3
CV	<i>Callistemon viminalis</i>	串錢柳	4000-5000(H) x 3000(SP) x 100(DBH)	4
CS ** #	<i>Cassia siamea</i>	鐵刀木	4000-5000(H) x 3000(SP) x 100(DBH)	4
GB ** #, ^	<i>Grevillea banksii</i>	紅花銀樺	3000-4000(H) x 2500(SP) x 100(DBH)	3
GR #	<i>Grevillea robusta</i>	銀樺	4000-5000(H) x 3000(SP) x 100(DBH)	4
HF ^	<i>Heteropanax fragrans</i>	幌傘楓	3000-4000(H) x 2500(SP) x 100(DBH)	3
JA #	<i>Jacaranda mimosifolia</i>	藍花楸	4000-5000(H) x 3000(SP) x 100(DBH)	4
JC **	<i>Juniperus chinensis</i>	龍柏	4000-5000(H) x 3000(SP) x 100(DBH)	4
PR #, ^	<i>Plumeria rubra</i>	雞蛋花	2500-3000(H) x 2500(SP) x 100(DBH)	3
TP **	<i>Thespesia populnea</i>	恒春黃槿	4000-5000(H) x 3000(SP) x 100(DBH)	4

SHRUB PLANTING ⁽¹⁾				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [mm]
Aod #	<i>Aglaia odorata</i>	米仔蘭	700(H) x 500(SP)	400
Cha	<i>Calliandra haematocephala</i>	紅絨球	700(H) x 500(SP)	400
Fmi ** #	<i>Ficus microcarpa 'golden leaves'</i>	黃金榕	1000(H) x 700(SP)	600
Ich *	<i>Ixora chinensis</i>	龍船花	500(H) x 400(SP)	350
Mar	<i>Malva viscosa arborea</i>	大紅袍	700(H) x 500(SP)	450
Mfi	<i>Michelia figo</i>	含笑	800(H) x 500(SP)	400
Pmy	<i>Phyllanthus myrtifolius</i>	耀腺葉下珠	400(H) x 300(SP)	250
Rpu #	<i>Rhododendron pulchrum</i>	錦繡杜鵑	600(H) x 400(SP)	300
Rsi *	<i>Rhododendron simsii</i>	紅杜鵑	600(H) x 400(SP)	300
Sco	<i>Spathiphyllum commutatum</i>	白掌	300(H) x 300(SP)	200
Sre #	<i>Strelitzia reginae</i>	天堂鳥蕉	500(H) x 400(SP)	350

GREEN ROOF GROUND COVER PLANTING ⁽¹⁾				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [mm]
Zan	<i>Zephyranthes candida</i>	蔥蓮	100(H) x 100(SP)	100

NOTES:

- ⁽¹⁾ All proposed plant species and specifications are subject to change during construction to suit the site conditions.
- ⁽²⁾ Minimum requirement of grass seed mix for hydroseeding shall follow General Specification for Civil Engineering Works Clause 3.26(3).
- * Species native to Hong Kong according to the Hong Kong Herbarium website <<http://www.herbarium.gov.hk>>
- ** Species which is salt spray tolerant
- # Species proposed on landscape berms
- ^ Selected from updated Hong Kong International Airport Approved Plant Species List (Revision 5.0: January 2018)

CLIMBER PLANTING ⁽¹⁾				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [mm]
Pda	<i>Parthenocissus dalzielii</i>	異葉爬山虎	300(H) x 250(SP)	250
Pve **	<i>Pyrostegia venusta</i>	炮仗花	300(H) x 250(SP)	250

GROUND COVER PLANTING ⁽¹⁾				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [mm]
Aag #	<i>Agave angustifolia</i>	狹葉龍舌蘭	200(H) x 300(SP)	200
Aam #	<i>Agave americana</i>	龍舌蘭	100(H) x 100(SP)	100
Asl #	<i>Aglaonema 'Silver King'</i>	銀王粗肋草	150(H) x 150(SP)	100
Ave #	<i>Alternanthera versicolor</i>	錦繡蕘, 紅草	100(H) x 100(SP)	100
Ite #	<i>Iris tectorum</i>	鳶尾	100(H) x 100(SP)	100
Lmo #	<i>Lantana montevidensis</i>	鋪地臭金鳳	200(H) x 300(SP)	200
Lsp ** #	<i>Liriope spicata</i>	山麥冬	100(H) x 100(SP)	100
Nex *	<i>Nephrolepis hirsutula</i>	毛葉腎蕨	150(H) x 200(SP)	150
Oja ** #	<i>Ophiopogon japonicus</i>	麥冬	150(H) x 150(SP)	100
Rds #	<i>Rhoeo discolor</i>	紫背萬年青	150(H) x 200(SP)	100
Spo **	<i>Syngonium podophyllum</i>	合果芋	200(H) x 200(SP)	150
Wtr ** #	<i>Wedelia trilobata</i>	藍蝴蝶	100(H) x 100(SP)	100
Zan #	<i>Zephyranthes candida</i>	蔥蓮	100(H) x 100(SP)	100
Zro #	<i>Zephyranthes rosea</i>	玫瑰蔥蓮	150(H) x 200(SP)	100

TURFING ⁽¹⁾			
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]
Zja ** #	<i>Zoysia sp.</i>	朝鮮草	25(H)

HYDROSEEDING ^{(1),(2)}		
SPECIES CODE	BOTANICAL NAME	CHINESE NAME
Cda ** ** #	<i>Cynodon dactylon</i>	百慕達草
Pno #	<i>Paspalum notatum</i>	百喜草
Eop ** # / Lpe #	<i>Eremochloa ophiuroides / Lolium perenne</i>	假檢草 / 黑麥草

INDOOR PLANTING IN PASSENGER CLEARANCE BUILDING ⁽¹⁾				
SPECIES CODE	BOTANICAL NAME	CHINESE NAME	SIZE [mm]	SPACING [m]
TREE				
FB **	<i>Ficus benjamina</i>	垂榕	5000(H) x 4000(SP) x 150(DBH)	N.A.
SHRUB				
Ite	<i>Iris tectorum</i>	鳶尾	300(H) x 200(SP)	150
Sco	<i>Spathiphyllum commutatum</i>	白掌	300(H) x 300(SP)	200