


Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2019-05-06	AMS5	09:11	1-hr TSP	28	µg/m ³
HKLR	HY/2011/03	2019-05-06	AMS5	10:11	1-hr TSP	30	µg/m ³
HKLR	HY/2011/03	2019-05-06	AMS5	11:11	1-hr TSP	31	µg/m ³
HKLR	HY/2011/03	2019-05-10	AMS5	09:01	1-hr TSP	113	µg/m ³
HKLR	HY/2011/03	2019-05-10	AMS5	10:01	1-hr TSP	96	µg/m ³
HKLR	HY/2011/03	2019-05-10	AMS5	11:01	1-hr TSP	50	µg/m ³
HKLR	HY/2011/03	2019-05-16	AMS5	09:02	1-hr TSP	50	µg/m ³
HKLR	HY/2011/03	2019-05-16	AMS5	10:02	1-hr TSP	46	µg/m ³
HKLR	HY/2011/03	2019-05-16	AMS5	11:02	1-hr TSP	46	µg/m ³
HKLR	HY/2011/03	2019-05-22	AMS5	08:59	1-hr TSP	49	µg/m ³
HKLR	HY/2011/03	2019-05-22	AMS5	09:59	1-hr TSP	47	µg/m ³
HKLR	HY/2011/03	2019-05-22	AMS5	10:59	1-hr TSP	49	µg/m ³
HKLR	HY/2011/03	2019-05-28	AMS5	09:14	1-hr TSP	103	µg/m ³
HKLR	HY/2011/03	2019-05-28	AMS5	10:14	1-hr TSP	45	µg/m ³
HKLR	HY/2011/03	2019-05-28	AMS5	11:14	1-hr TSP	41	µg/m ³
HKLR	HY/2011/03	2019-05-03	AMS5	08:00	24-hr TSP	69	µg/m ³
HKLR	HY/2011/03	2019-05-09	AMS5	08:00	24-hr TSP	34	µg/m ³
HKLR	HY/2011/03	2019-05-15	AMS5	08:00	24-hr TSP	29	µg/m ³
HKLR	HY/2011/03	2019-05-21	AMS5	08:00	24-hr TSP	53	µg/m ³
HKLR	HY/2011/03	2019-05-27	AMS5	08:00	24-hr TSP	27	µg/m ³
HKLR	HY/2011/03	2019-05-31	AMS5	08:00	24-hr TSP	18	µg/m ³
HKLR	HY/2011/03	2019-05-06	AMS6	13:00	1-hr TSP	34	µg/m ³
HKLR	HY/2011/03	2019-05-06	AMS6	14:00	1-hr TSP	35	µg/m ³
HKLR	HY/2011/03	2019-05-06	AMS6	15:00	1-hr TSP	36	µg/m ³
HKLR	HY/2011/03	2019-05-10	AMS6	13:00	1-hr TSP	50	µg/m ³
HKLR	HY/2011/03	2019-05-10	AMS6	14:00	1-hr TSP	46	µg/m ³
HKLR	HY/2011/03	2019-05-10	AMS6	15:00	1-hr TSP	41	µg/m ³
HKLR	HY/2011/03	2019-05-16	AMS6	13:00	1-hr TSP	47	µg/m ³
HKLR	HY/2011/03	2019-05-16	AMS6	14:00	1-hr TSP	48	µg/m ³
HKLR	HY/2011/03	2019-05-16	AMS6	15:00	1-hr TSP	49	µg/m ³
HKLR	HY/2011/03	2019-05-22	AMS6	13:00	1-hr TSP	49	µg/m ³
HKLR	HY/2011/03	2019-05-22	AMS6	14:00	1-hr TSP	48	µg/m ³
HKLR	HY/2011/03	2019-05-22	AMS6	15:00	1-hr TSP	50	µg/m ³
HKLR	HY/2011/03	2019-05-28	AMS6	13:05	1-hr TSP	35	µg/m ³
HKLR	HY/2011/03	2019-05-28	AMS6	14:05	1-hr TSP	34	µg/m ³
HKLR	HY/2011/03	2019-05-28	AMS6	15:05	1-hr TSP	33	µg/m ³
HKLR	HY/2011/03	2019-05-03	AMS6	08:00	24-hr TSP	65	µg/m ³
HKLR	HY/2011/03	2019-05-09	AMS6	08:00	24-hr TSP	44	µg/m ³
HKLR	HY/2011/03	2019-05-15	AMS6	08:00	24-hr TSP	34	µg/m ³
HKLR	HY/2011/03	2019-05-24(see remark 1)	AMS6	13:24	24-hr TSP	48	µg/m ³
HKLR	HY/2011/03	2019-05-27	AMS6	11:33	24-hr TSP	19	µg/m ³
HKLR	HY/2011/03	2019-05-31	AMS6	08:00	24-hr TSP	17	µg/m ³

Remark:


1) Due to motor failure, the 24-hour TSP monitoring at station AMS6 was rescheduled from 21 to 24 May 2019.

Graphical Plot of 1-hour TSP at AMS5 and AMS6



Graphical Plot of 24-hour TSP at AMS5 and AMS6

Air Quality Monitoring Data (24-hour)



Remark:

1) Due to motor failure, the 24-hour TSP monitoring at station AMS6 was rescheduled from 21 to 24 May 2019.


Noise Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Start Time	Wind Speed, m/s	1st set 5mins		2nd set 5mins		3rd set 5mins		4th set 5mins		5th set 5mins		6th set 5mins		Overall (30mins)*	Unit	
						Leq:		Leq:		Leq:		Leq:		Leq:		Leq:				Leq:
HKLR	HY/2011/03	2019-05-06	NMS5	09:24	<5	Leq:	54.3	Leq:	55.3	Leq:	55.6	Leq:	54.5	Leq:	54.3	Leq:	55.3	Leq:	58	dB(A)
						L10:	57.5	L10:	58.5	L10:	59.0	L10:	57.0	L10:	57.0	L10:	58.0	L10:	61	
						L90:	49.5	L90:	50.0	L90:	50.0	L90:	50.5	L90:	48.5	L90:	50.0	L90:	53	
HKLR	HY/2011/03	2019-05-16	NMS5	09:12	<5	Leq:	54.5	Leq:	53.4	Leq:	52.4	Leq:	51.2	Leq:	52.2	Leq:	50.9	Leq:	56	dB(A)
						L10:	56.0	L10:	54.5	L10:	55.0	L10:	52.5	L10:	54.5	L10:	52.0	L10:	57	
						L90:	52.5	L90:	51.5	L90:	49.0	L90:	48.5	L90:	49.5	L90:	49.0	L90:	53	
HKLR	HY/2011/03	2019-05-22	NMS5	09:10	<5	Leq:	54.7	Leq:	55.7	Leq:	54.6	Leq:	54.6	Leq:	59.2	Leq:	59.8	Leq:	60	dB(A)
						L10:	57.0	L10:	59.0	L10:	57.5	L10:	57.0	L10:	62.5	L10:	63.5	L10:	63	
						L90:	50.5	L90:	51.0	L90:	49.0	L90:	50.5	L90:	52.5	L90:	53.0	L90:	54	
HKLR	HY/2011/03	2019-05-28	NMS5	15:28	<5	Leq:	55.6	Leq:	54.8	Leq:	55.8	Leq:	55.2	Leq:	54.6	Leq:	59.9	Leq:	59	dB(A)
						L10:	58.0	L10:	56.5	L10:	58.5	L10:	57.5	L10:	56.5	L10:	65.0	L10:	63	
						L90:	52.0	L90:	51.5	L90:	51.0	L90:	51.0	L90:	51.0	L90:	51.5	L90:	54	

Remark:

(1)* A facade correction of +3 dB(A) was applied to the measured noise level. The noise measurement results are rounded to the nearest whole dB(A), with values of 0.5 or more being rounded upwards.

Continuous Noise Monitoring Data (NMS5)



Remark:

(1) A facade correction of +3 dB(A) was applied to the measured noise level.

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS5	10:31	1.0	Surface	1	1	24.53	8.15	15.56	94.40	7.0	2.4	5.0
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS5	10:31	1.0	Surface	1	2	24.53	8.15	15.36	93.40	6.9	2.3	5.3
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS5	10:31	4.1	Middle	2	1	24.37	8.05	23.05	90.40	6.7	2.4	6.0
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS5	10:30	4.1	Middle	2	2	24.35	8.06	22.66	91.30	6.8	2.5	5.2
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS5	10:30	7.1	Bottom	3	1	24.13	7.96	27.68	88.20	6.5	2.5	4.9
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS5	10:31	7.1	Bottom	3	2	24.28	7.98	27.24	89.50	6.6	2.4	5.0
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS(Mf)6	10:38	1.0	Surface	1	1	24.55	8.12	15.21	96.40	7.4	2.6	5.2
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS(Mf)6	10:38	1.0	Surface	1	2	24.55	8.10	15.20	97.80	7.5	2.6	6.2
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS(Mf)6	10:38	2.2	Bottom	3	1	24.54	8.09	15.61	97.20	7.4	2.5	7.4
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS(Mf)6	10:38	2.2	Bottom	3	2	24.52	8.12	15.62	95.10	7.3	2.6	8.4
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS7	10:45	1.0	Surface	1	1	24.54	8.11	15.16	97.00	7.4	2.1	7.2
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS7	10:45	1.0	Surface	1	2	24.54	8.09	15.18	97.90	7.5	2.2	7.0
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS7	10:44	2.1	Bottom	3	1	24.52	8.10	15.44	96.20	7.4	2.2	6.8
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS7	10:45	2.1	Bottom	3	2	24.54	8.09	15.51	97.40	7.4	2.2	5.3
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS8	11:09	1.0	Surface	1	1	24.53	8.09	15.09	98.50	7.5	2.3	5.0
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS8	11:09	1.0	Surface	1	2	24.52	8.08	15.08	98.30	7.5	2.4	4.0
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS8	11:09	2.9	Bottom	3	1	24.51	8.07	15.97	98.40	7.5	2.8	2.9
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS8	11:09	2.9	Bottom	3	2	24.51	8.07	15.94	98.10	7.5	2.7	3.9
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS(Mf)9	10:53	1.0	Surface	1	1	24.53	8.09	15.12	98.00	7.5	2.3	6.6
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS(Mf)9	10:52	1.0	Surface	1	2	24.52	8.09	15.13	96.20	7.4	2.4	5.8
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS(Mf)9	10:53	2.7	Bottom	3	1	24.53	8.08	16.62	97.60	7.4	2.4	5.6
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS(Mf)9	10:52	2.7	Bottom	3	2	24.48	8.04	17.54	98.40	7.4	2.4	4.6
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS10(N)	11:29	1.0	Surface	1	1	25.11	8.15	21.36	85.70	6.3	6.1	5.0
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS10(N)	11:29	1.0	Surface	1	2	25.12	8.14	21.33	87.90	6.4	5.7	4.2
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS10(N)	11:29	5.4	Middle	2	1	24.29	8.09	25.83	81.50	5.9	6.3	3.5
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS10(N)	11:29	5.4	Middle	2	2	24.28	8.09	25.79	84.70	6.1	6.2	4.4
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS10(N)	11:28	9.7	Bottom	3	1	24.27	8.11	26.19	84.70	6.1	6.1	4.6
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	IS10(N)	11:29	9.7	Bottom	3	2	24.31	8.08	26.14	86.70	6.2	6.0	5.4
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR3(N)	10:24	1.0	Surface	1	1	24.53	8.12	15.31	96.50	7.4	2.3	5.7
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR3(N)	10:25	1.0	Surface	1	2	24.51	8.11	15.34	96.30	7.4	2.2	4.8
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR3(N)	10:24	2.5	Bottom	3	1	24.49	8.06	17.54	97.30	7.4	2.4	5.6
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR3(N)	10:25	2.5	Bottom	3	2	24.49	8.06	18.60	96.60	7.3	2.3	4.8
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR4(N)	11:04	1.0	Surface	1	1	24.54	8.10	15.10	97.00	7.4	2.4	4.7
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR4(N)	11:04	1.0	Surface	1	2	24.53	8.09	15.27	97.70	7.5	2.3	4.0
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR4(N)	11:04	2.8	Bottom	3	1	24.54	8.09	15.38	97.60	7.5	3.3	5.1
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR4(N)	11:04	2.8	Bottom	3	2	24.49	8.08	16.12	96.60	7.4	3.2	6.1
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR5(N)	11:23	1.0	Surface	1	1	25.25	8.15	21.32	88.90	6.5	5.3	2.4
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR5(N)	11:22	1.0	Surface	1	2	25.07	8.14	21.50	87.70	6.4	5.8	2.3
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR5(N)	11:23	4.4	Middle	2	1	24.32	8.10	24.67	84.40	6.1	5.8	3.3
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR5(N)	11:22	4.4	Middle	2	2	24.37	8.11	24.17	86.80	6.3	5.8	4.2
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR5(N)	11:23	7.8	Bottom	3	1	24.25	8.09	26.64	85.00	6.1	6.5	4.9
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR5(N)	11:22	7.8	Bottom	3	2	24.30	8.11	26.51	88.60	6.4	6.7	5.9
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10A(N)	12:16	1.0	Surface	1	1	25.29	8.21	21.92	100.00	7.3	3.0	6.3
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10A(N)	12:15	1.0	Surface	1	2	25.29	8.22	21.96	100.90	7.3	3.0	6.7
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10A(N)	12:16	6.2	Middle	2	1	25.02	8.16	23.23	95.60	6.9	3.2	5.3
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10A(N)	12:15	6.2	Middle	2	2	24.96	8.16	23.89	93.40	6.7	3.1	4.5
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10A(N)	12:15	11.4	Bottom	3	1	24.99	8.20	24.59	92.80	6.7	3.4	4.9
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10A(N)	12:16	11.4	Bottom	3	2	25.03	8.17	24.23	99.00	7.1	3.4	4.2
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10B(N2)	12:25	1.0	Surface	1	1	25.33	8.22	21.87	102.50	7.5	3.2	2.5
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10B(N2)	12:24	1.0	Surface	1	2	25.37	8.23	21.83	103.00	7.5	3.2	3.6
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10B(N2)	12:24	3.3	Middle	2	1	25.15	8.19	22.55	101.20	7.4	3.6	6.4
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10B(N2)	12:25	3.3	Middle	2	2	25.14	8.18	22.44	101.30	7.4	3.5	5.4

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10B(N2)	12:24	5.6	Bottom	3	1	25.22	8.21	22.81	103.60	7.5	3.8	3.9
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	SR10B(N2)	12:24	5.6	Bottom	3	2	25.23	8.20	22.87	103.20	7.5	3.7	4.4
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS2(A)	10:32	1.0	Surface	1	1	24.73	8.16	21.85	91.70	6.7	8.5	3.5
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS2(A)	10:31	1.0	Surface	1	2	24.91	8.19	21.36	94.00	6.9	8.8	4.1
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS2(A)	10:31	3.1	Middle	2	1	24.46	8.16	23.92	92.60	6.7	8.8	2.9
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS2(A)	10:32	3.1	Middle	2	2	24.37	8.16	24.07	89.80	6.5	8.9	3.5
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS2(A)	10:31	5.2	Bottom	3	1	24.33	8.18	26.03	94.10	6.8	10.0	3.1
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS2(A)	10:31	5.2	Bottom	3	2	24.30	8.16	26.12	91.20	6.6	10.0	3.9
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS(Mf)5	11:32	1.0	Surface	1	1	24.49	8.18	15.09	85.20	6.5	2.6	3.7
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS(Mf)5	11:33	1.0	Surface	1	2	24.46	8.15	15.08	87.10	6.7	2.7	3.2
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS(Mf)5	11:33	5.9	Middle	2	1	24.14	7.99	25.44	88.80	6.4	3.0	3.7
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS(Mf)5	11:32	5.9	Middle	2	2	24.18	8.05	25.19	81.60	5.9	2.9	4.7
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS(Mf)5	11:32	10.7	Bottom	3	1	24.04	8.01	28.91	82.70	5.9	2.9	5.7
HKLR	HY/2011/03	2019-05-01	Mid-Ebb	Fine	CS(Mf)5	11:32	10.7	Bottom	3	2	24.28	7.99	28.59	89.90	6.4	2.8	5.8
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS5	5:28	1.0	Surface	1	1	24.48	8.16	15.46	92.10	6.8	2.4	4.5
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS5	5:27	1.0	Surface	1	2	24.52	8.16	15.29	90.40	6.9	2.6	5.5
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS5	5:27	4.4	Middle	2	1	24.37	8.05	24.59	89.00	6.5	2.5	4.2
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS5	5:27	4.4	Middle	2	2	24.36	8.08	23.10	89.60	6.4	2.6	5.2
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS5	5:27	7.7	Bottom	3	1	24.23	7.97	30.25	88.40	6.4	2.6	5.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS5	5:27	7.7	Bottom	3	2	24.07	7.97	30.61	86.30	6.3	2.5	4.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS(Mf)6	5:12	1.0	Surface	1	1	24.53	8.09	15.28	98.40	7.5	2.3	6.5
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS(Mf)6	5:12	1.0	Surface	1	2	24.53	8.11	15.28	97.70	7.5	2.4	5.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS(Mf)6	5:12	2.4	Bottom	3	1	24.52	8.12	15.33	96.60	7.4	2.4	3.5
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS(Mf)6	5:12	2.4	Bottom	3	2	24.53	8.10	15.28	98.00	7.5	2.4	4.8
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS7	5:04	1.0	Surface	1	1	24.53	8.09	15.29	98.90	7.6	2.4	4.3
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS7	5:04	1.0	Surface	1	2	24.53	8.10	15.29	99.00	7.6	2.4	4.3
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS7	5:04	2.3	Bottom	3	1	24.53	8.09	15.38	99.00	7.6	2.7	3.5
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS7	5:04	2.3	Bottom	3	2	24.53	8.09	15.31	98.90	7.6	2.6	4.8
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS8	4:40	1.0	Surface	1	1	24.53	8.11	15.34	96.00	7.3	2.4	6.6
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS8	4:40	1.0	Surface	1	2	24.54	8.14	15.34	94.90	7.2	2.4	6.9
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS8	4:40	3.3	Bottom	3	1	24.54	8.06	20.09	96.10	7.1	2.4	5.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS8	4:40	3.3	Bottom	3	2	24.52	8.07	18.89	94.40	7.1	2.5	6.2
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS(Mf)9	4:58	1.0	Surface	1	1	24.54	8.12	15.30	95.10	7.3	2.4	7.2
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS(Mf)9	4:58	1.0	Surface	1	2	24.54	8.11	15.30	96.20	7.4	2.4	7.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS(Mf)9	4:58	2.8	Bottom	3	1	24.54	8.07	17.88	96.00	7.2	2.3	7.6
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS(Mf)9	4:58	2.8	Bottom	3	2	24.54	8.09	17.16	95.10	7.2	2.3	6.8
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS10(N)	5:31	1.0	Surface	1	1	25.03	8.14	20.79	91.30	6.7	8.7	2.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS10(N)	5:32	1.0	Surface	1	2	24.88	8.15	20.98	92.60	6.7	8.4	3.4
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS10(N)	5:31	5.5	Middle	2	1	24.12	8.11	25.43	88.00	6.4	9.3	5.2
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS10(N)	5:31	5.5	Middle	2	2	24.04	8.10	25.65	88.10	6.4	9.1	4.6
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS10(N)	5:30	9.9	Bottom	3	1	24.14	8.09	26.33	88.70	6.5	9.1	3.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	IS10(N)	5:31	9.9	Bottom	3	2	24.07	8.08	26.56	88.10	6.3	9.4	4.5
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR3(N)	5:36	1.0	Surface	1	1	24.52	8.15	15.36	94.70	7.2	2.2	4.6
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR3(N)	5:37	1.0	Surface	1	2	24.51	8.12	15.34	95.20	7.3	2.2	5.5
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR3(N)	5:36	2.7	Bottom	3	1	24.49	8.06	20.63	95.60	7.1	2.1	5.3
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR3(N)	5:36	2.7	Bottom	3	2	24.45	8.06	21.20	93.80	6.9	2.2	6.1
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR4(N)	4:47	1.0	Surface	1	1	24.54	8.10	15.34	97.10	7.4	2.3	5.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR4(N)	4:47	1.0	Surface	1	2	24.54	8.10	15.31	97.50	7.5	2.3	4.8
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR4(N)	4:47	2.9	Bottom	3	1	24.54	8.05	18.14	97.80	7.4	2.3	3.4
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR4(N)	4:47	2.9	Bottom	3	2	24.54	8.09	17.71	97.80	7.5	2.4	4.2
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR5(N)	5:40	1.0	Surface	1	1	24.94	8.15	20.71	87.10	6.4	7.5	5.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR5(N)	5:41	1.0	Surface	1	2	25.18	8.16	20.63	88.70	6.5	7.8	6.7

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR5(N)	5:41	4.3	Middle	2	1	24.11	8.12	25.26	87.00	6.3	7.9	5.0
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR5(N)	5:40	4.3	Middle	2	2	24.14	8.11	25.14	86.40	6.3	7.8	5.6
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR5(N)	5:39	7.6	Bottom	3	1	24.12	8.09	26.71	88.00	6.3	9.2	6.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR5(N)	5:40	7.6	Bottom	3	2	23.96	8.10	26.80	86.40	6.2	8.6	5.8
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10A(N)	4:33	1.0	Surface	1	1	25.16	8.10	20.67	85.90	6.3	3.2	4.9
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10A(N)	4:32	1.0	Surface	1	2	24.94	8.07	21.69	86.00	6.3	3.3	5.9
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10A(N)	4:32	6.4	Middle	2	1	24.12	8.03	27.02	84.40	6.0	5.0	4.9
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10A(N)	4:32	6.4	Middle	2	2	24.12	8.02	27.05	85.10	6.1	4.8	4.0
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10A(N)	4:32	11.7	Bottom	3	1	24.26	8.00	27.05	86.40	6.2	5.0	4.1
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10A(N)	4:32	11.7	Bottom	3	2	24.36	8.01	27.00	85.60	6.1	5.0	5.0
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10B(N2)	4:23	1.0	Surface	1	1	25.09	8.02	20.75	92.00	6.6	3.3	4.4
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10B(N2)	4:22	1.0	Surface	1	2	25.01	8.00	21.20	91.90	6.6	3.6	5.4
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10B(N2)	4:22	3.4	Middle	2	1	24.30	7.96	25.31	89.10	6.4	4.1	4.2
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10B(N2)	4:23	3.4	Middle	2	2	24.30	7.99	25.20	86.90	6.4	4.0	5.3
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10B(N2)	4:22	5.8	Bottom	3	1	24.31	7.94	26.59	87.70	6.4	5.0	5.0
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	SR10B(N2)	4:22	5.8	Bottom	3	2	24.33	7.96	26.27	87.10	6.3	4.8	6.0
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS2(A)	6:36	1.0	Surface	1	1	24.44	8.19	20.70	89.80	6.6	9.7	4.8
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS2(A)	6:36	1.0	Surface	1	2	24.30	8.21	20.96	93.30	6.8	9.9	5.8
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS2(A)	6:36	3.2	Middle	2	1	24.10	8.16	25.17	88.10	6.4	10.6	4.8
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS2(A)	6:36	3.2	Middle	2	2	24.11	8.16	25.13	89.50	6.5	10.1	4.9
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS2(A)	6:36	5.3	Bottom	3	1	24.10	8.17	25.46	89.40	6.5	11.6	4.3
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS2(A)	6:35	5.3	Bottom	3	2	24.15	8.17	25.42	89.80	6.5	11.3	4.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS(Mf)5	4:09	1.0	Surface	1	1	24.53	8.18	15.38	88.10	6.7	2.4	7.1
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS(Mf)5	4:07	1.0	Surface	1	2	24.54	8.13	15.50	94.40	7.2	2.4	6.4
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS(Mf)5	4:07	6	Middle	2	1	24.00	8.03	28.97	84.90	6.0	3.5	6.3
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS(Mf)5	4:09	6	Middle	2	2	24.20	8.06	27.33	84.70	6.0	3.7	5.4
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS(Mf)5	4:09	10.9	Bottom	3	1	23.90	7.99	30.45	82.90	6.0	3.5	6.7
HKLR	HY/2011/03	2019-05-01	Mid-Flood	Cloudy	CS(Mf)5	4:06	10.9	Bottom	3	2	23.93	7.99	30.11	81.30	5.8	3.6	6.5
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS5	10:59	1.0	Surface	1	1	23.78	8.12	26.31	82.10	5.9	3.2	1.8
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS5	10:58	1.0	Surface	1	2	23.86	8.13	26.46	84.50	6.0	3.0	1.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS5	10:59	4.2	Middle	2	1	24.09	8.08	31.10	81.50	5.8	3.1	1.1
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS5	10:58	4.2	Middle	2	2	24.11	8.09	31.10	83.20	5.9	3.4	2.0
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS5	10:58	7.3	Bottom	3	1	24.06	8.08	31.30	81.40	5.7	3.1	1.7
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS5	10:58	7.3	Bottom	3	2	24.11	8.08	31.26	82.10	5.9	3.2	1.9
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS(Mf)6	11:05	1.0	Surface	1	1	23.85	8.11	26.21	85.70	6.2	2.5	2.7
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS(Mf)6	11:05	1.0	Surface	1	2	23.97	8.10	26.23	83.40	6.1	2.5	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS(Mf)6	11:05	2.3	Bottom	3	1	24.01	8.07	30.16	84.80	6.0	3.0	2.6
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS(Mf)6	11:05	2.3	Bottom	3	2	24.10	8.07	30.16	88.30	6.3	2.9	3.1
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS7	11:12	1.0	Surface	1	1	23.86	8.11	26.26	85.20	6.2	2.1	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS7	11:12	1.0	Surface	1	2	23.77	8.10	26.22	83.80	6.1	2.3	2.1
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS7	11:12	2.1	Bottom	3	1	24.11	8.07	29.89	88.00	6.2	2.6	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS7	11:12	2.1	Bottom	3	2	23.86	8.08	29.96	84.90	6.0	2.5	2.7
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS8	11:39	1.0	Surface	1	1	24.05	8.08	27.30	82.90	6.0	2.9	3.4
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS8	11:38	1.0	Surface	1	2	23.87	8.08	28.60	85.10	6.1	2.8	3.0
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS8	11:38	2.8	Bottom	3	1	24.11	8.07	30.05	88.20	6.2	3.5	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS8	11:38	2.8	Bottom	3	2	24.08	8.06	30.40	83.70	5.9	3.4	3.4
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS(Mf)9	11:20	1.0	Surface	1	1	23.96	8.10	26.08	85.80	6.2	2.3	1.9
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS(Mf)9	11:20	1.0	Surface	1	2	23.90	8.10	26.06	82.70	6.0	2.5	2.4
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS(Mf)9	11:20	2.7	Bottom	3	1	24.12	8.06	29.61	88.30	6.3	2.3	2.3
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS(Mf)9	11:20	2.7	Bottom	3	2	24.07	8.07	29.82	84.10	6.0	2.4	2.3
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS10(N)	11:38	1.0	Surface	1	1	24.75	8.05	24.34	77.80	5.6	8.4	1.8
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS10(N)	11:38	1.0	Surface	1	2	24.75	8.05	24.28	77.90	5.6	9.4	2.5

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS10(N)	11:37	5.3	Middle	2	1	24.83	8.02	27.10	76.50	5.4	9.5	2.6
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS10(N)	11:38	5.3	Middle	2	2	24.82	8.02	27.21	76.60	5.4	9.2	2.5
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS10(N)	11:37	9.6	Bottom	3	1	24.83	8.01	27.24	78.90	5.6	9.3	3.6
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	IS10(N)	11:38	9.6	Bottom	3	2	24.82	8.02	27.30	78.00	5.5	8.9	3.8
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR3(N)	10:46	1.0	Surface	1	1	23.94	8.12	26.44	80.00	5.8	3.4	2.6
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR3(N)	10:47	1.0	Surface	1	2	23.85	8.12	26.31	80.10	5.8	3.4	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR3(N)	10:46	2.4	Bottom	3	1	24.07	8.09	30.34	80.40	5.7	3.5	3.6
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR3(N)	10:46	2.4	Bottom	3	2	24.11	8.09	30.03	81.10	5.7	3.6	3.0
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR4(N)	11:32	1.0	Surface	1	1	23.95	8.11	26.12	82.30	6.0	2.6	3.0
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR4(N)	11:32	1.0	Surface	1	2	23.89	8.10	26.27	81.80	5.9	2.8	3.3
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR4(N)	11:32	2.7	Bottom	3	1	23.93	8.08	30.32	82.40	5.8	2.6	2.1
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR4(N)	11:32	2.7	Bottom	3	2	24.11	8.07	30.40	83.30	5.9	2.6	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR5(N)	11:26	1.0	Surface	1	1	24.73	8.05	23.95	78.40	5.7	7.0	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR5(N)	11:26	1.0	Surface	1	2	24.74	8.05	24.44	79.10	5.7	7.1	3.0
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR5(N)	11:26	4.2	Middle	2	1	24.79	8.03	26.31	76.90	5.5	7.2	2.4
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR5(N)	11:26	4.2	Middle	2	2	24.80	8.03	26.21	78.30	5.6	7.0	2.7
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR5(N)	11:26	7.3	Bottom	3	1	24.83	8.02	27.23	78.80	5.6	8.7	2.5
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR5(N)	11:25	7.3	Bottom	3	2	24.83	8.02	27.13	80.80	5.7	8.4	3.1
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10A(N)	12:23	1.0	Surface	1	1	24.74	8.06	23.06	80.30	5.8	4.5	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10A(N)	12:22	1.0	Surface	1	2	24.73	8.06	22.95	80.60	5.8	4.6	3.4
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10A(N)	12:22	6.4	Middle	2	1	24.79	8.04	27.26	80.30	5.6	4.4	4.3
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10A(N)	12:22	6.4	Middle	2	2	24.79	8.04	27.23	80.40	5.6	4.3	3.8
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10A(N)	12:22	11.7	Bottom	3	1	24.83	8.01	27.47	80.70	5.6	6.3	4.5
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10A(N)	12:21	11.7	Bottom	3	2	24.83	8.01	27.50	80.70	5.6	6.6	4.0
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10B(N2)	12:32	1.0	Surface	1	1	24.77	8.05	23.20	80.50	5.8	3.6	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10B(N2)	12:33	1.0	Surface	1	2	24.78	8.04	23.23	80.40	5.8	3.7	2.5
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10B(N2)	12:33	3.4	Middle	2	1	24.79	8.02	26.00	80.10	5.6	4.1	3.5
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10B(N2)	12:32	3.4	Middle	2	2	24.78	8.03	26.03	80.30	5.6	3.9	4.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10B(N2)	12:32	5.8	Bottom	3	1	24.78	8.02	26.93	80.50	5.6	5.0	3.0
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	SR10B(N2)	12:32	5.8	Bottom	3	2	24.82	8.02	26.98	80.90	5.6	5.2	3.7
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS2(A)	10:35	1.0	Surface	1	1	24.73	8.08	23.75	86.50	6.2	4.8	2.3
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS2(A)	10:36	1.0	Surface	1	2	24.72	8.06	23.85	87.70	6.3	5.0	2.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS2(A)	10:36	3.1	Middle	2	1	24.78	8.05	26.08	82.40	6.0	5.9	1.9
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS2(A)	10:35	3.1	Middle	2	2	24.76	8.06	25.93	84.90	6.2	6.3	2.1
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS2(A)	10:36	5.2	Bottom	3	1	24.77	8.04	26.34	83.80	6.0	6.7	2.1
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS2(A)	10:35	5.2	Bottom	3	2	24.77	8.09	26.36	82.50	5.9	6.3	1.6
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS(Mf)5	12:03	1.0	Surface	1	1	24.03	8.12	26.70	80.10	5.8	3.5	1.9
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS(Mf)5	12:04	1.0	Surface	1	2	24.06	8.11	26.45	80.40	5.8	3.3	2.2
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS(Mf)5	12:03	5.9	Middle	2	1	24.11	8.09	31.35	80.00	5.6	4.1	2.5
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS(Mf)5	12:04	5.9	Middle	2	2	24.11	8.08	31.37	79.70	5.6	3.8	2.4
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS(Mf)5	12:04	10.7	Bottom	3	1	24.10	8.08	31.42	79.50	5.6	4.2	2.9
HKLR	HY/2011/03	2019-05-03	Mid-Ebb	Sunny	CS(Mf)5	12:03	10.7	Bottom	3	2	24.11	8.08	31.42	79.80	5.6	4.1	2.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS5	6:13	1.0	Surface	1	1	24.10	8.11	27.54	83.40	5.9	3.5	3.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS5	6:14	1.0	Surface	1	2	24.11	8.11	27.69	85.00	6.0	3.5	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS5	6:13	4.4	Middle	2	1	24.11	8.09	31.15	82.20	5.9	3.5	3.0
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS5	6:13	4.4	Middle	2	2	24.10	8.09	31.09	81.40	5.8	3.5	2.7
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS5	6:13	7.7	Bottom	3	1	24.11	8.08	31.16	81.00	5.7	3.6	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS5	6:13	7.7	Bottom	3	2	24.10	8.09	31.24	80.40	5.7	3.5	2.2
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS(Mf)6	6:02	1.0	Surface	1	1	23.98	8.11	27.20	79.90	5.8	2.7	3.3
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS(Mf)6	6:02	1.0	Surface	1	2	24.04	8.10	27.43	79.90	5.8	2.6	2.7
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS(Mf)6	6:02	2.4	Bottom	3	1	24.12	8.09	30.13	80.00	5.7	2.6	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS(Mf)6	6:02	2.4	Bottom	3	2	24.05	8.09	30.15	80.20	5.7	2.5	3.7

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS7	5:56	1.0	Surface	1	1	23.98	8.11	27.05	80.30	5.8	3.2	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS7	5:55	1.0	Surface	1	2	24.03	8.11	27.01	80.50	5.8	3.0	3.5
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS7	5:55	2.4	Bottom	3	1	24.12	8.08	30.32	81.10	5.7	3.5	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS7	5:55	2.4	Bottom	3	2	24.03	8.09	30.27	80.70	5.7	3.5	2.2
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS8	5:29	1.0	Surface	1	1	24.06	8.12	27.33	79.50	5.7	3.6	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS8	5:29	1.0	Surface	1	2	24.09	8.11	27.61	79.50	5.7	3.6	2.7
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS8	5:29	3.2	Bottom	3	1	24.10	8.09	30.76	79.50	5.6	3.5	2.6
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS8	5:29	3.2	Bottom	3	2	24.11	8.09	30.86	79.30	5.6	3.5	2.3
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS(Mf)9	5:49	1.0	Surface	1	1	23.99	8.11	27.12	83.70	6.0	3.4	3.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS(Mf)9	5:49	1.0	Surface	1	2	24.03	8.11	27.06	81.80	5.9	3.6	3.6
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS(Mf)9	5:49	2.9	Bottom	3	1	24.06	8.08	30.35	82.80	5.9	3.7	2.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS(Mf)9	5:48	2.9	Bottom	3	2	24.07	8.08	30.40	86.20	6.1	3.6	2.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS10(N)	5:51	1.0	Surface	1	1	24.63	8.07	26.08	79.40	5.8	5.8	2.4
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS10(N)	5:51	1.0	Surface	1	2	24.67	8.07	25.83	79.40	5.8	6.0	2.4
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS10(N)	5:50	5.4	Middle	2	1	24.84	8.06	30.31	77.10	5.5	5.5	2.2
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS10(N)	5:51	5.4	Middle	2	2	24.83	8.06	30.28	77.70	5.5	5.4	2.7
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS10(N)	5:51	9.7	Bottom	3	1	24.81	8.05	30.56	78.80	5.6	7.1	2.1
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS10(N)	5:50	9.7	Bottom	3	2	24.82	8.05	30.39	78.70	5.6	6.7	2.4
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	IS3(N)	6:25	1.0	Surface	1	1	23.79	8.11	26.55	82.80	6.0	2.7	2.3
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR3(N)	6:26	1.0	Surface	1	2	24.00	8.10	26.45	82.30	6.0	3.0	2.5
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR3(N)	6:25	2.6	Bottom	3	1	24.00	8.08	29.78	83.20	5.9	3.7	2.6
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR3(N)	6:24	2.6	Bottom	3	2	24.11	8.09	30.43	79.80	5.6	3.8	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR4(N)	5:36	1.0	Surface	1	1	23.93	8.12	27.18	80.40	5.8	3.5	4.2
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR4(N)	5:36	1.0	Surface	1	2	23.97	8.11	27.01	80.40	5.8	3.5	3.6
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR4(N)	5:36	2.8	Bottom	3	1	24.03	8.09	30.62	80.80	5.7	3.8	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR4(N)	5:36	2.8	Bottom	3	2	24.11	8.09	30.63	80.40	5.7	3.8	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR5(N)	6:03	1.0	Surface	1	1	24.56	8.07	25.61	78.40	5.7	5.7	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR5(N)	6:03	1.0	Surface	1	2	24.68	8.07	26.69	79.30	5.8	5.5	2.6
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR5(N)	6:03	4.3	Middle	2	1	24.83	8.06	30.06	77.00	5.5	5.7	2.7
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR5(N)	6:03	4.3	Middle	2	2	24.83	8.06	30.11	78.40	5.6	6.0	3.2
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR5(N)	6:03	7.5	Bottom	3	1	24.83	8.05	30.62	80.10	5.7	6.9	2.6
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR5(N)	6:02	7.5	Bottom	3	2	24.82	8.05	30.58	77.60	5.5	6.3	2.2
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10A(N)	4:54	1.0	Surface	1	1	24.70	8.07	26.81	80.70	5.8	1.5	2.1
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10A(N)	4:55	1.0	Surface	1	2	24.72	8.08	26.06	80.20	5.8	1.7	2.3
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10A(N)	4:54	6.2	Middle	2	1	24.84	8.06	30.43	80.80	5.6	1.9	2.4
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10A(N)	4:55	6.2	Middle	2	2	24.84	8.06	30.53	80.20	5.6	2.0	2.1
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10A(N)	4:54	11.3	Bottom	3	1	24.82	8.05	30.48	81.70	5.7	2.2	3.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10A(N)	4:54	11.3	Bottom	3	2	24.83	8.05	30.64	80.60	5.6	2.4	3.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10B(N2)	4:45	1.0	Surface	1	1	24.64	8.07	26.04	86.90	6.2	1.5	4.1
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10B(N2)	4:44	1.0	Surface	1	2	24.68	8.07	26.24	89.90	6.3	1.4	4.6
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10B(N2)	4:44	3.4	Middle	2	1	24.81	8.06	29.63	82.20	5.8	2.3	3.1
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10B(N2)	4:44	3.4	Middle	2	2	24.81	8.06	29.44	83.80	5.9	2.4	2.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10B(N2)	4:44	5.8	Bottom	3	1	24.80	8.06	30.28	81.70	5.9	2.4	2.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	SR10B(N2)	4:44	5.8	Bottom	3	2	24.81	8.05	30.16	81.90	5.7	2.7	2.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS2(A)	6:58	1.0	Surface	1	1	24.61	8.06	26.89	81.20	5.8	7.2	2.4
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS2(A)	6:58	1.0	Surface	1	2	24.61	8.07	25.87	81.00	5.8	7.5	1.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS2(A)	6:58	3.3	Middle	2	1	24.76	8.05	29.04	80.90	5.7	7.4	2.1
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS2(A)	6:57	3.3	Middle	2	2	24.78	8.06	29.27	80.70	5.7	7.7	2.3
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS2(A)	6:58	5.5	Bottom	3	1	24.73	8.04	29.61	81.40	5.7	8.8	2.7
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS2(A)	6:57	5.5	Bottom	3	2	24.78	8.05	29.70	81.30	5.7	8.5	2.8
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS(Mf)5	4:58	1.0	Surface	1	1	24.12	8.10	29.40	80.80	5.7	3.2	2.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS(Mf)5	4:58	1.0	Surface	1	2	24.00	8.10	27.27	84.10	5.9	3.2	2.5

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS(Mf)5	4:58	6.1	Middle	2	1	24.11	8.10	31.21	80.70	5.7	3.1	2.5
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS(Mf)5	4:57	6.1	Middle	2	2	24.11	8.08	31.22	82.90	5.9	3.2	2.9
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS(Mf)5	4:58	11.2	Bottom	3	1	24.11	8.08	31.32	80.30	5.7	3.0	2.1
HKLR	HY/2011/03	2019-05-03	Mid-Flood	Cloudy	CS(Mf)5	4:57	11.2	Bottom	3	2	24.11	8.07	31.31	81.90	5.8	3.1	2.1
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS5	12:33	1.0	Surface	1	1	23.41	8.11	27.63	97.00	7.0	13.2	11.5
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS5	12:33	1.0	Surface	1	2	23.43	8.11	27.70	96.20	7.0	13.2	12.0
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS5	12:33	4.3	Middle	2	1	23.44	8.11	27.86	88.30	6.4	13.2	11.9
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS5	12:33	4.3	Middle	2	2	23.44	8.12	27.87	91.00	6.6	13.1	11.5
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS5	12:33	7.6	Bottom	3	1	23.44	8.11	27.88	87.80	6.4	13.5	8.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS5	12:32	7.6	Bottom	3	2	23.45	8.12	27.92	89.20	6.5	13.4	9.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS(Mf)6	12:41	1.0	Surface	1	1	23.26	8.10	26.75	93.80	6.9	6.8	6.2
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS(Mf)6	12:41	1.0	Surface	1	2	23.26	8.09	26.73	91.50	6.7	6.6	7.1
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS(Mf)6	12:41	2.2	Bottom	3	1	23.26	8.11	26.91	95.20	7.0	6.6	7.5
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS(Mf)6	12:41	2.2	Bottom	3	2	23.26	8.10	26.86	92.70	6.8	6.6	7.3
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS7	12:50	1.0	Surface	1	1	23.34	8.09	26.20	92.90	6.8	5.6	5.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS7	12:50	1.0	Surface	1	2	23.35	8.08	26.21	90.20	6.6	5.5	6.5
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS7	12:50	2.2	Bottom	3	1	23.34	8.09	26.24	91.70	6.7	5.3	6.9
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS7	12:49	2.2	Bottom	3	2	23.34	8.10	26.22	96.70	7.1	5.5	6.3
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS8	13:17	1.0	Surface	1	1	23.24	8.09	26.23	93.00	6.8	12.8	17.1
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS8	13:16	1.0	Surface	1	2	23.26	8.10	26.15	97.40	7.2	12.2	17.7
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS8	13:17	2.9	Bottom	3	1	23.23	8.09	26.30	92.10	6.8	13.1	16.0
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS8	13:16	2.9	Bottom	3	2	23.22	8.11	26.33	95.20	7.0	12.4	15.0
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS(Mf)9	12:58	1.0	Surface	1	1	23.29	8.09	26.31	91.60	6.7	6.1	6.4
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS(Mf)9	12:58	1.0	Surface	1	2	23.29	8.10	26.34	97.80	7.2	6.2	6.2
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS(Mf)9	12:58	2.6	Bottom	3	1	23.28	8.09	26.38	89.60	6.6	6.4	6.8
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS(Mf)9	12:57	2.6	Bottom	3	2	23.25	8.12	26.39	93.80	6.9	6.6	7.0
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS10(N)	13:28	1.0	Surface	1	1	24.31	7.99	24.89	84.80	6.2	9.4	8.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS10(N)	13:27	1.0	Surface	1	2	24.31	7.99	24.87	84.80	6.2	9.8	9.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS10(N)	13:27	5.4	Middle	2	1	24.30	8.00	26.02	84.50	6.1	10.6	9.3
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS10(N)	13:28	5.4	Middle	2	2	24.30	8.00	26.02	84.60	6.1	10.4	8.4
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS10(N)	13:27	9.7	Bottom	3	1	24.30	7.98	26.03	84.70	6.1	11.7	9.0
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	IS10(N)	13:28	9.7	Bottom	3	2	24.30	7.99	26.12	84.60	6.1	11.2	9.3
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR3(N)	12:25	1.0	Surface	1	1	23.26	8.08	26.73	89.20	6.5	5.7	11.9
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR3(N)	12:24	1.0	Surface	1	2	23.26	8.10	26.71	89.70	6.6	5.9	11.0
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR3(N)	12:23	2.5	Bottom	3	1	23.31	8.16	27.03	89.00	6.5	6.4	9.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR3(N)	12:24	2.5	Bottom	3	2	23.27	8.09	26.95	88.60	6.5	6.2	10.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR4(N)	13:10	1.0	Surface	1	1	23.12	8.10	25.52	96.90	7.2	4.7	7.0
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR4(N)	13:10	1.0	Surface	1	2	23.12	8.08	25.52	91.30	6.8	4.5	8.0
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR4(N)	13:09	2.7	Bottom	3	1	23.10	8.12	25.53	92.90	6.9	4.7	7.2
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR4(N)	13:10	2.7	Bottom	3	2	23.12	8.09	25.51	89.90	6.7	4.5	6.2
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR5(N)	13:15	1.0	Surface	1	1	24.31	8.00	24.85	85.10	6.2	8.6	8.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR5(N)	13:16	1.0	Surface	1	2	24.31	8.00	24.84	84.80	6.2	8.9	8.5
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR5(N)	13:15	4.4	Middle	2	1	24.29	8.01	26.09	85.10	6.1	9.5	9.0
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR5(N)	13:16	4.4	Middle	2	2	24.30	8.00	25.95	84.80	6.1	10.0	8.5
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR5(N)	13:15	7.7	Bottom	3	1	24.28	8.01	26.19	84.90	6.1	9.8	9.2
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR5(N)	13:15	7.7	Bottom	3	2	24.29	8.00	26.13	84.80	6.1	10.2	10.1
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10A(N)	14:11	1.0	Surface	1	1	24.32	8.04	26.13	90.90	6.5	5.1	4.4
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10A(N)	14:12	1.0	Surface	1	2	24.30	8.01	26.05	87.80	6.3	5.5	4.3
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10A(N)	14:11	6.3	Middle	2	1	24.34	8.04	27.19	86.60	6.2	4.9	4.4
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10A(N)	14:11	6.3	Middle	2	2	24.35	8.01	27.25	84.60	6.1	4.7	5.4
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10A(N)	14:11	11.5	Bottom	3	1	24.35	8.01	27.42	84.20	6.0	5.0	4.8
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10A(N)	14:11	11.5	Bottom	3	2	24.34	8.05	27.23	84.60	6.1	5.2	4.9

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10B(N)2	14:24	1.0	Surface	1	1	24.30	7.99	26.14	85.30	6.1	3.6	3.9
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10B(N)2	14:23	1.0	Surface	1	2	24.28	7.99	25.98	90.90	6.6	3.4	4.9
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10B(N)2	14:21	3.4	Middle	2	1	24.33	8.00	26.97	84.70	6.1	4.1	4.9
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10B(N)2	14:24	3.4	Middle	2	2	24.32	7.99	26.55	84.60	6.1	4.2	4.2
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10B(N)2	14:21	5.7	Bottom	3	1	24.32	8.00	27.20	85.30	6.1	5.5	4.4
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	SR10B(N)2	14:24	5.7	Bottom	3	2	24.35	7.99	27.28	84.40	6.1	5.2	4.2
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS2(A)	12:16	1.0	Surface	1	1	24.32	8.01	24.92	88.50	6.4	9.6	7.3
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS2(A)	12:16	1.0	Surface	1	2	24.31	8.01	24.94	91.20	6.6	9.4	7.3
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS2(A)	12:16	3.2	Middle	2	1	24.32	8.03	25.83	86.90	6.3	9.9	8.5
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS2(A)	12:16	3.2	Middle	2	2	24.31	8.01	25.95	85.60	6.2	10.1	8.7
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS2(A)	12:16	5.3	Bottom	3	1	24.31	8.00	26.00	85.80	6.2	11.2	7.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS2(A)	12:16	5.3	Bottom	3	2	24.29	8.05	26.05	86.30	6.2	10.8	7.6
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS(Mf)5	13:40	1.0	Surface	1	1	23.58	8.09	25.98	93.50	6.7	6.2	5.1
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS(Mf)5	13:40	1.0	Surface	1	2	23.57	8.11	26.12	94.00	6.8	5.9	6.1
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS(Mf)5	13:39	6.1	Middle	2	1	23.66	8.10	28.58	90.20	6.5	7.3	6.8
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS(Mf)5	13:40	6.1	Middle	2	2	23.65	8.08	28.53	85.10	6.1	7.2	5.8
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS(Mf)5	13:40	11.1	Bottom	3	1	23.64	8.07	28.78	85.10	6.1	7.5	6.7
HKLR	HY/2011/03	2019-05-06	Mid-Ebb	Sunny	CS(Mf)5	13:39	11.1	Bottom	3	2	23.66	8.10	28.89	88.30	6.5	7.3	5.7
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS5	6:49	1.0	Surface	1	1	23.69	8.06	27.59	82.10	5.8	4.7	4.9
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS5	6:49	1.0	Surface	1	2	23.66	8.07	27.24	82.70	5.9	4.6	4.0
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS5	6:49	4.3	Middle	2	1	23.73	8.04	30.61	80.90	5.8	4.5	3.8
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS5	6:49	4.3	Middle	2	2	23.74	8.05	30.66	81.30	5.9	4.7	3.0
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS5	6:49	7.5	Bottom	3	1	23.74	8.04	30.77	81.00	5.8	4.5	3.8
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS5	6:49	7.5	Bottom	3	2	23.72	8.04	30.65	80.50	5.7	4.7	4.1
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS(Mf)6	6:39	1.0	Surface	1	1	23.51	8.05	27.79	85.50	6.2	3.8	4.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS(Mf)6	6:39	1.0	Surface	1	2	23.57	8.05	26.42	84.70	6.2	3.8	5.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS(Mf)6	6:39	2.4	Bottom	3	1	23.64	8.03	29.98	85.30	6.1	4.0	4.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS(Mf)6	6:38	2.4	Bottom	3	2	23.73	8.03	30.27	84.00	6.0	4.1	4.9
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS7	6:31	1.0	Surface	1	1	23.56	8.07	26.57	87.10	6.4	3.8	4.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS7	6:31	1.0	Surface	1	2	23.53	8.06	26.75	85.40	6.2	3.8	4.8
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS7	6:31	2.3	Bottom	3	1	23.67	8.04	29.92	86.40	6.2	3.9	3.8
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS7	6:30	2.3	Bottom	3	2	23.72	8.04	30.23	89.10	6.3	4.0	4.8
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS8	6:05	1.0	Surface	1	1	23.57	8.07	27.96	85.40	6.2	4.9	3.4
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS8	6:05	1.0	Surface	1	2	23.54	8.06	26.99	84.00	6.1	4.6	3.9
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS8	6:05	3.0	Bottom	3	1	23.73	8.04	30.36	89.80	6.4	4.8	4.4
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS8	6:05	3.0	Bottom	3	2	23.66	8.04	30.42	85.70	6.1	4.6	3.4
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS(Mf)9	6:23	1.0	Surface	1	1	23.64	8.06	27.26	85.90	6.2	4.2	4.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS(Mf)9	6:23	1.0	Surface	1	2	23.59	8.06	26.54	84.90	6.2	4.2	3.6
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS(Mf)9	6:23	2.8	Bottom	3	1	23.68	8.04	29.98	87.20	6.2	4.2	3.8
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS(Mf)9	6:23	2.8	Bottom	3	2	23.60	8.04	30.13	85.60	6.1	4.1	3.2
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS10(N)	6:51	1.0	Surface	1	1	24.34	8.05	25.25	89.80	6.5	6.3	6.2
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS10(N)	6:51	1.0	Surface	1	2	24.34	8.04	25.99	89.70	6.5	6.6	5.2
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS10(N)	6:51	5.4	Middle	2	1	24.51	8.06	29.65	89.30	6.3	9.7	4.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS10(N)	6:50	5.4	Middle	2	2	24.51	8.06	29.64	89.80	6.3	9.5	5.9
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS10(N)	6:50	9.7	Bottom	3	1	24.47	8.04	29.66	90.40	6.4	11.4	5.6
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	IS10(N)	6:51	9.7	Bottom	3	2	24.45	8.04	29.79	89.90	6.3	10.7	5.1
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR3(N)	7:00	1.0	Surface	1	1	23.71	8.05	28.64	81.40	5.8	4.2	4.8
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR3(N)	7:00	1.0	Surface	1	2	23.64	8.07	27.42	80.50	5.8	4.1	5.7
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR3(N)	7:00	2.6	Bottom	3	1	23.72	8.05	30.17	80.50	5.7	4.4	6.4
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR3(N)	7:00	2.6	Bottom	3	2	23.71	8.04	30.51	81.00	5.8	4.3	5.4
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR4(N)	6:12	1.0	Surface	1	1	23.63	8.07	27.23	81.00	5.9	4.4	6.0
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR4(N)	6:12	1.0	Surface	1	2	23.68	8.07	27.74	81.00	5.9	4.7	5.0

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR4(N)	6:12	2.8	Bottom	3	1	23.72	8.05	30.18	81.30	5.8	4.5	4.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR4(N)	6:12	2.8	Bottom	3	2	23.65	8.05	30.49	81.30	5.8	4.5	5.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR5(N)	7:00	1.0	Surface	1	1	24.35	8.05	25.79	89.90	6.5	5.8	5.2
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR5(N)	7:00	1.0	Surface	1	2	24.37	8.06	25.95	89.60	6.5	5.5	5.4
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR5(N)	7:00	4.4	Middle	2	1	24.51	8.06	29.46	89.60	6.3	7.6	5.2
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR5(N)	7:00	4.4	Middle	2	2	24.51	8.06	29.47	89.80	6.3	7.4	5.6
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR5(N)	7:00	7.7	Bottom	3	1	24.50	8.04	29.75	89.80	6.3	7.4	5.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR5(N)	7:00	7.7	Bottom	3	2	24.49	8.04	29.77	90.10	6.3	7.8	6.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10A(N)	6:00	1.0	Surface	1	1	24.34	8.06	25.25	89.80	6.5	3.4	5.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10A(N)	5:59	1.0	Surface	1	2	24.33	8.06	25.33	90.00	6.5	3.5	6.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10A(N)	5:59	6.4	Middle	2	1	24.51	8.06	29.75	89.60	6.3	3.5	4.6
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10A(N)	5:59	6.4	Middle	2	2	24.52	8.07	29.73	89.50	6.3	3.2	4.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10A(N)	5:59	11.7	Bottom	3	1	24.44	8.03	29.79	89.90	6.3	4.6	6.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10A(N)	5:58	11.7	Bottom	3	2	24.50	8.06	29.67	90.20	6.4	4.4	5.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10B(N2)	5:49	1.0	Surface	1	1	24.32	8.05	25.07	90.30	6.6	4.1	5.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10B(N2)	5:50	1.0	Surface	1	2	24.32	8.05	25.14	90.00	6.5	3.7	4.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10B(N2)	5:49	3.3	Middle	2	1	24.49	8.08	28.41	90.60	6.4	3.8	4.2
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10B(N2)	5:50	3.3	Middle	2	2	24.45	8.06	28.00	90.00	6.4	4.0	4.4
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10B(N2)	5:49	5.6	Bottom	3	1	24.52	8.07	29.64	91.10	6.4	4.7	5.1
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	SR10B(N2)	5:50	5.6	Bottom	3	2	24.45	8.04	29.73	90.00	6.3	4.5	4.1
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS2(A)	8:18	1.0	Surface	1	1	24.35	8.05	24.47	90.50	6.6	6.1	5.0
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS2(A)	8:19	1.0	Surface	1	2	24.36	8.05	25.89	90.30	6.5	6.1	6.0
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS2(A)	8:18	3.2	Middle	2	1	24.46	8.06	28.42	90.20	6.4	6.6	7.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS2(A)	8:19	3.2	Middle	2	2	24.46	8.05	28.25	90.10	6.4	6.5	6.7
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS2(A)	8:18	5.3	Bottom	3	1	24.51	8.05	29.72	89.90	6.3	7.0	6.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS2(A)	8:19	5.3	Bottom	3	2	24.45	8.03	29.81	90.30	6.4	7.4	5.7
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS(Mf)5	5:41	1.0	Surface	1	1	23.59	8.09	27.05	83.90	5.9	4.1	5.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS(Mf)5	5:42	1.0	Surface	1	2	23.53	8.08	27.16	83.40	5.9	4.2	6.5
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS(Mf)5	5:42	6	Middle	2	1	23.74	8.06	30.71	83.20	5.9	4.6	4.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS(Mf)5	5:41	6	Middle	2	2	23.74	8.07	30.75	83.30	5.9	4.5	5.3
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS(Mf)5	5:42	11	Bottom	3	1	23.74	8.05	31.29	81.10	5.8	4.7	4.9
HKLR	HY/2011/03	2019-05-06	Mid-Flood	Cloudy	CS(Mf)5	5:41	11	Bottom	3	2	23.75	8.06	31.21	82.00	5.8	4.5	5.7
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS5	9:07	1.0	Surface	1	1	22.50	8.07	26.30	89.90	6.7	6.5	4.3
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS5	9:06	1.0	Surface	1	2	22.52	8.08	26.27	92.00	6.8	6.5	5.1
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS5	9:07	4.3	Middle	2	1	22.49	8.07	26.33	89.70	6.7	6.7	6.5
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS5	9:06	4.3	Middle	2	2	22.50	8.09	26.32	90.10	6.7	6.9	6.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS5	9:07	7.5	Bottom	3	1	22.50	8.08	26.35	88.40	6.6	6.8	6.4
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS5	9:06	7.5	Bottom	3	2	22.50	8.09	26.34	88.60	6.6	7.0	5.9
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS(Mf)6	8:59	1.0	Surface	1	1	22.50	8.09	25.96	90.10	6.7	5.6	5.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS(Mf)6	8:59	1.0	Surface	1	2	22.50	8.08	25.95	89.10	6.6	5.4	4.8
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS(Mf)6	8:59	2.3	Bottom	3	1	22.51	8.09	26.02	91.10	6.8	5.6	5.6
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS(Mf)6	8:59	2.3	Bottom	3	2	22.49	8.08	25.96	89.40	6.7	5.6	5.6
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS7	8:51	1.0	Surface	1	1	22.78	8.09	26.07	87.50	6.5	6.5	7.1
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS7	8:51	1.0	Surface	1	2	22.78	8.09	26.07	86.90	6.4	6.4	6.6
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS7	8:51	2.2	Bottom	3	1	22.74	8.10	26.11	87.70	6.5	6.6	7.7
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS7	8:51	2.2	Bottom	3	2	22.79	8.09	26.07	87.20	6.5	6.5	7.9
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS8	8:15	1.0	Surface	1	1	22.78	8.07	24.98	88.70	6.6	4.2	11.9
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS8	8:15	1.0	Surface	1	2	22.77	8.10	25.03	92.80	6.9	4.4	11.6
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS8	8:15	3.2	Bottom	3	1	22.76	8.08	25.10	90.20	6.7	4.3	9.5
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS8	8:15	3.2	Bottom	3	2	22.77	8.11	25.05	97.10	7.2	4.5	9.9
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS(Mf)9	8:43	1.0	Surface	1	1	22.80	8.09	25.39	94.70	7.0	4.6	5.4
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS(Mf)9	8:43	1.0	Surface	1	2	22.77	8.08	25.80	89.80	6.7	4.6	4.4

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS(Mf)9	8:43	2.8	Bottom	3	1	22.77	8.08	25.82	92.10	6.8	4.8	5.6
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS(Mf)9	8:43	2.8	Bottom	3	2	22.78	8.10	25.71	97.90	7.3	4.7	6.0
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS10(N)	8:10	1.0	Surface	1	1	23.57	7.98	23.59	84.20	6.2	7.0	4.5
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS10(N)	8:09	1.0	Surface	1	2	23.58	7.99	23.34	83.90	6.2	6.9	5.0
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS10(N)	8:10	5.3	Middle	2	1	23.89	7.97	26.23	84.00	6.1	8.5	4.3
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS10(N)	8:09	5.3	Middle	2	2	23.86	7.97	26.00	83.60	6.1	8.2	3.7
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS10(N)	8:09	9.6	Bottom	3	1	23.90	7.97	26.23	84.30	6.1	9.7	4.4
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	IS10(N)	8:10	9.6	Bottom	3	2	23.77	7.96	26.38	84.70	6.2	10.4	3.9
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR3(N)	9:16	1.0	Surface	1	1	22.51	8.10	26.33	88.50	6.6	6.9	8.9
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR3(N)	9:16	1.0	Surface	1	2	22.51	8.09	26.33	87.80	6.5	6.8	9.5
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR3(N)	9:16	2.5	Bottom	3	1	22.51	8.10	26.33	88.80	6.6	6.8	8.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR3(N)	9:16	2.5	Bottom	3	2	22.51	8.09	26.33	87.80	6.5	6.7	8.8
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR4(N)	8:31	1.0	Surface	1	1	22.80	8.08	25.45	95.60	7.1	4.7	6.4
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR4(N)	8:31	1.0	Surface	1	2	22.81	8.06	25.45	91.00	6.8	4.6	6.6
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR4(N)	8:31	2.9	Bottom	3	1	22.80	8.07	25.53	93.10	6.9	4.5	8.7
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR4(N)	8:31	2.9	Bottom	3	2	22.77	8.09	25.51	98.90	7.4	4.6	8.3
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR5(N)	8:49	1.0	Surface	1	1	23.58	7.98	23.73	84.30	6.3	9.0	4.3
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR5(N)	8:49	1.0	Surface	1	2	23.53	7.96	23.76	85.10	6.3	8.8	4.1
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR5(N)	8:48	4.3	Middle	2	1	23.82	7.98	25.61	83.50	6.1	9.3	4.8
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR5(N)	8:49	4.3	Middle	2	2	23.87	7.97	25.98	84.10	6.1	9.5	3.8
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR5(N)	8:49	7.5	Bottom	3	1	23.80	7.96	26.35	85.00	6.2	10.7	4.4
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR5(N)	8:48	7.5	Bottom	3	2	23.91	7.97	26.30	84.50	6.1	11.2	4.0
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10A(N)	7:00	1.0	Surface	1	1	23.60	7.99	23.75	83.80	6.2	2.0	4.8
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10A(N)	7:00	1.0	Surface	1	2	23.52	7.98	23.53	84.60	6.3	1.9	3.9
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10A(N)	6:59	6.5	Middle	2	1	23.92	7.97	26.29	84.00	6.1	2.6	5.1
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10A(N)	7:00	6.5	Middle	2	2	23.92	7.97	26.27	83.70	6.1	2.4	4.5
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10A(N)	6:59	11.9	Bottom	3	1	23.92	7.97	26.34	84.50	6.1	2.8	4.6
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10A(N)	7:00	11.9	Bottom	3	2	23.92	7.97	26.36	84.10	6.1	2.7	5.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10B(N2)	6:52	1.0	Surface	1	1	23.53	7.99	23.51	90.10	6.5	2.5	4.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10B(N2)	6:51	1.0	Surface	1	2	23.49	7.99	23.26	87.70	6.5	2.6	4.3
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10B(N2)	6:51	3.3	Middle	2	1	23.67	8.01	23.85	87.40	6.5	2.9	4.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10B(N2)	6:52	3.3	Middle	2	2	23.66	7.99	24.16	85.60	6.3	2.7	5.5
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10B(N2)	6:52	5.6	Bottom	3	1	23.67	7.97	26.24	87.30	6.4	3.4	3.7
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	SR10B(N2)	6:51	5.6	Bottom	3	2	23.89	8.01	26.21	85.70	6.4	3.2	4.7
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS2(A)	9:43	1.0	Surface	1	1	23.62	7.98	23.64	84.20	6.2	9.0	4.4
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS2(A)	9:44	1.0	Surface	1	2	23.58	7.98	23.53	84.70	6.2	8.8	4.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS2(A)	9:43	3.2	Middle	2	1	23.71	7.98	24.84	83.80	6.2	9.3	5.1
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS2(A)	9:43	3.2	Middle	2	2	23.79	7.98	25.08	84.00	6.2	8.8	4.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS2(A)	9:43	5.3	Bottom	3	1	23.87	7.97	26.16	84.00	6.1	12.5	4.0
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS2(A)	9:43	5.3	Bottom	3	2	23.87	7.96	26.28	84.20	6.2	12.8	3.9
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS(Mf)5	7:53	1.0	Surface	1	1	22.97	8.06	25.63	84.20	6.1	6.5	6.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS(Mf)5	7:52	1.0	Surface	1	2	22.92	8.06	25.62	85.00	6.2	6.7	7.2
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS(Mf)5	7:53	6.1	Middle	2	1	23.32	8.03	27.94	82.80	6.0	6.5	4.7
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS(Mf)5	7:52	6.1	Middle	2	2	23.31	8.05	27.88	84.10	6.1	6.7	4.7
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS(Mf)5	7:52	11.2	Bottom	3	1	23.40	8.03	30.28	84.00	6.1	6.9	5.4
HKLR	HY/2011/03	2019-05-08	Mid-Ebb	Fine	CS(Mf)5	7:53	11.2	Bottom	3	2	23.26	8.01	30.34	82.90	6.0	6.8	4.7
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS5	13:50	1.0	Surface	1	1	22.68	8.15	26.82	89.50	6.5	9.6	9.3
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS5	13:49	1.0	Surface	1	2	22.79	8.17	26.73	93.00	6.8	9.2	9.2
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS5	13:50	4.4	Middle	2	1	22.92	8.15	28.21	88.80	6.5	9.5	9.2
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS5	13:49	4.4	Middle	2	2	22.95	8.16	28.28	91.10	6.6	9.5	10.2
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS5	13:49	7.8	Bottom	3	1	22.99	8.16	28.62	90.00	6.6	9.8	9.9
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS5	13:49	7.8	Bottom	3	2	22.81	8.15	28.71	88.20	6.5	9.5	8.9

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS(Mf)6	13:59	1.0	Surface	1	1	22.53	8.12	26.27	91.70	6.8	5.3	6.6
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS(Mf)6	13:58	1.0	Surface	1	2	22.54	8.13	26.30	93.70	7.0	5.5	6.3
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS(Mf)6	13:59	2.2	Bottom	3	1	22.57	8.12	26.46	92.70	6.9	5.7	5.8
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS(Mf)6	13:58	2.2	Bottom	3	2	22.57	8.14	26.48	96.30	7.1	5.7	6.7
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS7	14:06	1.0	Surface	1	1	22.65	8.11	25.87	94.50	7.0	5.9	8.7
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS7	14:07	1.0	Surface	1	2	22.58	8.11	26.03	91.50	6.8	6.2	9.2
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS7	14:07	2.4	Bottom	3	1	22.61	8.11	26.08	92.60	6.9	6.4	9.0
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS7	14:06	2.4	Bottom	3	2	22.56	8.11	26.08	98.30	7.3	6.2	8.6
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS8	14:41	1.0	Surface	1	1	22.44	8.11	25.57	100.40	7.5	7.5	5.0
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS8	14:40	1.0	Surface	1	2	22.44	8.11	25.49	97.40	7.3	7.6	4.1
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS8	14:40	3.5	Bottom	3	1	22.42	8.12	25.70	92.00	6.9	7.3	4.9
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS8	14:41	3.5	Bottom	3	2	22.45	8.10	25.84	90.10	6.7	7.5	3.9
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS(Mf)9	14:16	1.0	Surface	1	1	22.76	8.11	25.80	90.30	6.7	4.4	5.4
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS(Mf)9	14:15	1.0	Surface	1	2	22.76	8.12	25.82	92.20	6.8	4.4	5.2
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS(Mf)9	14:15	2.8	Bottom	3	1	22.76	8.13	25.90	93.30	6.9	4.5	4.3
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS(Mf)9	14:16	2.8	Bottom	3	2	22.77	8.11	25.88	90.60	6.7	4.5	3.7
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS10(N)	14:34	1.0	Surface	1	1	23.74	8.01	23.55	84.80	6.3	10.2	3.6
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS10(N)	14:34	1.0	Surface	1	2	23.74	8.00	23.58	84.80	6.3	10.0	4.0
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS10(N)	14:34	5.3	Middle	2	1	23.75	8.01	25.44	84.60	6.2	10.9	4.5
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS10(N)	14:34	5.3	Middle	2	2	23.75	8.01	25.44	84.60	6.2	10.3	3.5
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS10(N)	14:33	9.6	Bottom	3	1	23.75	8.01	25.48	84.60	6.2	11.6	4.2
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	IS10(N)	14:34	9.6	Bottom	3	2	23.75	8.00	25.48	84.50	6.2	11.9	3.8
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR3(N)	13:42	1.0	Surface	1	1	22.75	8.16	27.21	91.30	6.7	8.5	9.7
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR3(N)	13:41	1.0	Surface	1	2	22.70	8.19	26.79	92.90	6.9	8.2	8.7
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR3(N)	13:41	2.5	Bottom	3	1	22.78	8.22	27.44	94.50	6.9	8.9	10.0
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR3(N)	13:41	2.5	Bottom	3	2	22.77	8.16	27.54	92.10	6.8	8.5	9.1
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR4(N)	14:34	1.0	Surface	1	1	22.89	8.09	25.81	87.00	6.4	7.5	6.2
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR4(N)	14:34	1.0	Surface	1	2	22.86	8.09	25.66	85.70	6.4	7.2	5.6
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR4(N)	14:34	2.9	Bottom	3	1	22.91	8.09	26.12	87.50	6.5	7.5	5.4
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR4(N)	14:34	2.9	Bottom	3	2	22.91	8.08	26.14	86.60	6.4	7.3	5.3
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR5(N)	14:22	1.0	Surface	1	1	23.76	8.02	23.75	85.20	6.3	9.8	4.6
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR5(N)	14:23	1.0	Surface	1	2	23.75	8.01	23.66	84.90	6.3	9.5	4.2
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR5(N)	14:22	4.4	Middle	2	1	23.76	8.02	25.45	85.20	6.2	10.1	3.9
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR5(N)	14:23	4.4	Middle	2	2	23.76	8.02	25.46	84.80	6.2	9.7	4.4
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR5(N)	14:22	7.8	Bottom	3	1	23.76	8.01	25.71	85.30	6.2	12.5	4.4
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR5(N)	14:23	7.8	Bottom	3	2	23.78	8.01	26.06	84.90	6.2	12.2	5.3
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10A(N)	15:17	1.0	Surface	1	1	23.81	8.04	25.99	98.20	7.0	3.3	4.0
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10A(N)	15:18	1.0	Surface	1	2	23.82	8.03	25.59	94.30	6.8	3.5	4.4
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10A(N)	15:17	6.3	Middle	2	1	23.95	8.02	27.80	86.90	6.3	4.0	2.3
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10A(N)	15:17	6.3	Middle	2	2	23.94	8.05	27.74	90.70	6.6	4.1	3.3
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10A(N)	15:17	11.6	Bottom	3	1	23.89	8.07	28.52	86.10	6.3	4.4	4.1
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10A(N)	15:17	11.6	Bottom	3	2	23.90	8.02	28.09	88.50	6.4	4.2	3.4
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10B(N2)	15:31	1.0	Surface	1	1	23.84	8.00	26.10	84.60	6.2	2.3	4.1
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10B(N2)	15:31	1.0	Surface	1	2	23.73	8.00	25.65	84.80	6.2	2.2	3.1
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10B(N2)	15:30	3.4	Middle	2	1	23.89	8.00	26.89	84.60	6.1	2.4	2.8
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10B(N2)	15:31	3.4	Middle	2	2	23.89	8.00	26.88	84.50	6.1	2.6	3.3
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10B(N2)	15:30	5.7	Bottom	3	1	23.90	8.00	27.10	84.70	6.1	3.4	3.9
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	SR10B(N2)	15:31	5.7	Bottom	3	2	23.89	8.00	27.14	84.40	6.1	3.3	3.1
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS2(A)	13:30	1.0	Surface	1	1	23.74	8.04	23.58	90.40	6.7	8.6	5.2
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS2(A)	13:31	1.0	Surface	1	2	23.75	8.02	23.63	92.70	6.8	8.1	6.1
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS2(A)	13:30	3.2	Middle	2	1	23.75	8.04	25.41	86.40	6.4	10.4	4.1
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS2(A)	13:31	3.2	Middle	2	2	23.76	8.03	25.36	86.90	6.4	10.6	4.8

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS2(A)	13:30	5.3	Bottom	3	1	23.73	8.05	25.50	85.50	6.3	10.8	4.9
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS2(A)	13:30	5.3	Bottom	3	2	23.75	8.02	25.46	88.10	6.4	10.5	5.9
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS(Mf)5	15:10	1.0	Surface	1	1	22.99	8.10	25.91	84.70	6.2	6.2	3.7
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS(Mf)5	15:09	1.0	Surface	1	2	23.08	8.11	26.04	84.50	6.2	6.1	4.7
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS(Mf)5	15:10	6.3	Middle	2	1	23.17	8.09	27.71	84.50	6.2	6.4	3.6
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS(Mf)5	15:09	6.3	Middle	2	2	23.15	8.10	27.56	84.30	6.2	6.1	4.0
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS(Mf)5	15:10	11.6	Bottom	3	1	23.17	8.08	27.93	82.90	6.1	6.5	3.3
HKLR	HY/2011/03	2019-05-08	Mid-Flood	Rainy	CS(Mf)5	15:09	11.6	Bottom	3	2	23.20	8.10	28.03	83.30	6.1	6.5	3.1
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS5	15:27	1.0	Surface	1	1	23.55	8.09	25.16	93.80	6.8	6.5	2.1
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS5	15:27	1.0	Surface	1	2	23.81	8.08	24.80	89.20	6.5	6.5	3.1
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS5	15:27	4.3	Middle	2	1	23.21	8.07	27.80	88.50	6.4	6.4	3.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS5	15:26	4.3	Middle	2	2	23.26	8.09	27.43	90.60	6.7	6.6	3.2
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS5	15:27	7.6	Bottom	3	1	23.21	8.06	28.08	87.70	6.4	6.4	3.7
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS5	15:26	7.6	Bottom	3	2	23.25	8.09	27.80	89.30	6.5	6.5	3.8
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS(Mf)6	15:35	1.0	Surface	1	1	23.65	8.09	23.18	92.50	6.9	2.7	2.7
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS(Mf)6	15:35	1.0	Surface	1	2	23.72	8.06	24.92	91.00	6.7	2.7	2.6
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS(Mf)6	15:34	2.3	Bottom	3	1	23.49	8.08	25.09	93.10	6.9	2.6	3.4
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS(Mf)6	15:35	2.3	Bottom	3	2	23.65	8.07	24.71	91.80	6.8	2.6	4.1
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS7	15:42	1.0	Surface	1	1	23.91	8.06	23.04	88.50	6.5	4.2	4.2
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS7	15:43	1.0	Surface	1	2	23.65	8.04	23.19	87.20	6.5	4.3	3.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS7	15:43	2.2	Bottom	3	1	23.57	8.04	24.78	87.80	6.5	4.3	3.2
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS7	15:42	2.2	Bottom	3	2	23.31	8.04	23.50	88.40	6.6	4.4	3.4
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS8	16:12	1.0	Surface	1	1	23.62	8.08	24.33	90.50	6.7	11.8	18.6
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS8	16:12	1.0	Surface	1	2	23.60	8.08	24.43	89.70	6.6	11.4	17.9
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS8	16:12	2.9	Bottom	3	1	23.62	8.08	24.45	90.50	6.7	12.4	17.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS8	16:12	2.9	Bottom	3	2	23.52	8.07	24.87	92.90	6.8	11.5	16.4
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS(Mf)9	15:51	1.0	Surface	1	1	23.60	8.06	23.63	89.20	6.6	4.9	3.8
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS(Mf)9	15:52	1.0	Surface	1	2	23.47	8.04	23.75	86.70	6.4	4.8	4.7
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS(Mf)9	15:52	2.8	Bottom	3	1	23.34	8.04	24.72	87.50	6.5	4.8	4.7
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS(Mf)9	15:51	2.8	Bottom	3	2	23.34	8.06	24.65	91.30	6.8	4.8	4.0
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS10(N)	16:16	1.0	Surface	1	1	24.35	7.94	20.53	83.30	6.2	6.3	5.0
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS10(N)	16:15	1.0	Surface	1	2	24.38	7.95	20.00	83.40	6.2	6.1	4.0
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS10(N)	16:15	5.3	Middle	2	1	23.97	7.93	24.71	82.70	6.1	7.5	3.1
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS10(N)	16:16	5.3	Middle	2	2	23.97	7.94	24.81	82.80	6.1	7.8	4.1
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS10(N)	16:15	9.6	Bottom	3	1	24.01	7.92	24.96	82.70	6.0	8.4	2.6
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	IS10(N)	16:15	9.6	Bottom	3	2	24.02	7.90	24.78	82.70	6.0	8.3	3.2
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR3(N)	15:19	1.0	Surface	1	1	23.47	8.08	25.48	90.00	6.6	5.6	4.8
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR3(N)	15:19	1.0	Surface	1	2	23.47	8.11	25.52	91.90	6.8	5.7	5.7
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR3(N)	15:19	2.5	Bottom	3	1	23.41	8.08	25.75	90.40	6.6	5.8	5.8
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR3(N)	15:18	2.5	Bottom	3	2	23.40	8.16	26.08	93.70	6.9	5.9	4.8
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR4(N)	16:06	1.0	Surface	1	1	23.24	8.05	24.11	89.50	6.7	6.8	8.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR4(N)	16:06	1.0	Surface	1	2	23.28	8.04	24.32	85.30	6.3	6.5	7.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR4(N)	16:06	2.7	Bottom	3	1	23.27	8.04	25.44	87.40	6.4	6.6	8.9
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR4(N)	16:06	2.7	Bottom	3	2	23.21	8.05	25.69	92.60	6.8	6.8	8.1
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR5(N)	15:59	1.0	Surface	1	1	24.29	7.95	20.29	83.70	6.2	7.4	3.2
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR5(N)	16:00	1.0	Surface	1	2	24.20	7.96	20.16	83.00	6.2	7.7	2.6
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR5(N)	15:59	4.4	Middle	2	1	23.96	7.94	24.83	83.20	6.1	10.9	2.9
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR5(N)	16:00	4.4	Middle	2	2	23.96	7.94	24.68	82.60	6.0	11.2	3.9
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR5(N)	16:00	7.7	Bottom	3	1	23.98	7.92	25.48	82.90	6.0	10.5	3.9
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR5(N)	15:59	7.7	Bottom	3	2	23.99	7.91	25.46	83.70	6.1	10.2	4.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10A(N)	17:01	1.0	Surface	1	1	24.16	8.03	23.77	88.50	6.4	4.4	6.4
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10A(N)	17:01	1.0	Surface	1	2	24.24	7.99	23.80	91.90	6.7	4.5	5.4

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10A(N)	17:01	6.4	Middle	2	1	23.99	8.03	26.65	87.20	6.4	5.2	5.0
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10A(N)	17:01	6.4	Middle	2	2	24.08	7.99	24.93	86.10	6.2	5.3	5.8
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10A(N)	17:00	11.7	Bottom	3	1	23.98	8.07	26.07	85.20	6.2	5.5	4.4
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10A(N)	17:01	11.7	Bottom	3	2	24.09	7.99	25.86	85.60	6.3	5.5	5.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10B(N2)	17:11	1.0	Surface	1	1	24.33	7.97	23.59	85.80	6.3	4.0	3.6
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10B(N2)	17:10	1.0	Surface	1	2	24.31	7.98	23.58	86.00	6.3	3.8	4.6
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10B(N2)	17:10	3.3	Middle	2	1	24.16	7.97	24.36	85.20	6.2	4.5	4.0
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10B(N2)	17:10	3.3	Middle	2	2	24.22	7.98	24.04	85.60	6.3	4.8	4.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10B(N2)	17:10	5.6	Bottom	3	1	24.16	7.96	24.50	85.50	6.2	4.8	4.5
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	SR10B(N2)	17:10	5.6	Bottom	3	2	24.20	7.97	24.31	85.70	6.3	4.5	4.0
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS2(A)	15:09	1.0	Surface	1	1	24.36	7.95	20.14	89.60	6.5	7.6	5.2
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS2(A)	15:09	1.0	Surface	1	2	24.32	7.96	20.13	87.10	6.5	7.3	5.0
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS2(A)	15:09	3.1	Middle	2	1	23.99	7.94	23.38	87.80	6.5	8.5	6.0
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS2(A)	15:09	3.1	Middle	2	2	24.01	7.96	22.91	85.70	6.3	8.5	6.6
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS2(A)	15:09	5.2	Bottom	3	1	24.01	7.95	24.83	85.10	6.3	8.4	5.7
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS2(A)	15:09	5.2	Bottom	3	2	24.04	7.92	24.79	85.10	6.3	8.8	5.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS(Mf)5	16:35	1.0	Surface	1	1	23.42	8.11	23.65	89.30	6.4	5.7	5.5
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS(Mf)5	16:36	1.0	Surface	1	2	23.45	8.10	23.56	83.60	6.1	5.6	4.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS(Mf)5	16:36	5.9	Middle	2	1	23.19	8.06	26.74	82.70	6.1	7.7	4.6
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS(Mf)5	16:35	5.9	Middle	2	2	23.21	8.09	26.96	85.90	6.3	7.5	4.3
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS(Mf)5	16:35	10.8	Bottom	3	1	23.22	8.04	30.22	82.50	6.0	7.1	5.5
HKLR	HY/2011/03	2019-05-10	Mid-Ebb	Fine	CS(Mf)5	16:35	10.8	Bottom	3	2	23.16	8.05	30.35	85.10	6.3	7.4	4.6
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS5	10:14	1.0	Surface	1	1	23.19	8.05	24.69	84.80	6.2	5.2	4.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS5	10:14	1.0	Surface	1	2	23.21	8.06	24.29	91.30	6.7	5.0	5.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS5	10:13	4.4	Middle	2	1	23.19	8.07	24.95	88.40	6.6	6.6	6.0
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS5	10:14	4.4	Middle	2	2	23.19	8.06	24.92	84.40	6.3	6.5	5.7
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS5	10:14	7.8	Bottom	3	1	23.20	8.04	26.72	84.10	6.2	7.2	5.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS5	10:13	7.8	Bottom	3	2	23.20	8.05	26.76	86.10	6.4	7.1	6.2
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS(Mf)6	10:07	1.0	Surface	1	1	23.20	8.05	24.38	90.10	6.7	2.3	4.3
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS(Mf)6	10:07	1.0	Surface	1	2	23.19	8.04	24.37	87.70	6.5	2.4	4.2
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS(Mf)6	10:07	2.4	Bottom	3	1	23.20	8.04	24.45	89.00	6.6	2.5	4.6
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS(Mf)6	10:07	2.4	Bottom	3	2	23.19	8.04	24.80	92.60	6.9	2.4	4.5
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS7	10:00	1.0	Surface	1	1	23.25	8.03	23.37	87.60	6.5	2.4	5.0
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS7	10:00	1.0	Surface	1	2	23.25	8.04	23.34	92.90	6.9	2.5	5.0
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS7	10:00	2.3	Bottom	3	1	23.25	8.03	23.45	90.90	6.8	2.5	6.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS7	10:00	2.3	Bottom	3	2	23.23	8.05	23.53	95.10	7.1	2.5	6.4
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS8	9:31	1.0	Surface	1	1	23.25	8.01	22.19	84.60	6.4	4.4	5.7
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS8	9:31	1.0	Surface	1	2	23.26	8.02	22.03	85.90	6.5	4.2	5.5
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS8	9:31	3.2	Bottom	3	1	23.24	8.01	22.52	85.20	6.4	4.7	5.7
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS8	9:31	3.2	Bottom	3	2	23.25	8.03	22.28	87.00	6.5	4.5	6.2
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS(Mf)9	9:53	1.0	Surface	1	1	23.20	8.05	23.40	90.40	6.8	5.2	4.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS(Mf)9	9:53	1.0	Surface	1	2	23.19	8.04	23.87	86.40	6.4	5.1	4.3
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS(Mf)9	9:53	2.8	Bottom	3	1	23.18	8.04	24.59	88.00	6.5	5.9	3.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS(Mf)9	9:53	2.8	Bottom	3	2	23.18	8.04	24.76	95.30	7.1	5.7	4.5
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS10(N)	9:47	1.0	Surface	1	1	23.97	7.98	20.97	87.80	6.4	5.5	3.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS10(N)	9:46	1.0	Surface	1	2	23.99	7.98	21.06	85.90	6.3	5.3	3.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS10(N)	9:47	5.3	Middle	2	1	23.92	7.96	25.14	82.80	6.0	8.4	3.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS10(N)	9:46	5.3	Middle	2	2	23.91	7.97	25.39	82.60	6.2	8.0	3.0
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS10(N)	9:46	9.6	Bottom	3	1	23.91	7.95	25.49	84.70	6.3	8.4	3.7
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	IS10(N)	9:46	9.6	Bottom	3	2	23.91	7.96	25.63	82.30	6.0	8.7	3.3
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR3(N)	10:22	1.0	Surface	1	1	23.25	8.06	24.82	89.50	6.6	6.5	5.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR3(N)	10:22	1.0	Surface	1	2	23.25	8.05	24.78	86.50	6.4	6.2	5.0

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR3(N)	10:22	2.6	Bottom	3	1	23.22	8.06	24.95	92.00	6.8	6.5	5.4
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR3(N)	10:22	2.6	Bottom	3	2	23.25	8.05	24.83	87.60	6.5	6.4	6.2
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR4(N)	9:41	1.0	Surface	1	1	23.22	8.03	22.07	90.30	6.8	2.8	5.1
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR4(N)	9:41	1.0	Surface	1	2	23.22	8.02	22.07	86.70	6.5	2.9	4.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR4(N)	9:41	2.8	Bottom	3	1	23.21	8.04	22.22	94.60	7.1	3.1	5.5
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR4(N)	9:41	2.8	Bottom	3	2	23.22	8.02	22.13	88.40	6.7	2.9	5.3
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR5(N)	9:54	1.0	Surface	1	1	24.02	7.96	20.91	82.40	6.2	5.2	2.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR5(N)	9:55	1.0	Surface	1	2	23.99	7.96	21.20	82.00	6.1	5.1	2.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR5(N)	9:54	4.3	Middle	2	1	23.93	7.96	24.67	81.80	6.0	5.5	3.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR5(N)	9:54	4.3	Middle	2	2	23.93	7.96	23.67	81.50	6.0	5.3	3.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR5(N)	9:54	7.6	Bottom	3	1	23.93	7.93	25.55	81.90	6.0	6.0	4.6
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR5(N)	9:54	7.6	Bottom	3	2	23.92	7.94	25.57	82.10	6.0	5.9	4.3
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10A(N)	8:55	1.0	Surface	1	1	23.90	7.95	23.16	83.60	6.2	2.5	4.1
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10A(N)	8:55	1.0	Surface	1	2	23.89	7.96	23.10	83.30	6.2	2.4	4.7
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10A(N)	8:54	6.3	Middle	2	1	23.87	7.93	28.36	83.00	6.0	2.6	5.9
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10A(N)	8:55	6.3	Middle	2	2	23.87	7.93	28.40	83.00	6.0	2.7	5.1
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10A(N)	8:54	11.6	Bottom	3	1	23.86	7.92	28.82	83.60	6.0	3.0	6.7
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10A(N)	8:55	11.6	Bottom	3	2	23.87	7.92	28.48	83.50	6.0	3.2	6.6
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10B(N2)	8:45	1.0	Surface	1	1	23.90	7.93	23.11	89.10	6.5	1.8	3.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10B(N2)	8:44	1.0	Surface	1	2	23.90	7.89	23.24	92.60	6.7	2.0	3.4
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10B(N2)	8:45	3.4	Middle	2	1	23.89	7.91	25.02	87.10	6.4	2.3	3.1
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10B(N2)	8:44	3.4	Middle	2	2	23.89	7.85	25.06	85.80	6.2	2.3	2.6
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10B(N2)	8:44	5.8	Bottom	3	1	23.89	7.88	26.43	85.10	6.2	2.5	3.3
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	SR10B(N2)	8:44	5.8	Bottom	3	2	23.87	7.85	27.12	85.10	6.3	2.3	3.3
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS2(A)	10:49	1.0	Surface	1	1	23.97	7.96	21.36	82.20	6.1	4.4	5.4
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS2(A)	10:49	1.0	Surface	1	2	23.96	7.97	21.30	82.00	6.1	4.5	4.7
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS2(A)	10:49	3.2	Middle	2	1	23.94	7.96	22.96	81.90	6.1	5.0	4.3
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS2(A)	10:49	3.2	Middle	2	2	23.94	7.96	23.04	81.70	6.0	4.9	4.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS2(A)	10:49	5.3	Bottom	3	1	23.94	7.93	25.24	82.00	6.0	7.0	3.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS2(A)	10:49	5.3	Bottom	3	2	23.92	7.95	25.27	81.60	6.0	6.7	3.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS(Mf)5	9:07	1.0	Surface	1	1	23.22	8.05	22.57	82.90	6.2	3.3	5.0
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS(Mf)5	9:08	1.0	Surface	1	2	23.22	8.04	23.21	84.20	6.1	3.1	4.5
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS(Mf)5	9:08	6.2	Middle	2	1	23.14	8.03	27.04	82.10	6.1	4.4	5.3
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS(Mf)5	9:07	6.2	Middle	2	2	23.17	8.04	26.72	86.80	6.2	4.4	4.8
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS(Mf)5	9:07	11.3	Bottom	3	1	23.12	7.98	31.22	82.60	6.0	4.5	9.6
HKLR	HY/2011/03	2019-05-10	Mid-Flood	Sunny	CS(Mf)5	9:07	11.3	Bottom	3	2	23.12	7.97	31.23	83.20	6.1	4.6	9.2
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS5	9:51	1.0	Surface	1	1	24.59	8.18	22.45	105.50	7.7	3.5	5.4
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS5	9:50	1.0	Surface	1	2	24.60	8.19	22.46	102.50	7.5	3.4	4.9
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS5	9:50	4.2	Middle	2	1	24.56	8.19	22.67	101.10	7.4	4.5	5.7
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS5	9:51	4.2	Middle	2	2	24.53	8.17	22.65	105.30	7.7	4.5	6.4
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS5	9:50	7.3	Bottom	3	1	24.52	8.19	23.66	100.80	7.3	4.5	7.2
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS5	9:51	7.3	Bottom	3	2	24.50	8.16	23.88	104.10	7.6	4.4	6.3
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS(Mf)6	9:43	1.0	Surface	1	1	24.57	8.21	22.82	102.40	7.5	2.5	8.1
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS(Mf)6	9:43	1.0	Surface	1	2	24.57	8.20	22.81	104.50	7.6	2.5	8.7
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS(Mf)6	9:43	2.1	Bottom	3	1	24.57	8.21	22.81	103.50	7.6	2.6	7.8
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS(Mf)6	9:42	2.1	Bottom	3	2	24.58	8.21	22.82	100.30	7.3	2.8	8.8
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS7	9:35	1.0	Surface	1	1	24.44	8.19	22.36	105.00	7.7	1.4	7.1
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS7	9:35	1.0	Surface	1	2	24.40	8.20	22.43	104.10	7.7	1.5	7.9
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS7	9:34	2.2	Bottom	3	1	24.40	8.21	22.52	106.20	7.8	1.5	5.6
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS7	9:35	2.2	Bottom	3	2	24.29	8.17	23.06	102.70	7.5	1.6	4.8
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS8	9:04	1.0	Surface	1	1	24.04	8.13	22.64	94.60	7.0	3.4	3.6
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS8	9:04	1.0	Surface	1	2	24.01	8.12	22.80	95.50	7.1	3.3	4.4

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS8	9:04	3.1	Bottom	3	1	23.99	8.11	25.25	97.00	7.1	3.5	5.4
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS8	9:04	3.1	Bottom	3	2	24.00	8.10	26.42	94.70	6.9	3.4	6.4
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS(Mf)9	9:27	1.0	Surface	1	1	24.40	8.18	22.82	103.90	7.6	2.8	6.0
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS(Mf)9	9:27	1.0	Surface	1	2	24.38	8.17	22.91	104.80	7.7	2.8	5.0
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS(Mf)9	9:27	2.7	Bottom	3	1	24.36	8.17	23.19	104.80	7.7	3.0	4.6
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS(Mf)9	9:27	2.7	Bottom	3	2	24.32	8.16	23.45	104.10	7.6	2.8	4.1
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS10(N)	9:18	1.0	Surface	1	1	24.89	8.17	19.54	89.90	6.7	6.2	8.3
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS10(N)	9:18	1.0	Surface	1	2	24.88	8.16	19.28	92.40	6.6	5.9	7.7
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS10(N)	9:18	5.2	Middle	2	1	24.33	8.10	25.96	86.40	6.2	7.2	8.1
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS10(N)	9:18	5.2	Middle	2	2	24.35	8.07	25.82	90.10	6.7	7.4	9.1
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS10(N)	9:18	9.4	Bottom	3	1	24.53	8.12	26.65	87.80	6.3	7.6	7.2
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	IS10(N)	9:18	9.4	Bottom	3	2	24.28	8.11	26.49	88.50	6.4	7.0	6.2
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR3(N)	9:59	1.0	Surface	1	1	24.70	8.21	22.55	104.70	7.7	4.0	6.9
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR3(N)	9:59	1.0	Surface	1	2	24.69	8.20	22.61	106.50	7.8	4.2	6.8
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR3(N)	9:59	2.5	Bottom	3	1	24.69	8.20	22.61	106.10	7.8	4.1	13.5
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR3(N)	9:59	2.5	Bottom	3	2	24.69	8.21	22.68	101.90	7.4	4.1	12.7
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR4(N)	9:14	1.0	Surface	1	1	24.02	8.09	23.78	93.70	6.9	5.8	9.2
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR4(N)	9:15	1.0	Surface	1	2	24.04	8.06	23.54	86.30	6.4	5.6	8.6
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR4(N)	9:14	2.7	Bottom	3	1	23.97	8.10	24.72	96.60	7.1	5.9	8.3
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR4(N)	9:15	2.7	Bottom	3	2	23.93	8.05	24.77	86.80	6.4	5.7	9.3
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR5(N)	9:37	1.0	Surface	1	1	24.87	8.16	19.02	88.20	6.6	5.8	8.1
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR5(N)	9:37	1.0	Surface	1	2	24.99	8.17	18.65	91.00	6.8	6.0	8.4
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR5(N)	9:37	4.4	Middle	2	1	24.34	8.07	23.95	84.70	6.2	5.7	9.8
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR5(N)	9:37	4.4	Middle	2	2	24.41	8.07	23.79	85.70	6.3	6.1	10.8
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR5(N)	9:36	7.7	Bottom	3	1	24.24	8.05	27.19	87.70	6.3	6.5	13.0
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR5(N)	9:37	7.7	Bottom	3	2	24.34	8.05	27.33	89.60	6.4	6.6	12.6
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10A(N)	8:20	1.0	Surface	1	1	24.39	8.12	27.21	88.20	6.3	2.1	6.3
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10A(N)	8:21	1.0	Surface	1	2	24.24	8.12	27.50	85.80	6.2	2.0	7.3
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10A(N)	8:19	6.3	Middle	2	1	24.08	8.11	29.74	86.10	6.1	2.5	6.5
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10A(N)	8:20	6.3	Middle	2	2	24.07	8.10	29.81	85.00	6.0	2.6	7.4
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10A(N)	8:20	11.5	Bottom	3	1	24.07	8.10	29.84	85.20	6.0	2.8	6.5
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10A(N)	8:19	11.5	Bottom	3	2	24.07	8.11	29.81	86.80	6.2	3.0	7.5
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10B(N2)	8:07	1.0	Surface	1	1	24.35	8.14	27.18	89.60	6.4	2.0	6.6
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10B(N2)	8:07	1.0	Surface	1	2	24.34	8.15	27.22	91.80	6.5	1.9	5.8
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10B(N2)	8:07	3.2	Middle	2	1	24.11	8.14	29.60	89.30	6.4	2.1	6.7
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10B(N2)	8:07	3.2	Middle	2	2	24.22	8.13	28.88	89.00	6.3	2.2	7.7
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10B(N2)	8:07	5.4	Bottom	3	1	24.20	8.12	29.60	88.50	6.3	2.6	8.1
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	SR10B(N2)	8:07	5.4	Bottom	3	2	24.12	8.15	29.66	88.00	6.3	2.3	7.1
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS2(A)	10:26	1.0	Surface	1	1	25.04	8.18	18.46	95.90	7.1	5.8	8.6
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS2(A)	10:27	1.0	Surface	1	2	25.07	8.19	18.60	98.10	7.3	5.9	7.6
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS2(A)	10:26	3.2	Middle	2	1	24.69	8.10	22.08	92.90	6.8	5.4	10.1
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS2(A)	10:26	3.2	Middle	2	2	24.55	8.09	22.63	94.30	6.9	5.5	10.7
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS2(A)	10:26	5.3	Bottom	3	1	24.60	8.09	25.40	97.10	7.0	6.0	8.5
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS2(A)	10:26	5.3	Bottom	3	2	24.47	8.07	25.71	96.70	7.0	5.7	7.5
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS(Mf)5	8:37	1.0	Surface	1	1	24.03	8.09	23.53	99.60	7.3	4.2	5.5
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS(Mf)5	8:36	1.0	Surface	1	2	23.94	8.08	23.65	92.30	6.8	4.0	4.5
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS(Mf)5	8:36	6.3	Middle	2	1	23.34	8.01	30.63	90.90	6.5	7.2	4.7
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS(Mf)5	8:35	6.3	Middle	2	2	23.39	7.99	30.48	91.60	6.5	7.4	3.7
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS(Mf)5	8:36	11.6	Bottom	3	1	23.27	7.99	31.81	89.40	6.4	7.7	5.9
HKLR	HY/2011/03	2019-05-13	Mid-Ebb	Fine	CS(Mf)5	8:35	11.6	Bottom	3	2	23.23	7.94	31.98	89.70	6.4	7.7	5.0
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS5	12:32	1.0	Surface	1	1	24.85	8.27	22.55	106.10	7.7	3.1	8.6
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS5	12:32	1.0	Surface	1	2	24.69	8.23	22.87	105.20	7.7	3.0	7.7

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS5	12:31	4.3	Middle	2	1	24.24	8.21	24.03	99.70	7.3	5.5	8.0
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS5	12:32	4.3	Middle	2	2	24.34	8.19	23.95	105.10	7.6	5.1	7.9
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS5	12:31	7.5	Bottom	3	1	24.09	8.22	26.04	99.70	7.2	5.5	7.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS5	12:32	7.5	Bottom	3	2	24.01	8.18	26.25	102.90	7.5	5.6	8.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS(Mf)6	12:40	1.0	Surface	1	1	24.85	8.29	22.26	118.60	8.7	1.7	9.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS(Mf)6	12:40	1.0	Surface	1	2	24.90	8.29	22.19	116.60	8.5	1.6	9.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS(Mf)6	12:40	2.3	Bottom	3	1	24.85	8.29	22.55	116.10	8.5	1.8	7.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS(Mf)6	12:40	2.3	Bottom	3	2	24.90	8.29	22.29	117.20	8.6	1.6	8.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS7	12:48	1.0	Surface	1	1	24.87	8.24	22.38	110.10	8.0	2.2	7.8
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS7	12:48	1.0	Surface	1	2	24.75	8.23	22.48	111.70	8.2	2.2	6.8
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS7	12:48	2.2	Bottom	3	1	24.70	8.23	22.50	111.20	8.1	2.2	6.1
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS7	12:48	2.2	Bottom	3	2	24.54	8.24	22.56	107.40	7.9	2.2	5.8
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS8	13:17	1.0	Surface	1	1	24.53	8.28	21.56	115.20	8.5	4.3	12.0
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS8	13:17	1.0	Surface	1	2	24.56	8.29	21.76	117.10	8.6	4.2	12.3
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS8	13:17	3.3	Bottom	3	1	24.47	8.28	22.57	108.80	8.0	4.4	15.6
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS8	13:17	3.3	Bottom	3	2	24.37	8.27	22.65	104.80	7.7	4.4	14.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS(Mf)9	12:56	1.0	Surface	1	1	24.77	8.28	22.90	116.30	8.5	2.2	9.1
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS(Mf)9	12:56	1.0	Surface	1	2	24.79	8.28	22.91	118.60	8.6	2.2	10.1
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS(Mf)9	12:56	2.7	Bottom	3	1	24.78	8.29	22.75	112.60	8.2	2.1	11.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS(Mf)9	12:56	2.7	Bottom	3	2	24.77	8.28	23.14	117.30	8.5	2.3	10.6
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS10(N)	13:17	1.0	Surface	1	1	25.41	8.22	20.32	107.40	7.9	5.6	7.9
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS10(N)	13:18	1.0	Surface	1	2	25.28	8.18	20.35	102.40	7.3	5.5	8.8
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS10(N)	13:17	5.4	Middle	2	1	24.35	8.02	25.68	97.10	6.9	6.0	7.0
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS10(N)	13:17	5.4	Middle	2	2	24.37	8.03	25.66	98.20	7.2	5.3	7.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS10(N)	13:17	9.8	Bottom	3	1	24.41	8.05	27.46	93.90	6.8	7.8	13.1
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	IS10(N)	13:17	9.8	Bottom	3	2	24.35	8.03	27.97	91.10	6.6	7.2	12.1
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR3(N)	12:24	1.0	Surface	1	1	24.88	8.33	22.37	111.10	8.1	2.6	7.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR3(N)	12:24	1.0	Surface	1	2	24.86	8.35	22.36	106.80	7.8	2.8	6.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR3(N)	12:23	2.3	Bottom	3	1	24.77	8.40	22.60	100.90	7.4	2.8	4.4
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR3(N)	12:24	2.3	Bottom	3	2	24.77	8.33	22.60	109.80	8.0	2.8	5.3
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR4(N)	13:10	1.0	Surface	1	1	24.70	8.28	22.45	112.20	8.2	2.6	7.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR4(N)	13:11	1.0	Surface	1	2	24.59	8.26	22.53	114.60	8.4	2.5	8.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR4(N)	13:10	2.8	Bottom	3	1	24.63	8.30	22.62	103.50	7.6	2.6	12.0
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR4(N)	13:11	2.8	Bottom	3	2	24.63	8.27	22.54	108.40	7.9	2.6	13.0
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR5(N)	13:05	1.0	Surface	1	1	25.09	8.14	20.52	100.40	7.2	9.6	7.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR5(N)	13:05	1.0	Surface	1	2	25.20	8.15	20.36	96.10	7.1	9.9	8.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR5(N)	13:05	4.3	Middle	2	1	24.38	8.02	25.35	92.20	6.8	8.9	8.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR5(N)	13:04	4.3	Middle	2	2	24.36	8.01	25.53	93.20	6.7	8.7	7.5
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR5(N)	13:05	7.5	Bottom	3	1	24.26	8.01	28.06	93.30	6.7	10.5	7.2
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR5(N)	13:04	7.5	Bottom	3	2	24.39	8.02	27.99	92.50	6.8	10.1	8.1
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10A(N)	14:14	1.0	Surface	1	1	25.10	8.22	24.59	99.40	7.0	2.6	9.2
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10A(N)	14:15	1.0	Surface	1	2	25.26	8.23	24.58	106.20	7.6	2.5	9.4
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10A(N)	14:14	6.2	Middle	2	1	24.32	8.14	28.98	97.90	7.0	2.2	7.6
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10A(N)	14:15	6.2	Middle	2	2	24.32	8.12	29.00	96.40	6.8	2.4	8.6
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10A(N)	14:14	11.3	Bottom	3	1	24.37	8.13	29.03	92.30	6.6	2.7	6.6
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10A(N)	14:14	11.3	Bottom	3	2	24.33	8.17	29.10	94.80	6.7	2.4	7.4
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10B(N2)	14:26	1.0	Surface	1	1	25.07	8.20	24.76	105.70	7.6	3.3	9.0
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10B(N2)	14:26	1.0	Surface	1	2	25.08	8.19	25.02	104.00	7.5	3.2	8.2
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10B(N2)	14:26	3.3	Middle	2	1	24.58	8.14	26.97	104.00	7.4	4.0	8.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10B(N2)	14:26	3.3	Middle	2	2	24.57	8.13	27.20	100.90	7.2	3.8	9.6
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10B(N2)	14:26	5.6	Bottom	3	1	24.45	8.13	28.89	103.70	7.3	3.7	8.6
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	SR10B(N2)	14:25	5.6	Bottom	3	2	24.62	8.15	28.68	108.30	7.7	3.6	7.6

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS2(A)	12:14	1.0	Surface	1	1	25.05	8.11	20.82	91.90	6.7	5.9	8.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS2(A)	12:15	1.0	Surface	1	2	25.35	8.12	20.38	101.20	7.4	6.2	9.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS2(A)	12:14	3.1	Middle	2	1	24.44	8.01	24.41	89.90	6.5	7.6	9.6
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS2(A)	12:14	3.1	Middle	2	2	24.44	8.01	24.60	88.70	6.4	7.8	8.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS2(A)	12:14	5.1	Bottom	3	1	24.45	8.02	25.57	92.50	6.7	8.5	12.3
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS2(A)	12:14	5.1	Bottom	3	2	24.43	8.03	26.10	90.90	6.5	8.0	12.0
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS(Mf)5	13:41	1.0	Surface	1	1	24.24	8.23	24.16	96.90	7.1	1.9	10.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS(Mf)5	13:42	1.0	Surface	1	2	24.14	8.20	23.35	101.80	7.5	1.8	11.7
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS(Mf)5	13:42	6.3	Middle	2	1	23.47	8.11	29.87	92.20	6.6	1.8	13.3
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS(Mf)5	13:41	6.3	Middle	2	2	23.44	8.14	28.40	96.20	6.9	1.7	12.2
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS(Mf)5	13:41	11.5	Bottom	3	1	23.23	8.09	31.91	87.60	6.3	2.4	12.8
HKLR	HY/2011/03	2019-05-13	Mid-Flood	Fine	CS(Mf)5	13:41	11.5	Bottom	3	2	23.25	8.12	31.56	92.40	6.7	2.5	13.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS5	11:26	1.0	Surface	1	1	25.13	8.31	22.68	117.20	8.5	6.1	13.1
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS5	11:25	1.0	Surface	1	2	25.33	8.35	22.44	120.20	8.7	6.6	12.5
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS5	11:25	4.1	Middle	2	1	25.01	8.32	22.95	116.70	8.4	6.2	11.9
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS5	11:26	4.1	Middle	2	2	24.81	8.29	23.37	117.60	8.5	6.2	12.3
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS5	11:25	7.2	Bottom	3	1	24.71	8.32	23.74	107.00	7.8	6.3	11.7
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS5	11:26	7.2	Bottom	3	2	24.88	8.31	23.85	108.90	7.9	6.6	12.9
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS(Mf)6	11:17	1.0	Surface	1	1	25.19	8.39	22.66	122.10	8.8	7.1	11.2
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS(Mf)6	11:18	1.0	Surface	1	2	25.20	8.37	22.64	124.90	9.1	7.2	11.3
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS(Mf)6	11:17	2.0	Bottom	3	1	25.25	8.40	22.62	116.80	8.5	7.5	11.3
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS(Mf)6	11:17	2.0	Bottom	3	2	25.16	8.37	22.70	123.90	9.0	7.6	11.9
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS7	11:08	1.0	Surface	1	1	25.24	8.47	22.85	126.70	9.2	4.8	7.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS7	11:08	1.0	Surface	1	2	25.50	8.50	22.61	134.10	9.7	4.8	7.4
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS7	11:07	2.0	Bottom	3	1	25.16	8.47	22.92	108.20	7.8	4.8	7.3
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS7	11:08	2.0	Bottom	3	2	25.35	8.49	22.72	116.40	8.4	4.5	6.5
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS8	10:40	1.0	Surface	1	1	25.22	8.42	23.49	134.50	9.7	17.2	27.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS8	10:40	1.0	Surface	1	2	25.27	8.43	23.41	133.90	9.6	16.2	29.0
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS8	10:40	3.1	Bottom	3	1	24.99	8.40	24.14	132.80	9.6	16.2	32.1
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS8	10:40	3.1	Bottom	3	2	25.22	8.42	23.68	135.20	9.7	16.8	33.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS(Mf)9	10:59	1.0	Surface	1	1	25.58	8.45	22.52	128.90	9.3	3.4	5.0
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS(Mf)9	11:00	1.0	Surface	1	2	25.20	8.46	23.01	131.10	9.5	3.6	5.6
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS(Mf)9	11:00	2.6	Bottom	3	1	25.24	8.46	23.29	118.40	8.5	3.5	7.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS(Mf)9	10:59	2.6	Bottom	3	2	25.14	8.40	23.50	109.90	7.9	3.6	7.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS10(N)	11:04	1.0	Surface	1	1	25.44	8.24	19.02	103.20	7.4	9.1	6.5
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS10(N)	11:04	1.0	Surface	1	2	25.76	8.27	18.62	107.90	7.9	9.6	6.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS10(N)	11:04	5.2	Middle	2	1	25.10	8.16	23.76	101.20	7.3	10.0	6.3
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS10(N)	11:03	5.2	Middle	2	2	25.04	8.18	24.15	98.30	7.2	9.8	7.0
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS10(N)	11:04	9.3	Bottom	3	1	25.20	8.18	24.84	94.70	6.8	10.7	6.6
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	IS10(N)	11:03	9.3	Bottom	3	2	24.99	8.20	25.24	93.90	6.7	10.9	6.7
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR3(N)	11:34	1.0	Surface	1	1	25.73	8.44	22.61	133.00	9.6	5.8	9.3
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR3(N)	11:34	1.0	Surface	1	2	25.63	8.44	22.71	139.20	10.0	5.7	9.7
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR3(N)	11:33	2.4	Bottom	3	1	25.63	8.41	22.89	129.50	9.5	5.8	9.6
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR3(N)	11:34	2.4	Bottom	3	2	25.59	8.44	22.84	136.40	9.8	5.7	9.0
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR4(N)	10:48	1.0	Surface	1	1	24.50	8.27	24.55	103.80	7.5	7.9	9.4
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR4(N)	10:48	1.0	Surface	1	2	24.47	8.23	24.64	103.60	7.5	8.0	9.4
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR4(N)	10:48	2.7	Bottom	3	1	24.61	8.32	24.80	104.10	7.5	8.6	8.7
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR4(N)	10:48	2.7	Bottom	3	2	24.45	8.24	24.89	103.80	7.5	8.4	9.1
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR5(N)	11:15	1.0	Surface	1	1	25.79	8.23	18.97	111.10	8.1	8.0	6.1
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR5(N)	11:16	1.0	Surface	1	2	25.50	8.22	19.09	111.70	8.0	7.8	5.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR5(N)	11:15	4.2	Middle	2	1	25.13	8.16	22.07	108.70	7.7	10.7	6.0
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR5(N)	11:15	4.2	Middle	2	2	25.26	8.18	22.10	104.30	7.6	10.8	5.1

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR5(N)	11:15	7.3	Bottom	3	1	25.04	8.15	26.60	105.40	7.8	10.6	6.6
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR5(N)	11:15	7.3	Bottom	3	2	25.12	8.16	25.60	103.80	7.6	10.4	6.2
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10A(N)	9:59	1.0	Surface	1	1	24.84	8.20	27.47	100.60	7.1	3.4	6.7
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10A(N)	9:58	1.0	Surface	1	2	24.86	8.20	27.36	99.50	7.1	3.7	7.3
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10A(N)	9:58	6.4	Middle	2	1	24.50	8.16	29.09	97.30	6.9	5.5	7.2
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10A(N)	9:58	6.4	Middle	2	2	24.69	8.18	28.72	99.90	7.1	5.7	8.0
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10A(N)	9:58	11.7	Bottom	3	1	24.71	8.19	28.64	101.20	7.1	6.6	8.2
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10A(N)	9:58	11.7	Bottom	3	2	24.59	8.17	30.11	102.30	7.2	6.2	7.7
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10B(N2)	9:49	1.0	Surface	1	1	25.01	8.22	27.18	105.40	7.4	3.5	7.2
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10B(N2)	9:49	1.0	Surface	1	2	24.84	8.20	27.37	102.50	7.3	3.8	7.2
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10B(N2)	9:49	3.4	Middle	2	1	24.69	8.18	28.52	102.30	7.2	4.0	7.6
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10B(N2)	9:48	3.4	Middle	2	2	24.76	8.17	28.29	105.90	7.5	3.9	7.4
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10B(N2)	9:49	5.7	Bottom	3	1	24.76	8.19	29.61	99.20	7.0	3.6	7.1
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	SR10B(N2)	9:48	5.7	Bottom	3	2	24.73	8.15	28.58	98.90	7.0	3.8	6.9
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS2(A)	12:05	1.0	Surface	1	1	25.53	8.24	19.89	108.10	7.8	8.4	6.5
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS2(A)	12:05	1.0	Surface	1	2	25.65	8.26	19.65	112.00	8.2	8.8	6.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS2(A)	12:05	3.2	Middle	2	1	25.38	8.20	20.80	106.80	7.8	9.3	6.3
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS2(A)	12:05	3.2	Middle	2	2	25.38	8.21	21.03	106.90	7.8	9.9	6.6
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS2(A)	12:04	5.3	Bottom	3	1	25.24	8.19	23.11	103.70	7.6	8.9	8.0
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS2(A)	12:05	5.3	Bottom	3	2	25.26	8.18	22.90	103.20	7.5	9.5	7.0
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS(Mf)5	10:12	1.0	Surface	1	1	24.75	8.26	22.62	98.90	7.2	4.4	8.2
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS(Mf)5	10:13	1.0	Surface	1	2	24.54	8.24	23.27	99.90	7.3	4.2	8.1
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS(Mf)5	10:12	6.0	Middle	2	1	23.75	8.13	30.90	96.70	6.8	4.4	7.5
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS(Mf)5	10:12	6.0	Middle	2	2	23.77	8.14	30.86	99.60	7.3	4.8	7.6
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS(Mf)5	10:12	11.0	Bottom	3	1	23.74	8.14	31.19	97.20	6.9	4.9	7.8
HKLR	HY/2011/03	2019-05-15	Mid-Ebb	Fine	CS(Mf)5	10:12	11.0	Bottom	3	2	23.71	8.13	31.24	94.90	6.7	4.8	7.4
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS5	14:58	1.0	Surface	1	1	25.75	8.40	22.91	132.50	9.5	8.7	10.1
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS5	14:58	1.0	Surface	1	2	25.81	8.40	22.86	133.70	9.6	8.6	10.0
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS5	14:58	4.2	Middle	2	1	25.53	8.39	23.01	126.60	9.1	8.8	10.9
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS5	14:58	4.2	Middle	2	2	25.53	8.38	23.04	131.70	9.5	8.6	11.2
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS5	14:58	7.3	Bottom	3	1	25.39	8.39	23.20	114.20	8.2	8.5	10.6
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS5	14:58	7.3	Bottom	3	2	25.62	8.40	23.04	119.20	8.6	8.6	11.1
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS(Mf)6	15:08	1.0	Surface	1	1	25.78	8.52	22.92	159.50	11.4	2.5	4.4
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS(Mf)6	15:07	1.0	Surface	1	2	26.10	8.54	22.70	159.10	11.4	2.5	4.4
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS(Mf)6	15:07	2.0	Bottom	3	1	25.99	8.53	22.72	152.60	10.9	2.5	5.1
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS(Mf)6	15:07	2.0	Bottom	3	2	25.99	8.53	22.84	157.70	11.2	2.4	5.3
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS7	15:17	1.0	Surface	1	1	25.88	8.57	22.56	156.50	11.2	3.6	6.3
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS7	15:17	1.0	Surface	1	2	25.89	8.58	22.54	161.50	11.6	3.5	5.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS7	15:17	2.1	Bottom	3	1	25.90	8.58	22.63	151.40	10.8	3.5	5.8
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS7	15:16	2.1	Bottom	3	2	25.52	8.57	23.07	142.10	10.2	3.5	6.1
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS8	15:47	1.0	Surface	1	1	25.21	8.44	22.72	134.80	9.8	7.5	9.6
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS8	15:47	1.0	Surface	1	2	25.20	8.43	22.73	136.40	9.9	7.8	9.4
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS8	15:47	2.9	Bottom	3	1	25.19	8.44	22.75	136.00	9.8	7.4	13.4
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS8	15:46	2.9	Bottom	3	2	25.20	8.44	22.76	130.70	9.5	7.6	13.0
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS(Mf)9	15:26	1.0	Surface	1	1	25.30	8.50	22.68	126.60	9.1	7.7	10.6
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS(Mf)9	15:27	1.0	Surface	1	2	25.27	8.47	22.69	130.30	9.4	7.6	9.9
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS(Mf)9	15:26	2.6	Bottom	3	1	25.25	8.47	22.87	116.50	8.4	7.5	9.8
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS(Mf)9	15:26	2.6	Bottom	3	2	25.44	8.52	22.90	115.80	8.4	7.5	10.2
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS10(N)	15:50	1.0	Surface	1	1	26.05	8.31	19.62	118.30	8.6	9.3	9.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS10(N)	15:49	1.0	Surface	1	2	26.14	8.30	19.63	120.00	8.6	9.0	8.9
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS10(N)	15:50	5.1	Middle	2	1	25.09	8.21	23.07	107.50	7.8	8.6	8.8
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS10(N)	15:49	5.1	Middle	2	2	25.13	8.19	23.00	106.60	7.7	8.9	8.6

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS10(N)	15:50	9.2	Bottom	3	1	25.00	8.23	24.45	112.40	8.1	9.4	9.4
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	IS10(N)	15:49	9.2	Bottom	3	2	25.16	8.20	24.14	111.60	8.0	9.1	9.1
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR3(N)	14:50	1.0	Surface	1	1	25.22	8.36	23.30	125.00	9.0	9.0	12.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR3(N)	14:50	1.0	Surface	1	2	25.22	8.34	23.27	126.10	9.1	8.8	12.0
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR3(N)	14:49	2.5	Bottom	3	1	25.22	8.39	23.34	121.40	8.8	8.7	13.3
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR3(N)	14:50	2.5	Bottom	3	2	25.21	8.35	23.31	124.20	9.0	8.9	13.7
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR4(N)	15:40	1.0	Surface	1	1	25.77	8.53	22.74	133.10	9.5	4.3	6.4
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR4(N)	15:40	1.0	Surface	1	2	25.67	8.49	22.89	124.60	8.9	4.2	6.0
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR4(N)	15:40	2.7	Bottom	3	1	25.25	8.46	23.66	116.20	8.3	4.2	6.2
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR4(N)	15:40	2.7	Bottom	3	2	25.74	8.51	22.99	117.50	8.4	4.2	6.7
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR5(N)	15:30	1.0	Surface	1	1	26.09	8.34	19.72	112.30	8.1	9.7	7.3
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR5(N)	15:30	1.0	Surface	1	2	25.96	8.33	19.85	110.90	8.1	9.3	7.9
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR5(N)	15:29	4.0	Middle	2	1	25.16	8.17	22.69	98.60	7.1	10.7	7.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR5(N)	15:30	4.0	Middle	2	2	25.14	8.18	22.77	100.20	7.3	11.1	7.2
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR5(N)	15:30	7.0	Bottom	3	1	24.73	8.13	27.74	105.00	7.5	10.0	8.3
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR5(N)	15:29	7.0	Bottom	3	2	24.71	8.11	27.74	101.30	7.2	10.5	8.1
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10A(N)	16:47	1.0	Surface	1	1	24.95	8.26	26.72	96.10	6.8	4.2	3.9
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10A(N)	16:46	1.0	Surface	1	2	24.97	8.27	26.44	94.40	6.7	4.5	4.3
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10A(N)	16:46	6.4	Middle	2	1	24.54	8.21	29.64	93.80	6.6	4.8	5.3
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10A(N)	16:46	6.4	Middle	2	2	24.53	8.23	29.67	92.00	6.5	5.0	5.7
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10A(N)	16:46	11.8	Bottom	3	1	24.59	8.22	29.82	95.70	6.7	4.6	4.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10A(N)	16:46	11.8	Bottom	3	2	24.55	8.26	29.88	93.60	6.6	4.2	5.3
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10B(N2)	16:53	1.0	Surface	1	1	24.89	8.25	26.80	98.80	7.0	3.2	3.7
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10B(N2)	16:52	1.0	Surface	1	2	24.89	8.25	26.78	97.00	6.9	3.1	3.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10B(N2)	16:53	3.4	Middle	2	1	24.78	8.23	28.61	97.80	6.9	3.4	2.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10B(N2)	16:52	3.4	Middle	2	2	24.72	8.22	28.75	95.70	6.8	3.3	2.1
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10B(N2)	16:52	5.8	Bottom	3	1	24.84	8.24	28.76	98.40	6.9	4.5	2.7
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	SR10B(N2)	16:52	5.8	Bottom	3	2	24.58	8.21	29.53	96.40	6.8	4.3	2.4
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS2(A)	14:49	1.0	Surface	1	1	25.83	8.30	19.84	111.50	8.1	6.9	8.8
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS2(A)	14:48	1.0	Surface	1	2	25.66	8.27	19.95	110.80	8.0	6.6	8.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS2(A)	14:48	3.1	Middle	2	1	25.24	8.20	22.27	104.00	7.6	6.0	7.3
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS2(A)	14:48	3.1	Middle	2	2	25.25	8.21	22.37	108.80	7.9	6.6	6.9
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS2(A)	14:48	5.1	Bottom	3	1	25.25	8.24	23.60	100.00	7.2	7.8	7.2
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS2(A)	14:48	5.1	Bottom	3	2	25.43	8.25	23.52	100.30	7.3	7.7	6.9
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS(Mf)5	16:14	1.0	Surface	1	1	24.71	8.30	23.58	121.50	8.6	2.2	6.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS(Mf)5	16:13	1.0	Surface	1	2	25.16	8.45	23.26	122.20	8.7	2.2	6.5
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS(Mf)5	16:12	6	Middle	2	1	23.96	8.25	26.91	101.80	7.2	5.3	6.1
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS(Mf)5	16:14	6	Middle	2	2	23.85	8.18	29.35	98.30	7.1	5.1	6.6
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS(Mf)5	16:13	10.9	Bottom	3	1	23.80	8.23	30.45	93.90	6.7	5.6	6.1
HKLR	HY/2011/03	2019-05-15	Mid-Flood	Fine	CS(Mf)5	16:11	10.9	Bottom	3	2	23.80	8.26	30.52	97.60	7.1	5.2	6.0
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS5	11:03	1.0	Surface	1	1	24.96	8.28	24.38	99.50	7.1	7.1	7.1
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS5	11:03	1.0	Surface	1	2	24.99	8.29	24.38	99.60	7.1	7.2	7.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS5	11:02	4.1	Middle	2	1	24.84	8.29	24.38	99.60	7.1	7.3	7.8
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS5	11:03	4.1	Middle	2	2	24.84	8.27	24.40	99.50	7.1	7.2	7.4
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS5	11:02	7.1	Bottom	3	1	24.77	8.29	24.39	99.00	7.1	7.3	8.2
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS5	11:03	7.1	Bottom	3	2	24.87	8.28	24.41	99.50	7.1	7.6	7.6
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS(Mf)6	11:09	1.0	Surface	1	1	24.98	8.27	24.36	100.00	7.1	7.8	7.6
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS(Mf)6	11:08	1.0	Surface	1	2	25.15	8.27	24.34	100.60	7.2	7.6	7.4
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS(Mf)6	11:08	2.2	Bottom	3	1	25.08	8.27	24.35	100.60	7.2	8.4	8.4
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS(Mf)6	11:08	2.2	Bottom	3	2	25.09	8.28	24.35	100.30	7.1	8.5	8.7
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS7	11:15	1.0	Surface	1	1	25.03	8.28	24.36	101.30	7.2	6.5	6.6
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS7	11:14	1.0	Surface	1	2	25.03	8.28	24.37	99.90	7.1	6.6	7.3

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS7	11:14	2.3	Bottom	3	1	24.84	8.28	24.36	99.70	7.1	6.9	7.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS7	11:15	2.3	Bottom	3	2	25.04	8.28	24.36	100.50	7.2	6.6	7.1
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS8	11:41	1.0	Surface	1	1	24.69	8.25	24.32	100.30	7.1	6.8	10.8
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS8	11:41	1.0	Surface	1	2	24.68	8.25	24.31	99.20	7.0	6.7	10.2
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS8	11:41	2.8	Bottom	3	1	24.68	8.24	24.32	99.30	7.1	7.1	13.3
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS8	11:41	2.8	Bottom	3	2	24.69	8.25	24.32	101.70	7.2	7.4	13.3
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS(Mf)9	11:20	1.0	Surface	1	1	24.73	8.28	24.36	101.10	7.2	7.1	11.8
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS(Mf)9	11:20	1.0	Surface	1	2	24.71	8.27	24.37	101.10	7.2	7.3	11.5
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS(Mf)9	11:20	2.4	Bottom	3	1	24.70	8.28	24.36	101.10	7.2	7.1	10.2
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS(Mf)9	11:20	2.4	Bottom	3	2	24.80	8.27	24.36	101.30	7.2	7.4	10.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS10(N)	11:30	1.0	Surface	1	1	26.55	8.23	20.10	98.50	7.1	4.8	4.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS10(N)	11:31	1.0	Surface	1	2	26.57	8.21	20.11	98.60	7.1	4.7	4.7
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS10(N)	11:31	4.9	Middle	2	1	25.95	8.19	22.56	94.20	6.7	5.3	3.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS10(N)	11:29	4.9	Middle	2	2	25.91	8.19	22.60	93.60	6.7	5.1	3.7
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS10(N)	11:30	8.8	Bottom	3	1	25.24	8.19	27.69	91.40	6.4	6.2	3.1
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	IS10(N)	11:29	8.8	Bottom	3	2	25.22	8.19	27.69	91.70	6.5	5.9	3.0
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR3(N)	10:52	1.0	Surface	1	1	24.70	8.29	24.37	98.70	7.0	7.5	9.3
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR3(N)	10:53	1.0	Surface	1	2	24.69	8.29	24.37	98.10	7.0	7.6	8.3
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR3(N)	10:52	2.4	Bottom	3	1	24.72	8.29	24.36	99.20	7.1	7.5	11.4
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR3(N)	10:53	2.4	Bottom	3	2	24.69	8.30	24.37	98.10	7.0	7.4	12.5
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR4(N)	11:34	1.0	Surface	1	1	24.98	8.25	24.33	98.80	7.0	6.1	10.2
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR4(N)	11:34	1.0	Surface	1	2	24.92	8.26	24.33	98.50	7.0	6.4	10.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR4(N)	11:34	2.8	Bottom	3	1	24.96	8.25	24.33	98.50	7.0	6.4	10.6
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR4(N)	11:34	2.8	Bottom	3	2	24.69	8.25	24.34	98.50	7.0	6.6	11.4
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR5(N)	11:13	1.0	Surface	1	1	26.59	8.20	19.95	98.60	7.1	5.3	6.1
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR5(N)	11:12	1.0	Surface	1	2	26.60	8.19	19.99	98.10	7.0	5.1	5.2
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR5(N)	11:12	4.2	Middle	2	1	26.01	8.19	21.88	95.20	6.8	5.8	3.5
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR5(N)	11:13	4.2	Middle	2	2	25.99	8.19	21.89	94.90	6.8	5.9	4.6
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR5(N)	11:11	7.4	Bottom	3	1	25.88	8.18	23.99	94.90	6.7	6.6	3.4
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR5(N)	11:13	7.4	Bottom	3	2	25.84	8.18	23.96	94.30	6.7	6.7	3.0
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10A(N)	12:16	1.0	Surface	1	1	26.51	8.15	20.90	99.50	7.1	4.5	2.1
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10A(N)	12:15	1.0	Surface	1	2	26.50	8.15	20.88	99.20	7.1	4.4	1.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10A(N)	12:14	6.8	Middle	2	1	25.71	8.15	25.70	95.30	6.7	4.8	2.1
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10A(N)	12:16	6.8	Middle	2	2	26.67	8.15	25.74	95.40	6.8	5.0	2.2
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10A(N)	12:14	12.6	Bottom	3	1	25.36	8.16	26.88	92.70	6.5	5.7	2.3
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10A(N)	12:15	12.6	Bottom	3	2	25.35	8.15	26.78	93.10	6.6	5.5	2.0
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10B(N2)	12:28	1.0	Surface	1	1	26.39	8.16	21.13	99.40	7.1	3.1	2.0
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10B(N2)	12:29	1.0	Surface	1	2	26.41	8.16	21.11	99.70	7.1	3.2	2.2
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10B(N2)	12:27	3.7	Middle	2	1	26.11	8.16	23.28	98.40	7.0	3.5	1.5
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10B(N2)	12:28	3.7	Middle	2	2	26.12	8.16	23.27	98.90	7.0	3.6	1.6
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10B(N2)	12:28	6.4	Bottom	3	1	26.07	8.16	23.72	97.70	6.9	3.9	2.5
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	SR10B(N2)	12:27	6.4	Bottom	3	2	26.04	8.15	23.73	97.50	6.9	4.1	2.0
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS2(A)	10:22	1.0	Surface	1	1	26.31	8.30	19.54	99.50	7.2	5.7	5.5
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS2(A)	10:21	1.0	Surface	1	2	26.35	8.30	19.54	99.80	7.2	5.8	5.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS2(A)	10:20	3.7	Middle	2	1	25.83	8.30	21.35	95.50	6.9	6.5	5.3
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS2(A)	10:22	3.7	Middle	2	2	25.87	8.29	21.30	95.10	6.8	6.6	5.8
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS2(A)	10:19	6.4	Bottom	3	1	25.47	8.31	22.38	94.90	6.8	7.2	5.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS2(A)	10:22	6.4	Bottom	3	2	25.45	8.28	22.44	95.10	6.8	7.1	4.9
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS(Mf)5	11:59	1.0	Surface	1	1	24.40	8.29	24.81	96.20	6.8	4.3	10.6
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS(Mf)5	11:59	1.0	Surface	1	2	24.63	8.27	24.83	96.70	6.8	4.2	11.7
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS(Mf)5	11:58	6.0	Middle	2	1	23.99	8.23	31.20	97.30	6.9	4.2	10.5
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS(Mf)5	11:59	6.0	Middle	2	2	23.93	8.24	31.21	95.80	6.8	4.3	11.5

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS(Mf)5	11:59	11.0	Bottom	3	1	23.91	8.25	31.19	97.40	6.9	5.5	12.0
HKLR	HY/2011/03	2019-05-17	Mid-Ebb	Sunny	CS(Mf)5	11:58	11.0	Bottom	3	2	23.91	8.24	31.17	98.20	7.0	5.7	11.3
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS5	5:51	1.0	Surface	1	1	24.50	8.28	24.61	94.20	6.7	5.8	11.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS5	5:51	1.0	Surface	1	2	24.59	8.29	24.70	94.80	6.7	5.7	10.9
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS5	5:51	4.2	Middle	2	1	24.38	8.27	24.95	94.30	6.7	5.7	11.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS5	5:51	4.2	Middle	2	2	24.27	8.27	24.98	94.50	6.7	5.5	10.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS5	5:51	7.3	Bottom	3	1	24.33	8.26	24.96	94.50	6.7	5.5	6.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS5	5:51	7.3	Bottom	3	2	24.22	8.27	25.06	93.60	6.6	5.7	6.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS(Mf)6	5:40	1.0	Surface	1	1	24.56	8.29	24.50	94.90	6.8	6.1	11.4
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS(Mf)6	5:40	1.0	Surface	1	2	24.55	8.29	24.55	94.00	6.7	6.2	12.1
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS(Mf)6	5:40	2.3	Bottom	3	1	24.54	8.28	24.76	93.90	6.7	6.3	10.8
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS(Mf)6	5:40	2.3	Bottom	3	2	24.50	8.28	24.72	93.80	6.7	6.2	11.6
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS7	5:32	1.0	Surface	1	1	24.69	8.28	24.58	94.80	6.8	6.0	11.0
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS7	5:32	1.0	Surface	1	2	24.61	8.29	24.32	94.70	6.7	5.9	11.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS7	5:32	2.4	Bottom	3	1	24.48	8.27	24.80	94.40	6.7	6.1	11.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS7	5:32	2.4	Bottom	3	2	24.61	8.27	24.68	94.70	6.7	6.2	11.3
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS8	5:04	1.0	Surface	1	1	24.59	8.24	24.43	94.50	6.7	6.6	10.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS8	5:05	1.0	Surface	1	2	24.55	8.24	24.55	95.00	6.8	6.5	10.8
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS8	5:04	2.9	Bottom	3	1	24.54	8.23	24.68	94.30	6.7	7.2	10.7
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS8	5:04	2.9	Bottom	3	2	24.39	8.25	24.84	94.70	6.7	6.8	10.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS(Mf)9	5:22	1.0	Surface	1	1	24.72	8.27	24.68	94.70	6.7	8.5	14.0
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS(Mf)9	5:22	1.0	Surface	1	2	24.53	8.28	24.37	94.80	6.8	8.8	14.8
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS(Mf)9	5:22	2.6	Bottom	3	1	24.55	8.26	24.71	94.50	6.7	9.6	13.1
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS(Mf)9	5:22	2.6	Bottom	3	2	24.48	8.26	24.78	94.80	6.7	9.8	13.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS10(N)	5:08	1.0	Surface	1	1	25.78	8.25	23.53	96.70	6.9	5.4	5.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS10(N)	5:07	1.0	Surface	1	2	25.78	8.24	23.52	96.30	6.9	5.3	5.7
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS10(N)	5:07	5.0	Middle	2	1	25.65	8.21	24.14	95.50	6.8	5.9	5.4
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS10(N)	5:08	5.0	Middle	2	2	25.65	8.21	24.17	95.70	6.8	5.7	5.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS10(N)	5:06	9.0	Bottom	3	1	25.18	8.19	26.65	92.80	6.6	6.7	5.9
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	IS10(N)	5:07	9.0	Bottom	3	2	25.20	8.19	26.63	93.30	6.6	6.5	5.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR3(N)	6:02	1.0	Surface	1	1	24.76	8.29	24.62	94.00	6.7	5.9	7.8
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR3(N)	6:02	1.0	Surface	1	2	24.79	8.29	24.70	93.10	6.6	5.8	7.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR3(N)	6:02	2.7	Bottom	3	1	24.72	8.29	24.88	93.00	6.6	6.6	6.9
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR3(N)	6:02	2.7	Bottom	3	2	24.73	8.29	24.73	93.30	6.6	6.6	6.4
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR4(N)	5:14	1.0	Surface	1	1	24.17	8.25	24.56	94.90	6.8	4.2	6.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR4(N)	5:14	1.0	Surface	1	2	24.16	8.25	24.24	95.00	6.8	3.9	6.9
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR4(N)	5:14	2.7	Bottom	3	1	24.14	8.24	24.68	94.80	6.7	4.1	8.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR4(N)	5:14	2.7	Bottom	3	2	24.19	8.25	24.85	94.80	6.7	4.4	7.4
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR5(N)	5:19	1.0	Surface	1	1	25.97	8.25	23.32	98.20	7.0	4.6	6.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR5(N)	5:18	1.0	Surface	1	2	25.94	8.26	23.35	97.80	7.0	4.7	6.9
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR5(N)	5:17	4.3	Middle	2	1	25.80	8.23	23.91	96.50	6.9	5.1	7.4
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR5(N)	5:19	4.3	Middle	2	2	25.81	8.23	23.92	96.00	6.8	5.2	7.3
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR5(N)	5:18	7.6	Bottom	3	1	25.31	8.21	26.05	94.00	6.7	5.4	7.8
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR5(N)	5:17	7.6	Bottom	3	2	25.29	8.21	26.03	94.10	6.7	5.6	7.7
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10A(N)	4:17	1.0	Surface	1	1	25.71	8.19	24.06	97.50	6.9	3.0	4.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10A(N)	4:18	1.0	Surface	1	2	25.72	8.20	24.09	97.40	6.9	2.8	5.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10A(N)	4:17	6.9	Middle	2	1	25.19	8.19	26.48	93.50	6.6	3.7	4.8
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10A(N)	4:18	6.9	Middle	2	2	25.22	8.20	26.52	93.60	6.6	3.5	5.7
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10A(N)	4:16	12.8	Bottom	3	1	24.82	8.18	29.15	93.50	6.6	5.0	6.4
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10A(N)	4:17	12.8	Bottom	3	2	24.81	8.19	29.17	93.00	6.5	4.8	6.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10B(N2)	4:07	1.0	Surface	1	1	25.67	8.15	24.19	97.40	6.9	3.7	7.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10B(N2)	4:08	1.0	Surface	1	2	25.72	8.17	24.25	97.80	6.9	3.5	6.4

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10B(N2)	4:07	3.8	Middle	2	1	25.34	8.15	26.12	95.70	6.8	4.3	6.5
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10B(N2)	4:08	3.8	Middle	2	2	25.37	8.17	26.16	95.30	6.7	4.2	7.7
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10B(N2)	4:06	6.6	Bottom	3	1	25.07	8.14	27.70	94.90	6.7	4.6	7.6
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	SR10B(N2)	4:08	6.6	Bottom	3	2	25.10	8.16	27.73	94.30	6.6	4.5	6.9
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS2(A)	6:14	1.0	Surface	1	1	25.84	8.28	20.32	95.90	6.8	5.5	6.1
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS2(A)	6:12	1.0	Surface	1	2	25.86	8.28	20.33	96.00	6.8	5.2	6.7
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS2(A)	6:11	3.8	Middle	2	1	25.59	8.28	21.85	94.50	6.7	6.2	7.0
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS2(A)	6:13	3.8	Middle	2	2	25.55	8.28	21.88	94.20	6.7	6.5	7.6
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS2(A)	6:13	6.6	Bottom	3	1	25.16	8.28	23.51	93.00	6.6	6.8	7.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS2(A)	6:11	6.6	Bottom	3	2	25.14	8.29	23.57	92.80	6.6	6.6	7.9
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS(Mf)5	4:38	1.0	Surface	1	1	24.40	8.25	24.30	96.50	6.9	4.2	8.0
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS(Mf)5	4:39	1.0	Surface	1	2	24.21	8.25	24.50	97.10	6.9	4.1	8.9
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS(Mf)5	4:38	6.1	Middle	2	1	23.72	8.24	31.68	96.40	6.9	4.3	8.3
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS(Mf)5	4:38	6.1	Middle	2	2	23.72	8.24	31.72	95.70	6.8	4.3	7.6
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS(Mf)5	4:38	11.1	Bottom	3	1	23.72	8.24	31.63	96.80	6.9	4.4	7.2
HKLR	HY/2011/03	2019-05-17	Mid-Flood	Fine	CS(Mf)5	4:38	11.1	Bottom	3	2	23.71	8.24	31.73	96.20	6.9	4.4	7.7
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS5	12:48	1.0	Surface	1	1	24.42	8.26	26.51	101.00	7.3	9.6	2.3
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS5	12:48	1.0	Surface	1	2	24.41	8.24	26.50	100.40	7.2	9.2	2.5
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS5	12:48	4.1	Middle	2	1	24.33	8.27	26.59	101.30	7.3	10.2	1.6
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS5	12:48	4.1	Middle	2	2	24.32	8.24	26.60	100.50	7.2	10.0	1.4
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS5	12:47	7.2	Bottom	3	1	24.29	8.28	26.64	101.60	7.3	10.8	1.8
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS5	12:48	7.2	Bottom	3	2	24.34	8.25	26.61	100.50	7.2	10.5	1.2
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS(Mf)6	12:57	1.0	Surface	1	1	24.48	8.24	26.21	100.30	7.2	9.0	2.4
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS(Mf)6	12:57	1.0	Surface	1	2	24.58	8.26	26.21	101.60	7.3	9.4	2.4
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS(Mf)6	12:57	2.2	Bottom	3	1	24.53	8.25	26.26	101.00	7.3	9.8	2.2
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS(Mf)6	12:57	2.2	Bottom	3	2	24.54	8.27	26.31	102.50	7.4	10.3	2.5
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS7	13:04	1.0	Surface	1	1	24.56	8.25	26.05	100.60	7.2	7.3	2.2
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS7	13:05	1.0	Surface	1	2	24.56	8.24	26.04	100.50	7.2	7.6	2.1
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS7	13:04	2.2	Bottom	3	1	24.43	8.26	26.06	101.40	7.3	8.8	2.3
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS7	13:04	2.2	Bottom	3	2	24.54	8.25	26.05	100.50	7.2	8.5	2.4
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS8	13:45	1.0	Surface	1	1	24.38	8.23	26.07	100.20	7.2	8.3	1.5
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS8	13:45	1.0	Surface	1	2	24.37	8.22	26.07	99.00	7.1	8.6	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS8	13:44	2.8	Bottom	3	1	24.38	8.23	26.07	101.40	7.3	9.5	0.9
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS8	13:45	2.8	Bottom	3	2	24.37	8.22	26.07	99.40	7.1	9.6	1.0
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS(Mf)9	13:26	1.0	Surface	1	1	24.39	8.22	26.07	100.10	7.2	7.1	1.8
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS(Mf)9	13:26	1.0	Surface	1	2	24.44	8.24	26.04	100.50	7.2	6.7	1.8
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS(Mf)9	13:26	2.5	Bottom	3	1	24.34	8.23	26.10	100.20	7.2	7.2	2.0
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS(Mf)9	13:25	2.5	Bottom	3	2	24.39	8.24	26.11	100.90	7.3	7.6	2.1
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS10(N)	13:58	1.0	Surface	1	1	27.47	8.08	21.21	97.40	6.8	7.7	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS10(N)	13:57	1.0	Surface	1	2	27.48	8.08	21.13	97.80	6.9	7.5	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS10(N)	13:57	5.0	Middle	2	1	26.98	8.05	22.61	94.00	6.6	8.5	1.7
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS10(N)	13:56	5.0	Middle	2	2	27.02	8.05	22.58	94.40	6.6	8.7	2.0
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS10(N)	13:56	9.0	Bottom	3	1	26.67	8.05	23.66	94.00	6.6	9.8	2.0
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	IS10(N)	13:57	9.0	Bottom	3	2	26.63	8.04	23.66	93.20	6.6	9.5	1.3
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR3(N)	12:41	1.0	Surface	1	1	24.31	8.26	26.37	99.20	7.1	11.5	1.7
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR3(N)	12:41	1.0	Surface	1	2	24.30	8.25	26.38	98.50	7.1	11.1	1.5
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR3(N)	12:40	2.4	Bottom	3	1	24.29	8.27	26.50	99.60	7.2	11.5	2.3
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR3(N)	12:41	2.4	Bottom	3	2	24.30	8.25	26.40	98.50	7.1	11.0	2.3
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR4(N)	13:38	1.0	Surface	1	1	24.52	8.22	25.99	99.10	7.1	7.7	1.3
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR4(N)	13:38	1.0	Surface	1	2	24.50	8.23	25.98	99.30	7.1	7.4	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR4(N)	13:38	2.7	Bottom	3	1	24.51	8.22	25.99	99.10	7.1	8.5	1.5
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR4(N)	13:37	2.7	Bottom	3	2	24.36	8.25	26.00	101.20	7.3	8.4	2.2

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR5(N)	13:51	1.0	Surface	1	1	27.55	8.09	21.02	99.40	7.0	6.7	3.2
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR5(N)	13:50	1.0	Surface	1	2	27.54	8.10	21.02	99.70	7.0	6.9	3.9
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR5(N)	13:50	4.2	Middle	2	1	27.09	8.08	22.38	96.60	6.8	7.8	3.1
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR5(N)	13:51	4.2	Middle	2	2	27.11	8.07	22.29	97.50	6.8	7.6	2.6
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR5(N)	13:49	7.4	Bottom	3	1	26.97	8.08	22.71	95.40	6.7	8.5	3.7
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR5(N)	13:50	7.4	Bottom	3	2	26.94	8.07	22.63	96.20	6.7	8.3	3.3
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10A(N)	14:39	1.0	Surface	1	1	27.42	8.11	22.41	102.80	7.2	3.6	2.6
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10A(N)	14:38	1.0	Surface	1	2	27.44	8.11	22.38	102.90	7.2	3.5	2.6
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10A(N)	14:38	6.8	Middle	2	1	27.29	8.11	22.83	100.90	7.0	4.3	2.6
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10A(N)	14:39	6.8	Middle	2	2	27.27	8.10	22.80	101.30	7.1	4.4	3.5
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10A(N)	14:38	12.6	Bottom	3	1	26.94	8.10	24.02	100.40	7.0	4.7	2.2
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10A(N)	14:37	12.6	Bottom	3	2	26.91	8.10	23.98	99.80	7.0	4.8	2.0
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10B(N2)	14:48	1.0	Surface	1	1	27.42	8.11	22.44	103.30	7.2	2.6	2.6
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10B(N2)	14:49	1.0	Surface	1	2	27.43	8.11	22.42	103.40	7.2	2.4	2.2
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10B(N2)	14:47	3.8	Middle	2	1	27.32	8.11	22.70	102.50	7.2	3.1	2.7
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10B(N2)	14:48	3.8	Middle	2	2	27.33	8.10	22.69	102.70	7.2	2.9	2.1
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10B(N2)	14:47	6.6	Bottom	3	1	27.17	8.10	23.57	102.40	7.1	3.5	1.6
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	SR10B(N2)	14:48	6.6	Bottom	3	2	27.19	8.10	23.57	102.00	7.1	3.3	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS2(A)	13:02	1.0	Surface	1	1	27.26	8.09	21.35	94.10	6.6	4.2	2.4
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS2(A)	13:01	1.0	Surface	1	2	27.29	8.09	21.32	93.90	6.6	4.3	2.3
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS2(A)	13:01	3.7	Middle	2	1	25.99	8.05	26.49	81.20	5.7	4.6	2.7
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS2(A)	13:02	3.7	Middle	2	2	26.01	8.04	26.42	81.60	5.7	4.8	2.2
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS2(A)	13:00	6.4	Bottom	3	1	25.66	8.05	27.61	79.30	5.5	5.5	2.7
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS2(A)	13:01	6.4	Bottom	3	2	25.69	8.04	27.66	79.90	5.6	5.3	2.6
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS(Mf)5	14:05	1.0	Surface	1	1	23.99	8.23	26.61	96.30	6.9	5.0	3.5
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS(Mf)5	14:05	1.0	Surface	1	2	24.17	8.24	26.56	97.70	7.0	5.2	3.6
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS(Mf)5	14:04	6.0	Middle	2	1	23.72	8.23	29.98	97.90	7.0	5.0	2.5
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS(Mf)5	14:05	6.0	Middle	2	2	23.68	8.21	29.98	96.00	6.9	5.1	3.1
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS(Mf)5	14:04	11.0	Bottom	3	1	23.67	8.24	30.24	98.90	7.1	5.4	1.7
HKLR	HY/2011/03	2019-05-20	Mid-Ebb	Fine	CS(Mf)5	14:05	11.0	Bottom	3	2	23.65	8.22	30.22	97.50	7.0	5.8	2.0
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS5	6:51	1.0	Surface	1	1	24.19	8.23	26.25	95.60	6.9	7.8	2.1
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS5	6:50	1.0	Surface	1	2	24.24	8.25	26.30	96.40	6.9	7.8	2.4
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS5	6:50	4.3	Middle	2	1	24.13	8.24	26.42	96.30	6.9	7.7	3.1
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS5	6:50	4.3	Middle	2	2	24.07	8.23	26.44	95.80	6.9	8.2	2.5
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS5	6:50	7.5	Bottom	3	1	24.10	8.23	26.44	95.90	6.9	8.1	2.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS5	6:50	7.5	Bottom	3	2	24.05	8.25	26.48	96.30	6.9	8.2	3.4
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS(Mf)6	6:38	1.0	Surface	1	1	24.22	8.26	26.12	96.30	6.9	6.9	2.6
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS(Mf)6	6:39	1.0	Surface	1	2	24.22	8.25	26.10	96.40	6.9	6.9	2.2
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS(Mf)6	6:38	2.2	Bottom	3	1	24.24	8.27	26.31	96.40	6.9	7.3	2.1
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS(Mf)6	6:38	2.2	Bottom	3	2	24.20	8.25	26.26	96.00	6.9	7.1	2.7
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS7	6:29	1.0	Surface	1	1	24.24	8.24	26.24	97.60	7.0	10.5	2.5
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS7	6:28	1.0	Surface	1	2	24.23	8.26	26.09	98.20	7.1	10.2	2.7
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS7	6:28	2.2	Bottom	3	1	24.14	8.25	26.34	98.40	7.1	11.4	2.1
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS7	6:28	2.2	Bottom	3	2	24.21	8.24	26.28	98.00	7.1	11.1	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS8	6:01	1.0	Surface	1	1	24.11	8.22	26.03	96.60	7.0	7.7	1.2
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS8	6:01	1.0	Surface	1	2	24.09	8.21	26.10	96.60	7.0	8.1	1.4
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS8	6:01	3.0	Bottom	3	1	24.00	8.23	26.28	97.00	7.0	8.5	2.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS8	6:01	3.0	Bottom	3	2	24.08	8.21	26.18	96.40	7.0	8.5	2.4
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS(Mf)9	6:21	1.0	Surface	1	1	24.20	8.24	26.13	96.80	7.0	9.7	4.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS(Mf)9	6:22	1.0	Surface	1	2	24.10	8.23	25.97	96.60	7.0	9.6	4.7
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS(Mf)9	6:22	2.7	Bottom	3	1	24.11	8.23	26.14	96.50	7.0	10.0	2.8
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS(Mf)9	6:21	2.7	Bottom	3	2	24.08	8.24	26.18	96.90	7.0	10.8	2.5

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS10(N)	6:42	1.0	Surface	1	1	26.77	8.07	20.89	95.80	6.7	4.9	3.4
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS10(N)	6:41	1.0	Surface	1	2	26.78	8.07	20.91	96.40	6.8	5.2	3.7
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS10(N)	6:41	5.1	Middle	2	1	25.82	8.05	24.27	89.50	6.3	5.5	4.0
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS10(N)	6:42	5.1	Middle	2	2	25.84	8.04	24.28	89.70	6.3	5.7	3.7
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS10(N)	6:40	9.2	Bottom	3	1	25.18	8.04	27.46	88.90	6.2	6.8	3.7
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	IS10(N)	6:41	9.2	Bottom	3	2	25.20	8.03	27.51	89.20	6.2	6.7	3.4
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR3(N)	6:57	1.0	Surface	1	1	24.35	8.26	26.28	98.60	7.1	7.8	3.6
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR3(N)	6:58	1.0	Surface	1	2	24.33	8.25	26.24	97.10	7.0	7.4	3.7
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR3(N)	6:57	2.6	Bottom	3	1	24.32	8.27	26.36	100.20	7.2	8.5	3.1
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR3(N)	6:58	2.6	Bottom	3	2	24.32	8.25	26.29	97.30	7.0	8.2	2.6
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR4(N)	6:08	1.0	Surface	1	1	23.91	8.22	26.11	97.00	7.0	8.9	2.8
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR4(N)	6:08	1.0	Surface	1	2	23.90	8.21	25.95	96.30	7.0	9.0	2.5
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR4(N)	6:08	2.8	Bottom	3	1	23.88	8.21	26.19	96.40	7.0	10.6	3.6
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR4(N)	6:08	2.8	Bottom	3	2	23.90	8.22	26.29	98.40	7.1	10.4	3.2
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR5(N)	6:52	1.0	Surface	1	1	26.81	8.07	20.77	96.90	6.8	3.6	2.3
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR5(N)	6:53	1.0	Surface	1	2	26.83	8.07	20.84	97.30	6.8	3.9	2.0
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR5(N)	6:53	4.3	Middle	2	1	25.89	8.04	23.78	90.20	6.3	4.8	2.6
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR5(N)	6:51	4.3	Middle	2	2	25.92	8.04	23.74	90.40	6.3	4.7	2.4
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR5(N)	6:52	7.6	Bottom	3	1	25.50	8.03	25.95	90.10	6.3	5.6	2.2
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR5(N)	6:51	7.6	Bottom	3	2	25.47	8.02	25.95	89.60	6.3	5.4	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10A(N)	5:48	1.0	Surface	1	1	26.00	8.12	26.90	91.60	6.4	2.4	1.7
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10A(N)	5:47	1.0	Surface	1	2	25.98	8.12	26.92	92.00	6.4	2.3	2.2
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10A(N)	5:48	6.9	Middle	2	1	25.55	8.11	28.33	90.10	6.3	3.6	1.8
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10A(N)	5:46	6.9	Middle	2	2	25.55	8.11	28.35	89.70	6.2	3.4	1.8
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10A(N)	5:46	12.8	Bottom	3	1	25.20	8.10	29.62	88.90	6.2	4.4	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10A(N)	5:47	12.8	Bottom	3	2	25.20	8.09	29.66	89.50	6.2	4.2	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10B(N2)	5:37	1.0	Surface	1	1	25.95	8.13	27.09	93.40	6.5	1.7	1.4
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10B(N2)	5:38	1.0	Surface	1	2	25.92	8.12	27.07	93.30	6.5	1.8	2.0
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10B(N2)	5:38	3.9	Middle	2	1	25.68	8.11	28.30	92.70	6.4	2.4	1.2
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10B(N2)	5:37	3.9	Middle	2	2	25.68	8.13	28.36	92.70	6.4	2.5	0.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10B(N2)	5:36	6.8	Bottom	3	1	25.48	8.13	29.02	91.60	6.4	3.2	1.6
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	SR10B(N2)	5:38	6.8	Bottom	3	2	25.47	8.11	29.07	91.10	6.3	3.0	1.0
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS2(A)	7:45	1.0	Surface	1	1	26.89	8.07	21.18	95.10	6.7	5.5	1.5
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS2(A)	7:46	1.0	Surface	1	2	26.91	8.07	21.13	95.20	6.7	5.3	1.5
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS2(A)	7:46	3.7	Middle	2	1	26.46	8.05	23.58	92.30	6.5	6.1	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS2(A)	7:44	3.7	Middle	2	2	26.48	8.05	23.57	92.40	6.5	6.2	2.0
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS2(A)	7:44	6.4	Bottom	3	1	26.07	8.05	25.76	91.40	6.4	6.7	1.5
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS2(A)	7:45	6.4	Bottom	3	2	26.04	8.05	25.71	91.70	6.4	6.5	2.4
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS(Mf)5	5:39	1.0	Surface	1	1	23.98	8.20	26.04	97.00	7.0	3.6	1.9
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS(Mf)5	5:40	1.0	Surface	1	2	23.87	8.19	26.21	97.10	7.0	3.7	1.2
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS(Mf)5	5:39	6	Middle	2	1	23.53	8.19	30.43	96.00	6.9	4.5	1.6
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS(Mf)5	5:39	6	Middle	2	2	23.53	8.18	30.48	96.10	6.9	4.8	1.2
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS(Mf)5	5:38	10.9	Bottom	3	1	23.53	8.20	30.50	96.20	6.9	4.7	2.2
HKLR	HY/2011/03	2019-05-20	Mid-Flood	Fine	CS(Mf)5	5:39	10.9	Bottom	3	2	23.54	8.18	30.50	96.50	7.0	5.1	2.5
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	ISS	13:55	1.0	Surface	1	1	25.55	8.13	25.69	96.50	6.8	3.1	3.2
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	ISS	13:54	1.0	Surface	1	2	25.52	8.15	25.73	97.30	6.9	3.0	3.3
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	ISS	13:55	4.5	Middle	2	1	25.41	8.13	25.96	94.20	6.7	3.2	3.3
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	ISS	13:54	4.5	Middle	2	2	25.33	8.14	26.11	95.30	6.7	3.2	3.4
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	ISS	13:54	8.0	Bottom	3	1	25.48	8.14	25.93	93.20	6.6	3.1	4.2
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	ISS	13:54	8.0	Bottom	3	2	25.29	8.15	26.33	95.20	6.7	3.2	5.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS(Mf)6	14:04	1.0	Surface	1	1	25.93	8.18	24.90	98.00	6.9	2.5	2.9
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS(Mf)6	14:04	1.0	Surface	1	2	25.92	8.18	24.98	100.70	7.1	2.5	3.0

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS(Mf)6	14:03	2.2	Bottom	3	1	25.66	8.16	25.53	95.70	6.8	2.5	2.8
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS(Mf)6	14:04	2.2	Bottom	3	2	25.89	8.18	25.05	99.10	7.0	2.6	3.5
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS7	14:11	1.0	Surface	1	1	26.00	8.20	24.65	102.20	7.2	2.3	2.9
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS7	14:11	1.0	Surface	1	2	25.92	8.19	24.74	103.80	7.3	2.4	2.7
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS7	14:11	2.0	Bottom	3	1	25.79	8.19	25.08	100.80	7.1	2.5	3.4
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS7	14:11	2.0	Bottom	3	2	25.82	8.19	25.00	102.70	7.3	2.5	4.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS8	14:40	1.0	Surface	1	1	25.97	8.20	25.15	105.50	7.4	6.7	11.2
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS8	14:39	1.0	Surface	1	2	25.97	8.20	25.14	104.80	7.4	6.6	11.1
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS8	14:39	3.1	Bottom	3	1	25.95	8.21	25.16	104.40	7.4	6.5	12.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS8	14:40	3.1	Bottom	3	2	25.97	8.20	25.14	105.10	7.4	6.4	12.8
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS(Mf)9	14:19	1.0	Surface	1	1	25.72	8.17	25.35	100.30	7.1	2.9	4.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS(Mf)9	14:19	1.0	Surface	1	2	25.76	8.19	25.17	99.40	7.0	2.9	4.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS(Mf)9	14:19	2.7	Bottom	3	1	25.76	8.19	25.44	99.80	7.1	2.9	5.5
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS(Mf)9	14:19	2.7	Bottom	3	2	25.72	8.17	25.51	100.70	7.1	2.9	5.2
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS10(N)	14:27	1.0	Surface	1	1	26.78	8.12	22.82	90.50	6.4	4.3	5.2
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS10(N)	14:26	1.0	Surface	1	2	26.75	8.11	22.84	90.40	6.4	4.4	5.5
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS10(N)	14:25	4.9	Middle	2	1	26.11	8.07	25.49	86.50	6.1	5.0	3.9
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS10(N)	14:26	4.9	Middle	2	2	26.08	8.07	25.49	86.90	6.1	4.7	4.7
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS10(N)	14:25	8.8	Bottom	3	1	25.79	8.06	26.49	84.50	5.9	5.4	4.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	IS10(N)	14:26	8.8	Bottom	3	2	25.76	8.07	26.47	84.90	6.0	5.1	4.1
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR3(N)	13:47	1.0	Surface	1	1	26.05	8.24	25.51	99.10	7.0	2.6	3.7
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR3(N)	13:47	1.0	Surface	1	2	26.13	8.23	25.39	100.00	7.0	2.5	3.3
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR3(N)	13:47	2.5	Bottom	3	1	25.77	8.22	26.05	99.20	7.0	2.6	3.4
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR3(N)	13:46	2.5	Bottom	3	2	25.89	8.27	25.94	96.90	6.8	2.5	4.1
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR4(N)	14:33	1.0	Surface	1	1	25.82	8.19	24.49	103.80	7.4	2.2	6.4
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR4(N)	14:33	1.0	Surface	1	2	25.92	8.21	24.18	102.80	7.3	2.2	6.9
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR4(N)	14:33	2.8	Bottom	3	1	25.78	8.19	25.42	104.10	7.4	2.2	5.4
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR4(N)	14:33	2.8	Bottom	3	2	25.76	8.21	25.25	99.40	7.0	2.3	5.1
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR5(N)	14:19	1.0	Surface	1	1	27.18	8.13	21.72	99.60	7.0	5.2	2.2
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR5(N)	14:18	1.0	Surface	1	2	27.20	8.14	21.68	100.00	7.0	5.4	2.3
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR5(N)	14:17	4.1	Middle	2	1	26.35	8.07	24.56	91.00	6.4	5.8	2.5
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR5(N)	14:18	4.1	Middle	2	2	26.38	8.07	24.55	91.70	6.4	6.0	1.8
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR5(N)	14:18	7.2	Bottom	3	1	25.98	8.06	26.24	90.40	6.3	6.5	1.7
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR5(N)	14:17	7.2	Bottom	3	2	25.96	8.07	26.28	90.20	6.3	6.3	1.4
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10A(N)	15:08	1.0	Surface	1	1	26.72	8.21	24.84	100.70	7.0	2.8	1.4
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10A(N)	15:10	1.0	Surface	1	2	26.73	8.20	24.84	101.00	7.0	2.6	1.3
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10A(N)	15:08	6.9	Middle	2	1	25.96	8.19	27.02	95.70	6.7	3.1	1.7
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10A(N)	15:09	6.9	Middle	2	2	26.00	8.18	27.01	95.90	6.7	3.0	1.7
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10A(N)	15:08	12.8	Bottom	3	1	25.63	8.18	28.61	93.30	6.5	3.5	2.8
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10A(N)	15:09	12.8	Bottom	3	2	25.64	8.17	28.72	93.70	6.5	3.4	3.5
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10B(N2)	15:19	1.0	Surface	1	1	26.35	8.18	25.50	101.00	7.0	2.3	3.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10B(N2)	15:18	1.0	Surface	1	2	26.37	8.18	25.49	101.10	7.1	2.6	3.3
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10B(N2)	15:18	3.7	Middle	2	1	26.02	8.17	26.83	100.40	7.0	2.7	1.7
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10B(N2)	15:19	3.7	Middle	2	2	26.02	8.17	26.83	99.80	7.0	2.8	2.2
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10B(N2)	15:18	6.4	Bottom	3	1	26.08	8.17	26.71	99.30	6.9	3.1	1.7
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	SR10B(N2)	15:17	6.4	Bottom	3	2	26.09	8.17	26.78	99.50	6.9	3.3	2.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS2(A)	13:40	1.0	Surface	1	1	25.88	8.12	27.49	79.00	5.5	5.6	2.5
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS2(A)	13:39	1.0	Surface	1	2	25.89	8.11	27.46	79.60	5.6	5.5	3.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS2(A)	13:40	3.6	Middle	2	1	25.84	8.08	27.74	77.20	5.4	6.2	2.8
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS2(A)	13:39	3.6	Middle	2	2	25.84	8.08	27.75	77.40	5.4	6.3	3.3
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS2(A)	13:38	6.2	Bottom	3	1	25.81	8.07	27.86	76.90	5.4	6.9	3.2
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS2(A)	13:39	6.2	Bottom	3	2	25.82	8.07	27.83	76.60	5.3	6.6	3.2

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS(Mf)5	15:10	1.0	Surface	1	1	25.63	8.16	25.50	91.70	6.5	6.4	2.5
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS(Mf)5	15:09	1.0	Surface	1	2	25.69	8.18	25.31	92.40	6.5	6.7	2.5
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS(Mf)5	15:09	6.0	Middle	2	1	25.14	8.14	27.43	91.30	6.4	9.7	3.7
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS(Mf)5	15:09	6.0	Middle	2	2	25.10	8.16	27.58	90.50	6.3	9.5	3.4
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS(Mf)5	15:09	11.0	Bottom	3	1	25.12	8.13	28.70	89.60	6.3	9.6	3.0
HKLR	HY/2011/03	2019-05-22	Mid-Ebb	Fine	CS(Mf)5	15:09	11.0	Bottom	3	2	24.87	8.16	29.48	88.90	6.3	9.5	3.6
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS5	9:06	1.0	Surface	1	1	25.45	8.20	24.45	93.50	6.6	3.4	4.3
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS5	9:07	1.0	Surface	1	2	25.46	8.20	24.35	93.80	6.7	3.6	3.8
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS5	9:06	4.4	Middle	2	1	25.42	8.18	24.69	91.50	6.5	4.5	4.6
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS5	9:06	4.4	Middle	2	2	25.40	8.16	25.11	92.60	6.6	4.6	4.6
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS5	9:06	7.8	Bottom	3	1	25.34	8.16	25.74	90.40	6.4	5.3	2.4
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS5	9:06	7.8	Bottom	3	2	25.33	8.17	25.73	90.40	6.4	5.4	2.5
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS(Mf)6	8:59	1.0	Surface	1	1	25.45	8.21	24.29	99.30	7.1	3.4	2.1
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS(Mf)6	8:59	1.0	Surface	1	2	25.44	8.22	24.28	96.70	6.9	3.7	1.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS(Mf)6	8:59	2.3	Bottom	3	1	25.43	8.22	24.32	98.00	7.0	3.7	1.5
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS(Mf)6	8:59	2.3	Bottom	3	2	25.43	8.21	24.40	99.90	7.1	3.6	1.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS7	8:52	1.0	Surface	1	1	25.48	8.21	24.46	98.40	7.0	2.2	2.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS7	8:52	1.0	Surface	1	2	25.48	8.21	24.46	99.30	7.1	2.2	3.2
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS7	8:51	2.2	Bottom	3	1	25.47	8.21	24.47	100.20	7.2	2.5	2.5
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS7	8:52	2.2	Bottom	3	2	25.48	8.21	24.46	98.90	7.1	2.6	2.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS8	8:19	1.0	Surface	1	1	25.45	8.13	24.31	99.80	7.1	3.1	3.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS8	8:20	1.0	Surface	1	2	25.44	8.15	24.17	97.60	7.0	3.1	4.1
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS8	8:19	3.1	Bottom	3	1	25.45	8.12	24.44	100.90	7.2	3.2	3.8
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS8	8:19	3.1	Bottom	3	2	25.45	8.14	24.40	98.60	7.0	3.0	3.3
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS(Mf)9	8:45	1.0	Surface	1	1	25.43	8.19	24.97	96.00	6.8	3.7	3.2
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS(Mf)9	8:45	1.0	Surface	1	2	25.44	8.19	25.10	95.20	6.8	3.5	3.6
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS(Mf)9	8:45	2.8	Bottom	3	1	25.43	8.19	25.21	95.70	6.8	3.6	3.6
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS(Mf)9	8:45	2.8	Bottom	3	2	25.43	8.18	25.39	97.70	6.9	3.7	3.5
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS10(N)	8:23	1.0	Surface	1	1	26.27	8.15	23.19	93.00	6.6	2.4	2.2
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS10(N)	8:22	1.0	Surface	1	2	26.26	8.17	23.24	93.20	6.6	2.3	2.0
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS10(N)	8:22	5.0	Middle	2	1	26.19	8.15	24.71	90.30	6.4	2.6	2.4
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS10(N)	8:23	5.0	Middle	2	2	26.20	8.12	24.66	90.00	6.3	2.6	2.7
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS10(N)	8:21	9.0	Bottom	3	1	26.18	8.14	25.04	88.90	6.2	2.8	2.5
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	IS10(N)	8:22	9.0	Bottom	3	2	26.17	8.12	25.06	88.80	6.2	2.7	2.1
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR3(N)	9:14	1.0	Surface	1	1	25.47	8.20	24.94	98.40	7.0	2.9	4.1
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR3(N)	9:15	1.0	Surface	1	2	25.47	8.20	24.93	96.60	6.9	2.8	4.4
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR3(N)	9:14	2.4	Bottom	3	1	25.46	8.21	25.00	99.70	7.1	2.8	4.0
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR3(N)	9:15	2.4	Bottom	3	2	25.47	8.20	24.97	97.70	7.0	2.8	3.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR4(N)	8:27	1.0	Surface	1	1	25.58	8.18	24.89	97.50	6.9	2.2	1.5
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR4(N)	8:27	1.0	Surface	1	2	25.58	8.18	24.91	97.70	6.9	2.2	1.6
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR4(N)	8:27	2.8	Bottom	3	1	25.58	8.17	25.26	98.40	7.0	2.1	4.4
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR4(N)	8:27	2.8	Bottom	3	2	25.57	8.18	25.06	99.40	7.1	2.0	4.3
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR5(N)	8:32	1.0	Surface	1	1	26.30	8.14	22.91	93.00	6.6	2.5	2.8
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR5(N)	8:31	1.0	Surface	1	2	26.29	8.15	22.97	92.70	6.6	2.6	2.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR5(N)	8:31	4.2	Middle	2	1	26.20	8.13	24.24	91.00	6.4	2.9	3.1
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR5(N)	8:32	4.2	Middle	2	2	26.20	8.11	24.31	90.40	6.4	2.8	3.4
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR5(N)	8:30	7.4	Bottom	3	1	26.18	8.12	24.98	90.00	6.3	3.2	2.7
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR5(N)	8:31	7.4	Bottom	3	2	26.17	8.11	25.01	90.00	6.3	3.3	2.2
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10A(N)	7:36	1.0	Surface	1	1	25.84	8.14	25.79	87.40	6.2	1.4	2.4
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10A(N)	7:35	1.0	Surface	1	2	25.87	8.14	25.77	88.10	6.2	1.5	2.3
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10A(N)	7:35	7	Middle	2	1	25.65	8.13	27.72	86.30	6.0	1.8	4.2
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10A(N)	7:36	7	Middle	2	2	25.64	8.13	27.75	86.30	6.0	1.7	3.9

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10A(N)	7:35	13	Bottom	3	1	25.39	8.11	29.20	86.60	6.0	2.7	2.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10A(N)	7:34	13	Bottom	3	2	25.41	8.12	29.18	86.50	6.0	2.5	3.2
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10B(N2)	7:27	1.0	Surface	1	1	25.87	8.14	26.09	89.10	6.3	1.1	3.3
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10B(N2)	7:26	1.0	Surface	1	2	25.86	8.15	26.13	89.40	6.3	1.2	3.3
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10B(N2)	7:26	3.8	Middle	2	1	25.71	8.15	27.51	89.10	6.2	1.5	3.3
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10B(N2)	7:27	3.8	Middle	2	2	25.73	8.13	27.58	88.80	6.2	1.6	2.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10B(N2)	7:25	6.6	Bottom	3	1	25.73	8.15	27.68	88.30	6.2	2.2	2.7
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	SR10B(N2)	7:27	6.6	Bottom	3	2	25.74	8.13	27.68	88.40	6.2	2.2	3.0
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS2(A)	9:25	1.0	Surface	1	1	25.79	8.08	26.32	86.10	6.0	6.3	7.2
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS2(A)	9:24	1.0	Surface	1	2	25.76	8.10	26.35	86.10	6.0	6.2	6.7
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS2(A)	9:24	3.7	Middle	2	1	25.57	8.09	27.90	81.30	5.7	7.3	3.8
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS2(A)	9:25	3.7	Middle	2	2	23.57	8.07	27.87	80.80	5.6	7.1	4.1
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS2(A)	9:25	6.4	Bottom	3	1	25.58	8.07	27.87	79.30	5.5	7.9	3.8
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS2(A)	9:23	6.4	Bottom	3	2	25.59	8.08	27.86	79.40	5.5	7.8	3.9
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS(Mf)5	7:55	1.0	Surface	1	1	25.52	8.05	24.88	87.40	6.2	2.1	4.8
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS(Mf)5	7:55	1.0	Surface	1	2	25.49	8.09	24.88	87.40	6.2	2.2	4.6
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS(Mf)5	7:55	6	Middle	2	1	25.19	8.02	27.08	85.50	6.0	3.2	3.2
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS(Mf)5	7:55	6	Middle	2	2	25.06	8.06	27.49	86.00	6.1	3.3	3.6
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS(Mf)5	7:54	11	Bottom	3	1	24.67	8.02	30.58	85.10	6.0	3.5	2.3
HKLR	HY/2011/03	2019-05-22	Mid-Flood	Cloudy	CS(Mf)5	7:55	11	Bottom	3	2	24.89	8.01	30.19	86.30	6.0	3.4	2.8
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS5	15:20	1.0	Surface	1	1	25.59	8.25	26.04	94.50	6.7	2.8	3.4
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS5	15:19	1.0	Surface	1	2	25.61	8.26	26.05	95.00	6.7	2.6	3.1
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS5	15:20	4.8	Middle	2	1	25.29	8.23	28.59	90.10	6.3	6.8	4.2
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS5	15:19	4.8	Middle	2	2	25.29	8.24	28.58	90.60	6.3	7.2	3.8
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS5	15:19	8.6	Bottom	3	1	25.25	8.23	29.00	92.30	6.4	8.9	3.8
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS5	15:18	8.6	Bottom	3	2	25.24	8.24	28.99	92.70	6.5	8.7	3.4
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS(Mf)6	15:33	1.0	Surface	1	1	25.86	8.29	24.96	101.60	7.2	1.7	5.6
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS(Mf)6	15:32	1.0	Surface	1	2	25.84	8.30	24.96	101.80	7.2	2.0	5.5
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS(Mf)6	15:32	2.4	Bottom	3	1	25.68	8.25	25.40	100.10	7.1	2.3	5.9
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS(Mf)6	15:31	2.4	Bottom	3	2	25.70	8.26	25.42	100.80	7.1	2.2	6.1
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS7	15:42	1.0	Surface	1	1	25.71	8.32	24.52	107.40	7.6	0.9	3.4
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS7	15:43	1.0	Surface	1	2	25.71	8.32	24.51	107.50	7.6	0.9	3.4
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS7	15:43	2.5	Bottom	3	1	25.71	8.32	24.54	106.10	7.5	1.0	3.9
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS7	15:42	2.5	Bottom	3	2	25.71	8.31	24.54	106.00	7.5	0.9	3.7
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS8	16:16	1.0	Surface	1	1	25.95	8.30	24.65	104.50	7.4	2.5	5.3
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS8	16:17	1.0	Surface	1	2	25.95	8.31	24.64	105.10	7.4	2.5	4.9
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS8	16:16	3.3	Bottom	3	1	25.56	8.25	26.05	101.00	7.1	2.5	5.8
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS8	16:17	3.3	Bottom	3	2	25.57	8.26	26.00	101.40	7.2	2.4	5.6
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS(Mf)9	15:55	1.0	Surface	1	1	25.73	8.31	24.53	105.80	7.5	0.9	4.3
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS(Mf)9	15:54	1.0	Surface	1	2	25.73	8.31	24.53	105.50	7.5	0.8	4.7
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS(Mf)9	15:54	2.8	Bottom	3	1	25.66	8.30	24.58	103.40	7.4	1.1	5.2
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS(Mf)9	15:55	2.8	Bottom	3	2	25.67	8.30	24.56	103.70	7.4	1.3	5.8
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS10(N)	15:55	1.0	Surface	1	1	26.59	8.13	23.38	91.20	6.4	3.5	4.1
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS10(N)	15:56	1.0	Surface	1	2	26.60	8.13	23.31	91.70	6.5	3.6	5.0
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS10(N)	15:56	5.2	Middle	2	1	26.30	8.08	24.96	86.90	6.1	3.7	5.1
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS10(N)	15:55	5.2	Middle	2	2	26.49	8.11	23.76	86.90	6.1	3.6	5.9
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS10(N)	15:54	9.3	Bottom	3	1	26.13	8.07	25.76	84.10	5.9	4.8	6.0
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	IS10(N)	15:55	9.3	Bottom	3	2	26.14	8.07	25.69	84.40	5.9	4.6	6.0
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR3(N)	15:08	1.0	Surface	1	1	25.76	8.33	24.99	99.00	7.0	2.4	5.5
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR3(N)	15:09	1.0	Surface	1	2	25.77	8.30	25.04	98.50	7.0	2.6	5.9
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR3(N)	15:08	2.4	Bottom	3	1	25.52	8.32	26.05	95.50	6.7	3.5	5.1
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR3(N)	15:08	2.4	Bottom	3	2	25.54	8.28	26.01	95.90	6.8	3.7	5.2

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR4(N)	16:06	1.0	Surface	1	1	25.71	8.30	24.69	103.70	7.4	2.4	3.7
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR4(N)	16:07	1.0	Surface	1	2	25.69	8.29	24.78	103.70	7.4	2.6	3.9
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR4(N)	16:06	3.3	Bottom	3	1	25.57	8.27	25.67	100.40	7.1	4.3	5.6
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR4(N)	16:06	3.3	Bottom	3	2	25.56	8.24	25.73	100.30	7.1	4.5	6.0
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR5(N)	15:44	1.0	Surface	1	1	26.49	8.13	23.57	86.10	6.1	3.6	7.5
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR5(N)	15:46	1.0	Surface	1	2	26.53	8.12	23.37	87.00	6.1	3.5	8.1
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR5(N)	15:44	4.0	Middle	2	1	26.23	8.10	25.26	82.40	5.8	3.8	8.4
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR5(N)	15:45	4.0	Middle	2	2	26.27	8.09	24.90	82.80	5.8	3.7	8.7
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR5(N)	15:45	6.9	Bottom	3	1	26.12	8.07	25.79	81.90	5.7	4.5	5.8
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR5(N)	15:44	6.9	Bottom	3	2	26.10	8.09	25.93	81.80	5.7	4.3	6.6
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10A(N)	16:37	1.0	Surface	1	1	26.26	8.20	25.71	98.30	6.9	2.5	4.7
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10A(N)	16:38	1.0	Surface	1	2	26.35	8.19	25.62	98.90	6.9	2.4	4.2
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10A(N)	16:38	6.8	Middle	2	1	26.08	8.16	26.96	96.40	6.7	2.6	4.6
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10A(N)	16:37	6.8	Middle	2	2	26.01	8.18	27.43	96.90	6.7	2.7	4.6
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10A(N)	16:37	12.5	Bottom	3	1	25.92	8.18	27.79	96.60	6.7	2.8	5.8
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10A(N)	16:37	12.5	Bottom	3	2	25.82	8.16	28.53	96.70	6.7	2.7	5.5
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10B(N2)	16:47	1.0	Surface	1	1	26.35	8.18	25.66	99.10	6.9	2.1	4.0
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10B(N2)	16:48	1.0	Surface	1	2	26.23	8.16	26.33	98.80	6.9	2.1	4.2
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10B(N2)	16:47	3.7	Middle	2	1	26.00	8.15	27.46	96.30	6.7	2.2	4.2
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10B(N2)	16:48	3.7	Middle	2	2	26.01	8.15	26.86	96.10	6.7	2.1	4.3
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10B(N2)	16:48	6.4	Bottom	3	1	25.94	8.14	27.94	96.00	6.7	2.3	3.7
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	SR10B(N2)	16:47	6.4	Bottom	3	2	25.92	8.15	28.02	96.20	6.7	2.3	3.8
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS2(A)	14:56	1.0	Surface	1	1	26.23	8.14	25.55	92.70	6.5	4.2	6.3
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS2(A)	14:56	1.0	Surface	1	2	26.23	8.14	25.55	92.90	6.5	4.0	6.9
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS2(A)	14:56	3.8	Middle	2	1	26.16	8.14	25.69	91.30	6.4	4.6	5.2
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS2(A)	14:56	3.8	Middle	2	2	26.17	8.14	25.69	91.60	6.4	4.4	4.7
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS2(A)	14:56	6.5	Bottom	3	1	25.90	8.12	28.46	91.20	6.3	5.6	5.1
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS2(A)	14:55	6.5	Bottom	3	2	26.01	8.14	26.14	90.60	6.3	5.4	5.0
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS(Mf)5	16:44	1.0	Surface	1	1	25.69	8.26	25.15	103.20	7.3	0.5	4.6
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS(Mf)5	16:45	1.0	Surface	1	2	25.68	8.26	25.18	103.20	7.3	0.6	4.5
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS(Mf)5	16:45	6.2	Middle	2	1	25.21	8.18	27.61	91.70	6.5	1.7	3.4
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS(Mf)5	16:43	6.2	Middle	2	2	25.25	8.17	27.54	91.50	6.4	1.9	3.5
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS(Mf)5	16:43	11.4	Bottom	3	1	24.75	8.15	30.68	91.80	6.4	2.7	2.9
HKLR	HY/2011/03	2019-05-24	Mid-Ebb	Cloudy	CS(Mf)5	16:44	11.4	Bottom	3	2	24.73	8.15	30.65	92.60	6.5	2.5	2.8
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS5	9:39	1.0	Surface	1	1	25.64	8.20	24.49	93.90	6.7	1.4	4.7
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS5	9:40	1.0	Surface	1	2	25.63	8.20	24.53	93.50	6.6	1.3	5.1
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS5	9:38	4.6	Middle	2	1	25.58	8.19	24.93	91.40	6.5	1.5	4.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS5	9:40	4.6	Middle	2	2	25.56	8.18	24.94	91.00	6.5	1.7	5.0
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS5	9:38	8.2	Bottom	3	1	25.45	8.16	25.76	91.20	6.5	2.1	5.8
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS5	9:39	8.2	Bottom	3	2	25.45	8.16	25.79	90.60	6.4	1.9	5.8
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS(Mf)6	9:30	1.0	Surface	1	1	25.57	8.21	24.37	100.90	7.2	3.4	6.3
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS(Mf)6	9:31	1.0	Surface	1	2	25.57	8.21	24.37	101.30	7.2	3.6	6.7
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS(Mf)6	9:31	2.4	Bottom	3	1	25.57	8.20	24.37	100.40	7.2	3.7	8.1
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS(Mf)6	9:30	2.4	Bottom	3	2	25.56	8.21	24.37	100.10	7.1	3.8	8.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS7	9:24	1.0	Surface	1	1	25.52	8.20	24.40	96.60	6.9	2.5	5.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS7	9:23	1.0	Surface	1	2	25.52	8.20	24.40	97.00	6.9	2.7	5.2
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS7	9:23	2.5	Bottom	3	1	25.52	8.20	24.40	96.70	6.9	3.1	5.1
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS7	9:24	2.5	Bottom	3	2	25.52	8.20	24.40	96.60	6.9	3.2	4.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS8	8:58	1.0	Surface	1	1	25.76	8.16	24.19	90.80	6.5	2.2	2.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS8	8:58	1.0	Surface	1	2	25.79	8.17	24.15	91.60	6.5	2.0	2.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS8	8:58	3.2	Bottom	3	1	25.68	8.14	25.49	90.30	6.4	3.1	4.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS8	8:57	3.2	Bottom	3	2	25.67	8.12	25.41	89.60	6.3	3.3	3.9

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS(Mf)9	9:15	1.0	Surface	1	1	25.59	8.20	24.68	96.70	6.9	1.6	5.0
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS(Mf)9	9:15	1.0	Surface	1	2	25.59	8.20	24.63	96.50	6.9	1.7	5.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS(Mf)9	9:14	2.9	Bottom	3	1	25.63	8.19	24.88	95.90	6.8	2.4	4.2
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS(Mf)9	9:15	2.9	Bottom	3	2	25.65	8.19	24.90	96.20	6.8	2.2	4.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS10(N)	9:03	1.0	Surface	1	1	26.52	8.14	21.30	87.10	6.2	3.1	4.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS10(N)	9:04	1.0	Surface	1	2	26.52	8.13	21.28	87.10	6.2	3.2	4.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS10(N)	9:03	5.3	Middle	2	1	26.46	8.13	22.94	84.70	6.0	3.2	4.0
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS10(N)	9:04	5.3	Middle	2	2	26.50	8.12	22.90	85.00	6.0	3.3	3.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS10(N)	9:02	9.6	Bottom	3	1	26.04	8.11	26.45	83.10	5.8	3.9	5.3
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	IS10(N)	9:03	9.6	Bottom	3	2	26.08	8.10	26.31	83.50	5.8	3.6	5.7
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR3(N)	9:49	1.0	Surface	1	1	25.54	8.19	25.28	94.60	6.7	1.3	5.3
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR3(N)	9:50	1.0	Surface	1	2	25.53	8.19	25.29	94.40	6.7	1.2	4.7
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR3(N)	9:49	2.5	Bottom	3	1	25.53	8.19	25.28	93.70	6.6	1.6	7.4
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR3(N)	9:49	2.5	Bottom	3	2	25.53	8.20	25.28	94.00	6.7	1.5	7.4
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR4(N)	9:08	1.0	Surface	1	1	25.65	8.18	24.13	93.00	6.6	1.9	5.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR4(N)	9:07	1.0	Surface	1	2	25.65	8.18	24.15	93.80	6.7	2.1	5.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR4(N)	9:06	3.4	Bottom	3	1	25.59	8.16	25.19	92.50	6.6	2.6	7.8
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR4(N)	9:07	3.4	Bottom	3	2	25.57	8.15	25.16	91.90	6.5	2.5	8.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR5(N)	9:13	1.0	Surface	1	1	26.52	8.12	21.28	88.40	6.3	3.6	9.1
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR5(N)	9:14	1.0	Surface	1	2	26.52	8.11	21.38	88.60	6.3	3.6	8.7
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR5(N)	9:14	4.0	Middle	2	1	26.52	8.10	22.96	85.90	6.1	3.8	8.8
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR5(N)	9:13	4.0	Middle	2	2	26.49	8.11	22.96	85.50	6.0	4.0	8.4
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR5(N)	9:14	7.0	Bottom	3	1	26.19	8.08	25.64	84.80	5.9	4.4	8.2
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR5(N)	9:13	7.0	Bottom	3	2	26.13	8.09	26.05	84.40	5.9	4.5	7.8
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10A(N)	8:13	1.0	Surface	1	1	25.75	8.13	27.62	86.80	6.1	2.1	7.7
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10A(N)	8:14	1.0	Surface	1	2	25.75	8.13	27.65	86.70	6.0	2.1	7.0
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10A(N)	8:13	6.8	Middle	2	1	25.71	8.12	28.05	84.90	5.9	2.4	6.4
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10A(N)	8:12	6.8	Middle	2	2	25.71	8.13	28.14	84.80	5.9	2.3	6.2
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10A(N)	8:13	12.6	Bottom	3	1	25.65	8.12	28.60	84.70	5.9	2.6	5.3
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10A(N)	8:12	12.6	Bottom	3	2	25.63	8.12	28.75	84.50	5.9	2.5	5.0
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10B(N2)	8:03	1.0	Surface	1	1	25.74	8.13	27.76	85.80	6.0	2.2	5.1
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10B(N2)	8:02	1.0	Surface	1	2	25.74	8.13	27.71	85.70	6.0	2.3	5.1
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10B(N2)	8:03	4	Middle	2	1	25.70	8.13	28.23	84.50	5.9	2.3	5.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10B(N2)	8:02	4	Middle	2	2	25.69	8.13	28.18	84.40	5.9	2.4	5.4
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10B(N2)	8:02	7.0	Bottom	3	1	25.62	8.13	28.71	83.90	5.8	2.6	4.1
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	SR10B(N2)	8:03	7.0	Bottom	3	2	25.58	8.12	29.03	84.20	5.8	2.5	4.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS2(A)	10:02	1.0	Surface	1	1	26.19	8.16	25.63	89.80	6.3	5.4	6.8
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS2(A)	10:02	1.0	Surface	1	2	26.20	8.15	25.60	90.00	6.3	5.5	6.7
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS2(A)	10:01	3.9	Middle	2	1	25.98	8.16	25.89	86.60	6.1	5.8	6.1
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS2(A)	10:02	3.9	Middle	2	2	26.02	8.15	25.86	87.10	6.1	5.9	6.3
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS2(A)	10:01	6.7	Bottom	3	1	25.72	8.14	28.60	86.40	6.0	6.3	5.5
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS2(A)	10:02	6.7	Bottom	3	2	25.77	8.14	28.57	86.60	6.0	6.7	5.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS(Mf)5	8:32	1.0	Surface	1	1	25.44	8.19	25.14	94.40	6.7	0.6	4.3
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS(Mf)5	8:31	1.0	Surface	1	2	25.44	8.17	25.16	95.10	6.8	0.6	3.8
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS(Mf)5	8:31	6.2	Middle	2	1	25.15	8.14	27.81	90.60	6.4	0.9	3.9
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS(Mf)5	8:32	6.2	Middle	2	2	25.13	8.16	27.79	89.80	6.3	0.8	3.6
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS(Mf)5	8:30	11.4	Bottom	3	1	24.86	8.12	30.04	88.20	6.2	1.3	4.7
HKLR	HY/2011/03	2019-05-24	Mid-Flood	Cloudy	CS(Mf)5	8:32	11.4	Bottom	3	2	24.84	8.13	30.03	87.60	6.1	1.2	4.1
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS5	17:51	1.0	Surface	1	1	25.85	8.15	20.14	90.70	6.6	1.8	2.8
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS5	17:53	1.0	Surface	1	2	25.85	8.16	20.14	90.00	6.5	2.0	2.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS5	17:52	4.9	Middle	2	1	25.67	8.06	25.21	83.80	5.9	2.8	2.1
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS5	17:51	4.9	Middle	2	2	25.67	8.03	25.18	83.30	5.9	2.6	3.1

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS5	17:50	8.8	Bottom	3	1	25.45	7.98	27.47	82.20	5.8	3.5	2.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS5	17:52	8.8	Bottom	3	2	25.47	8.02	27.47	82.20	5.8	3.6	2.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS(Mf)6	17:58	1.0	Surface	1	1	25.85	8.12	22.23	92.40	6.6	1.7	3.1
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS(Mf)6	17:59	1.0	Surface	1	2	25.85	8.12	22.26	91.70	6.6	1.5	4.1
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS(Mf)6	17:58	2.3	Bottom	3	1	25.82	8.08	24.22	90.80	6.5	2.5	2.5
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS(Mf)6	17:57	2.3	Bottom	3	2	25.82	8.07	24.18	91.50	6.5	2.4	1.9
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS7	18:04	1.0	Surface	1	1	25.88	8.62	22.13	92.60	6.6	0.9	3.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS7	18:05	1.0	Surface	1	2	25.88	8.62	22.10	92.50	6.6	1.0	2.5
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS7	18:04	2.4	Bottom	3	1	25.85	8.61	23.36	92.30	6.6	1.3	2.1
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS7	18:04	2.4	Bottom	3	2	25.86	8.60	23.39	92.50	6.6	1.2	3.0
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS8	18:29	1.0	Surface	1	1	25.88	8.17	22.61	94.70	6.8	2.5	1.8
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS8	18:30	1.0	Surface	1	2	25.86	8.17	22.60	94.40	6.8	2.6	2.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS8	18:28	3.2	Bottom	3	1	25.77	8.13	24.13	93.10	6.6	3.7	3.0
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS8	18:29	3.2	Bottom	3	2	25.78	8.14	24.13	94.10	6.7	3.5	2.6
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS(Mf)9	18:11	1.0	Surface	1	1	25.84	8.64	22.62	98.90	7.1	0.9	1.4
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS(Mf)9	18:12	1.0	Surface	1	2	25.85	8.64	22.68	99.50	7.1	0.8	2.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS(Mf)9	18:11	2.7	Bottom	3	1	25.86	8.62	23.28	98.70	7.0	1.3	2.0
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS(Mf)9	18:12	2.7	Bottom	3	2	25.86	8.63	23.22	99.00	7.1	1.2	1.0
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS10(N)	18:46	1.0	Surface	1	1	26.74	8.12	17.38	89.40	6.5	2.7	6.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS10(N)	18:47	1.0	Surface	1	2	26.78	8.09	17.72	89.00	6.4	2.5	5.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS10(N)	18:47	5.3	Middle	2	1	26.54	8.07	20.55	85.40	6.1	2.6	5.8
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS10(N)	18:46	5.3	Middle	2	2	26.69	8.08	20.15	85.90	6.1	2.8	6.5
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS10(N)	18:46	9.5	Bottom	3	1	26.49	8.06	22.79	84.80	6.0	2.8	5.4
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	IS10(N)	18:47	9.5	Bottom	3	2	26.53	8.04	25.32	84.70	6.1	2.9	4.4
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR3(N)	17:43	1.0	Surface	1	1	25.88	7.93	19.21	92.40	6.7	1.5	3.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR3(N)	17:44	1.0	Surface	1	2	25.89	8.04	19.23	91.90	6.7	1.6	3.3
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR3(N)	17:44	2.4	Bottom	3	1	25.91	7.98	19.90	92.00	6.7	1.9	2.8
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR3(N)	17:43	2.4	Bottom	3	2	25.90	7.74	19.90	91.80	6.7	2.0	3.8
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR4(N)	18:22	1.0	Surface	1	1	25.85	8.11	23.37	87.00	6.2	3.9	3.6
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR4(N)	18:23	1.0	Surface	1	2	25.84	8.11	23.35	86.80	6.2	4.0	4.6
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR4(N)	18:22	3.1	Bottom	3	1	25.76	8.09	23.95	86.60	6.2	4.5	3.6
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR4(N)	18:22	3.1	Bottom	3	2	25.78	8.10	23.99	86.00	6.1	4.7	4.0
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR5(N)	18:37	1.0	Surface	1	1	26.72	8.09	19.73	85.20	6.1	2.5	5.6
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR5(N)	18:38	1.0	Surface	1	2	26.72	8.10	18.12	85.50	6.2	2.4	5.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR5(N)	18:37	3.9	Middle	2	1	26.55	8.09	20.62	83.20	6.0	2.6	4.5
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR5(N)	18:37	3.9	Middle	2	2	26.65	8.08	20.50	83.60	6.0	2.6	5.3
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR5(N)	18:37	6.8	Bottom	3	1	26.35	8.05	25.41	83.20	5.8	2.8	4.8
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR5(N)	18:37	6.8	Bottom	3	2	26.28	8.03	26.75	83.50	5.8	2.9	4.9
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10A(N)	19:38	1.0	Surface	1	1	26.68	8.12	20.33	93.10	6.7	2.4	3.5
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10A(N)	19:37	1.0	Surface	1	2	26.67	8.13	20.53	93.40	6.7	2.2	2.6
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10A(N)	19:37	6.8	Middle	2	1	26.67	8.12	20.88	92.70	6.6	2.4	3.9
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10A(N)	19:38	6.8	Middle	2	2	26.66	8.11	21.36	92.40	6.6	2.5	2.9
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10A(N)	19:37	12.5	Bottom	3	1	26.66	8.12	21.54	92.50	6.6	2.5	4.3
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10A(N)	19:38	12.5	Bottom	3	2	26.57	8.09	22.91	92.30	6.5	2.5	4.7
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10B(N2)	19:46	1.0	Surface	1	1	26.67	8.11	20.48	92.10	6.6	2.3	3.3
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10B(N2)	19:47	1.0	Surface	1	2	26.67	8.11	20.66	92.70	6.6	2.2	3.4
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10B(N2)	19:46	3.9	Middle	2	1	26.64	8.10	21.76	91.10	6.5	2.6	2.6
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10B(N2)	19:47	3.9	Middle	2	2	26.63	8.09	21.62	90.80	6.5	2.7	1.8
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10B(N2)	19:47	6.7	Bottom	3	1	26.56	8.08	22.84	91.00	6.4	2.8	2.6
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	SR10B(N2)	19:46	6.7	Bottom	3	2	26.57	8.08	22.78	91.00	6.5	2.8	2.5
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS2(A)	17:44	1.0	Surface	1	1	26.62	8.19	14.52	88.70	6.6	3.5	4.9
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS2(A)	17:44	1.0	Surface	1	2	26.60	8.19	15.22	88.40	6.5	3.5	4.8

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS2(A)	17:44	3.9	Middle	2	1	26.39	8.15	19.89	82.00	5.9	3.8	4.5
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS2(A)	17:43	3.9	Middle	2	2	26.30	8.14	19.96	81.60	5.7	3.8	4.8
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS2(A)	17:43	6.7	Bottom	3	1	26.16	8.07	27.30	81.30	5.9	4.3	5.3
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS2(A)	17:44	6.7	Bottom	3	2	26.13	8.06	27.07	80.70	5.6	4.2	5.0
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS(Mf)5	19:21	1.0	Surface	1	1	25.90	8.17	20.86	87.70	6.3	0.8	2.6
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS(Mf)5	19:20	1.0	Surface	1	2	25.89	8.18	20.82	88.10	6.4	0.7	2.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS(Mf)5	19:21	6.2	Middle	2	1	25.57	8.12	25.46	84.90	6.0	1.0	2.5
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS(Mf)5	19:20	6.2	Middle	2	2	25.55	8.12	25.41	85.40	6.1	0.9	2.2
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS(Mf)5	19:21	11.4	Bottom	3	1	25.05	8.06	29.80	84.00	5.9	1.5	2.3
HKLR	HY/2011/03	2019-05-27	Mid-Ebb	Cloudy	CS(Mf)5	19:19	11.4	Bottom	3	2	25.06	8.08	29.79	84.10	5.9	1.4	2.0
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS5	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS5	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS5	-	-	Middle	2	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS5	-	-	Middle	2	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS5	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS5	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS(Mf)6	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS(Mf)6	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS(Mf)6	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS(Mf)6	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS7	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS7	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS7	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS7	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS8	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS8	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS8	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS8	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS(Mf)9	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS(Mf)9	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS(Mf)9	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS(Mf)9	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS10(N)	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS10(N)	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS10(N)	-	-	Middle	2	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS10(N)	-	-	Middle	2	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS10(N)	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	IS10(N)	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR3(N)	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR3(N)	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR3(N)	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR3(N)	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR4(N)	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR4(N)	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR4(N)	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR4(N)	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR5(N)	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR5(N)	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR5(N)	-	-	Middle	2	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR5(N)	-	-	Middle	2	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR5(N)	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR5(N)	-	-	Bottom	3	2	-	-	-	-	-	-	-

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10A(N)	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10A(N)	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10A(N)	-	-	Middle	2	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10A(N)	-	-	Middle	2	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10A(N)	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10A(N)	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10B(N2)	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10B(N2)	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10B(N2)	-	-	Middle	2	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10B(N2)	-	-	Middle	2	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10B(N2)	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10B(N2)	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	SR10B(N2)	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS2(A)	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS2(A)	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS2(A)	-	-	Middle	2	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS2(A)	-	-	Middle	2	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS2(A)	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS2(A)	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS(Mf)5	-	-	Surface	1	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS(Mf)5	-	-	Surface	1	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS(Mf)5	-	-	Middle	2	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS(Mf)5	-	-	Middle	2	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS(Mf)5	-	-	Bottom	3	1	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-27	Mid-Flood	Rainy	CS(Mf)5	-	-	Bottom	3	2	-	-	-	-	-	-	-
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS5	10:47	1.0	Surface	1	1	25.50	8.16	18.58	78.20	5.6	5.6	4.3
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS5	10:47	1.0	Surface	1	2	25.54	8.16	17.89	87.80	6.2	5.5	3.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS5	10:46	4.1	Middle	2	1	25.33	8.06	26.68	83.80	6.0	8.2	4.2
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS5	10:47	4.1	Middle	2	2	25.32	8.07	26.82	76.50	5.5	8.0	3.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS5	10:46	7.2	Bottom	3	1	25.30	8.03	27.86	81.40	5.9	8.5	4.0
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS5	10:47	7.2	Bottom	3	2	25.30	8.05	27.93	76.40	5.4	8.8	4.2
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS(Mf)6	10:40	1.0	Surface	1	1	25.64	8.09	18.25	87.50	6.5	2.5	3.4
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS(Mf)6	10:39	1.0	Surface	1	2	25.65	8.10	18.25	89.50	6.6	2.7	3.2
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS(Mf)6	10:39	2.1	Bottom	3	1	25.63	8.08	19.63	92.60	6.8	2.7	4.3
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS(Mf)6	10:39	2.1	Bottom	3	2	25.63	8.07	19.74	88.60	6.5	2.7	4.1
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS7	10:31	1.0	Surface	1	1	25.46	8.12	18.43	97.30	7.2	1.7	5.3
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS7	10:32	1.0	Surface	1	2	25.46	8.11	18.46	95.80	7.1	1.6	5.0
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS7	10:31	2.2	Bottom	3	1	25.46	8.11	18.48	96.30	7.1	1.6	6.4
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS7	10:31	2.2	Bottom	3	2	25.45	8.13	18.47	99.00	7.3	1.5	5.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS8	10:01	1.0	Surface	1	1	25.68	8.14	18.96	80.50	5.9	5.3	9.9
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS8	10:02	1.0	Surface	1	2	25.63	8.12	19.75	77.60	5.7	5.5	9.6
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS8	10:02	3.2	Bottom	3	1	25.30	8.02	26.84	77.30	5.5	5.6	12.3
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS8	10:01	3.2	Bottom	3	2	25.33	8.04	26.25	81.20	5.8	5.4	12.2
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS(Mf)9	10:24	1.0	Surface	1	1	25.58	8.11	19.20	94.70	6.9	3.6	4.6
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS(Mf)9	10:24	1.0	Surface	1	2	25.60	8.10	19.20	93.30	6.8	3.4	4.9
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS(Mf)9	10:24	2.6	Bottom	3	1	25.60	8.09	20.26	94.40	6.9	3.7	5.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS(Mf)9	10:23	2.6	Bottom	3	2	25.63	8.10	19.95	96.80	7.1	3.5	5.6
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS10(N)	10:15	1.0	Surface	1	1	26.56	8.09	18.74	83.60	6.0	2.4	6.3
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS10(N)	10:13	1.0	Surface	1	2	26.56	8.09	18.80	84.70	6.1	2.6	6.1
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS10(N)	10:14	4.9	Middle	2	1	26.14	8.06	24.95	73.60	5.2	3.5	8.0
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS10(N)	10:13	4.9	Middle	2	2	26.16	8.06	24.91	73.40	5.2	3.3	8.0
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS10(N)	10:14	8.8	Bottom	3	1	25.75	8.04	29.29	73.90	5.1	4.1	8.4
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	IS10(N)	10:12	8.8	Bottom	3	2	25.74	8.05	29.39	74.00	5.1	4.2	8.1

Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR3(N)	10:55	1.0	Surface	1	1	25.57	8.10	16.63	90.60	6.7	3.0	4.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR3(N)	10:55	1.0	Surface	1	2	25.60	8.10	16.98	92.90	6.9	3.2	5.2
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR3(N)	10:55	2.3	Bottom	3	1	25.64	8.06	19.64	91.80	6.7	4.2	5.2
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR3(N)	10:55	2.3	Bottom	3	2	25.59	8.09	18.45	95.70	7.0	4.0	4.9
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR4(N)	10:11	1.0	Surface	1	1	25.59	8.01	22.41	80.00	5.8	9.2	13.1
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR4(N)	10:11	1.0	Surface	1	2	25.59	7.99	22.75	85.30	6.1	8.9	12.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR4(N)	10:11	2.7	Bottom	3	1	25.61	7.99	24.56	75.10	5.4	9.2	13.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR4(N)	10:11	2.7	Bottom	3	2	25.50	8.00	24.82	77.70	5.5	8.8	13.5
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR5(N)	10:26	1.0	Surface	1	1	26.56	8.08	18.72	79.90	5.8	3.1	9.9
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR5(N)	10:27	1.0	Surface	1	2	26.58	8.08	18.72	80.10	5.8	3.2	9.6
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR5(N)	10:26	4.1	Middle	2	1	26.29	8.04	23.64	73.80	5.2	3.4	7.4
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR5(N)	10:26	4.1	Middle	2	2	26.26	8.04	23.59	73.10	5.2	3.6	6.7
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR5(N)	10:25	7.2	Bottom	3	1	25.80	8.03	28.78	72.90	5.1	3.9	8.3
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR5(N)	10:26	7.2	Bottom	3	2	25.84	8.02	28.77	74.10	5.1	4.1	7.9
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10A(N)	9:11	1.0	Surface	1	1	25.92	8.09	27.46	76.00	5.3	2.3	7.0
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10A(N)	9:12	1.0	Surface	1	2	25.91	8.10	27.46	75.50	5.3	2.5	7.4
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10A(N)	9:10	7.0	Middle	2	1	25.68	8.10	30.42	75.30	5.2	3.1	7.9
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10A(N)	9:12	7.0	Middle	2	2	25.67	8.11	30.51	75.00	5.2	3.1	7.7
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10A(N)	9:11	13.0	Bottom	3	1	25.62	8.10	31.10	74.90	5.1	3.5	8.7
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10A(N)	9:10	13.0	Bottom	3	2	25.64	8.09	30.99	74.80	5.1	3.6	8.5
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10B(N2)	8:59	1.0	Surface	1	1	25.92	8.08	27.45	77.30	5.4	2.5	8.7
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10B(N2)	9:00	1.0	Surface	1	2	25.91	8.08	27.53	76.70	5.3	2.3	8.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10B(N2)	8:58	3.7	Middle	2	1	25.78	8.07	28.88	76.90	5.3	3.0	10.1
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10B(N2)	9:00	3.7	Middle	2	2	25.81	8.08	28.85	76.50	5.3	2.9	10.3
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10B(N2)	8:58	6.4	Bottom	3	1	25.67	8.07	30.43	76.50	5.3	3.3	10.0
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	SR10B(N2)	8:59	6.4	Bottom	3	2	25.68	8.09	30.37	75.90	5.2	3.4	10.4
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS2(A)	11:19	1.0	Surface	1	1	26.52	8.10	23.82	82.90	5.8	9.1	17.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS2(A)	11:17	1.0	Surface	1	2	26.53	8.10	23.80	83.20	5.9	9.2	17.6
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS2(A)	11:18	3.7	Middle	2	1	26.05	8.11	28.38	80.20	5.6	9.8	18.0
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS2(A)	11:17	3.7	Middle	2	2	26.03	8.11	28.37	79.70	5.5	9.7	18.5
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS2(A)	11:18	6.4	Bottom	3	1	25.96	8.11	29.90	79.40	5.5	10.6	18.9
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS2(A)	11:16	6.4	Bottom	3	2	25.94	8.11	29.95	79.00	5.4	11.0	18.7
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS(Mf)5	9:36	1.0	Surface	1	1	25.67	8.07	22.63	88.20	6.3	1.5	4.2
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS(Mf)5	9:35	1.0	Surface	1	2	25.35	8.06	22.88	81.60	5.9	1.5	3.9
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS(Mf)5	9:35	6.2	Middle	2	1	24.95	7.96	30.93	81.50	5.6	2.1	4.8
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS(Mf)5	9:36	6.2	Middle	2	2	24.86	8.04	31.73	79.40	5.5	2.2	4.6
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS(Mf)5	9:35	11.4	Bottom	3	1	24.83	7.84	32.02	79.20	5.5	2.1	6.0
HKLR	HY/2011/03	2019-05-29	Mid-Ebb	Cloudy	CS(Mf)5	9:36	11.4	Bottom	3	2	24.86	8.02	31.93	78.30	5.4	2.0	6.3
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS5	14:07	1.0	Surface	1	1	25.58	8.16	19.70	84.90	6.0	6.8	4.9
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS5	14:08	1.0	Surface	1	2	25.61	8.16	19.82	78.70	5.6	7.1	5.3
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS5	14:07	4.3	Middle	2	1	25.38	8.12	24.49	80.30	5.7	7.8	7.0
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS5	14:08	4.3	Middle	2	2	25.40	8.09	25.35	76.60	5.5	8.2	6.8
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS5	14:07	7.5	Bottom	3	1	25.27	8.09	28.31	78.70	5.8	7.2	8.3
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS5	14:07	7.5	Bottom	3	2	25.42	8.07	28.25	76.60	5.4	7.0	8.3
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS(Mf)6	14:17	1.0	Surface	1	1	25.49	8.16	18.54	96.00	7.1	3.2	5.6
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS(Mf)6	14:17	1.0	Surface	1	2	25.53	8.14	18.61	94.90	7.0	3.2	5.5
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS(Mf)6	14:17	2.2	Bottom	3	1	25.50	8.14	19.43	95.90	7.0	3.2	7.1
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS(Mf)6	14:17	2.2	Bottom	3	2	25.48	8.18	19.61	101.60	7.4	3.2	7.4
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS7	14:24	1.0	Surface	1	1	25.48	8.11	19.67	93.10	6.8	2.5	5.7
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS7	14:24	1.0	Surface	1	2	25.48	8.12	19.67	96.50	7.1	2.6	6.1
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS7	14:24	2.1	Bottom	3	1	25.48	8.11	19.69	94.30	6.9	2.4	5.9
HKLR	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS7	14:24	2.1	Bottom	3	2	25.48	8.12	19.71	98.70	7.2	2.5	6.3

Water Quality Monitoring Data



Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS8	14:52	1.0	Surface	1	1	25.49	8.10	19.67	91.80	6.7	3.4	6.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS8	14:52	1.0	Surface	1	2	25.48	8.10	19.66	92.20	6.8	3.4	5.7
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS8	14:52	3.3	Bottom	3	1	25.48	8.10	19.67	91.90	6.7	4.2	6.2
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS8	14:51	3.3	Bottom	3	2	25.46	8.10	19.72	92.80	6.8	4.0	6.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS(Mf)9	14:35	1.0	Surface	1	1	25.48	8.10	19.66	93.80	6.9	1.7	4.1
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS(Mf)9	14:36	1.0	Surface	1	2	25.49	8.10	19.65	92.00	6.7	1.8	4.4
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS(Mf)9	14:35	2.9	Bottom	3	1	25.46	8.10	19.68	93.00	6.8	1.8	5.4
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS(Mf)9	14:36	2.9	Bottom	3	2	25.48	8.10	19.68	92.30	6.8	1.8	5.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS10(N)	14:42	1.0	Surface	1	1	26.42	8.05	22.11	79.00	5.6	4.2	5.2
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS10(N)	14:41	1.0	Surface	1	2	26.44	8.05	22.11	79.80	5.7	4.3	4.9
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS10(N)	14:41	5.0	Middle	2	1	26.04	8.03	27.60	75.60	5.2	4.9	4.7
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS10(N)	14:41	5.0	Middle	2	2	26.01	8.02	27.55	75.20	5.2	4.6	5.2
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS10(N)	14:41	9.0	Bottom	3	1	25.76	8.02	28.24	73.30	5.1	5.8	6.1
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	IS10(N)	14:40	9.0	Bottom	3	2	25.73	8.03	28.21	73.30	5.1	5.6	6.4
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR3(N)	13:59	1.0	Surface	1	1	25.67	8.18	18.47	93.20	6.7	2.8	4.8
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR3(N)	13:59	1.0	Surface	1	2	25.66	8.23	18.26	87.10	6.4	3.0	5.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR3(N)	13:59	2.3	Bottom	3	1	25.67	8.17	21.38	86.40	6.4	2.9	5.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR3(N)	13:58	2.3	Bottom	3	2	25.65	8.27	22.34	87.00	6.3	2.8	4.7
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR4(N)	14:46	1.0	Surface	1	1	25.49	8.10	19.64	92.20	6.8	2.1	4.5
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR4(N)	14:46	1.0	Surface	1	2	25.48	8.10	19.66	91.90	6.7	2.1	4.8
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR4(N)	14:46	2.8	Bottom	3	1	25.50	8.10	19.64	92.20	6.8	1.9	6.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR4(N)	14:46	2.8	Bottom	3	2	25.49	8.10	19.67	92.10	6.8	2.0	6.3
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR5(N)	14:30	1.0	Surface	1	1	26.45	8.06	21.96	81.00	5.8	2.4	4.7
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR5(N)	14:29	1.0	Surface	1	2	26.44	8.08	21.98	80.30	5.7	2.5	5.3
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR5(N)	14:29	4.2	Middle	2	1	26.15	8.06	23.92	77.50	5.5	2.8	8.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR5(N)	14:28	4.2	Middle	2	2	26.16	8.07	26.94	78.20	5.4	2.7	8.3
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR5(N)	14:28	7.4	Bottom	3	1	25.83	8.05	29.39	75.40	5.2	3.2	9.6
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR5(N)	14:29	7.4	Bottom	3	2	25.83	8.06	29.31	75.40	5.2	3.3	10.2
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10A(N)	15:41	1.0	Surface	1	1	26.16	8.10	24.58	81.00	5.7	2.2	6.9
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10A(N)	15:40	1.0	Surface	1	2	26.15	8.10	24.54	81.60	5.8	2.4	7.2
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10A(N)	15:40	7	Middle	2	1	25.89	8.11	27.83	78.80	5.5	2.9	5.2
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10A(N)	15:41	7	Middle	2	2	25.86	8.10	27.78	78.40	5.4	2.9	5.1
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10A(N)	15:40	13	Bottom	3	1	25.69	8.09	30.31	77.10	5.3	3.5	5.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10A(N)	15:39	13	Bottom	3	2	25.67	8.11	30.27	78.30	5.4	3.2	4.9
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10B(N2)	15:49	1.0	Surface	1	1	26.15	8.09	24.60	81.40	5.7	1.8	5.9
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10B(N2)	15:48	1.0	Surface	1	2	26.16	8.09	24.56	81.40	5.7	1.7	5.7
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10B(N2)	15:49	3.8	Middle	2	1	25.99	8.09	26.50	78.90	5.5	2.4	6.6
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10B(N2)	15:48	3.8	Middle	2	2	26.01	8.08	26.53	79.00	5.5	2.2	6.9
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10B(N2)	15:48	6.6	Bottom	3	1	25.86	8.07	28.62	78.90	5.5	2.6	6.8
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	SR10B(N2)	15:48	6.6	Bottom	3	2	25.84	8.07	28.63	78.80	5.5	2.9	6.5
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS2(A)	13:54	1.0	Surface	1	1	26.39	8.08	24.13	81.30	5.7	8.3	19.8
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS2(A)	13:55	1.0	Surface	1	2	26.37	8.08	24.14	80.70	5.7	8.1	20.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS2(A)	13:55	3.8	Middle	2	1	25.99	8.08	28.62	79.00	5.5	9.1	21.0
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS2(A)	13:54	3.8	Middle	2	2	25.96	8.08	28.58	78.30	5.4	8.9	20.6
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS2(A)	13:55	6.6	Bottom	3	1	25.80	8.07	29.74	78.30	5.4	9.6	20.8
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS2(A)	13:54	6.6	Bottom	3	2	25.82	8.08	29.74	77.50	5.3	9.9	21.2
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS(Mf)5	15:18	1.0	Surface	1	1	25.64	8.12	24.53	93.00	6.6	1.3	5.8
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS(Mf)5	15:17	1.0	Surface	1	2	25.74	8.14	23.89	94.90	6.6	1.4	6.1
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS(Mf)5	15:17	6.3	Middle	2	1	24.96	8.11	29.61	86.10	6.0	2.2	6.8
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS(Mf)5	15:16	6.3	Middle	2	2	25.07	8.14	29.31	88.70	6.3	2.1	7.1
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS(Mf)5	15:17	11.5	Bottom	3	1	25.02	8.08	31.41	83.50	5.8	2.2	8.2
HKL	HY/2011/03	2019-05-29	Mid-Flood	Cloudy	CS(Mf)5	15:16	11.5	Bottom	3	2	24.96	8.14	31.40	87.60	6.1	2.2	7.7

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS5	10:06	1.0	Surface	1	1	25.33	8.11	23.54	90.40	6.5	4.0	4.4
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS5	10:05	1.0	Surface	1	2	25.33	8.11	23.58	90.00	6.5	3.7	4.0
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS5	10:06	4.5	Middle	2	1	25.30	8.10	24.41	89.40	6.4	5.2	4.8
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS5	10:04	4.5	Middle	2	2	25.30	8.11	24.32	89.30	6.4	5.0	4.5
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS5	10:05	8.0	Bottom	3	1	25.28	8.10	24.92	88.90	6.3	6.5	6.3
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS5	10:04	8.0	Bottom	3	2	25.28	8.10	24.95	88.80	6.3	6.1	6.0
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS(Mf)6	10:16	1.0	Surface	1	1	25.26	8.10	23.75	91.40	6.6	1.9	3.2
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS(Mf)6	10:15	1.0	Surface	1	2	25.25	8.10	23.71	91.50	6.6	2.0	2.6
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS(Mf)6	10:16	2.2	Bottom	3	1	25.21	8.09	24.46	91.10	6.5	2.5	2.7
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS(Mf)6	10:15	2.2	Bottom	3	2	25.21	8.11	24.43	91.20	6.5	2.5	3.0
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS7	10:24	1.0	Surface	1	1	25.29	8.09	23.34	88.90	6.4	2.6	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS7	10:25	1.0	Surface	1	2	25.28	8.09	23.35	88.70	6.4	2.8	2.7
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS7	10:24	2.3	Bottom	3	1	25.28	8.08	23.87	88.40	6.4	3.7	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS7	10:24	2.3	Bottom	3	2	25.27	8.07	23.88	88.60	6.4	3.9	3.2
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS8	10:53	1.0	Surface	1	1	25.28	8.09	23.88	91.10	6.5	5.8	9.9
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS8	10:52	1.0	Surface	1	2	25.29	8.09	23.87	90.40	6.5	5.6	9.8
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS8	10:53	3.1	Bottom	3	1	25.27	8.09	23.96	89.40	6.4	6.2	11.0
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS8	10:52	3.1	Bottom	3	2	25.28	8.08	23.93	89.70	6.4	6.3	11.3
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS(Mf)9	10:33	1.0	Surface	1	1	25.27	8.09	23.60	89.80	6.5	3.4	3.4
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS(Mf)9	10:32	1.0	Surface	1	2	25.26	8.09	23.56	89.80	6.5	3.5	3.1
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS(Mf)9	10:32	2.9	Bottom	3	1	25.22	8.08	24.48	89.40	6.4	4.4	3.0
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS(Mf)9	10:33	2.9	Bottom	3	2	25.23	8.07	24.39	89.00	6.4	4.6	3.3
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS10(N)	10:56	1.0	Surface	1	1	26.22	8.03	18.83	77.00	5.6	6.5	2.3
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS10(N)	10:56	1.0	Surface	1	2	26.20	8.03	19.20	77.50	5.6	6.2	2.2
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS10(N)	10:56	5.2	Middle	2	1	26.07	7.99	24.17	77.30	5.5	7.3	2.8
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS10(N)	10:56	5.2	Middle	2	2	26.07	8.00	24.18	76.40	5.4	7.5	2.5
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS10(N)	10:56	9.3	Bottom	3	1	26.10	7.98	25.14	77.50	5.5	7.6	2.6
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	IS10(N)	10:55	9.3	Bottom	3	2	26.09	7.98	24.19	78.40	5.5	7.8	3.2
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR3(N)	9:56	1.0	Surface	1	1	25.21	8.09	23.87	88.80	6.4	3.1	3.8
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR3(N)	9:55	1.0	Surface	1	2	25.21	8.09	23.86	88.60	6.4	2.9	3.6
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR3(N)	9:56	2.4	Bottom	3	1	25.22	8.08	24.30	88.30	6.3	4.4	5.7
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR3(N)	9:55	2.4	Bottom	3	2	25.22	8.08	24.22	88.00	6.3	4.3	6.4
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR4(N)	10:44	1.0	Surface	1	1	25.26	8.02	24.44	77.10	5.5	3.1	4.3
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR4(N)	10:43	1.0	Surface	1	2	25.26	8.03	24.51	78.20	5.6	3.3	4.1
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR4(N)	10:43	3.2	Bottom	3	1	25.25	8.02	24.95	76.60	5.5	3.8	4.8
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR4(N)	10:44	3.2	Bottom	3	2	25.25	8.01	24.94	76.00	5.4	3.8	5.1
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR5(N)	10:49	1.0	Surface	1	1	26.31	8.03	18.60	78.50	5.7	3.8	3.3
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR5(N)	10:48	1.0	Surface	1	2	26.35	8.04	18.07	79.30	5.8	4.0	3.0
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR5(N)	10:49	4.3	Middle	2	1	26.04	8.00	24.00	77.40	5.5	6.3	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR5(N)	10:48	4.3	Middle	2	2	26.06	8.02	24.04	76.30	5.4	6.5	2.8
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR5(N)	10:48	7.5	Bottom	3	1	25.99	7.98	27.60	77.80	5.4	6.7	3.6
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR5(N)	10:49	7.5	Bottom	3	2	26.08	7.96	27.40	78.80	5.5	6.6	3.8
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10A(N)	11:39	1.0	Surface	1	1	26.07	8.07	24.25	87.20	6.1	2.6	4.1
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10A(N)	11:39	1.0	Surface	1	2	26.01	8.06	24.40	90.90	6.3	2.5	3.9
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10A(N)	11:39	6.4	Middle	2	1	25.89	8.07	26.70	86.90	6.1	3.2	4.7
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10A(N)	11:39	6.4	Middle	2	2	25.83	8.04	27.71	83.60	5.8	3.4	4.7
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10A(N)	11:39	11.8	Bottom	3	1	25.90	8.03	27.86	86.10	6.0	3.4	4.0
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10A(N)	11:38	11.8	Bottom	3	2	25.88	8.08	27.69	83.50	5.9	3.5	3.6
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10B(N2)	11:48	1.0	Surface	1	1	26.02	8.05	24.27	84.50	6.0	2.2	3.1
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10B(N2)	11:48	1.0	Surface	1	2	26.03	8.05	24.35	85.10	6.0	2.1	3.4
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10B(N2)	11:48	3.3	Middle	2	1	25.96	8.04	25.63	84.70	6.0	2.4	3.0
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10B(N2)	11:48	3.3	Middle	2	2	25.94	8.04	25.54	84.10	5.9	2.7	3.1



Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10B(N2)	11:48	5.5	Bottom	3	1	25.96	8.03	27.23	85.20	5.9	2.8	2.8
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	SR10B(N2)	11:48	5.5	Bottom	3	2	25.93	8.04	26.69	85.00	5.9	2.8	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS2(A)	9:50	1.0	Surface	1	1	26.25	8.09	18.06	86.20	6.1	4.7	2.2
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS2(A)	9:50	1.0	Surface	1	2	26.29	8.11	17.95	85.30	6.1	4.9	2.4
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS2(A)	9:50	3.2	Middle	2	1	26.17	8.03	23.43	83.90	6.1	5.1	2.8
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS2(A)	9:50	3.2	Middle	2	2	26.18	8.03	23.32	81.60	5.8	5.4	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS2(A)	9:50	5.3	Bottom	3	1	26.10	8.02	24.23	79.50	5.6	5.3	3.7
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS2(A)	9:50	5.3	Bottom	3	2	26.07	8.03	24.22	79.50	5.8	5.5	3.5
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS(Mf)5	11:14	1.0	Surface	1	1	25.64	8.12	20.66	85.60	6.2	1.9	3.7
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS(Mf)5	11:15	1.0	Surface	1	2	25.67	8.12	20.63	84.90	6.2	2.0	4.2
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS(Mf)5	11:15	6.1	Middle	2	1	25.14	8.09	26.92	82.40	5.8	2.4	4.1
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS(Mf)5	11:13	6.1	Middle	2	2	25.16	8.10	26.92	82.50	5.8	2.5	4.3
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS(Mf)5	11:14	11.2	Bottom	3	1	24.91	8.07	30.99	82.70	5.7	2.8	3.9
HKLR	HY/2011/03	2019-05-31	Mid-Ebb	Cloudy	CS(Mf)5	11:13	11.2	Bottom	3	2	24.89	8.08	30.94	82.90	5.8	2.7	4.3
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	ISS	5:11	1.0	Surface	1	1	25.09	8.09	27.62	83.30	5.9	1.4	1.8
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	ISS	5:12	1.0	Surface	1	2	25.09	8.09	27.57	82.70	5.8	1.3	1.9
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	ISS	5:10	4.6	Middle	2	1	24.97	8.08	29.17	81.90	5.7	1.8	1.7
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	ISS	5:12	4.6	Middle	2	2	24.97	8.08	29.11	81.30	5.7	1.9	2.0
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	ISS	5:10	8.2	Bottom	3	1	24.88	8.06	30.77	82.30	5.7	2.4	3.3
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	ISS	5:11	8.2	Bottom	3	2	24.89	8.07	30.67	85.30	5.9	2.3	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS(Mf)6	5:00	1.0	Surface	1	1	25.10	8.08	27.23	84.30	6.0	1.3	2.1
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS(Mf)6	5:00	1.0	Surface	1	2	25.09	8.08	27.23	84.20	6.0	1.2	2.3
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS(Mf)6	4:59	2.2	Bottom	3	1	25.05	8.07	28.25	83.80	5.9	1.8	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS(Mf)6	5:00	2.2	Bottom	3	2	25.05	8.07	28.24	83.70	5.9	1.9	2.7
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS7	4:50	1.0	Surface	1	1	25.15	8.08	26.85	84.60	6.0	1.1	2.3
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS7	4:51	1.0	Surface	1	2	25.15	8.08	26.84	84.30	6.0	1.0	2.1
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS7	4:51	2.4	Bottom	3	1	25.04	8.06	28.52	84.50	5.9	1.2	3.1
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS7	4:50	2.4	Bottom	3	2	25.05	8.06	28.48	85.00	6.0	1.2	2.7
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS8	4:24	1.0	Surface	1	1	25.15	8.08	24.73	84.20	6.0	1.2	3.4
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS8	4:24	1.0	Surface	1	2	25.14	8.08	25.79	84.10	6.0	1.2	3.1
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS8	4:23	3.2	Bottom	3	1	25.04	8.04	29.25	84.60	5.9	1.3	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS8	4:24	3.2	Bottom	3	2	25.05	8.04	29.21	84.50	5.9	1.3	2.6
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS(Mf)9	4:41	1.0	Surface	1	1	25.11	8.08	26.72	84.50	6.0	1.1	3.4
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS(Mf)9	4:40	1.0	Surface	1	2	25.12	8.08	26.70	85.00	6.0	1.0	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS(Mf)9	4:41	3.0	Bottom	3	1	25.02	8.06	28.92	84.90	6.0	1.2	4.1
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS(Mf)9	4:40	3.0	Bottom	3	2	25.01	8.05	28.94	85.10	6.0	1.3	4.4
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS10(N)	4:32	1.0	Surface	1	1	25.92	8.13	21.99	86.00	6.0	5.8	2.8
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS10(N)	4:32	1.0	Surface	1	2	25.94	8.12	22.08	85.80	6.1	5.7	3.1
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS10(N)	4:32	5.4	Middle	2	1	25.86	8.08	26.70	84.90	5.9	6.1	3.0
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS10(N)	4:32	5.4	Middle	2	2	25.86	8.09	26.74	81.60	5.8	6.8	2.8
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS10(N)	4:31	9.7	Bottom	3	1	25.87	8.07	26.69	76.90	5.4	6.6	4.9
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	IS10(N)	4:32	9.7	Bottom	3	2	25.86	8.08	26.84	77.50	5.4	7.0	4.7
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR3(N)	5:20	1.0	Surface	1	1	25.09	8.08	27.70	83.40	5.9	1.6	2.7
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR3(N)	5:19	1.0	Surface	1	2	25.07	8.08	27.65	84.20	5.9	1.5	2.7
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR3(N)	5:19	2.5	Bottom	3	1	25.03	8.07	28.50	84.30	5.9	2.2	3.9
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR3(N)	5:20	2.5	Bottom	3	2	25.04	8.07	28.51	84.10	5.9	2.1	4.2
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR4(N)	4:33	1.0	Surface	1	1	25.14	8.08	26.22	86.90	6.2	1.6	3.3
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR4(N)	4:33	1.0	Surface	1	2	25.14	8.08	26.19	86.40	6.1	1.8	3.0
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR4(N)	4:33	3.3	Bottom	3	1	24.98	8.05	29.07	87.00	6.1	2.2	3.0
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR4(N)	4:32	3.3	Bottom	3	2	24.99	8.05	29.11	87.40	6.1	2.1	3.3
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR5(N)	4:44	1.0	Surface	1	1	25.95	8.12	21.70	85.00	6.1	5.6	2.9
HKLR	HY/2011/03	2019-05-31	Mid-Flood	Cloudy	SR5(N)	4:44	1.0	Surface	1	2	25.89	8.12	21.89	85.10	6.1	5.5	2.7





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

- 1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

- 1) Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.





Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.



Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.



Remark:

1)Thunderstorm Warning was issued by the Hong Kong Observatory on 27 May 2019. The water quality monitoring for flood tide on 27 May 2019 was cancelled due to safety reason.