


Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2023-09-06	AMS5	09:00	1-hr TSP	58	µg/m ³
HKLR	HY/2011/03	2023-09-06	AMS5	10:00	1-hr TSP	54	µg/m ³
HKLR	HY/2011/03	2023-09-06	AMS5	11:00	1-hr TSP	66	µg/m ³
HKLR	HY/2011/03	2023-09-12	AMS5	09:00	1-hr TSP	23	µg/m ³
HKLR	HY/2011/03	2023-09-12	AMS5	10:00	1-hr TSP	20	µg/m ³
HKLR	HY/2011/03	2023-09-12	AMS5	11:00	1-hr TSP	15	µg/m ³
HKLR	HY/2011/03	2023-09-18	AMS5	09:00	1-hr TSP	9	µg/m ³
HKLR	HY/2011/03	2023-09-18	AMS5	10:00	1-hr TSP	5	µg/m ³
HKLR	HY/2011/03	2023-09-18	AMS5	11:00	1-hr TSP	7	µg/m ³
HKLR	HY/2011/03	2023-09-22	AMS5	09:00	1-hr TSP	20	µg/m ³
HKLR	HY/2011/03	2023-09-22	AMS5	10:00	1-hr TSP	27	µg/m ³
HKLR	HY/2011/03	2023-09-22	AMS5	11:00	1-hr TSP	23	µg/m ³
HKLR	HY/2011/03	2023-09-28	AMS5	09:20	1-hr TSP	33	µg/m ³
HKLR	HY/2011/03	2023-09-28	AMS5	10:20	1-hr TSP	69	µg/m ³
HKLR	HY/2011/03	2023-09-28	AMS5	11:20	1-hr TSP	20	µg/m ³
HKLR	HY/2011/03	2023-09-05	AMS5	08:00	24-hr TSP	43	µg/m ³
HKLR	HY/2011/03	2023-09-11	AMS5	08:00	24-hr TSP	17	µg/m ³
HKLR	HY/2011/03	2023-09-15	AMS5	08:00	24-hr TSP	19	µg/m ³
HKLR	HY/2011/03	2023-09-21	AMS5	08:00	24-hr TSP	24	µg/m ³
HKLR	HY/2011/03	2023-09-27	AMS5	08:00	24-hr TSP	56	µg/m ³


Remarks:

1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 1hr and 24 hr air quality monitoring at AMS6 was temporarily suspended starting from 1 April 2021.

Air Quality Monitoring Data (1-hour)



Air Quality Monitoring Data (24-hour)




Remarks:

- 1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 24-hr TSP monitoring at AMS6 was temporarily suspended starting from 1 April 2021.
- 2) Due to malfunction of HVS, 24-hr TSP monitoring at EM&A Station AMS5 - Ma Wan Chung Village on 26 June 2023 will be rescheduled to 28 June 2023.

Project	Works	Date (yyyy-mm-dd)	Station	Start Time	Wind Speed, m/s	1st set 5mins	2nd set 5mins	3rd set 5mins	4th set 5mins	5th set 5mins	6th set 5mins	Overall (30mins)*	Unit
HKLR	HY/2011/03	2023-09-06	NMS5	11:00	<5	Leq: 54.9	Leq: 51.5	Leq: 50.5	Leq: 64.9	Leq: 52.3	Leq: 54.1	Leq: 61	dB(A)
						L10: 56.0	L10: 53.5	L10: 51.5	L10: 59.0	L10: 55.5	L10: 57.5	L10: 59	
						L90: 52.5	L90: 48.0	L90: 48.0	L90: 49.5	L90: 51.5	L90: 52.0	L90: 54	
HKLR	HY/2011/03	2023-09-12	NMS5	10:00	<5	Leq: 54.6	Leq: 51.7	Leq: 49.7	Leq: 53.7	Leq: 50.7	Leq: 51.8	Leq: 55	dB(A)
						L10: 55.0	L10: 54.5	L10: 49.5	L10: 54.5	L10: 51.0	L10: 52.5	L10: 56	
						L90: 48.0	L90: 48.0	L90: 48.0	L90: 52.0	L90: 50.5	L90: 50.0	L90: 53	
HKLR	HY/2011/03	2023-09-18	NMS5	09:30	<5	Leq: 51.8	Leq: 52.6	Leq: 53.0	Leq: 62.1	Leq: 50.9	Leq: 52.0	Leq: 59	dB(A)
						L10: 53.0	L10: 54.0	L10: 54.0	L10: 56.5	L10: 52.0	L10: 54.0	L10: 57	
						L90: 50.5	L90: 50.0	L90: 50.0	L90: 49.0	L90: 49.5	L90: 49.5	L90: 53	
HKLR	HY/2011/03	2023-09-28	NMS5	11:30	<5	Leq: 56.2	Leq: 56.0	Leq: 54.1	Leq: 54.5	Leq: 59.5	Leq: 55.8	Leq: 59	dB(A)
						L10: 59.0	L10: 58.5	L10: 54.5	L10: 55.5	L10: 61.5	L10: 57.5	L10: 61	
						L90: 53.0	L90: 52.5	L90: 53.5	L90: 53.0	L90: 58.0	L90: 53.5	L90: 57	

Remark:
(1)* A facade correction of +3 dB(A) was applied to the measured noise level.

Graphical Plot of Noise Levels at NMS5



Remarks:
(1) A facade correction of +3 dB(A) was applied to the measured noise level.

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS5	14:57	1.0	Surface	1	1	27.00	7.92	27.35	87.50	6.2	3.1	5.1
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS5	14:57	1.0	Surface	1	2	26.99	7.92	27.40	87.40	6.2	3.1	4.9
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS5	14:57	4.3	Middle	2	1	26.69	7.87	28.40	86.20	6.1	3.5	6.0
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS5	14:57	4.3	Middle	2	2	26.63	7.87	28.87	86.20	6.1	3.6	5.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS5	14:56	7.5	Bottom	3	1	26.56	7.87	29.46	85.40	6.0	3.6	6.4
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS5	14:57	7.5	Bottom	3	2	26.75	7.87	29.28	85.30	6.0	3.7	6.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS(Mf)6	15:05	1.0	Surface	1	1	27.01	7.92	27.93	94.80	6.7	3.0	5.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS(Mf)6	15:05	1.0	Surface	1	2	27.02	7.92	27.99	96.20	6.8	2.9	5.2
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS(Mf)6	15:05	2.2	Bottom	3	1	26.97	7.92	28.11	93.70	6.6	3.1	5.9
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS(Mf)6	15:05	2.2	Bottom	3	2	27.00	7.92	28.09	95.60	6.7	3.1	6.3
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS7	15:15	1.0	Surface	1	1	27.08	7.92	27.90	97.60	6.9	2.8	5.5
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS7	15:15	1.0	Surface	1	2	27.02	7.92	28.00	96.00	6.7	2.8	5.3
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS7	15:15	2.3	Bottom	3	1	27.03	7.92	28.02	95.40	6.7	2.9	5.7
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS7	15:14	2.3	Bottom	3	2	27.00	7.92	28.09	95.30	6.7	2.9	6.0
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS8(N)	15:47	1.0	Surface	1	1	27.03	7.91	27.80	90.50	6.4	3.3	5.5
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS8(N)	15:48	1.0	Surface	1	2	27.06	7.92	27.81	92.80	6.5	3.3	5.7
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS8(N)	15:47	2.8	Bottom	3	1	26.83	7.90	28.25	88.80	6.2	3.4	6.7
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS8(N)	15:48	2.8	Bottom	3	2	26.99	7.91	28.16	91.50	6.4	3.4	7.1
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS(Mf)9	15:24	1.0	Surface	1	1	27.09	7.92	27.93	95.50	6.7	2.9	5.1
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS(Mf)9	15:24	1.0	Surface	1	2	27.08	7.92	27.93	94.30	6.6	2.9	5.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS(Mf)9	15:24	2.5	Bottom	3	1	27.07	7.92	28.03	93.30	6.5	3.2	6.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS(Mf)9	15:24	2.5	Bottom	3	2	26.99	7.91	28.10	93.70	6.6	3.1	6.4
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS10(N)	15:59	1.0	Surface	1	1	26.80	7.92	27.13	80.20	5.7	3.3	5.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS10(N)	16:00	1.0	Surface	1	2	26.80	7.92	27.17	80.10	5.6	3.3	6.0
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS10(N)	16:00	5.2	Middle	2	1	26.44	7.88	28.67	79.30	5.6	3.6	6.2
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS10(N)	15:59	5.2	Middle	2	2	26.43	7.88	28.77	79.30	5.6	3.5	6.5
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS10(N)	15:59	9.4	Bottom	3	1	26.38	7.87	29.07	78.30	5.5	3.8	7.3
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	IS10(N)	15:59	9.4	Bottom	3	2	26.48	7.87	29.00	78.20	5.5	4.0	6.9
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR3(N)	14:47	1.0	Surface	1	1	27.05	7.92	27.15	91.50	6.5	2.9	7.3
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR3(N)	14:48	1.0	Surface	1	2	27.06	7.92	27.18	93.10	6.6	3.0	7.0
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR3(N)	14:47	2.3	Bottom	3	1	27.04	7.92	27.32	91.50	6.4	3.0	5.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR3(N)	14:47	2.3	Bottom	3	2	27.04	7.92	27.42	90.20	6.3	3.1	5.2
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR4(N3)	15:38	1.0	Surface	1	1	26.99	7.91	27.85	92.40	6.5	3.2	5.3
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR4(N3)	15:38	1.0	Surface	1	2	27.04	7.91	27.88	91.10	6.4	3.2	4.9
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR4(N3)	15:38	2.8	Bottom	3	1	26.95	7.90	28.09	91.90	6.5	3.5	6.0
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR4(N3)	15:38	2.8	Bottom	3	2	26.92	7.89	28.27	89.00	6.2	3.5	5.8
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR5(N)	15:50	1.0	Surface	1	1	26.84	7.93	27.12	81.80	5.8	3.4	5.7
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR5(N)	15:50	1.0	Surface	1	2	26.81	7.93	27.25	81.30	5.7	3.3	6.1
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR5(N)	15:50	4.5	Middle	2	1	26.50	7.88	28.51	79.20	5.6	3.6	5.4
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR5(N)	15:49	4.5	Middle	2	2	26.42	7.88	28.57	78.70	5.5	3.5	5.3
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR5(N)	15:50	8.0	Bottom	3	1	26.37	7.87	29.22	78.10	5.5	4.3	4.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR5(N)	15:49	8.0	Bottom	3	2	26.35	7.87	29.21	77.80	5.5	4.1	4.3
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10A(N)	16:47	1.0	Surface	1	1	26.80	7.93	28.59	81.50	5.7	2.9	5.8
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10A(N)	16:48	1.0	Surface	1	2	26.79	7.93	28.63	81.90	5.7	2.9	5.4
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10A(N)	16:47	6.7	Middle	2	1	26.34	7.88	29.77	80.20	5.6	3.2	4.8
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10A(N)	16:48	6.7	Middle	2	2	26.31	7.88	29.92	80.20	5.6	3.1	5.2
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10A(N)	16:48	12.3	Bottom	3	1	26.39	7.88	29.78	79.30	5.5	3.3	4.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10A(N)	16:47	12.3	Bottom	3	2	26.37	7.89	29.79	79.20	5.5	3.4	4.3
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10B(N2)	16:58	1.0	Surface	1	1	26.75	7.92	28.74	80.20	5.6	2.8	4.0
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10B(N2)	16:58	1.0	Surface	1	2	26.74	7.92	28.78	80.60	5.6	2.8	3.7
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10B(N2)	16:57	3.7	Middle	2	1	26.53	7.89	29.23	79.40	5.5	3.1	4.8
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10B(N2)	16:58	3.7	Middle	2	2	26.48	7.89	29.26	79.20	5.5	3.1	4.5
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10B(N2)	16:58	6.4	Bottom	3	1	26.48	7.88	29.61	78.20	5.5	3.6	5.5
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	SR10B(N2)	16:57	6.4	Bottom	3	2	26.40	7.88	29.75	78.10	5.5	3.5	5.1
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS2(A)	14:57	1.0	Surface	1	1	26.75	7.93	27.54	84.60	5.9	3.2	4.7
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS2(A)	14:56	1.0	Surface	1	2	26.72	7.92	27.57	83.10	5.8	3.3	5.1
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS2(A)	14:56	3.3	Middle	2	1	26.52	7.91	28.33	80.90	5.7	3.5	5.8
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS2(A)	14:57	3.3	Middle	2	2	26.52	7.91	28.32	81.30	5.7	3.5	5.4
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS2(A)	14:57	5.6	Bottom	3	1	26.47	7.89	28.87	80.40	5.7	3.7	6.6

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS2(A)	14:56	5.6	Bottom	3	2	26.43	7.90	28.87	80.20	5.7	3.6	6.2
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS(Mf)5	16:33	1.0	Surface	1	1	27.05	7.93	27.62	84.20	5.9	2.8	7.4
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS(Mf)5	16:34	1.0	Surface	1	2	26.99	7.92	27.83	83.40	5.9	2.7	7.1
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS(Mf)5	16:33	6.3	Middle	2	1	26.30	7.84	30.24	79.80	5.6	2.8	6.3
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS(Mf)5	16:33	6.3	Middle	2	2	26.30	7.83	30.25	79.30	5.6	2.8	6.6
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS(Mf)5	16:32	11.5	Bottom	3	1	26.23	7.84	31.18	80.00	5.6	3.1	5.7
HKLR	HY/2011/03	2023-09-04	Mid-Ebb	Fine	CS(Mf)5	16:33	11.5	Bottom	3	2	26.34	7.84	31.04	79.30	5.5	3.1	6.1
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS5	10:37	1.0	Surface	1	1	26.93	7.92	28.39	85.10	6.0	3.5	6.8
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS5	10:36	1.0	Surface	1	2	26.92	7.93	28.41	85.50	6.0	3.5	7.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS5	10:36	4.3	Middle	2	1	26.61	7.88	29.16	82.90	5.8	3.8	5.9
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS5	10:36	4.3	Middle	2	2	26.63	7.87	29.07	83.40	5.9	3.8	6.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS5	10:36	7.5	Bottom	3	1	26.59	7.86	29.77	81.70	5.7	4.2	5.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS5	10:35	7.5	Bottom	3	2	26.52	7.87	29.80	81.60	5.7	4.1	5.0
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS(Mf)6	10:25	1.0	Surface	1	1	26.92	7.91	27.55	88.40	6.2	2.9	5.5
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS(Mf)6	10:26	1.0	Surface	1	2	26.93	7.90	27.67	88.50	6.2	2.9	5.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS(Mf)6	10:26	2.2	Bottom	3	1	26.91	7.89	28.04	88.10	6.2	3.0	4.5
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS(Mf)6	10:25	2.2	Bottom	3	2	26.90	7.89	28.05	88.30	6.2	3.0	4.9
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS7	10:16	1.0	Surface	1	1	26.89	7.90	27.76	86.90	6.1	2.9	6.4
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS7	10:16	1.0	Surface	1	2	26.93	7.90	27.77	87.80	6.2	3.0	6.9
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS7	10:16	2.4	Bottom	3	1	26.91	7.90	27.99	87.10	6.1	3.3	5.7
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS7	10:15	2.4	Bottom	3	2	26.86	7.88	28.10	86.90	6.1	3.3	6.1
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS8(N)	9:44	1.0	Surface	1	1	26.91	7.90	27.37	86.40	6.1	3.0	6.7
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS8(N)	9:44	1.0	Surface	1	2	26.91	7.89	27.35	86.30	6.1	2.9	6.3
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS8(N)	9:44	2.9	Bottom	3	1	26.87	7.88	27.68	85.90	6.1	3.2	5.0
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS8(N)	9:43	2.9	Bottom	3	2	26.82	7.88	27.74	86.10	6.1	3.2	5.5
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS(Mf)9	10:06	1.0	Surface	1	1	26.90	7.92	27.40	87.50	6.2	2.8	4.8
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS(Mf)9	10:06	1.0	Surface	1	2	26.90	7.91	27.44	87.20	6.2	2.8	5.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS(Mf)9	10:06	2.5	Bottom	3	1	26.88	7.90	28.04	87.30	6.1	3.3	6.1
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS(Mf)9	10:06	2.5	Bottom	3	2	26.84	7.91	28.13	87.40	6.1	3.3	6.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS10(N)	9:47	1.0	Surface	1	1	26.90	7.93	27.83	83.00	5.8	3.4	7.7
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS10(N)	9:48	1.0	Surface	1	2	26.90	7.94	27.84	83.30	5.9	3.5	7.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS10(N)	9:48	5.3	Middle	2	1	26.46	7.89	29.36	81.60	5.7	3.4	6.8
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS10(N)	9:47	5.3	Middle	2	2	26.48	7.89	29.32	80.00	5.6	3.3	6.5
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS10(N)	9:47	9.6	Bottom	3	1	26.44	7.89	29.54	79.30	5.6	3.8	5.8
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	IS10(N)	9:47	9.6	Bottom	3	2	26.48	7.89	29.53	78.30	5.5	3.7	5.5
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR3(N)	10:46	1.0	Surface	1	1	27.00	7.93	28.11	89.60	6.3	3.0	6.6
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR3(N)	10:46	1.0	Surface	1	2	27.01	7.93	28.10	90.60	6.4	3.0	6.0
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR3(N)	10:46	2.3	Bottom	3	1	27.00	7.93	28.25	89.90	6.3	3.3	5.7
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR3(N)	10:46	2.3	Bottom	3	2	26.95	7.92	28.29	89.70	6.3	3.3	5.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR4(N3)	9:53	1.0	Surface	1	1	26.87	7.87	27.45	84.60	6.0	2.8	5.5
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR4(N3)	9:53	1.0	Surface	1	2	26.88	7.87	27.47	84.00	5.9	2.8	5.3
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR4(N3)	9:53	2.9	Bottom	3	1	26.84	7.85	27.69	83.80	5.9	3.1	6.0
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR4(N3)	9:52	2.9	Bottom	3	2	26.81	7.85	27.75	84.30	6.0	3.0	6.4
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR5(N)	9:57	1.0	Surface	1	1	26.89	7.94	27.88	82.10	5.8	2.8	5.7
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR5(N)	9:58	1.0	Surface	1	2	26.84	7.94	27.89	82.40	5.8	3.0	5.4
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR5(N)	9:57	4.6	Middle	2	1	26.47	7.89	29.23	80.60	5.7	3.5	5.9
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR5(N)	9:57	4.6	Middle	2	2	26.46	7.89	29.27	80.60	5.7	3.4	6.1
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR5(N)	9:56	8.2	Bottom	3	1	26.44	7.89	29.56	79.20	5.6	3.8	6.7
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR5(N)	9:57	8.2	Bottom	3	2	26.41	7.89	29.58	79.30	5.6	3.9	6.4
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10A(N)	8:54	1.0	Surface	1	1	26.91	7.93	28.18	82.40	5.8	2.5	7.6
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10A(N)	8:54	1.0	Surface	1	2	26.94	7.93	27.94	82.30	5.8	2.6	7.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10A(N)	8:54	6.7	Middle	2	1	26.41	7.87	29.72	79.70	5.6	2.6	6.9
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10A(N)	8:53	6.7	Middle	2	2	26.44	7.87	29.68	80.70	5.6	2.7	6.5
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10A(N)	8:53	12.3	Bottom	3	1	26.52	7.87	29.63	78.30	5.5	3.1	5.8
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10A(N)	8:54	12.3	Bottom	3	2	26.50	7.88	29.67	78.40	5.5	3.0	6.1
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10B(N2)	8:44	1.0	Surface	1	1	26.89	7.91	27.96	84.90	6.0	2.7	6.9
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10B(N2)	8:44	1.0	Surface	1	2	26.88	7.89	28.02	84.40	5.9	2.7	6.4
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10B(N2)	8:43	3.7	Middle	2	1	26.57	7.86	29.08	81.60	5.7	2.9	5.9
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10B(N2)	8:44	3.7	Middle	2	2	26.56	7.87	29.14	80.90	5.7	2.9	6.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10B(N2)	8:44	6.3	Bottom	3	1	26.53	7.85	29.55	81.60	5.7	3.2	5.6
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	SR10B(N2)	8:43	6.3	Bottom	3	2	26.49	7.84	29.59	81.70	5.7	3.1	5.5
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS2(A)	10:52	1.0	Surface	1	1	26.90	7.95	27.85	82.90	5.8	3.0	6.8
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS2(A)	10:51	1.0	Surface	1	2	26.84	7.94	27.92	82.50	5.8	2.8	7.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS2(A)	10:51	3.3	Middle	2	1	26.56	7.92	28.99	81.90	5.7	3.6	6.1
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS2(A)	10:51	3.3	Middle	2	2	26.54	7.92	28.95	80.80	5.7	3.8	6.3
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS2(A)	10:51	5.5	Bottom	3	1	26.57	7.90	29.43	81.00	5.7	3.8	5.5
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS2(A)	10:51	5.5	Bottom	3	2	26.48	7.90	29.53	80.30	5.6	3.8	5.8
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS(Mf)5	9:03	1.0	Surface	1	1	26.90	7.90	27.25	81.40	5.7	2.5	5.3
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS(Mf)5	9:02	1.0	Surface	1	2	26.89	7.89	27.23	79.50	5.6	2.5	5.7
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS(Mf)5	9:02	6.2	Middle	2	1	26.39	7.85	29.79	77.80	5.5	2.6	6.2
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS(Mf)5	9:02	6.2	Middle	2	2	26.38	7.84	29.82	77.20	5.5	2.6	5.9
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS(Mf)5	9:01	11.4	Bottom	3	1	26.38	7.84	30.46	76.10	5.4	3.0	6.6
HKLR	HY/2011/03	2023-09-04	Mid-Flood	Fine	CS(Mf)5	9:02	11.4	Bottom	3	2	26.43	7.84	30.08	76.70	5.4	3.0	7.0
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS5	16:48	1.0	Surface	1	1	27.18	7.94	28.61	86.50	6.0	3.6	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS5	16:48	1.0	Surface	1	2	27.18	7.93	28.58	86.50	6.0	3.6	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS5	16:48	4.3	Middle	2	1	26.89	7.90	29.67	84.90	5.9	3.8	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS5	16:47	4.3	Middle	2	2	26.83	7.90	30.31	84.70	5.9	3.8	2.8
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS5	16:48	7.5	Bottom	3	1	26.91	7.90	30.64	84.90	5.9	3.9	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS5	16:47	7.5	Bottom	3	2	26.74	7.90	30.79	84.70	5.9	4.0	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS(Mf)6	16:57	1.0	Surface	1	1	27.18	7.93	29.48	95.20	6.6	3.2	1.9
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS(Mf)6	16:56	1.0	Surface	1	2	27.17	7.93	29.45	93.60	6.5	3.3	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS(Mf)6	16:56	2.2	Bottom	3	1	27.09	7.92	29.63	92.70	6.4	3.5	2.1
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS(Mf)6	16:57	2.2	Bottom	3	2	27.14	7.93	29.58	94.80	6.5	3.5	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS7	17:06	1.0	Surface	1	1	27.29	7.94	29.22	97.50	6.7	3.2	2.7
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS7	17:05	1.0	Surface	1	2	27.19	7.94	29.33	95.30	6.6	3.2	3.1
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS7	17:05	2.3	Bottom	3	1	27.19	7.93	29.38	94.50	6.5	3.2	3.2
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS7	17:05	2.3	Bottom	3	2	27.15	7.94	29.51	94.30	6.5	3.2	4.2
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS8(N)	17:40	1.0	Surface	1	1	27.20	7.93	29.02	90.80	6.3	3.4	2.8
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS8(N)	17:39	1.0	Surface	1	2	27.13	7.92	29.03	88.20	6.1	3.2	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS8(N)	17:39	2.9	Bottom	3	1	26.89	7.91	29.62	85.80	5.9	3.4	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS8(N)	17:39	2.9	Bottom	3	2	27.11	7.92	29.51	89.00	6.1	3.4	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS(Mf)9	17:15	1.0	Surface	1	1	27.29	7.94	29.19	95.20	6.5	3.2	2.0
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS(Mf)9	17:15	1.0	Surface	1	2	27.28	7.94	29.21	93.50	6.4	3.3	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS(Mf)9	17:15	2.5	Bottom	3	1	27.15	7.92	29.40	92.70	6.4	3.6	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS(Mf)9	17:15	2.5	Bottom	3	2	27.25	7.93	29.32	92.10	6.3	3.7	2.9
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS10(N)	17:08	1.0	Surface	1	1	26.76	7.95	28.92	79.80	5.4	4.2	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS10(N)	17:08	1.0	Surface	1	2	26.76	7.95	28.89	79.80	5.4	4.3	3.0
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS10(N)	17:08	5.2	Middle	2	1	26.53	7.92	29.77	78.90	5.3	4.4	2.7
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS10(N)	17:08	5.2	Middle	2	2	26.55	7.92	29.72	79.20	5.3	4.4	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS10(N)	17:08	9.4	Bottom	3	1	26.59	7.92	29.86	78.90	5.3	4.8	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	IS10(N)	17:08	9.4	Bottom	3	2	26.52	7.92	29.94	78.80	5.3	4.6	2.1
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR3(N)	16:37	1.0	Surface	1	1	27.26	7.95	28.46	89.90	6.2	3.5	2.0
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR3(N)	16:37	1.0	Surface	1	2	27.26	7.95	28.48	91.80	6.4	3.6	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR3(N)	16:37	2.3	Bottom	3	1	27.25	7.94	28.59	90.10	6.2	3.5	2.7
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR3(N)	16:36	2.3	Bottom	3	2	27.24	7.94	28.70	88.10	6.1	3.7	2.0
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR4(N3)	17:29	1.0	Surface	1	1	27.13	7.92	29.11	90.80	6.3	3.2	2.0
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR4(N3)	17:29	1.0	Surface	1	2	27.17	7.93	29.17	89.50	6.2	3.3	1.8
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR4(N3)	17:29	2.8	Bottom	3	1	27.07	7.92	29.47	90.50	6.2	3.5	2.9
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR4(N3)	17:29	2.8	Bottom	3	2	27.05	7.91	29.63	87.10	6.0	3.7	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR5(N)	17:00	1.0	Surface	1	1	26.78	7.95	28.88	80.50	5.4	4.0	2.0
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR5(N)	16:59	1.0	Surface	1	2	26.75	7.95	28.93	80.10	5.4	3.9	1.8
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR5(N)	17:00	4.7	Middle	2	1	26.58	7.92	29.60	79.00	5.3	4.0	2.8
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR5(N)	16:59	4.7	Middle	2	2	26.53	7.92	29.62	78.80	5.3	4.1	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR5(N)	17:00	8.3	Bottom	3	1	26.51	7.91	29.99	78.70	5.3	4.8	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR5(N)	16:59	8.3	Bottom	3	2	26.50	7.91	29.96	78.90	5.3	4.6	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10A(N)	18:03	1.0	Surface	1	1	26.74	7.96	29.65	79.80	5.3	3.8	2.8
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10A(N)	18:02	1.0	Surface	1	2	26.75	7.96	29.62	79.10	5.3	3.7	2.8
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10A(N)	18:02	7.0	Middle	2	1	26.46	7.92	30.33	77.90	5.2	3.9	2.3

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10A(N)	18:02	7.0	Middle	2	2	26.45	7.92	30.41	78.50	5.2	4.0	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10A(N)	18:02	12.9	Bottom	3	1	26.51	7.92	30.32	78.30	5.2	4.2	2.1
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10A(N)	18:02	12.9	Bottom	3	2	26.47	7.92	30.33	78.20	5.2	4.3	2.7
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10B(N2)	18:12	1.0	Surface	1	1	26.74	7.95	29.69	79.50	5.3	3.5	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10B(N2)	18:13	1.0	Surface	1	2	26.75	7.95	29.70	79.90	5.3	3.6	3.3
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10B(N2)	18:12	3.7	Middle	2	1	26.61	7.93	29.96	78.90	5.3	3.7	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10B(N2)	18:13	3.7	Middle	2	2	26.59	7.93	29.97	78.90	5.3	3.8	2.1
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10B(N2)	18:12	6.3	Bottom	3	1	26.59	7.93	30.19	78.70	5.3	4.2	2.0
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	SR10B(N2)	18:12	6.3	Bottom	3	2	26.54	7.92	30.28	78.50	5.2	4.0	3.1
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS2(A)	16:16	1.0	Surface	1	1	26.74	7.95	29.04	82.00	5.5	3.9	2.0
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS2(A)	16:15	1.0	Surface	1	2	26.71	7.94	29.06	81.50	5.5	4.0	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS2(A)	16:16	3.3	Middle	2	1	26.60	7.94	29.45	80.40	5.4	4.2	3.1
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS2(A)	16:15	3.3	Middle	2	2	26.58	7.93	29.46	80.60	5.4	4.3	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS2(A)	16:16	5.6	Bottom	3	1	26.58	7.93	29.72	80.30	5.4	4.4	2.7
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS2(A)	16:15	5.6	Bottom	3	2	26.49	7.92	29.76	80.70	5.4	4.5	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS(Mf)5	18:30	1.0	Surface	1	1	27.19	7.95	27.48	81.50	5.6	3.3	2.8
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS(Mf)5	18:31	1.0	Surface	1	2	27.09	7.94	27.77	80.40	5.6	3.1	2.7
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS(Mf)5	18:30	6.2	Middle	2	1	26.46	7.88	30.35	76.80	5.3	3.3	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS(Mf)5	18:31	6.2	Middle	2	2	26.49	7.86	30.35	76.80	5.3	3.2	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS(Mf)5	18:30	11.3	Bottom	3	1	26.34	7.87	31.58	78.90	5.4	3.6	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Ebb	Fine	CS(Mf)5	18:30	11.3	Bottom	3	2	26.50	7.86	31.56	78.20	5.3	3.6	3.0
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS5	12:02	1.0	Surface	1	1	27.00	7.94	29.75	83.70	5.8	3.4	3.4
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS5	12:01	1.0	Surface	1	2	26.98	7.95	29.81	83.60	5.8	3.5	3.7
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS5	12:01	4.3	Middle	2	1	26.74	7.91	30.30	81.00	5.6	3.7	3.2
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS5	12:02	4.3	Middle	2	2	26.77	7.90	30.21	81.60	5.6	3.7	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS5	12:02	7.5	Bottom	3	1	26.71	7.89	30.99	81.10	5.6	4.2	3.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS5	12:01	7.5	Bottom	3	2	26.66	7.91	30.99	80.70	5.6	4.0	3.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS(Mf)6	11:52	1.0	Surface	1	1	26.94	7.90	28.67	84.60	5.9	3.3	3.4
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS(Mf)6	11:52	1.0	Surface	1	2	26.96	7.90	28.84	84.80	5.9	3.3	2.8
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS(Mf)6	11:52	2.2	Bottom	3	1	26.93	7.89	29.30	84.40	5.8	3.4	3.1
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS(Mf)6	11:52	2.2	Bottom	3	2	26.91	7.89	29.30	84.60	5.8	3.5	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS7	11:42	1.0	Surface	1	1	26.93	7.91	28.93	84.50	5.8	3.5	1.8
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS7	11:42	1.0	Surface	1	2	26.96	7.90	28.97	85.20	5.9	3.5	2.1
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS7	11:42	2.4	Bottom	3	1	26.93	7.90	29.29	84.20	5.8	3.8	2.1
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS7	11:42	2.4	Bottom	3	2	26.90	7.89	29.32	84.30	5.8	3.7	1.7
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS8(N)	11:10	1.0	Surface	1	1	26.94	7.90	28.21	82.90	5.8	3.3	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS8(N)	11:11	1.0	Surface	1	2	26.94	7.89	28.18	82.20	5.7	3.2	2.1
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS8(N)	11:10	3.0	Bottom	3	1	26.91	7.88	28.59	82.20	5.7	3.5	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS8(N)	11:10	3.0	Bottom	3	2	26.85	7.89	28.67	83.20	5.8	3.7	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS(Mf)9	11:33	1.0	Surface	1	1	26.95	7.92	28.43	84.30	5.9	3.2	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS(Mf)9	11:33	1.0	Surface	1	2	26.94	7.93	28.36	84.30	5.9	3.2	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS(Mf)9	11:33	2.5	Bottom	3	1	26.91	7.91	29.21	84.00	5.8	3.6	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS(Mf)9	11:33	2.5	Bottom	3	2	26.89	7.93	29.34	84.10	5.8	3.6	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS10(N)	11:56	1.0	Surface	1	1	26.81	7.97	29.15	81.40	5.5	3.9	1.7
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS10(N)	11:55	1.0	Surface	1	2	26.81	7.96	29.13	81.30	5.5	3.7	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS10(N)	11:55	5.3	Middle	2	1	26.56	7.93	29.94	80.30	5.4	3.8	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS10(N)	11:55	5.3	Middle	2	2	26.57	7.93	29.92	79.50	5.3	3.8	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS10(N)	11:55	9.6	Bottom	3	1	26.56	7.93	30.02	79.50	5.3	4.3	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	IS10(N)	11:55	9.6	Bottom	3	2	26.58	7.93	30.01	78.90	5.3	4.2	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR3(N)	12:14	1.0	Surface	1	1	27.06	7.95	29.58	87.80	6.1	3.3	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR3(N)	12:14	1.0	Surface	1	2	27.06	7.95	29.56	88.60	6.1	3.4	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR3(N)	12:14	2.3	Bottom	3	1	27.05	7.94	29.66	88.10	6.1	3.5	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR3(N)	12:14	2.3	Bottom	3	2	27.00	7.94	29.75	88.20	6.1	3.6	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR4(N3)	11:19	1.0	Surface	1	1	26.90	7.86	28.27	80.70	5.6	3.0	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR4(N3)	11:19	1.0	Surface	1	2	26.91	7.86	28.29	79.60	5.5	3.1	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR4(N3)	11:19	2.9	Bottom	3	1	26.87	7.84	28.66	79.70	5.5	3.4	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR4(N3)	11:19	2.9	Bottom	3	2	26.86	7.85	28.69	80.70	5.6	3.2	1.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR5(N)	12:05	1.0	Surface	1	1	26.81	7.96	29.19	80.90	5.4	3.3	1.8
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR5(N)	12:06	1.0	Surface	1	2	26.79	7.96	29.21	81.20	5.4	3.5	2.1

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR5(N)	12:05	4.8	Middle	2	1	26.57	7.94	29.92	79.90	5.4	3.9	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR5(N)	12:05	4.8	Middle	2	2	26.57	7.93	29.89	79.90	5.4	3.9	2.4
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR5(N)	12:05	8.5	Bottom	3	1	26.57	7.93	30.03	79.60	5.3	4.1	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR5(N)	12:05	8.5	Bottom	3	2	26.55	7.94	30.06	79.50	5.3	4.1	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10A(N)	11:03	1.0	Surface	1	1	26.80	7.96	29.29	80.30	5.4	3.5	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10A(N)	11:02	1.0	Surface	1	2	26.84	7.96	29.12	80.80	5.4	3.5	2.5
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10A(N)	11:02	6.9	Middle	2	1	26.54	7.92	30.06	79.50	5.3	3.6	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10A(N)	11:03	6.9	Middle	2	2	26.50	7.92	30.16	78.70	5.3	3.5	2.9
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10A(N)	11:02	12.8	Bottom	3	1	26.59	7.92	30.06	78.80	5.3	4.1	2.1
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10A(N)	11:03	12.8	Bottom	3	2	26.58	7.92	30.10	78.90	5.3	4.2	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10B(N2)	10:52	1.0	Surface	1	1	26.83	7.94	29.06	84.10	5.6	3.4	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10B(N2)	10:51	1.0	Surface	1	2	26.83	7.92	29.03	82.70	5.6	3.3	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10B(N2)	10:51	3.8	Middle	2	1	26.64	7.90	29.53	81.40	5.5	3.6	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10B(N2)	10:52	3.8	Middle	2	2	26.65	7.92	29.65	80.50	5.4	3.6	2.0
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10B(N2)	10:51	6.5	Bottom	3	1	26.58	7.89	29.81	80.50	5.4	3.7	2.7
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	SR10B(N2)	10:52	6.5	Bottom	3	2	26.60	7.90	29.89	80.50	5.4	3.8	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS2(A)	12:58	1.0	Surface	1	1	26.82	7.97	29.21	81.20	5.4	3.6	2.2
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS2(A)	12:57	1.0	Surface	1	2	26.79	7.96	29.23	81.10	5.4	3.5	2.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS2(A)	12:58	3.4	Middle	2	1	26.63	7.95	29.77	80.60	5.4	4.1	2.8
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS2(A)	12:57	3.4	Middle	2	2	26.63	7.95	29.73	80.30	5.4	4.1	3.0
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS2(A)	12:58	5.7	Bottom	3	1	26.63	7.94	30.02	80.20	5.4	4.1	2.7
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS2(A)	12:57	5.7	Bottom	3	2	26.59	7.94	30.04	80.30	5.4	4.2	3.1
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS(Mf)5	10:36	1.0	Surface	1	1	26.94	7.90	26.86	81.40	5.7	2.8	2.3
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS(Mf)5	10:36	1.0	Surface	1	2	26.93	7.89	26.88	79.40	5.7	2.7	1.6
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS(Mf)5	10:35	6.2	Middle	2	1	26.42	7.85	29.87	77.30	5.5	3.1	1.9
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS(Mf)5	10:36	6.2	Middle	2	2	26.46	7.86	29.81	78.00	5.5	3.0	2.0
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS(Mf)5	10:35	11.4	Bottom	3	1	26.41	7.85	30.63	76.20	5.4	3.5	1.9
HKLR	HY/2011/03	2023-09-06	Mid-Flood	Fine	CS(Mf)5	10:36	11.4	Bottom	3	2	26.48	7.86	30.12	76.20	5.5	3.6	1.9
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS5	11:20	1.0	Surface	1	1	28.58	7.83	22.14	78.10	5.5	5.2	2.4
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS5	11:20	1.0	Surface	1	2	28.80	7.82	22.05	77.20	5.5	5.3	1.9
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS5	11:20	4.2	Middle	2	1	28.12	7.79	25.60	75.60	5.4	5.3	2.4
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS5	11:20	4.2	Middle	2	2	28.09	7.78	25.70	76.10	5.4	5.4	3.1
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS5	11:20	7.4	Bottom	3	1	27.78	7.75	28.59	74.50	5.2	5.4	2.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS5	11:19	7.4	Bottom	3	2	27.55	7.75	28.70	74.00	5.3	5.3	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS(Mf)6	11:10	1.0	Surface	1	1	28.81	7.78	21.98	78.30	5.6	4.1	3.3
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS(Mf)6	11:09	1.0	Surface	1	2	28.84	7.78	22.06	78.20	5.6	4.1	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS(Mf)6	11:10	2.2	Bottom	3	1	28.74	7.77	23.06	79.40	5.6	4.0	2.3
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS(Mf)6	11:09	2.2	Bottom	3	2	28.76	7.77	23.00	78.20	5.5	4.1	1.9
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS7	11:00	1.0	Surface	1	1	28.78	7.78	22.13	77.40	5.5	3.0	3.2
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS7	10:59	1.0	Surface	1	2	28.76	7.78	22.18	78.10	5.5	3.0	2.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS7	10:59	2.2	Bottom	3	1	28.67	7.77	23.35	77.50	5.5	3.0	2.2
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS7	10:59	2.2	Bottom	3	2	28.65	7.77	23.17	79.00	5.6	3.0	2.4
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS8(N)	10:27	1.0	Surface	1	1	28.71	7.80	22.14	75.70	5.4	4.0	4.2
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS8(N)	10:27	1.0	Surface	1	2	28.77	7.81	22.13	76.60	5.4	4.1	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS8(N)	10:27	2.9	Bottom	3	1	28.72	7.79	23.81	75.60	5.3	4.1	3.5
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS8(N)	10:26	2.9	Bottom	3	2	28.52	7.80	24.26	74.40	5.3	4.1	2.2
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS(Mf)9	10:50	1.0	Surface	1	1	28.94	7.80	21.92	79.60	5.6	3.4	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS(Mf)9	10:50	1.0	Surface	1	2	28.84	7.80	21.94	79.70	5.7	3.5	3.1
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS(Mf)9	10:50	2.6	Bottom	3	1	28.83	7.79	22.88	80.30	5.7	3.5	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS(Mf)9	10:50	2.6	Bottom	3	2	28.88	7.79	22.79	79.50	5.6	3.5	2.5
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS10(N)	11:04	1.0	Surface	1	1	28.54	7.83	21.25	77.80	5.4	2.9	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS10(N)	11:03	1.0	Surface	1	2	28.42	7.82	20.63	79.00	5.5	3.1	2.3
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS10(N)	11:03	5.2	Middle	2	1	27.08	7.76	28.96	75.10	5.3	3.6	2.5
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS10(N)	11:03	5.2	Middle	2	2	27.01	7.76	29.27	75.30	5.3	3.3	2.3
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS10(N)	11:03	9.4	Bottom	3	1	26.86	7.74	30.25	73.20	5.1	3.9	2.4
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	IS10(N)	11:02	9.4	Bottom	3	2	26.90	7.73	29.39	73.10	5.1	4.2	2.1
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR3(N)	11:30	1.0	Surface	1	1	28.87	7.81	22.14	80.50	5.7	4.2	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR3(N)	11:30	1.0	Surface	1	2	28.91	7.81	22.10	80.30	5.7	4.2	2.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR3(N)	11:30	2.3	Bottom	3	1	28.71	7.80	23.09	80.60	5.7	4.2	2.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR3(N)	11:30	2.3	Bottom	3	2	28.86	7.80	22.86	79.80	5.6	4.4	2.5
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR4(N3)	10:37	1.0	Surface	1	1	28.79	7.76	21.86	82.80	5.8	4.2	2.6
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR4(N3)	10:36	1.0	Surface	1	2	28.81	7.77	21.90	78.30	5.6	4.1	3.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR4(N3)	10:37	2.7	Bottom	3	1	28.71	7.75	23.26	76.30	5.4	4.2	3.1
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR4(N3)	10:36	2.7	Bottom	3	2	28.68	7.76	23.50	77.50	5.5	4.1	3.2
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR5(N)	11:12	1.0	Surface	1	1	28.35	7.82	20.86	76.70	5.4	3.9	2.9
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR5(N)	11:12	1.0	Surface	1	2	28.58	7.81	22.33	78.10	5.5	3.6	4.6
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR5(N)	11:12	4.2	Middle	2	1	27.17	7.77	28.46	73.60	5.1	4.2	4.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR5(N)	11:11	4.2	Middle	2	2	27.23	7.77	28.29	73.20	5.1	4.0	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR5(N)	11:11	7.3	Bottom	3	1	27.02	7.75	29.39	74.00	5.1	4.4	3.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR5(N)	11:12	7.3	Bottom	3	2	26.98	7.75	30.06	74.60	5.2	4.3	2.2
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10A(N)	10:10	1.0	Surface	1	1	28.69	7.82	21.33	80.10	5.6	3.0	3.6
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10A(N)	10:10	1.0	Surface	1	2	28.55	7.84	20.65	78.60	5.5	3.1	2.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10A(N)	10:09	6.4	Middle	2	1	27.00	7.77	29.33	76.00	5.3	3.1	2.4
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10A(N)	10:10	6.4	Middle	2	2	27.00	7.77	29.62	76.80	5.3	3.1	3.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10A(N)	10:09	11.7	Bottom	3	1	26.85	7.74	30.51	72.60	5.0	3.8	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10A(N)	10:10	11.7	Bottom	3	2	27.01	7.75	29.29	73.40	5.1	3.7	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10B(N2)	9:57	1.0	Surface	1	1	28.55	7.84	21.09	80.20	5.6	3.4	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10B(N2)	9:57	1.0	Surface	1	2	28.61	7.85	20.46	80.80	5.7	3.5	3.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10B(N2)	9:57	3.3	Middle	2	1	27.50	7.81	26.56	75.00	5.2	3.8	2.2
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10B(N2)	9:56	3.3	Middle	2	2	27.43	7.81	27.04	77.30	5.4	3.8	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10B(N2)	9:57	5.6	Bottom	3	1	27.04	7.79	29.39	74.50	5.2	3.9	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	SR10B(N2)	9:56	5.6	Bottom	3	2	26.91	7.80	29.98	74.20	5.2	3.9	2.6
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS2(A)	12:01	1.0	Surface	1	1	28.55	7.82	21.98	77.70	5.4	3.6	4.5
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS2(A)	12:00	1.0	Surface	1	2	28.39	7.81	21.64	77.90	5.4	3.6	4.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS2(A)	12:01	3.2	Middle	2	1	27.34	7.78	27.79	75.30	5.2	3.9	2.4
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS2(A)	12:00	3.2	Middle	2	2	27.35	7.78	27.50	76.20	5.3	3.9	3.1
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS2(A)	12:00	5.3	Bottom	3	1	27.11	7.76	29.39	75.40	5.2	4.4	3.1
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS2(A)	12:00	5.3	Bottom	3	2	26.98	7.76	29.53	75.30	5.2	4.6	2.4
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS(Mf)5	9:45	1.0	Surface	1	1	28.60	7.86	21.84	76.90	5.5	3.5	3.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS(Mf)5	9:46	1.0	Surface	1	2	28.53	7.85	21.95	77.50	5.5	3.5	3.0
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS(Mf)5	9:46	6.0	Middle	2	1	28.12	7.81	25.72	75.40	5.4	3.6	3.4
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS(Mf)5	9:45	6.0	Middle	2	2	27.86	7.82	26.14	75.20	5.4	3.6	3.2
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS(Mf)5	9:45	10.9	Bottom	3	1	26.89	7.77	31.36	73.40	4.7	3.8	2.4
HKLR	HY/2011/03	2023-09-11	Mid-Ebb	Fine	CS(Mf)5	9:44	10.9	Bottom	3	2	26.95	7.85	30.97	72.80	5.2	3.8	1.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS5	18:32	1.0	Surface	1	1	29.09	7.89	22.29	79.90	5.6	5.7	3.0
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS5	18:33	1.0	Surface	1	2	29.10	7.87	22.32	77.60	5.7	6.0	3.0
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS5	18:33	4.3	Middle	2	1	27.85	7.80	27.00	74.40	5.2	8.4	5.2
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS5	18:32	4.3	Middle	2	2	27.77	7.81	27.93	75.30	5.0	8.3	3.7
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS5	18:32	7.5	Bottom	3	1	27.83	7.80	28.86	73.30	4.9	8.4	5.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS5	18:32	7.5	Bottom	3	2	27.84	7.82	28.89	71.50	5.1	8.3	4.6
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS(Mf)6	18:42	1.0	Surface	1	1	29.12	7.87	23.04	77.10	5.1	9.1	3.2
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS(Mf)6	18:42	1.0	Surface	1	2	29.14	7.88	22.86	78.20	5.2	8.9	4.3
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS(Mf)6	18:42	2.1	Bottom	3	1	29.14	7.87	23.31	77.90	5.2	9.0	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS(Mf)6	18:41	2.1	Bottom	3	2	29.02	7.88	23.75	80.90	5.4	8.9	3.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS7	18:51	1.0	Surface	1	1	29.36	7.91	22.57	84.90	5.7	4.0	2.1
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS7	18:50	1.0	Surface	1	2	29.30	7.91	22.61	84.00	5.6	3.9	2.9
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS7	18:50	2.2	Bottom	3	1	29.33	7.90	22.64	83.90	5.6	3.9	2.2
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS7	18:50	2.2	Bottom	3	2	29.31	7.91	22.85	84.00	5.6	4.0	3.4
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS8(N)	19:23	1.0	Surface	1	1	29.11	7.89	22.72	78.60	5.5	5.1	4.9
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS8(N)	19:23	1.0	Surface	1	2	29.13	7.88	22.75	77.40	5.4	5.1	3.7
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS8(N)	19:23	3.1	Bottom	3	1	29.10	7.88	23.38	77.40	5.4	5.4	3.5
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS8(N)	19:23	3.1	Bottom	3	2	28.83	7.89	24.32	79.40	5.5	5.4	3.0
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS(Mf)9	19:01	1.0	Surface	1	1	29.34	7.92	22.59	82.70	5.5	3.6	1.6
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS(Mf)9	19:01	1.0	Surface	1	2	29.28	7.92	22.57	83.60	5.6	3.7	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS(Mf)9	19:00	2.6	Bottom	3	1	29.24	7.93	23.25	85.40	5.7	4.4	1.9
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS(Mf)9	19:01	2.6	Bottom	3	2	29.33	7.91	22.65	82.60	5.5	4.5	2.5
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS10(N)	19:05	1.0	Surface	1	1	28.37	7.82	21.89	78.40	5.5	3.7	2.6
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS10(N)	19:05	1.0	Surface	1	2	28.46	7.81	22.03	76.70	5.4	3.7	2.9

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS10(N)	19:04	5.2	Middle	2	1	27.42	7.76	26.72	74.90	5.2	4.9	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS10(N)	19:05	5.2	Middle	2	2	27.45	7.76	26.85	75.40	5.3	4.6	3.4
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS10(N)	19:05	9.4	Bottom	3	1	27.33	7.74	28.19	74.40	5.2	4.7	3.2
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	IS10(N)	19:04	9.4	Bottom	3	2	27.21	7.75	28.13	75.00	5.2	4.9	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR3(N)	18:23	1.0	Surface	1	1	29.14	7.93	22.74	78.30	5.2	6.3	2.3
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR3(N)	18:22	1.0	Surface	1	2	29.10	7.95	22.73	78.50	5.2	6.5	1.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR3(N)	18:22	2.3	Bottom	3	1	29.04	7.98	23.31	80.70	5.4	6.4	1.9
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR3(N)	18:23	2.3	Bottom	3	2	29.09	7.93	23.06	78.30	5.2	6.4	3.0
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR4(N3)	19:15	1.0	Surface	1	1	29.28	7.90	22.48	81.20	5.4	5.4	2.6
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR4(N3)	19:15	1.0	Surface	1	2	29.18	7.89	22.54	81.10	5.4	5.4	2.9
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR4(N3)	19:14	2.7	Bottom	3	1	29.16	7.90	23.08	80.70	5.4	5.5	3.2
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR4(N3)	19:15	2.7	Bottom	3	2	29.19	7.89	22.93	80.90	5.4	5.5	2.5
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR5(N)	18:53	1.0	Surface	1	1	28.80	7.83	21.48	81.40	5.7	3.1	2.9
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR5(N)	18:54	1.0	Surface	1	2	28.67	7.82	21.63	81.30	5.7	3.1	4.0
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR5(N)	18:53	4.1	Middle	2	1	27.56	7.78	25.48	77.20	5.4	4.3	3.5
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR5(N)	18:53	4.1	Middle	2	2	27.61	7.78	25.44	77.90	5.4	4.3	4.1
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR5(N)	18:53	7.2	Bottom	3	1	27.29	7.75	28.59	78.80	5.5	5.3	3.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR5(N)	18:53	7.2	Bottom	3	2	27.13	7.76	28.66	78.60	5.5	5.1	2.7
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10A(N)	19:56	1.0	Surface	1	1	28.43	7.87	24.73	81.50	5.5	2.9	1.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10A(N)	19:55	1.0	Surface	1	2	28.38	7.89	24.75	80.30	5.5	2.7	2.6
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10A(N)	19:56	6.4	Middle	2	1	27.31	7.83	28.51	78.30	5.3	3.4	2.5
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10A(N)	19:55	6.4	Middle	2	2	27.16	7.85	28.83	79.60	5.4	3.1	3.0
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10A(N)	19:56	11.7	Bottom	3	1	27.34	7.84	29.02	80.30	5.4	3.9	4.3
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10A(N)	19:55	11.7	Bottom	3	2	27.03	7.85	29.79	80.50	5.5	3.9	5.5
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10B(N2)	20:09	1.0	Surface	1	1	27.91	7.86	25.15	79.50	5.4	3.8	3.2
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10B(N2)	20:09	1.0	Surface	1	2	28.45	7.87	24.73	81.00	5.5	3.6	3.1
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10B(N2)	20:09	3.4	Middle	2	1	27.66	7.84	27.39	78.60	5.3	4.0	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10B(N2)	20:09	3.4	Middle	2	2	27.68	7.84	27.37	78.50	5.3	4.0	3.7
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10B(N2)	20:09	5.8	Bottom	3	1	27.67	7.83	28.04	79.70	5.4	3.9	3.7
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	SR10B(N2)	20:08	5.8	Bottom	3	2	27.49	7.82	28.16	78.80	5.3	3.7	4.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS2(A)	18:06	1.0	Surface	1	1	28.83	7.85	21.47	86.10	6.0	3.2	2.8
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS2(A)	18:06	1.0	Surface	1	2	28.79	7.86	21.49	84.40	5.9	3.3	3.6
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS2(A)	18:06	3.2	Middle	2	1	27.85	7.82	24.94	82.20	5.7	3.7	3.4
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS2(A)	18:06	3.2	Middle	2	2	27.78	7.82	25.33	82.80	5.8	3.9	2.4
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS2(A)	18:05	5.3	Bottom	3	1	27.67	7.82	26.48	82.80	5.8	4.2	2.9
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS2(A)	18:06	5.3	Bottom	3	2	27.80	7.82	26.54	82.90	5.8	4.3	3.2
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS(Mf)5	20:06	1.0	Surface	1	1	28.90	7.90	23.07	79.30	5.5	4.5	2.0
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS(Mf)5	20:07	1.0	Surface	1	2	28.55	7.87	23.44	79.10	5.5	4.5	1.6
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS(Mf)5	20:06	6.1	Middle	2	1	27.64	7.82	27.91	77.20	5.3	5.3	3.2
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS(Mf)5	20:06	6.1	Middle	2	2	27.36	7.83	29.09	76.70	5.3	5.4	2.0
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS(Mf)5	20:06	11.2	Bottom	3	1	27.23	7.81	31.71	76.30	5.3	5.3	3.4
HKLR	HY/2011/03	2023-09-11	Mid-Flood	Fine	CS(Mf)5	20:05	11.2	Bottom	3	2	26.81	7.82	31.98	76.10	5.2	5.4	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS5	12:48	1.0	Surface	1	1	27.91	7.92	26.50	76.50	5.2	5.6	3.3
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS5	12:48	1.0	Surface	1	2	27.97	7.92	26.51	79.10	5.4	5.4	3.6
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS5	12:47	5.3	Middle	2	1	27.43	7.88	28.88	74.30	5.0	7.1	2.8
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS5	12:48	5.3	Middle	2	2	27.40	7.88	28.93	75.60	5.1	6.8	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS5	12:48	9.5	Bottom	3	1	27.38	7.87	29.32	72.50	4.9	7.0	2.7
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS5	12:47	9.5	Bottom	3	2	27.42	7.88	29.07	73.20	5.0	7.2	2.3
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS(Mf)6	12:40	1.0	Surface	1	1	27.92	7.93	26.50	77.40	5.3	4.7	3.2
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS(Mf)6	12:39	1.0	Surface	1	2	27.93	7.93	26.53	78.10	5.3	4.7	3.5
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS(Mf)6	12:40	4.4	Bottom	3	1	27.45	7.89	28.59	75.10	5.1	6.2	4.6
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS(Mf)6	12:39	4.4	Bottom	3	2	27.42	7.89	28.56	74.00	5.0	6.5	4.9
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS7	12:40	1.0	Surface	1	1	27.35	7.87	29.46	74.90	5.1	7.0	5.5
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS7	12:39	1.0	Surface	1	2	27.26	7.88	29.47	73.10	5.0	6.9	5.3
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS7	13:41	1.0	Bottom	3	1	27.77	7.95	28.77	78.90	5.3	3.3	3.6
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS7	13:42	1.0	Bottom	3	2	27.73	7.94	28.90	80.40	5.4	3.4	4.0
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS8(N)	13:41	1.0	Surface	1	1	27.39	7.93	29.91	78.00	5.3	3.4	5.2
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS8(N)	13:42	1.0	Surface	1	2	27.54	7.92	29.43	78.80	5.3	3.6	4.8
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS8(N)	13:42	12.1	Bottom	3	1	27.58	7.92	29.36	79.10	5.3	3.9	4.3

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS8(N)	13:41	12.1	Bottom	3	2	27.36	7.93	30.03	78.60	5.3	3.8	3.9
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS(Mf)9	13:52	1.0	Surface	1	1	27.82	7.93	28.71	82.20	5.5	3.6	3.8
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS(Mf)9	13:52	1.0	Surface	1	2	27.82	7.93	28.74	82.70	5.6	3.7	3.4
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS(Mf)9	13:51	3.6	Bottom	3	1	27.70	7.92	28.94	81.10	5.5	3.8	4.7
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS(Mf)9	13:52	3.6	Bottom	3	2	27.66	7.92	29.02	80.70	5.4	3.8	4.2
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS10(N)	13:51	1.0	Surface	1	1	27.62	7.91	29.23	80.80	5.5	4.1	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS10(N)	13:52	1.0	Surface	1	2	27.64	7.91	29.23	81.60	5.5	4.4	3.3
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS10(N)	11:45	2.2	Middle	2	1	27.90	7.93	26.64	80.70	5.5	4.0	4.1
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS10(N)	11:45	2.2	Middle	2	2	27.89	7.95	26.62	82.20	5.6	3.9	3.7
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS10(N)	11:45	3.3	Bottom	3	1	27.55	7.93	28.17	79.80	5.4	5.1	4.7
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	IS10(N)	11:44	3.3	Bottom	3	2	27.51	7.93	28.36	79.10	5.4	5.1	4.4
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR3(N)	11:45	1.0	Surface	1	1	27.55	7.93	28.80	77.40	5.3	5.4	3.3
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR3(N)	11:44	1.0	Surface	1	2	27.48	7.92	28.81	78.00	5.3	5.6	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR3(N)	5:14	1.0	Bottom	3	1	27.98	7.92	26.80	78.50	5.4	4.2	4.2
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR3(N)	5:14	1.0	Bottom	3	2	28.03	7.92	26.74	78.20	5.3	4.1	3.8
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR4(N3)	5:13	1.0	Surface	1	1	27.45	7.88	28.78	74.10	5.0	5.1	3.7
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR4(N3)	5:14	1.0	Surface	1	2	27.41	7.87	29.00	74.60	5.1	5.1	4.0
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR4(N3)	5:13	9.6	Bottom	3	1	27.36	7.87	29.38	72.70	4.9	5.3	3.2
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR4(N3)	5:14	9.6	Bottom	3	2	27.34	7.87	29.39	73.30	5.0	5.4	2.8
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR5(N)	5:23	1.0	Surface	1	1	27.97	7.91	26.80	77.60	5.3	3.8	2.4
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR5(N)	5:24	1.0	Surface	1	2	27.86	7.91	26.87	78.30	5.4	4.1	2.1
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR5(N)	5:23	4.3	Middle	2	1	27.51	7.88	28.52	73.80	5.0	5.0	2.5
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR5(N)	5:23	4.3	Middle	2	2	27.53	7.88	28.49	74.60	5.1	4.8	2.8
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR5(N)	5:23	7.6	Bottom	3	1	27.31	7.86	29.65	74.10	5.0	5.3	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR5(N)	5:23	7.6	Bottom	3	2	27.37	7.87	29.43	73.60	5.0	5.2	3.2
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10A(N)	4:24	1.0	Surface	1	1	28.00	7.93	26.83	78.00	5.3	3.3	2.9
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10A(N)	4:24	1.0	Surface	1	2	27.94	7.92	26.76	77.50	5.3	3.3	2.6
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10A(N)	4:23	6.6	Middle	2	1	27.33	7.87	29.41	74.90	5.1	3.5	3.7
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10A(N)	4:24	6.6	Middle	2	2	27.31	7.87	29.46	74.20	5.0	3.3	3.3
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10A(N)	4:24	12.2	Bottom	3	1	27.46	7.87	30.05	74.40	5.0	4.5	5.0
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10A(N)	4:23	12.2	Bottom	3	2	27.35	7.87	29.91	73.10	5.0	4.5	4.6
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10B(N2)	4:16	1.0	Surface	1	1	28.01	7.93	26.84	80.00	5.4	3.4	2.4
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10B(N2)	4:15	1.0	Surface	1	2	27.80	7.91	26.98	80.10	5.4	3.3	2.1
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10B(N2)	4:15	3.6	Middle	2	1	27.55	7.90	28.30	77.50	5.2	3.7	3.3
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10B(N2)	4:15	3.6	Middle	2	2	27.60	7.91	28.14	76.00	5.2	3.8	2.9
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10B(N2)	4:15	6.1	Bottom	3	1	27.39	7.89	29.24	75.90	5.2	3.9	4.3
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	SR10B(N2)	4:15	6.1	Bottom	3	2	27.57	7.90	29.19	75.20	5.1	4.1	4.8
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS2(A)	6:13	1.0	Surface	1	1	28.07	7.92	26.79	79.20	5.4	4.0	2.5
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS2(A)	6:12	1.0	Surface	1	2	28.01	7.91	26.86	78.00	5.3	3.8	2.2
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS2(A)	6:13	3.3	Middle	2	1	27.71	7.89	28.00	76.50	5.2	4.1	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS2(A)	6:12	3.3	Middle	2	2	27.64	7.89	27.80	76.90	5.2	4.1	2.7
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS2(A)	6:12	5.5	Bottom	3	1	27.62	7.88	29.08	74.40	5.1	4.6	3.1
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS2(A)	6:12	5.5	Bottom	3	2	27.39	7.87	29.25	74.60	5.0	4.6	3.5
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS(Mf)5	11:51	1.0	Surface	1	1	28.83	7.89	24.10	78.00	5.3	3.6	2.3
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS(Mf)5	11:51	1.0	Surface	1	2	28.94	7.89	23.97	78.00	5.4	3.6	2.4
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS(Mf)5	11:51	4.3	Middle	2	1	28.31	7.83	27.62	76.70	5.3	3.7	3.2
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS(Mf)5	11:51	4.3	Middle	2	2	28.26	7.83	28.04	76.40	5.2	3.7	3.5
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS(Mf)5	11:51	7.5	Bottom	3	1	28.41	7.83	28.81	75.80	5.2	3.8	4.2
HKLR	HY/2011/03	2023-09-13	Mid-Ebb	Fine	CS(Mf)5	11:51	7.5	Bottom	3	2	28.44	7.83	28.82	75.60	5.2	3.8	3.8
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS5	12:01	1.0	Surface	1	1	29.02	7.88	24.89	84.50	5.8	4.5	3.4
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS5	12:01	1.0	Surface	1	2	29.01	7.89	24.87	84.70	5.8	4.4	3.1
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS5	12:01	1.1	Middle	2	1	29.03	7.89	25.52	84.80	5.8	4.4	4.0
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS5	12:01	1.1	Middle	2	2	28.86	7.89	25.66	86.40	5.9	4.3	3.6
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS5	12:10	1.1	Bottom	3	1	29.06	7.87	24.98	82.90	5.7	2.8	4.9
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS5	12:10	1.1	Bottom	3	2	28.94	7.87	25.00	81.80	5.6	2.8	4.3
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS(Mf)6	12:10	1.0	Surface	1	1	29.01	7.86	25.09	81.50	5.6	2.7	3.7
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS(Mf)6	12:10	1.0	Surface	1	2	29.00	7.87	25.46	82.40	5.6	2.8	4.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS(Mf)6	12:44	1.0	Bottom	3	1	29.01	7.88	25.20	80.40	5.5	5.0	2.7
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS(Mf)6	12:43	1.0	Bottom	3	2	28.91	7.87	25.30	80.40	5.5	4.9	3.1

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS7	12:44	1.0	Surface	1	1	28.98	7.87	25.45	79.20	5.4	5.1	2.7
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS7	12:43	1.0	Surface	1	2	28.41	7.85	26.92	77.20	5.3	5.0	3.1
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS7	12:20	1.0	Bottom	3	1	29.32	7.90	24.77	88.00	6.0	3.0	2.1
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS7	12:20	1.0	Bottom	3	2	29.34	7.90	24.76	87.90	6.0	3.0	2.5
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS8(N)	12:20	1.0	Surface	1	1	29.27	7.90	24.88	88.70	6.0	3.9	2.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS8(N)	12:20	1.0	Surface	1	2	29.32	7.89	24.83	87.00	5.9	3.9	2.6
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS8(N)	11:41	1.1	Bottom	3	1	29.19	7.92	24.11	85.50	5.9	5.1	3.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS8(N)	11:40	1.1	Bottom	3	2	29.18	7.94	24.14	85.10	5.8	5.0	3.5
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS(Mf)9	11:40	1.0	Surface	1	1	29.14	7.95	24.39	85.20	5.8	5.1	1.9
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS(Mf)9	11:40	1.0	Surface	1	2	29.17	7.92	24.21	85.00	5.8	5.1	1.6
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS(Mf)9	12:34	1.0	Bottom	3	1	28.98	7.84	24.83	79.30	5.4	6.8	2.3
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS(Mf)9	12:34	1.0	Bottom	3	2	29.10	7.85	24.80	79.00	5.4	6.9	2.7
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS10(N)	12:34	1.0	Surface	1	1	28.97	7.84	25.54	78.70	5.4	6.8	2.1
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS10(N)	12:34	1.0	Surface	1	2	28.99	7.84	25.68	76.80	5.2	6.8	2.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS10(N)	13:21	3.6	Middle	2	1	28.90	7.89	24.39	76.80	5.2	4.3	2.4
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS10(N)	13:22	3.6	Middle	2	2	28.94	7.88	24.50	74.90	5.1	4.3	2.7
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS10(N)	13:21	6.1	Bottom	3	1	28.29	7.84	27.19	72.70	5.0	4.4	3.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	IS10(N)	13:22	6.1	Bottom	3	2	28.19	7.82	27.38	72.90	5.0	4.4	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR3(N)	13:21	1.0	Surface	1	1	27.34	7.81	31.07	72.00	4.9	4.5	2.4
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR3(N)	13:21	1.0	Surface	1	2	27.45	7.81	30.92	72.20	4.9	4.4	2.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR3(N)	6:05	1.0	Bottom	3	1	28.54	7.91	24.51	78.20	5.3	5.0	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR3(N)	6:06	1.0	Bottom	3	2	28.66	7.89	24.57	76.70	5.3	5.0	2.8
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR4(N3)	6:05	1.0	Surface	1	1	28.03	7.86	27.79	74.50	5.1	5.0	1.8
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR4(N3)	6:06	1.0	Surface	1	2	28.00	7.84	27.79	74.90	5.1	5.1	1.4
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR4(N3)	6:06	7.6	Bottom	3	1	28.18	7.84	28.91	74.00	5.0	5.3	3.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR4(N3)	6:05	7.6	Bottom	3	2	27.87	7.87	29.03	72.60	5.0	5.1	2.9
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR5(N)	5:56	1.0	Surface	1	1	28.63	7.86	24.46	78.20	5.4	4.4	3.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR5(N)	5:56	1.0	Surface	1	2	28.63	7.86	24.66	78.50	5.4	4.4	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR5(N)	5:56	1.1	Middle	2	1	28.63	7.85	24.95	78.40	5.4	4.4	2.6
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR5(N)	5:57	1.1	Middle	2	2	28.59	7.86	25.25	79.20	5.4	4.4	2.5
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR5(N)	5:47	1.1	Bottom	3	1	28.57	7.85	24.76	78.20	5.4	3.3	2.1
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR5(N)	5:47	1.1	Bottom	3	2	28.49	7.86	24.88	79.20	5.4	3.3	2.4
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10A(N)	5:47	1.0	Surface	1	1	28.52	7.85	25.35	78.30	5.4	3.4	1.9
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10A(N)	5:47	1.0	Surface	1	2	28.51	7.86	25.44	81.20	5.6	3.3	1.7
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10A(N)	5:18	2	Middle	2	1	28.53	7.86	24.71	76.70	5.2	5.0	1.7
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10A(N)	5:18	2	Middle	2	2	28.56	7.86	24.65	75.10	5.2	4.8	1.5
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10A(N)	5:18	3	Bottom	3	1	28.54	7.84	25.86	75.00	5.1	5.1	1.4
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10A(N)	5:18	3	Bottom	3	2	28.47	7.85	26.23	74.60	5.1	4.9	1.5
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10B(N2)	5:39	1.0	Surface	1	1	28.80	7.89	24.37	81.70	5.6	3.2	3.8
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10B(N2)	5:40	1.0	Surface	1	2	28.84	7.88	24.40	81.70	5.6	3.2	4.3
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10B(N2)	5:39	1	Middle	2	1	28.80	7.88	24.81	81.60	5.6	3.4	3.0
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10B(N2)	5:39	1	Middle	2	2	28.83	7.89	24.84	82.50	5.6	3.3	2.6
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10B(N2)	6:18	1.0	Bottom	3	1	28.75	7.90	24.73	82.00	5.6	4.9	2.1
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	SR10B(N2)	6:18	1.0	Bottom	3	2	28.77	7.90	24.68	82.50	5.6	5.0	2.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS2(A)	6:18	1.0	Surface	1	1	28.77	7.89	24.77	82.20	5.6	5.0	2.5
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS2(A)	6:18	1.0	Surface	1	2	28.68	7.90	25.06	82.90	5.7	4.9	2.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS2(A)	5:27	1.9	Middle	2	1	28.52	7.82	24.41	76.40	5.3	4.5	2.7
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS2(A)	5:27	1.9	Middle	2	2	28.54	7.81	24.45	78.60	5.4	4.6	3.1
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS2(A)	5:27	2.8	Bottom	3	1	28.50	7.80	25.48	73.80	5.1	4.7	3.3
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS2(A)	5:27	2.8	Bottom	3	2	28.51	7.81	25.53	75.30	5.2	4.6	3.4
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS(Mf)5	4:43	1.0	Surface	1	1	28.51	7.86	24.07	76.10	5.2	4.0	4.4
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS(Mf)5	4:42	1.0	Surface	1	2	28.33	7.86	24.07	75.30	5.2	4.1	4.8
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS(Mf)5	4:42	6.1	Middle	2	1	27.70	7.82	27.42	73.00	5.1	4.2	4.2
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS(Mf)5	4:43	6.1	Middle	2	2	28.09	7.82	27.07	73.20	5.1	4.1	4.0
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS(Mf)5	4:42	11.2	Bottom	3	1	27.43	7.82	29.83	71.20	4.9	4.4	3.7
HKLR	HY/2011/03	2023-09-13	Mid-Flood	Fine	CS(Mf)5	4:43	11.2	Bottom	3	2	27.46	7.81	30.36	71.60	4.0	4.5	3.2
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS5	13:38	1.0	Surface	1	1	28.08	7.84	25.72	78.20	5.4	3.4	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS5	13:39	1.0	Surface	1	2	28.05	7.85	25.65	79.20	5.5	3.4	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS5	13:38	5.2	Middle	2	1	27.46	7.81	28.06	77.10	5.3	4.1	5.3

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS5	13:39	5.2	Middle	2	2	27.48	7.81	28.12	77.50	5.4	4.0	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS5	13:39	9.4	Bottom	3	1	27.42	7.80	28.75	76.80	5.3	4.1	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS5	13:38	9.4	Bottom	3	2	27.36	7.80	28.73	77.20	5.3	4.1	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS(Mf)6	13:30	1.0	Surface	1	1	28.18	7.85	25.55	80.90	5.6	3.1	5.6
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS(Mf)6	13:29	1.0	Surface	1	2	28.24	7.86	25.47	80.90	5.6	3.1	5.6
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS(Mf)6	13:30	4.4	Bottom	3	1	27.54	7.82	27.47	78.20	5.4	3.8	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS(Mf)6	13:29	4.4	Bottom	3	2	27.58	7.83	27.45	78.40	5.4	3.9	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS7	13:30	1.0	Surface	1	1	27.39	7.81	28.95	79.10	5.5	4.4	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS7	13:29	1.0	Surface	1	2	27.31	7.81	28.98	79.00	5.5	4.3	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS7	14:31	1.0	Bottom	3	1	28.02	7.87	27.07	81.10	5.5	2.8	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS7	14:31	1.0	Bottom	3	2	28.02	7.88	27.07	80.30	5.5	2.6	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS8(N)	14:31	1.0	Surface	1	1	27.34	7.86	29.11	79.60	5.4	3.1	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS8(N)	14:31	1.0	Surface	1	2	27.41	7.85	28.96	78.70	5.4	3.2	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS8(N)	14:30	11.7	Bottom	3	1	27.27	7.86	29.56	80.10	5.5	3.5	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS8(N)	14:31	11.7	Bottom	3	2	27.44	7.86	29.20	80.00	5.5	3.5	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS(Mf)9	14:43	1.0	Surface	1	1	27.78	7.86	27.27	80.00	5.5	3.2	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS(Mf)9	14:43	1.0	Surface	1	2	28.05	7.87	27.08	80.70	5.5	3.2	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS(Mf)9	14:43	3.9	Bottom	3	1	27.61	7.85	28.39	79.20	5.4	3.5	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS(Mf)9	14:43	3.9	Bottom	3	2	27.62	7.85	28.39	79.00	5.4	3.5	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS10(N)	14:43	1.0	Surface	1	1	27.62	7.85	28.71	79.40	5.4	3.6	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS10(N)	14:42	1.0	Surface	1	2	27.50	7.84	28.79	79.00	5.4	3.5	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS10(N)	12:37	2.1	Middle	2	1	28.24	7.88	25.49	83.40	5.8	3.1	5.8
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS10(N)	12:38	2.1	Middle	2	2	28.25	7.87	25.48	84.00	5.8	3.1	5.8
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS10(N)	12:38	3.2	Bottom	3	1	27.73	7.85	27.20	81.70	5.7	3.4	5.7
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	IS10(N)	12:37	3.2	Bottom	3	2	27.67	7.85	27.37	81.90	5.7	3.6	5.7
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR3(N)	12:38	1.0	Surface	1	1	27.67	7.85	27.98	82.30	5.7	3.9	5.7
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR3(N)	12:37	1.0	Surface	1	2	27.61	7.85	27.95	82.00	5.7	3.8	5.7
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR3(N)	6:29	1.0	Bottom	3	1	28.01	7.85	25.08	79.80	5.5	3.0	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR3(N)	6:30	1.0	Bottom	3	2	28.08	7.86	25.37	79.10	5.5	2.9	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR4(N3)	6:29	1.0	Surface	1	1	27.31	7.82	29.06	77.80	5.4	3.4	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR4(N3)	6:29	1.0	Surface	1	2	27.26	7.82	29.21	77.60	5.4	3.2	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR4(N3)	6:29	9.5	Bottom	3	1	27.21	7.80	29.69	77.00	5.3	3.7	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR4(N3)	6:29	9.5	Bottom	3	2	27.22	7.80	29.29	77.20	5.3	3.9	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR5(N)	6:40	1.0	Surface	1	1	27.97	7.85	25.19	78.40	5.5	3.4	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR5(N)	6:39	1.0	Surface	1	2	28.09	7.85	25.87	79.00	5.5	3.3	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR5(N)	6:40	4.5	Middle	2	1	27.35	7.82	28.81	76.40	5.3	3.7	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR5(N)	6:39	4.5	Middle	2	2	27.39	7.82	28.74	76.40	5.3	3.6	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR5(N)	6:39	8.0	Bottom	3	1	27.26	7.81	29.30	77.00	5.3	3.9	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR5(N)	6:40	8.0	Bottom	3	2	27.25	7.81	29.61	77.10	5.3	3.9	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10A(N)	5:38	1.0	Surface	1	1	28.07	7.84	25.51	81.40	5.7	2.8	5.7
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10A(N)	5:37	1.0	Surface	1	2	28.09	7.86	25.14	79.50	5.5	2.9	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10A(N)	5:37	6.4	Middle	2	1	27.26	7.81	29.27	77.80	5.4	3.0	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10A(N)	5:37	6.4	Middle	2	2	27.26	7.81	29.40	77.90	5.4	3.0	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10A(N)	5:37	11.7	Bottom	3	1	27.29	7.80	29.30	76.50	5.3	3.4	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10A(N)	5:37	11.7	Bottom	3	2	27.18	7.80	29.85	76.30	5.3	3.5	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10B(N2)	5:29	1.0	Surface	1	1	28.10	7.86	25.35	82.00	5.7	3.0	5.7
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10B(N2)	5:28	1.0	Surface	1	2	28.13	7.86	25.06	81.80	5.7	3.1	5.7
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10B(N2)	5:28	3.9	Middle	2	1	27.50	7.83	28.20	79.90	5.5	3.3	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10B(N2)	5:29	3.9	Middle	2	2	27.54	7.83	27.94	78.10	5.4	3.2	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10B(N2)	5:28	6.7	Bottom	3	1	27.28	7.82	29.33	77.70	5.4	3.5	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	SR10B(N2)	5:28	6.7	Bottom	3	2	27.22	7.82	29.61	77.50	5.4	3.5	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS2(A)	7:31	1.0	Surface	1	1	28.08	7.85	25.69	79.20	5.5	3.3	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS2(A)	7:31	1.0	Surface	1	2	28.00	7.85	25.54	79.20	5.5	3.3	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS2(A)	7:31	3.2	Middle	2	1	27.46	7.83	28.44	77.80	5.4	3.6	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS2(A)	7:30	3.2	Middle	2	2	27.47	7.83	28.31	78.20	5.4	3.6	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS2(A)	7:31	5.4	Bottom	3	1	27.33	7.82	29.25	78.00	5.4	3.9	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS2(A)	7:30	5.4	Bottom	3	2	27.26	7.82	29.31	77.90	5.4	4.0	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS(Mf)5	12:57	1.0	Surface	1	1	28.49	7.88	25.63	79.50	5.5	4.4	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS(Mf)5	12:58	1.0	Surface	1	2	28.52	7.87	25.65	78.90	5.5	4.6	5.5

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS(Mf)5	12:58	4.3	Middle	2	1	27.80	7.83	28.00	76.70	5.3	5.9	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS(Mf)5	12:57	4.3	Middle	2	2	27.75	7.83	28.43	77.10	5.1	5.9	5.1
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS(Mf)5	12:57	7.5	Bottom	3	1	27.79	7.83	28.85	76.30	5.1	5.9	5.1
HKLR	HY/2011/03	2023-09-15	Mid-Ebb	Fine	CS(Mf)5	12:57	7.5	Bottom	3	2	27.79	7.84	28.87	75.70	5.2	5.9	5.2
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS5	13:08	1.0	Surface	1	1	28.52	7.87	25.97	78.50	5.3	6.0	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS5	13:07	1.0	Surface	1	2	28.51	7.88	25.89	78.70	5.3	5.9	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS5	13:07	1.0	Middle	2	1	28.52	7.88	26.16	78.10	5.2	6.1	5.2
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS5	13:07	1.0	Middle	2	2	28.43	7.88	26.38	79.40	5.3	6.1	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS5	13:17	1.0	Bottom	3	1	28.65	7.90	25.75	82.20	5.5	3.5	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS5	13:17	1.0	Bottom	3	2	28.60	7.89	25.78	81.70	5.5	3.6	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS(Mf)6	13:17	1.0	Surface	1	1	28.59	7.89	25.98	81.70	5.5	3.8	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS(Mf)6	13:17	1.0	Surface	1	2	28.61	7.89	25.86	81.60	5.5	3.7	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS(Mf)6	13:51	1.0	Bottom	3	1	28.50	7.88	25.83	78.40	5.4	4.1	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS(Mf)6	13:52	1.0	Bottom	3	2	28.52	7.88	25.82	78.10	5.4	4.1	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS7	13:51	1.0	Surface	1	1	28.48	7.87	26.21	78.00	5.3	4.3	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS7	13:51	1.0	Surface	1	2	28.32	7.87	26.68	78.60	5.4	4.4	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS7	13:27	1.0	Bottom	3	1	28.64	7.90	25.76	81.00	5.4	3.3	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS7	13:26	1.0	Bottom	3	2	28.60	7.90	25.76	81.20	5.5	3.4	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS8(N)	13:27	1.0	Surface	1	1	28.61	7.89	25.88	80.80	5.4	3.9	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS8(N)	13:26	1.0	Surface	1	2	28.54	7.90	26.16	82.00	5.5	3.8	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS8(N)	12:44	1.0	Bottom	3	1	28.55	7.91	25.83	80.00	5.4	4.7	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS8(N)	12:44	1.0	Bottom	3	2	28.52	7.92	25.83	80.10	5.4	4.8	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS(Mf)9	12:44	1.0	Surface	1	1	28.51	7.91	26.00	79.70	5.3	4.9	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS(Mf)9	12:44	1.0	Surface	1	2	28.47	7.93	26.14	80.70	5.4	4.9	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS(Mf)9	13:40	1.0	Bottom	3	1	28.54	7.89	25.75	79.50	5.3	4.2	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS(Mf)9	13:40	1.0	Bottom	3	2	28.59	7.89	25.70	79.40	5.3	4.2	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS10(N)	13:40	1.0	Surface	1	1	28.51	7.88	26.06	78.60	5.3	4.4	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS10(N)	13:40	1.0	Surface	1	2	28.54	7.88	26.02	79.10	5.3	4.4	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS10(N)	14:30	3.6	Middle	2	1	28.36	7.89	26.00	76.30	5.2	3.8	5.2
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS10(N)	14:30	3.6	Middle	2	2	28.20	7.88	26.16	76.40	5.2	3.7	5.2
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS10(N)	14:30	6.2	Bottom	3	1	27.45	7.82	28.56	74.30	5.1	4.2	5.1
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	IS10(N)	14:30	6.2	Bottom	3	2	27.31	7.83	29.11	74.20	5.1	4.3	5.1
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR3(N)	14:30	1.0	Surface	1	1	27.25	7.82	29.81	73.70	5.0	4.4	5.0
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR3(N)	14:29	1.0	Surface	1	2	27.01	7.82	30.43	73.60	5.0	4.4	5.0
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR3(N)	7:25	1.0	Bottom	3	1	28.23	7.85	25.56	75.30	5.2	4.3	5.2
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR3(N)	7:24	1.0	Bottom	3	2	28.14	7.86	25.61	76.40	5.3	4.2	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR4(N3)	7:24	1.0	Surface	1	1	27.73	7.81	27.42	74.20	5.1	4.4	5.1
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR4(N3)	7:25	1.0	Surface	1	2	27.71	7.80	27.47	74.30	5.1	4.4	5.1
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR4(N3)	7:25	7.4	Bottom	3	1	27.51	7.78	28.86	73.40	5.0	4.6	5.0
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR4(N3)	7:24	7.4	Bottom	3	2	27.43	7.79	28.89	73.20	5.0	4.6	5.0
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR5(N)	7:14	1.0	Surface	1	1	28.28	7.83	25.53	77.80	5.4	3.7	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR5(N)	7:14	1.0	Surface	1	2	28.31	7.84	25.55	77.70	5.4	3.7	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR5(N)	7:14	1.0	Middle	2	1	28.25	7.82	26.05	77.70	5.3	3.8	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR5(N)	7:14	1.0	Middle	2	2	28.22	7.82	26.11	78.20	5.4	3.7	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR5(N)	7:04	1.0	Bottom	3	1	28.29	7.83	25.58	77.30	5.3	3.1	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR5(N)	7:04	1.0	Bottom	3	2	28.27	7.83	25.63	77.40	5.3	3.1	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10A(N)	7:04	1.0	Surface	1	1	28.21	7.82	26.21	77.10	5.3	3.3	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10A(N)	7:04	1.0	Surface	1	2	28.19	7.82	26.13	77.80	5.4	3.3	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10A(N)	6:33	2	Middle	2	1	28.22	7.84	25.58	76.20	5.3	3.5	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10A(N)	6:33	2	Middle	2	2	28.27	7.85	25.57	76.70	5.3	3.6	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10A(N)	6:33	3	Bottom	3	1	28.21	7.83	26.47	76.20	5.2	3.7	5.2
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10A(N)	6:33	3	Bottom	3	2	28.06	7.83	26.71	74.90	5.2	3.7	5.2
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10B(N2)	6:55	1.0	Surface	1	1	28.38	7.85	25.47	78.20	5.4	3.2	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10B(N2)	6:55	1.0	Surface	1	2	28.31	7.85	25.49	78.00	5.4	3.3	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10B(N2)	6:55	1	Middle	2	1	28.33	7.84	25.95	77.70	5.3	3.5	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10B(N2)	6:55	1	Middle	2	2	28.23	7.83	26.00	77.70	5.3	3.5	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10B(N2)	7:36	1.0	Bottom	3	1	28.30	7.85	25.61	77.70	5.3	3.9	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	SR10B(N2)	7:36	1.0	Bottom	3	2	28.33	7.85	25.57	77.80	5.4	3.8	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS2(A)	7:36	1.0	Surface	1	1	28.29	7.84	25.99	77.10	5.3	3.9	5.3

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS2(A)	7:36	1.0	Surface	1	2	28.17	7.83	26.13	77.00	5.3	3.9	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS2(A)	6:43	2.0	Middle	2	1	28.27	7.82	25.45	79.30	5.5	3.6	5.5
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS2(A)	6:42	2.0	Middle	2	2	28.25	7.83	25.47	77.30	5.4	3.5	5.4
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS2(A)	6:43	2.9	Bottom	3	1	28.19	7.81	26.23	76.20	5.3	3.7	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS2(A)	6:42	2.9	Bottom	3	2	28.15	7.81	26.36	76.80	5.3	3.7	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS(Mf)5	5:55	1.0	Surface	1	1	28.11	7.87	25.47	77.10	5.3	3.2	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS(Mf)5	5:55	1.0	Surface	1	2	28.13	7.86	25.45	76.40	5.3	3.2	5.3
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS(Mf)5	5:55	6.2	Middle	2	1	27.72	7.84	27.49	74.50	5.1	3.3	5.1
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS(Mf)5	5:54	6.2	Middle	2	2	27.59	7.84	27.69	74.90	5.2	3.3	5.2
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS(Mf)5	5:54	11.3	Bottom	3	1	27.14	7.85	29.94	73.20	5.1	3.6	5.1
HKLR	HY/2011/03	2023-09-15	Mid-Flood	Fine	CS(Mf)5	5:55	11.3	Bottom	3	2	27.09	7.81	30.13	73.60	4.8	3.5	4.8
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS5	13:55	1.0	Surface	1	1	28.38	7.94	24.03	83.40	5.7	2.8	6.3
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS5	13:54	1.0	Surface	1	2	28.38	7.95	24.00	84.80	5.7	2.8	6.7
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS5	13:54	4.2	Middle	2	1	27.98	7.92	25.32	82.60	5.5	3.6	5.5
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS5	13:55	4.2	Middle	2	2	28.00	7.91	25.14	80.70	5.5	3.5	5.3
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS5	13:54	7.4	Bottom	3	1	27.99	7.92	25.53	79.90	5.4	3.7	4.6
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS5	13:54	7.4	Bottom	3	2	27.93	7.93	25.58	79.60	5.4	3.7	4.3
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS(Mf)6	14:03	1.0	Surface	1	1	28.34	7.95	24.22	84.10	5.6	2.5	3.7
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS(Mf)6	14:03	1.0	Surface	1	2	28.33	7.96	24.19	86.60	5.8	2.5	3.9
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS(Mf)6	14:03	2.1	Bottom	3	1	28.34	7.96	24.31	85.10	5.7	2.6	4.5
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS(Mf)6	14:03	2.1	Bottom	3	2	28.28	7.97	24.41	89.20	6.0	2.6	4.2
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS7	14:14	1.0	Surface	1	1	28.51	7.97	24.24	88.00	5.9	2.3	6.2
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS7	14:14	1.0	Surface	1	2	28.49	7.97	24.25	89.30	6.0	2.3	5.8
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS7	14:14	2.2	Bottom	3	1	28.49	7.97	24.29	88.60	5.9	2.4	4.1
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS7	14:14	2.2	Bottom	3	2	28.48	7.98	24.34	91.30	6.1	2.4	4.6
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS8(N)	14:47	1.0	Surface	1	1	28.33	8.01	24.25	89.10	6.0	3.9	5.2
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS8(N)	14:48	1.0	Surface	1	2	28.38	8.02	24.21	88.80	6.0	3.8	5.5
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS8(N)	14:47	2.9	Bottom	3	1	28.31	8.01	24.47	88.90	6.0	3.9	4.7
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS8(N)	14:47	2.9	Bottom	3	2	28.20	8.01	24.73	91.20	6.1	3.9	4.3
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS(Mf)9	14:23	1.0	Surface	1	1	28.44	7.97	24.27	84.70	5.7	3.3	2.6
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS(Mf)9	14:22	1.0	Surface	1	2	28.40	7.98	24.27	86.00	5.7	3.5	3.0
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS(Mf)9	14:22	2.6	Bottom	3	1	28.42	7.97	24.32	85.10	5.7	3.8	4.5
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS(Mf)9	14:22	2.6	Bottom	3	2	28.35	7.98	24.47	87.70	5.9	3.6	4.9
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS10(N)	14:43	1.0	Surface	1	1	28.05	7.79	23.84	74.90	5.2	3.6	2.8
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS10(N)	14:43	1.0	Surface	1	2	28.08	7.79	23.80	75.90	5.3	3.5	3.1
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS10(N)	14:43	5.2	Middle	2	1	27.52	7.77	26.20	74.50	5.2	4.2	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS10(N)	14:42	5.2	Middle	2	2	27.50	7.77	26.14	73.80	5.1	4.2	3.4
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS10(N)	14:43	9.4	Bottom	3	1	27.54	7.76	26.52	74.30	5.2	4.4	3.7
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	IS10(N)	14:42	9.4	Bottom	3	2	27.44	7.77	26.57	74.10	5.2	4.5	3.8
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR3(N)	13:45	1.0	Surface	1	1	28.38	8.00	23.98	84.40	5.6	2.8	2.6
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR3(N)	13:44	1.0	Surface	1	2	28.37	8.01	23.97	86.20	5.8	2.9	2.3
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR3(N)	13:44	2.4	Bottom	3	1	28.35	8.04	24.15	87.70	5.9	2.9	3.1
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR3(N)	13:45	2.4	Bottom	3	2	28.36	8.00	24.05	85.70	5.7	3.0	3.5
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR4(N3)	14:38	1.0	Surface	1	1	28.44	7.98	24.04	85.40	5.7	4.2	2.9
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR4(N3)	14:38	1.0	Surface	1	2	28.33	7.97	24.18	82.70	5.5	4.2	2.7
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR4(N3)	14:38	2.7	Bottom	3	1	28.32	7.96	24.33	80.90	5.4	4.4	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR4(N3)	14:37	2.7	Bottom	3	2	28.18	7.96	24.56	80.30	5.4	4.3	3.5
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR5(N)	14:33	1.0	Surface	1	1	28.10	7.81	23.74	77.00	5.4	3.1	2.7
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR5(N)	14:34	1.0	Surface	1	2	28.08	7.79	23.81	77.10	5.4	3.3	3.0
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR5(N)	14:34	4.3	Middle	2	1	27.55	7.78	25.75	74.90	5.2	3.8	3.6
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR5(N)	14:33	4.3	Middle	2	2	27.57	7.79	25.71	75.70	5.3	3.8	3.8
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR5(N)	14:33	7.5	Bottom	3	1	27.41	7.78	26.75	76.50	5.3	4.2	4.5
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR5(N)	14:34	7.5	Bottom	3	2	27.51	7.78	26.69	75.70	5.2	4.2	4.3
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10A(N)	15:31	1.0	Surface	1	1	27.94	7.84	25.91	78.00	5.4	2.7	4.0
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10A(N)	15:32	1.0	Surface	1	2	27.86	7.82	26.10	79.80	5.5	2.8	3.9
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10A(N)	15:32	6.2	Middle	2	1	27.33	7.82	27.50	76.00	5.2	3.2	3.6
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10A(N)	15:31	6.2	Middle	2	2	27.39	7.84	27.42	76.10	5.2	3.2	3.6
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10A(N)	15:31	11.4	Bottom	3	1	27.35	7.85	27.69	76.80	5.3	3.4	3.0
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10A(N)	15:31	11.4	Bottom	3	2	27.37	7.85	27.82	75.70	5.2	3.4	3.3

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10B(N2)	15:42	1.0	Surface	1	1	27.93	7.82	25.98	76.00	5.2	3.0	2.9
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10B(N2)	15:42	1.0	Surface	1	2	27.74	7.82	26.12	75.60	5.2	3.0	3.0
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10B(N2)	15:42	3.6	Middle	2	1	27.59	7.81	26.79	75.00	5.2	3.6	3.5
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10B(N2)	15:41	3.6	Middle	2	2	27.56	7.81	26.97	74.90	5.1	3.5	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10B(N2)	15:42	6.2	Bottom	3	1	27.57	7.80	27.21	75.30	5.2	4.0	4.0
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	SR10B(N2)	15:41	6.2	Bottom	3	2	27.47	7.80	27.23	74.90	5.2	3.9	3.6
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS2(A)	13:42	1.0	Surface	1	1	28.15	7.83	24.39	81.80	5.7	3.3	2.6
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS2(A)	13:42	1.0	Surface	1	2	28.16	7.85	24.35	81.70	5.7	3.4	2.9
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS2(A)	13:42	3.2	Middle	2	1	27.74	7.82	25.80	79.40	5.6	3.7	3.4
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS2(A)	13:42	3.2	Middle	2	2	27.67	7.84	25.89	80.30	5.6	3.8	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS2(A)	13:42	5.3	Bottom	3	1	27.72	7.82	26.53	79.90	5.6	4.0	3.7
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS2(A)	13:42	5.3	Bottom	3	2	27.59	7.84	26.57	80.90	5.7	4.2	3.9
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS(Mf)5	15:28	1.0	Surface	1	1	28.19	7.99	24.96	83.20	5.6	2.4	4.4
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS(Mf)5	15:29	1.0	Surface	1	2	28.18	7.98	24.98	82.10	5.5	2.3	4.2
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS(Mf)5	15:29	6.0	Middle	2	1	27.48	7.95	27.12	78.40	5.3	2.5	3.8
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS(Mf)5	15:28	6.0	Middle	2	2	27.41	7.97	27.32	78.20	5.2	2.6	3.4
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS(Mf)5	15:28	11.0	Bottom	3	1	27.23	7.97	28.25	77.00	5.2	2.6	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Ebb	Fine	CS(Mf)5	15:28	11.0	Bottom	3	2	27.44	7.94	27.77	77.10	5.2	2.7	2.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS5	9:39	1.0	Surface	1	1	28.02	7.96	24.03	79.00	5.4	2.3	2.3
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS5	9:39	1.0	Surface	1	2	28.08	7.95	24.01	81.80	5.6	2.6	2.6
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS5	9:39	4.3	Middle	2	1	27.78	7.93	24.90	79.80	5.4	2.9	2.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS5	9:39	4.3	Middle	2	2	27.79	7.92	24.92	77.10	5.2	2.8	3.0
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS5	9:39	7.6	Bottom	3	1	27.70	7.91	25.55	82.00	5.5	3.1	4.0
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS5	9:38	7.6	Bottom	3	2	27.63	7.93	25.59	78.10	5.3	3.1	3.7
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS(Mf)6	9:30	1.0	Surface	1	1	28.00	7.94	24.09	83.60	5.7	4.3	2.4
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS(Mf)6	9:30	1.0	Surface	1	2	28.02	7.94	24.09	86.00	5.8	4.4	2.7
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS(Mf)6	9:30	2.3	Bottom	3	1	27.95	7.94	24.36	80.30	5.5	4.2	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS(Mf)6	9:30	2.3	Bottom	3	2	27.97	7.93	24.33	78.80	5.4	4.5	2.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS7	9:20	1.0	Surface	1	1	28.14	7.94	24.19	85.10	5.8	2.9	3.5
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS7	9:20	1.0	Surface	1	2	28.10	7.95	24.23	82.80	5.6	2.8	3.7
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS7	9:20	2.2	Bottom	3	1	28.05	7.94	24.55	79.40	5.4	3.0	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS7	9:20	2.2	Bottom	3	2	28.01	7.95	24.53	80.90	5.5	3.1	3.0
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS8(N)	8:49	1.0	Surface	1	1	28.00	7.95	24.08	85.30	5.8	3.4	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS8(N)	8:49	1.0	Surface	1	2	28.02	7.97	24.07	83.20	5.7	3.4	2.7
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS8(N)	8:49	3.1	Bottom	3	1	27.99	7.95	24.50	80.20	5.4	3.6	5.0
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS8(N)	8:48	3.1	Bottom	3	2	27.90	7.96	24.63	80.30	5.5	3.6	4.6
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS(Mf)9	9:11	1.0	Surface	1	1	28.09	7.96	24.12	86.30	5.9	3.3	3.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS(Mf)9	9:11	1.0	Surface	1	2	28.06	7.96	24.12	82.60	5.6	3.3	3.4
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS(Mf)9	9:11	2.6	Bottom	3	1	28.07	7.95	24.33	79.50	5.4	3.5	2.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS(Mf)9	9:11	2.6	Bottom	3	2	28.01	7.96	24.36	80.80	5.5	3.3	2.5
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS10(N)	9:23	1.0	Surface	1	1	27.88	7.81	24.58	75.00	5.2	3.6	4.0
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS10(N)	9:22	1.0	Surface	1	2	27.84	7.81	24.41	75.20	5.2	3.7	4.4
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS10(N)	9:22	5.2	Middle	2	1	27.30	7.79	26.79	73.80	5.1	4.3	3.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS10(N)	9:22	5.2	Middle	2	2	27.30	7.79	26.75	73.80	5.1	4.3	3.5
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS10(N)	9:22	9.4	Bottom	3	1	27.30	7.78	27.11	73.80	5.1	4.9	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	IS10(N)	9:21	9.4	Bottom	3	2	27.27	7.78	26.93	73.50	5.1	4.9	2.9
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR3(N)	9:50	1.0	Surface	1	1	28.08	7.95	24.01	84.50	5.7	2.2	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR3(N)	9:50	1.0	Surface	1	2	28.10	7.96	24.03	78.80	5.4	2.4	2.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR3(N)	9:50	2.5	Bottom	3	1	28.07	7.95	24.21	81.30	5.5	2.2	3.5
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR3(N)	9:50	2.5	Bottom	3	2	28.00	7.95	24.29	86.70	5.9	2.2	3.7
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR4(N3)	8:58	1.0	Surface	1	1	28.02	7.93	24.12	86.60	5.9	2.7	4.7
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR4(N3)	8:58	1.0	Surface	1	2	28.01	7.94	24.09	83.60	5.7	2.5	4.3
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR4(N3)	8:58	2.8	Bottom	3	1	27.96	7.94	24.51	80.30	5.5	2.8	3.4
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR4(N3)	8:58	2.8	Bottom	3	2	27.99	7.93	24.47	78.90	5.4	2.7	3.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR5(N)	9:32	1.0	Surface	1	1	27.82	7.81	24.51	74.50	5.2	3.7	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR5(N)	9:31	1.0	Surface	1	2	27.89	7.81	24.83	74.50	5.2	3.9	3.1
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR5(N)	9:31	4.4	Middle	2	1	27.37	7.80	26.51	72.90	5.1	5.1	4.9
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR5(N)	9:31	4.4	Middle	2	2	27.37	7.79	26.48	73.10	5.1	5.0	4.7
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR5(N)	9:31	7.7	Bottom	3	1	27.32	7.79	27.08	73.40	5.1	5.6	5.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR5(N)	9:30	7.7	Bottom	3	2	27.28	7.79	26.93	73.40	5.1	5.4	5.5
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10A(N)	8:32	1.0	Surface	1	1	27.88	7.80	24.62	76.00	5.3	2.6	4.4
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10A(N)	8:32	1.0	Surface	1	2	27.89	7.81	24.43	75.10	5.2	2.6	4.7
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10A(N)	8:32	6.3	Middle	2	1	27.28	7.79	26.95	73.80	5.1	2.8	5.4
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10A(N)	8:31	6.3	Middle	2	2	27.27	7.79	26.90	73.90	5.1	2.8	5.6
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10A(N)	8:32	11.5	Bottom	3	1	27.34	7.78	26.94	73.40	5.1	3.2	6.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10A(N)	8:31	11.5	Bottom	3	2	27.23	7.78	27.20	73.30	5.1	3.4	6.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10B(N2)	8:22	1.0	Surface	1	1	27.90	7.81	24.51	80.00	5.6	3.1	6.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10B(N2)	8:22	1.0	Surface	1	2	27.92	7.81	24.34	80.10	5.6	3.3	6.6
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10B(N2)	8:22	3.5	Middle	2	1	27.49	7.80	26.02	75.40	5.2	3.2	5.8
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10B(N2)	8:22	3.5	Middle	2	2	27.50	7.80	26.08	77.10	5.4	3.4	6.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10B(N2)	8:21	6.0	Bottom	3	1	27.29	7.79	27.05	74.80	5.2	3.9	5.4
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	SR10B(N2)	8:22	6.0	Bottom	3	2	27.30	7.79	26.85	75.00	5.2	3.8	5.1
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS2(A)	10:21	1.0	Surface	1	1	27.87	7.83	24.99	76.50	5.3	4.2	4.0
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS2(A)	10:21	1.0	Surface	1	2	27.85	7.84	24.89	76.80	5.4	4.1	3.6
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS2(A)	10:21	3.2	Middle	2	1	27.44	7.82	26.59	75.80	5.3	4.7	4.5
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS2(A)	10:21	3.2	Middle	2	2	27.50	7.82	26.53	76.20	5.3	4.5	4.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS2(A)	10:21	5.3	Bottom	3	1	27.31	7.82	27.04	76.30	5.3	5.0	4.7
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS2(A)	10:21	5.3	Bottom	3	2	27.34	7.82	27.01	76.00	5.3	5.2	5.1
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS(Mf)5	8:07	1.0	Surface	1	1	27.96	7.95	24.32	80.00	5.4	2.1	2.6
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS(Mf)5	8:06	1.0	Surface	1	2	27.91	7.93	24.34	79.90	5.4	2.2	3.0
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS(Mf)5	8:06	6.1	Middle	2	1	27.62	7.93	25.98	77.90	5.3	2.9	3.2
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS(Mf)5	8:05	6.1	Middle	2	2	27.54	7.91	26.09	78.40	5.3	3.1	3.4
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS(Mf)5	8:06	11.2	Bottom	3	1	27.27	7.90	27.81	77.10	5.1	3.2	4.0
HKLR	HY/2011/03	2023-09-18	Mid-Flood	Fine	CS(Mf)5	8:05	11.2	Bottom	3	2	27.29	7.88	27.85	76.60	5.2	3.2	3.7
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS5	14:56	1.0	Surface	1	1	27.80	8.05	22.63	77.90	5.6	3.0	4.2
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS5	14:55	1.0	Surface	1	2	27.77	8.05	22.57	80.80	5.8	2.9	4.1
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS5	14:55	4.2	Middle	2	1	27.31	8.01	24.75	79.00	5.7	3.4	2.9
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS5	14:56	4.2	Middle	2	2	27.41	8.00	25.16	77.40	5.5	3.6	3.8
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS5	14:55	7.4	Bottom	3	1	27.31	7.99	26.54	78.20	5.7	3.2	2.9
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS5	14:55	7.4	Bottom	3	2	27.32	7.98	26.47	77.20	5.5	3.1	4.2
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS(Mf)6	15:05	1.0	Surface	1	1	27.77	8.06	21.93	80.30	5.7	3.0	2.7
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS(Mf)6	15:06	1.0	Surface	1	2	27.79	8.04	21.96	79.90	5.7	3.0	2.0
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS(Mf)6	15:05	2.2	Bottom	3	1	27.77	8.05	22.36	80.40	5.7	2.9	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS(Mf)6	15:05	2.2	Bottom	3	2	27.78	8.08	22.46	83.00	5.9	3.0	3.8
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS7	15:15	1.0	Surface	1	1	27.75	8.03	22.45	78.90	5.6	2.4	4.0
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS7	15:15	1.0	Surface	1	2	27.75	8.04	22.45	80.50	5.7	2.4	4.3
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS7	15:15	2.1	Bottom	3	1	27.75	8.03	22.47	79.40	5.6	2.3	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS7	15:15	2.1	Bottom	3	2	27.75	8.04	22.49	81.50	5.8	2.3	2.9
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS8(N)	15:48	1.0	Surface	1	1	27.78	8.03	22.48	78.00	5.5	3.8	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS8(N)	15:48	1.0	Surface	1	2	27.79	8.02	22.45	77.00	5.4	3.8	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS8(N)	15:48	3.1	Bottom	3	1	27.79	8.02	22.54	77.10	5.4	4.4	2.1
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS8(N)	15:48	3.1	Bottom	3	2	27.75	8.03	22.56	77.60	5.5	4.2	1.6
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS(Mf)9	15:25	1.0	Surface	1	1	27.77	8.03	22.55	78.00	5.5	2.7	3.0
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS(Mf)9	15:25	1.0	Surface	1	2	27.78	8.03	22.55	77.00	5.4	2.7	3.0
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS(Mf)9	15:24	2.7	Bottom	3	1	27.74	8.04	22.56	77.80	5.5	2.8	2.4
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS(Mf)9	15:25	2.7	Bottom	3	2	27.77	8.03	22.57	77.30	5.5	2.8	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS10(N)	15:53	1.0	Surface	1	1	27.96	7.91	21.95	74.90	5.3	3.1	3.9
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS10(N)	15:53	1.0	Surface	1	2	27.94	7.91	22.17	74.70	5.3	3.0	4.7
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS10(N)	15:52	5.2	Middle	2	1	27.59	7.88	25.91	74.00	5.2	3.7	4.0
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS10(N)	15:53	5.2	Middle	2	2	27.60	7.89	25.95	73.90	5.2	3.8	3.2
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS10(N)	15:53	9.3	Bottom	3	1	27.62	7.87	26.60	74.40	5.2	3.9	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	IS10(N)	15:52	9.3	Bottom	3	2	27.57	7.88	26.14	74.70	5.2	4.0	3.8
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR3(N)	14:45	1.0	Surface	1	1	27.87	8.01	22.15	86.60	6.3	2.5	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR3(N)	14:44	1.0	Surface	1	2	27.86	8.02	22.06	84.00	6.2	2.6	3.8
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR3(N)	14:45	2.3	Bottom	3	1	27.87	8.00	23.48	83.70	6.1	2.6	3.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR3(N)	14:44	2.3	Bottom	3	2	27.82	8.00	23.92	84.00	6.1	2.5	2.7
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR4(N3)	15:40	1.0	Surface	1	1	27.75	7.98	22.49	73.10	5.2	2.3	2.4
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR4(N3)	15:39	1.0	Surface	1	2	27.76	7.99	22.50	72.90	5.1	2.3	3.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR4(N3)	15:39	2.7	Bottom	3	1	27.76	7.99	22.51	73.30	5.2	2.2	5.1
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR4(N3)	15:39	2.7	Bottom	3	2	27.76	7.98	22.52	72.70	5.1	2.3	3.9
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR5(N)	15:43	1.0	Surface	1	1	28.01	7.91	21.84	76.20	5.4	1.9	3.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR5(N)	15:43	1.0	Surface	1	2	28.04	7.93	21.53	76.60	5.5	1.9	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR5(N)	15:43	4.3	Middle	2	1	27.60	7.89	25.62	74.60	5.2	3.1	3.6
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR5(N)	15:42	4.3	Middle	2	2	27.62	7.91	25.62	74.50	5.2	3.2	2.9
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR5(N)	15:42	7.5	Bottom	3	1	27.50	7.88	27.99	75.60	5.3	3.5	3.2
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR5(N)	15:43	7.5	Bottom	3	2	27.60	7.87	27.86	75.70	5.3	3.4	3.4
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10A(N)	16:41	1.0	Surface	1	1	27.82	7.96	25.83	80.90	5.6	2.1	2.1
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10A(N)	16:42	1.0	Surface	1	2	27.74	7.94	26.01	83.60	5.8	2.1	2.0
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10A(N)	16:41	6.3	Middle	2	1	27.44	7.96	27.87	79.90	5.6	2.6	2.8
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10A(N)	16:41	6.3	Middle	2	2	27.38	7.93	28.43	78.20	5.4	2.6	2.3
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10A(N)	16:41	11.6	Bottom	3	1	27.42	7.94	28.61	79.80	5.5	2.7	3.1
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10A(N)	16:41	11.6	Bottom	3	2	27.42	7.97	28.59	78.00	5.4	2.8	2.2
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10B(N2)	16:51	1.0	Surface	1	1	27.78	7.94	25.88	78.60	5.5	2.1	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10B(N2)	16:51	1.0	Surface	1	2	27.69	7.94	25.99	78.70	5.5	2.0	2.4
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10B(N2)	16:51	3.5	Middle	2	1	27.56	7.93	27.09	78.20	5.4	2.4	2.9
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10B(N2)	16:51	3.5	Middle	2	2	27.57	7.93	26.95	78.00	5.4	2.5	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10B(N2)	16:51	5.9	Bottom	3	1	27.57	7.92	28.04	78.60	5.4	2.7	3.9
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	SR10B(N2)	16:50	5.9	Bottom	3	2	27.50	7.92	27.77	78.40	5.4	2.7	3.1
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS2(A)	14:52	1.0	Surface	1	1	28.02	7.96	21.86	82.30	5.8	3.2	2.7
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS2(A)	14:52	1.0	Surface	1	2	28.04	7.98	21.78	81.80	5.8	3.3	3.1
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS2(A)	14:52	3.2	Middle	2	1	27.77	7.93	25.30	78.90	5.6	3.6	3.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS2(A)	14:52	3.2	Middle	2	2	27.73	7.94	25.40	80.50	5.8	3.6	3.5
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS2(A)	14:52	5.3	Bottom	3	1	27.72	7.92	26.14	78.10	5.5	3.7	2.3
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS2(A)	14:51	5.3	Bottom	3	2	27.63	7.94	26.16	78.60	5.6	3.9	2.3
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS(Mf)5	16:27	1.0	Surface	1	1	27.68	8.05	24.66	77.70	5.3	2.3	2.4
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS(Mf)5	16:28	1.0	Surface	1	2	27.64	8.03	24.96	76.20	5.3	2.2	2.6
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS(Mf)5	16:27	6.2	Middle	2	1	27.02	8.03	27.22	74.60	5.1	2.6	3.6
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS(Mf)5	16:28	6.2	Middle	2	2	27.01	8.00	27.60	75.70	5.2	2.6	2.4
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS(Mf)5	16:28	11.4	Bottom	3	1	27.09	7.99	28.61	74.20	5.0	2.7	3.6
HKLR	HY/2011/03	2023-09-20	Mid-Ebb	Fine	CS(Mf)5	16:27	11.4	Bottom	3	2	27.05	8.04	28.60	73.90	5.0	2.6	2.8
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS5	10:39	1.0	Surface	1	1	27.89	8.04	21.88	83.10	5.9	2.8	1.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS5	10:40	1.0	Surface	1	2	27.87	8.03	22.19	77.10	5.6	2.8	1.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS5	10:39	4.2	Middle	2	1	27.80	7.99	25.87	80.20	5.8	4.1	2.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS5	10:40	4.2	Middle	2	2	27.81	7.98	25.93	76.60	5.5	4.1	1.8
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS5	10:39	7.4	Bottom	3	1	27.80	7.98	26.57	79.00	5.8	4.3	1.2
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS5	10:40	7.4	Bottom	3	2	27.80	7.97	26.46	76.20	5.5	4.4	1.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS(Mf)6	10:30	1.0	Surface	1	1	27.89	8.01	22.04	74.20	5.3	2.7	2.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS(Mf)6	10:30	1.0	Surface	1	2	27.89	8.02	22.04	76.20	5.4	2.7	1.4
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS(Mf)6	10:30	2.2	Bottom	3	1	27.88	8.00	22.72	75.30	5.3	2.8	1.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS(Mf)6	10:30	2.2	Bottom	3	2	27.87	8.02	22.68	77.40	5.5	2.8	1.3
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS7	10:21	1.0	Surface	1	1	27.79	8.01	22.15	77.40	5.5	2.1	1.3
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS7	10:20	1.0	Surface	1	2	27.79	8.02	22.12	78.00	5.5	2.2	1.8
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS7	10:20	2.2	Bottom	3	1	27.79	8.01	22.16	77.60	5.5	2.1	1.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS7	10:20	2.2	Bottom	3	2	27.81	8.04	22.15	80.80	5.7	2.1	2.2
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS8(N)	9:45	1.0	Surface	1	1	27.92	8.01	22.68	77.30	5.7	2.9	2.2
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS8(N)	9:44	1.0	Surface	1	2	27.95	8.03	22.32	78.90	5.8	2.9	2.8
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS8(N)	9:45	3.2	Bottom	3	1	27.77	7.96	25.92	77.40	5.6	3.0	2.4
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS8(N)	9:44	3.2	Bottom	3	2	27.78	7.99	25.65	79.70	5.7	2.9	1.5
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS(Mf)9	10:09	1.0	Surface	1	1	27.88	8.02	22.44	78.60	5.6	3.2	1.8
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS(Mf)9	10:09	1.0	Surface	1	2	27.89	8.01	22.43	77.70	5.5	3.1	2.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS(Mf)9	10:09	2.8	Bottom	3	1	27.89	8.00	22.95	78.30	5.5	3.3	2.0
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS(Mf)9	10:09	2.8	Bottom	3	2	27.90	8.02	22.82	79.90	5.6	3.1	1.7
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS10(N)	10:01	1.0	Surface	1	1	27.71	7.97	23.98	78.90	5.5	2.5	2.9
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS10(N)	10:00	1.0	Surface	1	2	27.70	7.97	23.94	78.90	5.6	2.5	3.4
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS10(N)	10:00	5.3	Middle	2	1	27.38	7.94	27.53	77.80	5.4	2.9	3.4
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS10(N)	10:01	5.3	Middle	2	2	27.38	7.94	27.57	76.10	5.4	3.1	3.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS10(N)	10:00	9.6	Bottom	3	1	27.37	7.93	27.61	73.70	5.1	3.3	2.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	IS10(N)	10:00	9.6	Bottom	3	2	27.38	7.93	27.78	74.10	5.2	3.5	1.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR3(N)	10:49	1.0	Surface	1	1	27.91	7.99	21.31	83.10	6.1	2.4	1.7
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR3(N)	10:48	1.0	Surface	1	2	27.93	7.98	21.47	84.90	6.2	2.5	1.5
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR3(N)	10:48	2.4	Bottom	3	1	27.96	7.97	22.69	84.00	6.1	3.0	1.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR3(N)	10:48	2.4	Bottom	3	2	27.93	7.97	22.15	86.60	6.3	2.9	1.5
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR4(N3)	9:53	1.0	Surface	1	1	27.90	7.96	23.86	78.40	5.7	3.6	1.7
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR4(N3)	9:53	1.0	Surface	1	2	27.90	7.94	24.01	80.30	5.8	3.4	2.2
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR4(N3)	9:53	2.8	Bottom	3	1	27.93	7.94	24.86	76.10	5.5	3.6	2.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR4(N3)	9:53	2.8	Bottom	3	2	27.86	7.95	25.01	78.10	5.6	3.4	2.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR5(N)	10:09	1.0	Surface	1	1	27.66	7.97	23.90	78.20	5.5	2.4	2.0
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR5(N)	10:09	1.0	Surface	1	2	27.73	7.97	23.96	78.20	5.5	2.5	1.9
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR5(N)	10:09	4.3	Middle	2	1	27.42	7.95	27.34	77.40	5.4	3.7	2.9
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR5(N)	10:08	4.3	Middle	2	2	27.42	7.95	27.33	76.80	5.4	3.6	2.8
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR5(N)	10:09	7.6	Bottom	3	1	27.40	7.94	27.63	77.90	5.4	4.3	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR5(N)	10:08	7.6	Bottom	3	2	27.37	7.94	27.68	77.10	5.4	4.1	2.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10A(N)	9:10	1.0	Surface	1	1	27.75	7.95	23.85	79.70	5.6	1.8	3.0
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10A(N)	9:09	1.0	Surface	1	2	27.70	7.97	23.98	79.20	5.5	1.9	2.4
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10A(N)	9:10	6.3	Middle	2	1	27.37	7.94	27.63	77.40	5.4	2.7	3.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10A(N)	9:09	6.3	Middle	2	2	27.36	7.94	27.61	77.20	5.4	2.8	3.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10A(N)	9:10	11.6	Bottom	3	1	27.40	7.94	27.67	77.50	5.4	3.2	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10A(N)	9:09	11.6	Bottom	3	2	27.34	7.93	27.82	76.30	5.3	3.2	1.9
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10B(N2)	8:59	1.0	Surface	1	1	27.71	7.97	23.82	83.10	5.8	2.4	2.8
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10B(N2)	8:59	1.0	Surface	1	2	27.71	7.96	23.57	85.30	5.9	2.4	2.4
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10B(N2)	8:58	3.5	Middle	2	1	27.48	7.94	27.15	81.20	5.8	2.7	2.8
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10B(N2)	8:59	3.5	Middle	2	2	27.48	7.95	27.10	79.40	5.5	2.5	2.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10B(N2)	8:58	5.9	Bottom	3	1	27.39	7.91	27.69	79.10	5.6	2.8	1.8
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	SR10B(N2)	8:59	5.9	Bottom	3	2	27.39	7.94	27.54	79.80	5.6	3.1	2.5
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS2(A)	11:00	1.0	Surface	1	1	27.74	7.97	23.89	79.50	5.6	2.5	3.5
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS2(A)	11:00	1.0	Surface	1	2	27.71	7.99	23.67	79.40	5.6	2.4	3.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS2(A)	11:00	3.2	Middle	2	1	27.45	7.96	27.32	78.80	5.5	3.1	2.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS2(A)	11:00	3.2	Middle	2	2	27.49	7.96	27.33	78.80	5.5	3.1	2.3
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS2(A)	11:00	5.3	Bottom	3	1	27.38	7.96	27.66	79.20	5.5	3.4	3.4
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS2(A)	11:00	5.3	Bottom	3	2	27.43	7.95	27.60	79.10	5.5	3.5	2.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS(Mf)5	9:04	1.0	Surface	1	1	27.70	7.98	23.96	80.60	5.8	1.7	1.9
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS(Mf)5	9:04	1.0	Surface	1	2	27.52	7.98	24.11	77.80	5.7	1.7	2.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS(Mf)5	9:04	6.2	Middle	2	1	26.93	7.94	28.25	75.60	5.3	2.0	2.2
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS(Mf)5	9:03	6.2	Middle	2	2	26.93	7.91	27.79	77.70	5.5	2.0	2.1
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS(Mf)5	9:04	11.4	Bottom	3	1	26.83	7.92	28.59	74.80	5.3	2.4	2.6
HKLR	HY/2011/03	2023-09-20	Mid-Flood	Fine	CS(Mf)5	9:03	11.4	Bottom	3	2	26.81	7.84	28.67	75.60	5.4	2.5	3.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS5	5:53	1.0	Surface	1	1	27.88	7.94	23.85	83.40	5.7	3.1	3.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS5	5:53	1.0	Surface	1	2	27.87	7.94	24.00	80.20	5.5	3.0	3.6
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS5	5:53	4.2	Middle	2	1	27.77	7.89	25.89	79.20	5.4	3.9	3.8
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS5	5:53	4.2	Middle	2	2	27.76	7.90	25.87	80.70	5.5	3.8	4.1
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS5	5:53	7.3	Bottom	3	1	27.75	7.88	26.16	78.70	5.4	4.1	4.4
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS5	5:52	7.3	Bottom	3	2	27.75	7.89	26.21	80.00	5.5	4.1	4.2
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS(Mf)6	5:44	1.0	Surface	1	1	27.89	7.93	23.93	79.60	5.4	2.9	3.9
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS(Mf)6	5:44	1.0	Surface	1	2	27.89	7.93	23.93	80.50	5.5	2.9	4.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS(Mf)6	5:44	2.2	Bottom	3	1	27.87	7.92	24.27	80.00	5.4	3.0	4.5
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS(Mf)6	5:43	2.2	Bottom	3	2	27.86	7.92	24.26	81.20	5.5	3.1	4.8
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS7	5:35	1.0	Surface	1	1	27.84	7.93	23.96	81.30	5.5	2.6	4.6
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS7	5:35	1.0	Surface	1	2	27.84	7.92	23.98	81.20	5.5	2.5	4.9
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS7	5:35	2.2	Bottom	3	1	27.82	7.92	24.01	81.00	5.5	2.7	6.2
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS7	5:35	2.2	Bottom	3	2	27.83	7.93	24.00	82.50	5.6	2.7	6.7
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS8(N)	5:01	1.0	Surface	1	1	27.91	7.93	24.04	81.80	5.7	3.3	3.6
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS8(N)	5:02	1.0	Surface	1	2	27.90	7.92	24.21	81.20	5.6	3.3	3.9
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS8(N)	5:01	3.1	Bottom	3	1	27.80	7.91	25.69	81.90	5.6	3.6	4.5
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS8(N)	5:02	3.1	Bottom	3	2	27.80	7.89	25.82	80.90	5.5	3.6	4.1
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS(Mf)9	5:26	1.0	Surface	1	1	27.90	7.92	24.10	81.00	5.5	3.2	4.5
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS(Mf)9	5:26	1.0	Surface	1	2	27.89	7.93	24.11	81.20	5.5	3.2	4.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS(Mf)9	5:26	2.6	Bottom	3	1	27.87	7.91	24.39	81.00	5.5	3.6	4.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS(Mf)9	5:25	2.6	Bottom	3	2	27.86	7.92	24.34	81.70	5.5	3.3	4.0
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS10(N)	5:05	1.0	Surface	1	1	27.89	7.92	25.60	81.70	5.5	2.5	4.1
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS10(N)	5:04	1.0	Surface	1	2	27.88	7.92	25.58	81.60	5.5	2.5	4.5
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS10(N)	5:04	5.3	Middle	2	1	27.70	7.90	27.43	80.00	5.4	2.9	5.5
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS10(N)	5:04	5.3	Middle	2	2	27.70	7.90	27.41	80.80	5.4	2.8	5.2
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS10(N)	5:04	9.5	Bottom	3	1	27.70	7.89	27.45	78.90	5.3	3.1	6.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	IS10(N)	5:04	9.5	Bottom	3	2	27.70	7.89	27.54	79.30	5.3	3.3	6.8
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR3(N)	6:03	1.0	Surface	1	1	27.90	7.92	23.58	83.80	5.8	3.0	4.1
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR3(N)	6:02	1.0	Surface	1	2	27.91	7.91	23.66	84.50	5.9	3.0	3.9
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR3(N)	6:03	2.3	Bottom	3	1	27.92	7.90	24.25	84.20	5.8	3.3	4.8
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR3(N)	6:02	2.3	Bottom	3	2	27.89	7.90	24.01	85.00	5.9	3.3	4.4
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR4(N3)	5:11	1.0	Surface	1	1	27.89	7.89	24.85	81.90	5.6	3.4	4.4
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR4(N3)	5:11	1.0	Surface	1	2	27.88	7.90	24.77	81.20	5.6	3.5	4.0
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR4(N3)	5:11	2.8	Bottom	3	1	27.87	7.87	25.33	79.80	5.5	3.7	5.6
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR4(N3)	5:11	2.8	Bottom	3	2	27.83	7.88	25.40	80.90	5.5	3.6	6.0
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR5(N)	5:15	1.0	Surface	1	1	27.89	7.92	25.59	81.40	5.5	2.6	5.8
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR5(N)	5:15	1.0	Surface	1	2	27.86	7.92	25.56	81.40	5.5	2.5	6.0
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR5(N)	5:15	4.6	Middle	2	1	27.73	7.90	27.30	80.50	5.4	3.2	5.5
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR5(N)	5:14	4.6	Middle	2	2	27.73	7.90	27.30	80.40	5.4	3.2	5.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR5(N)	5:15	8.1	Bottom	3	1	27.72	7.90	27.46	81.00	5.5	3.8	4.8
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR5(N)	5:14	8.1	Bottom	3	2	27.70	7.90	27.49	80.60	5.4	3.6	5.0
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10A(N)	4:12	1.0	Surface	1	1	27.91	7.90	25.54	81.90	5.6	2.0	3.8
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10A(N)	4:11	1.0	Surface	1	2	27.89	7.91	25.61	81.60	5.5	2.1	4.2
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10A(N)	4:12	6.5	Middle	2	1	27.70	7.89	27.48	80.30	5.4	2.6	3.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10A(N)	4:11	6.5	Middle	2	2	27.69	7.89	27.46	80.30	5.4	2.6	3.6
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10A(N)	4:12	11.9	Bottom	3	1	27.72	7.89	27.50	80.50	5.4	3.1	2.7
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10A(N)	4:11	11.9	Bottom	3	2	27.68	7.89	27.58	80.00	5.4	3.1	3.0
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10B(N2)	4:03	1.0	Surface	1	1	27.89	7.91	25.52	85.70	5.8	2.4	4.1
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10B(N2)	4:02	1.0	Surface	1	2	27.89	7.90	25.40	86.00	5.8	2.4	4.5
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10B(N2)	4:02	3.6	Middle	2	1	27.76	7.89	27.20	83.60	5.7	2.6	5.9
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10B(N2)	4:03	3.6	Middle	2	2	27.76	7.90	27.18	82.00	5.5	2.6	6.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10B(N2)	4:02	6.1	Bottom	3	1	27.70	7.87	27.50	81.60	5.5	2.9	6.7
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	SR10B(N2)	4:03	6.1	Bottom	3	2	27.71	7.89	27.42	82.20	5.5	3.0	7.0
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS2(A)	6:09	1.0	Surface	1	1	27.90	7.92	25.55	82.40	5.6	2.6	5.9
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS2(A)	6:08	1.0	Surface	1	2	27.88	7.93	25.45	82.20	5.6	2.5	6.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS2(A)	6:08	3.2	Middle	2	1	27.77	7.91	27.27	81.70	5.5	3.1	5.6
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS2(A)	6:09	3.2	Middle	2	2	27.74	7.91	27.28	81.90	5.5	3.0	6.0
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS2(A)	6:08	5.4	Bottom	3	1	27.71	7.91	27.46	81.90	5.5	3.3	3.8
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS2(A)	6:08	5.4	Bottom	3	2	27.73	7.90	27.43	82.00	5.5	3.4	4.0
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS(Mf)5	4:22	1.0	Surface	1	1	27.80	7.91	24.84	82.10	5.6	2.5	3.8
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS(Mf)5	4:22	1.0	Surface	1	2	27.71	7.90	24.91	80.40	5.5	2.5	3.4
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS(Mf)5	4:21	6.2	Middle	2	1	27.32	7.85	26.81	79.70	5.4	2.8	4.3
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS(Mf)5	4:22	6.2	Middle	2	2	27.32	7.87	27.03	78.60	5.3	2.9	4.7
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS(Mf)5	4:21	11.3	Bottom	3	1	27.26	7.81	27.19	78.50	5.3	3.2	4.9
HKLR	HY/2011/03	2023-09-22	Mid-Ebb	Fine	CS(Mf)5	4:22	11.3	Bottom	3	2	27.28	7.86	27.18	77.70	5.3	3.2	5.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS5	16:10	1.0	Surface	1	1	27.13	7.93	23.02	81.80	5.8	3.8	3.5
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS5	16:09	1.0	Surface	1	2	27.10	7.93	23.00	83.20	5.9	3.7	4.0
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS5	16:09	4.3	Middle	2	1	26.84	7.90	23.88	81.90	5.8	3.7	4.7
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS5	16:10	4.3	Middle	2	2	26.90	7.89	24.10	81.10	5.7	4.0	4.4
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS5	16:10	7.5	Bottom	3	1	26.82	7.88	24.96	81.00	5.7	3.9	6.0
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS5	16:09	7.5	Bottom	3	2	26.81	7.89	24.97	81.30	5.8	3.7	5.6
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS(Mf)6	16:20	1.0	Surface	1	1	27.15	7.94	22.46	83.70	5.9	3.6	5.0
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS(Mf)6	16:20	1.0	Surface	1	2	27.08	7.93	22.88	83.40	5.9	3.4	5.3
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS(Mf)6	16:19	2.2	Bottom	3	1	27.10	7.95	22.95	84.20	5.9	3.7	6.1
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS(Mf)6	16:20	2.2	Bottom	3	2	27.07	7.94	23.08	83.20	5.9	3.5	6.5
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS7	16:30	1.0	Surface	1	1	27.10	7.93	22.97	83.30	5.9	3.0	4.5
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS7	16:29	1.0	Surface	1	2	27.07	7.93	23.08	83.20	5.9	3.1	4.9
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS7	16:29	2.2	Bottom	3	1	27.07	7.93	23.10	82.40	5.8	3.1	5.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS7	16:29	2.2	Bottom	3	2	27.09	7.94	23.00	83.60	5.9	3.0	6.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS8(N)	17:04	1.0	Surface	1	1	26.92	7.94	22.73	84.40	6.1	3.7	2.9
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS8(N)	17:04	1.0	Surface	1	2	26.94	7.94	22.72	84.70	6.1	3.6	3.1
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS8(N)	17:04	3.0	Bottom	3	1	26.92	7.93	22.79	84.10	6.1	4.0	3.7
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS8(N)	17:03	3.0	Bottom	3	2	26.89	7.94	22.81	83.60	6.1	4.0	3.4
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS(Mf)9	16:39	1.0	Surface	1	1	27.09	7.92	23.11	81.60	5.7	3.3	4.0
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS(Mf)9	16:39	1.0	Surface	1	2	27.10	7.93	23.10	81.50	5.7	3.3	4.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS(Mf)9	16:39	2.6	Bottom	3	1	27.06	7.93	23.14	81.50	5.7	3.4	5.0
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS(Mf)9	16:39	2.6	Bottom	3	2	27.10	7.93	23.04	81.50	5.7	3.3	4.6
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS10(N)	17:06	1.0	Surface	1	1	27.33	7.88	23.05	80.40	5.6	3.4	4.9
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS10(N)	17:06	1.0	Surface	1	2	27.30	7.88	23.17	80.00	5.5	3.4	5.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS10(N)	17:06	5.2	Middle	2	1	27.06	7.85	25.39	79.40	5.4	3.8	5.4
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS10(N)	17:06	5.2	Middle	2	2	27.07	7.86	25.41	79.30	5.4	3.9	5.8
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS10(N)	17:05	9.3	Bottom	3	1	27.06	7.86	25.52	80.00	5.5	4.1	6.9
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	IS10(N)	17:06	9.3	Bottom	3	2	27.10	7.85	25.73	79.70	5.5	4.1	7.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR3(N)	15:57	1.0	Surface	1	1	27.16	7.92	22.73	85.30	6.1	3.3	6.9
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR3(N)	15:58	1.0	Surface	1	2	27.17	7.92	22.80	86.90	6.2	3.5	6.5
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR3(N)	15:57	2.2	Bottom	3	1	27.12	7.91	23.66	84.90	6.0	3.5	5.0
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR3(N)	15:58	2.2	Bottom	3	2	27.19	7.91	23.19	85.00	6.1	3.3	5.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR4(N3)	16:54	1.0	Surface	1	1	26.91	7.92	22.75	82.90	6.0	2.9	5.1
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR4(N3)	16:54	1.0	Surface	1	2	27.09	7.91	23.02	79.20	5.6	3.1	5.3
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR4(N3)	16:54	2.8	Bottom	3	1	26.91	7.92	22.79	82.20	6.0	3.1	4.6
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR4(N3)	16:54	2.8	Bottom	3	2	27.02	7.90	23.09	78.90	5.5	3.2	4.0
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR5(N)	16:58	1.0	Surface	1	1	27.34	7.88	22.98	80.90	5.6	2.5	3.8
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR5(N)	16:58	1.0	Surface	1	2	27.34	7.89	22.84	81.00	5.6	2.5	4.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR5(N)	16:58	4.6	Middle	2	1	27.08	7.86	25.21	79.70	5.5	3.2	4.7
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR5(N)	16:57	4.6	Middle	2	2	27.08	7.87	25.20	79.70	5.5	3.3	4.4
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR5(N)	16:58	8.1	Bottom	3	1	27.08	7.85	26.36	80.50	5.5	3.7	5.5
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR5(N)	16:57	8.1	Bottom	3	2	27.02	7.85	26.43	80.70	5.5	3.7	5.1
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10A(N)	18:01	1.0	Surface	1	1	27.19	7.91	25.42	83.10	5.7	2.5	4.3
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10A(N)	18:01	1.0	Surface	1	2	27.15	7.90	25.51	85.00	5.8	2.5	4.5
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10A(N)	18:01	6.5	Middle	2	1	26.91	7.89	26.90	80.90	5.5	2.9	5.1
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10A(N)	18:00	6.5	Middle	2	2	26.93	7.91	26.67	81.90	5.6	2.9	4.7
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10A(N)	18:00	12	Bottom	3	1	26.93	7.91	27.02	81.10	5.5	3.1	5.1
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10A(N)	18:01	12	Bottom	3	2	26.94	7.89	26.98	81.80	5.6	3.0	5.6
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10B(N2)	18:13	1.0	Surface	1	1	27.13	7.90	25.50	81.60	5.6	2.5	2.8
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10B(N2)	18:13	1.0	Surface	1	2	27.16	7.90	25.49	81.60	5.6	2.6	3.1
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10B(N2)	18:12	3.5	Middle	2	1	27.02	7.89	26.20	81.10	5.5	2.9	3.4
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10B(N2)	18:13	3.5	Middle	2	2	27.03	7.89	26.11	81.00	5.5	2.9	3.8
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10B(N2)	18:12	5.9	Bottom	3	1	26.99	7.88	26.56	81.30	5.5	3.1	5.3
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	SR10B(N2)	18:13	5.9	Bottom	3	2	27.03	7.88	26.67	81.50	5.6	3.1	5.8
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS2(A)	16:05	1.0	Surface	1	1	27.35	7.91	22.99	84.90	5.8	3.1	3.4
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS2(A)	16:05	1.0	Surface	1	2	27.34	7.92	22.99	85.20	5.9	3.2	3.8
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS2(A)	16:04	3.3	Middle	2	1	27.15	7.90	25.04	83.60	5.8	3.5	4.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS2(A)	16:05	3.3	Middle	2	2	27.17	7.89	25.00	82.50	5.7	3.5	4.5
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS2(A)	16:05	5.6	Bottom	3	1	27.15	7.88	25.48	82.30	5.7	3.7	5.3
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS2(A)	16:04	5.6	Bottom	3	2	27.08	7.90	25.50	82.70	5.7	3.8	4.9
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS(Mf)5	17:46	1.0	Surface	1	1	26.91	7.96	23.83	83.20	5.9	2.9	4.6
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS(Mf)5	17:46	1.0	Surface	1	2	26.88	7.95	23.98	83.30	6.0	2.8	4.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS(Mf)5	17:46	6.2	Middle	2	1	26.38	7.89	25.55	81.20	5.8	3.1	5.2
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS(Mf)5	17:45	6.2	Middle	2	2	26.37	7.91	25.37	80.90	5.8	3.1	5.0
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS(Mf)5	17:46	11.4	Bottom	3	1	26.43	7.89	25.93	79.70	5.7	3.3	5.7
HKLR	HY/2011/03	2023-09-22	Mid-Flood	Fine	CS(Mf)5	17:45	11.4	Bottom	3	2	26.39	7.91	26.02	79.20	5.6	3.2	6.0
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS5	9:27	1.0	Surface	1	1	28.78	8.08	23.15	103.80	7.3	4.0	3.2
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS5	9:26	1.0	Surface	1	2	28.77	8.09	23.25	107.10	7.5	4.1	3.3
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS5	9:26	4.1	Middle	2	1	28.13	8.02	26.53	90.50	6.5	5.9	3.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS5	9:26	4.1	Middle	2	2	28.02	8.02	26.82	95.00	6.9	5.9	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS5	9:26	7.2	Bottom	3	1	27.90	8.02	28.08	93.10	6.7	6.0	4.9
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS5	9:26	7.2	Bottom	3	2	27.95	8.02	28.04	86.60	6.3	6.1	4.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS(Mf)6	9:16	1.0	Surface	1	1	28.97	8.13	23.41	121.00	8.2	3.4	4.7
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS(Mf)6	9:16	1.0	Surface	1	2	28.93	8.14	23.45	116.90	8.0	3.3	5.1
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS(Mf)6	9:16	2.1	Bottom	3	1	28.62	8.07	24.33	110.00	7.6	5.2	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS(Mf)6	9:15	2.1	Bottom	3	2	28.66	8.09	24.25	102.50	7.2	5.1	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS7	9:06	1.0	Surface	1	1	28.85	8.15	23.32	119.10	8.1	1.9	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS7	9:06	1.0	Surface	1	2	28.78	8.12	23.74	125.40	8.5	1.7	4.2
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS7	9:06	2.2	Bottom	3	1	28.74	8.12	24.01	111.90	7.8	1.9	5.2
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS7	9:06	2.2	Bottom	3	2	28.81	8.15	24.17	103.70	7.2	1.9	5.6
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS8(N)	8:33	1.0	Surface	1	1	28.83	8.10	23.45	125.10	8.6	2.7	3.4
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS8(N)	8:34	1.0	Surface	1	2	28.85	8.09	23.46	126.60	8.7	2.8	3.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS8(N)	8:33	3.1	Bottom	3	1	28.57	8.04	25.13	114.30	7.9	2.9	4.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS8(N)	8:34	3.1	Bottom	3	2	28.67	8.05	25.28	119.30	8.2	3.0	5.3
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS(Mf)9	8:57	1.0	Surface	1	1	28.70	8.12	23.27	125.50	8.6	3.7	5.0
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS(Mf)9	8:57	1.0	Surface	1	2	28.71	8.13	23.31	124.10	8.4	3.5	4.7
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS(Mf)9	8:57	2.7	Bottom	3	1	28.46	8.07	24.20	106.10	7.5	3.6	4.0
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS(Mf)9	8:57	2.7	Bottom	3	2	28.65	8.10	24.62	116.40	8.1	3.7	4.4
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS10(N)	8:51	1.0	Surface	1	1	28.57	8.11	23.13	119.30	8.3	3.0	3.6
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS10(N)	8:50	1.0	Surface	1	2	28.59	8.11	23.08	119.10	8.2	3.2	3.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS10(N)	8:50	5.2	Middle	2	1	28.20	8.07	24.77	87.10	6.0	4.7	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS10(N)	8:51	5.2	Middle	2	2	28.23	8.08	24.79	86.60	6.0	4.3	4.4
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS10(N)	8:50	9.3	Bottom	3	1	28.08	8.05	25.33	84.20	5.8	5.3	5.1
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	IS10(N)	8:50	9.3	Bottom	3	2	28.25	8.07	25.30	84.10	5.8	4.8	4.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR3(N)	9:38	1.0	Surface	1	1	29.25	8.13	23.41	137.20	9.2	4.4	3.7
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR3(N)	9:38	1.0	Surface	1	2	29.15	8.12	23.40	141.10	9.5	4.3	4.0
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR3(N)	9:38	2.4	Bottom	3	1	29.00	8.12	23.77	136.80	9.2	5.5	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR3(N)	9:38	2.4	Bottom	3	2	29.17	8.12	23.76	139.80	9.4	5.5	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR4(N3)	8:42	1.0	Surface	1	1	29.03	8.10	23.86	134.10	9.1	3.7	3.7
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR4(N3)	8:42	1.0	Surface	1	2	29.11	8.12	23.76	130.50	8.9	3.8	3.4
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR4(N3)	8:42	2.8	Bottom	3	1	29.03	8.10	24.10	124.00	8.5	3.8	4.7
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR4(N3)	8:42	2.8	Bottom	3	2	29.00	8.11	24.15	113.00	7.8	3.8	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR5(N)	9:00	1.0	Surface	1	1	28.55	8.10	23.14	120.30	8.4	2.5	4.7
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR5(N)	8:59	1.0	Surface	1	2	28.60	8.11	23.18	120.40	8.4	2.7	4.9
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR5(N)	9:00	3.8	Middle	2	1	28.29	8.08	24.58	88.30	6.1	3.0	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR5(N)	8:59	3.8	Middle	2	2	28.30	8.08	24.48	87.80	6.1	3.0	4.4
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR5(N)	8:59	6.6	Bottom	3	1	28.23	8.08	25.05	88.80	6.1	3.3	3.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR5(N)	9:00	6.6	Bottom	3	2	28.36	8.09	24.80	89.10	6.2	3.5	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10A(N)	7:55	1.0	Surface	1	1	28.28	8.08	25.64	119.00	8.2	2.0	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10A(N)	7:56	1.0	Surface	1	2	28.04	8.06	26.55	116.50	8.0	2.1	3.9
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10A(N)	7:54	5.2	Middle	2	1	27.68	8.05	28.88	84.60	5.8	2.6	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10A(N)	7:55	5.2	Middle	2	2	27.72	8.05	28.71	83.70	5.7	2.3	4.2
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10A(N)	7:55	9.4	Bottom	3	1	27.71	8.05	28.79	83.90	5.7	3.1	4.4
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10A(N)	7:54	9.4	Bottom	3	2	27.66	8.05	28.95	85.90	5.9	2.9	4.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10B(N2)	7:45	1.0	Surface	1	1	28.01	8.06	27.04	119.50	8.2	2.2	4.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10B(N2)	7:46	1.0	Surface	1	2	27.96	8.06	27.19	115.90	7.9	2.1	5.1
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10B(N2)	7:45	3.6	Middle	2	1	27.79	8.05	28.51	86.40	5.9	2.1	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10B(N2)	7:45	3.6	Middle	2	2	27.75	8.05	28.54	85.20	5.8	2.3	4.6
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10B(N2)	7:44	6.1	Bottom	3	1	27.70	8.05	28.86	87.30	6.0	3.1	4.0
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	SR10B(N2)	7:45	6.1	Bottom	3	2	27.71	8.05	28.75	85.60	5.8	3.2	4.2
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS2(A)	9:52	1.0	Surface	1	1	28.82	8.11	23.03	120.60	8.3	3.9	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS2(A)	9:52	1.0	Surface	1	2	28.82	8.13	22.94	118.60	8.2	3.2	3.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS2(A)	9:51	3.4	Middle	2	1	27.92	8.10	26.82	85.60	5.9	4.2	4.6
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS2(A)	9:52	3.4	Middle	2	2	27.90	8.08	26.78	86.80	6.0	4.3	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS2(A)	9:51	5.7	Bottom	3	1	27.88	8.11	27.09	87.20	6.0	4.7	4.8
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS2(A)	9:52	5.7	Bottom	3	2	27.90	8.08	27.07	88.10	6.1	5.0	5.2
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS(Mf)5	7:53	1.0	Surface	1	1	28.47	8.06	24.45	118.20	8.2	3.0	3.6
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS(Mf)5	7:52	1.0	Surface	1	2	28.43	8.05	24.49	115.40	8.0	3.1	4.0
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS(Mf)5	7:53	6.2	Middle	2	1	27.93	8.02	26.92	84.40	6.1	3.9	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS(Mf)5	7:52	6.2	Middle	2	2	27.80	7.99	26.94	79.80	5.9	3.8	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS(Mf)5	7:52	11.3	Bottom	3	1	27.63	7.96	29.12	77.70	5.7	4.2	4.7

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-25	Mid-Ebb	Fine	CS(Mf)5	7:53	11.3	Bottom	3	2	27.67	7.99	29.26	85.00	6.0	4.1	5.1
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS5	16:23	1.0	Surface	1	1	28.78	8.15	23.06	136.80	8.6	2.9	4.6
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS5	16:22	1.0	Surface	1	2	28.75	8.14	23.10	132.60	8.3	2.9	4.9
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS5	16:23	4.3	Middle	2	1	28.22	8.04	24.36	99.70	6.5	4.5	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS5	16:22	4.3	Middle	2	2	28.24	8.04	24.14	98.40	6.5	4.4	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS5	16:22	7.6	Bottom	3	1	28.03	8.06	25.86	88.50	5.8	4.5	3.8
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS5	16:22	7.6	Bottom	3	2	27.99	8.02	25.42	87.30	5.8	4.4	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS(Mf)6	16:32	1.0	Surface	1	1	28.91	8.18	22.57	132.30	8.3	2.5	3.9
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS(Mf)6	16:32	1.0	Surface	1	2	28.82	8.18	22.80	142.20	8.9	2.4	3.6
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS(Mf)6	16:32	2.2	Bottom	3	1	28.34	8.09	23.65	126.70	8.1	2.5	4.2
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS(Mf)6	16:32	2.2	Bottom	3	2	28.84	8.17	23.32	136.10	8.5	2.5	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS7	16:41	1.0	Surface	1	1	28.75	8.19	22.78	124.60	7.9	2.2	3.8
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS7	16:42	1.0	Surface	1	2	28.74	8.19	22.71	131.80	8.3	2.1	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS7	16:41	2.1	Bottom	3	1	28.66	8.16	23.21	116.20	7.5	2.1	5.0
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS7	16:41	2.1	Bottom	3	2	28.48	8.15	23.29	114.50	7.3	2.1	4.6
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS8(N)	17:14	1.0	Surface	1	1	28.24	8.07	22.45	111.20	8.2	5.4	6.1
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS8(N)	17:14	1.0	Surface	1	2	28.30	8.07	22.44	114.60	8.4	5.3	6.6
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS8(N)	17:14	3.2	Bottom	3	1	28.26	8.06	23.38	111.90	8.2	5.4	4.2
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS8(N)	17:14	3.2	Bottom	3	2	28.21	8.06	23.86	110.40	8.0	5.4	4.6
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS(Mf)9	16:51	1.0	Surface	1	1	28.39	8.10	22.90	117.10	8.2	4.4	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS(Mf)9	16:52	1.0	Surface	1	2	28.39	8.10	22.89	120.10	8.5	4.2	3.9
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS(Mf)9	16:51	2.8	Bottom	3	1	28.21	8.08	23.89	105.90	7.6	4.4	4.8
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS(Mf)9	16:51	2.8	Bottom	3	2	28.35	8.09	23.73	111.60	8.0	4.4	5.1
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS10(N)	17:03	1.0	Surface	1	1	28.65	8.06	20.73	120.60	8.5	2.8	4.4
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS10(N)	17:02	1.0	Surface	1	2	28.56	8.06	20.87	117.90	8.3	2.9	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS10(N)	17:02	5.3	Middle	2	1	27.99	8.00	23.42	83.90	5.9	3.4	5.0
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS10(N)	17:03	5.3	Middle	2	2	28.00	8.01	23.36	84.90	5.9	3.6	4.8
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS10(N)	17:02	9.5	Bottom	3	1	27.95	8.00	24.57	86.20	6.0	4.6	5.3
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	IS10(N)	17:03	9.5	Bottom	3	2	28.02	8.00	23.90	86.60	6.0	5.0	5.6
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR3(N)	16:11	1.0	Surface	1	1	28.72	8.05	22.88	129.00	8.3	3.8	3.9
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR3(N)	16:11	1.0	Surface	1	2	28.58	8.04	23.12	131.40	8.4	3.9	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR3(N)	16:11	2.4	Bottom	3	1	28.51	8.02	23.56	113.70	7.3	3.8	3.0
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR3(N)	16:11	2.4	Bottom	3	2	28.50	8.02	23.48	126.80	8.1	3.8	3.5
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR4(N3)	17:05	1.0	Surface	1	1	28.61	8.11	22.68	132.30	9.1	4.4	3.6
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR4(N3)	17:05	1.0	Surface	1	2	28.51	8.11	22.52	127.60	9.1	4.4	3.8
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR4(N3)	17:05	2.7	Bottom	3	1	28.38	8.10	22.67	125.40	8.9	4.3	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR4(N3)	17:05	2.7	Bottom	3	2	28.57	8.10	22.74	129.90	9.0	4.5	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR5(N)	16:54	1.0	Surface	1	1	28.52	8.06	20.95	119.30	8.4	2.2	4.1
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR5(N)	16:54	1.0	Surface	1	2	28.53	8.07	20.86	119.60	8.4	2.0	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR5(N)	16:54	3.8	Middle	2	1	28.06	8.04	23.06	85.50	6.0	3.9	5.0
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR5(N)	16:54	3.8	Middle	2	2	28.06	8.02	23.07	85.60	6.0	3.8	4.7
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR5(N)	16:54	6.5	Bottom	3	1	28.06	8.02	23.93	87.80	6.1	4.2	5.8
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR5(N)	16:53	6.5	Bottom	3	2	28.05	8.06	24.11	88.10	6.1	4.4	5.4
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10A(N)	17:51	1.0	Surface	1	1	27.81	8.10	25.57	116.60	8.1	3.7	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10A(N)	17:52	1.0	Surface	1	2	27.85	8.08	25.52	118.30	8.2	3.5	4.9
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10A(N)	17:51	6.6	Middle	2	1	27.39	8.09	27.93	85.20	5.9	4.8	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10A(N)	17:51	6.6	Middle	2	2	27.39	8.07	28.02	83.90	5.8	4.6	4.0
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10A(N)	17:51	12.1	Bottom	3	1	27.40	8.09	28.11	85.90	5.9	5.0	3.7
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10A(N)	17:51	12.1	Bottom	3	2	27.43	8.07	28.05	85.10	5.9	5.0	3.3
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10B(N2)	18:03	1.0	Surface	1	1	27.81	8.08	25.59	115.90	8.0	2.7	5.3
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10B(N2)	18:03	1.0	Surface	1	2	27.81	8.08	25.54	115.80	8.0	2.9	5.6
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10B(N2)	18:03	3.5	Middle	2	1	27.56	8.07	26.88	84.50	5.8	3.9	4.4
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10B(N2)	18:03	3.5	Middle	2	2	27.57	8.06	26.83	84.70	5.8	4.0	4.8
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10B(N2)	18:03	6.0	Bottom	3	1	27.53	8.05	27.67	85.50	5.9	4.1	3.9
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	SR10B(N2)	18:02	6.0	Bottom	3	2	27.44	8.05	27.77	85.10	5.9	3.9	4.2
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS2(A)	16:02	1.0	Surface	1	1	28.43	8.12	21.06	121.80	8.5	3.7	4.8
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS2(A)	16:03	1.0	Surface	1	2	28.43	8.08	21.13	120.80	8.5	3.5	5.0
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS2(A)	16:02	3.2	Middle	2	1	27.79	8.12	24.29	88.30	6.2	3.9	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS2(A)	16:03	3.2	Middle	2	2	27.88	8.08	24.91	88.30	6.1	3.9	4.2


Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS2(A)	16:02	5.4	Bottom	3	1	27.69	8.11	25.62	86.50	6.0	4.0	4.0
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS2(A)	16:03	5.4	Bottom	3	2	27.55	8.08	26.06	86.30	6.0	4.3	3.7
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS(Mf)5	18:04	1.0	Surface	1	1	27.65	8.02	24.58	123.30	8.3	1.9	4.5
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS(Mf)5	18:04	1.0	Surface	1	2	27.86	8.03	24.33	121.10	8.2	1.8	4.6
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS(Mf)5	18:04	6.3	Middle	2	1	27.13	7.97	28.31	82.70	6.3	2.1	4.3
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS(Mf)5	18:03	6.3	Middle	2	2	27.12	7.98	28.20	86.30	6.5	2.1	4.0
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS(Mf)5	18:04	11.5	Bottom	3	1	27.23	7.97	28.59	80.10	6.1	2.3	3.5
HKLR	HY/2011/03	2023-09-25	Mid-Flood	Fine	CS(Mf)5	18:03	11.5	Bottom	3	2	27.13	7.99	28.71	81.10	6.1	2.2	3.7
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS5	11:33	1.0	Surface	1	1	28.88	8.06	25.56	90.60	6.2	3.2	8.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS5	11:32	1.0	Surface	1	2	28.89	8.06	25.42	94.10	6.4	3.2	8.0
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS5	11:32	4.2	Middle	2	1	28.59	8.03	27.58	90.40	6.2	3.9	7.0
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS5	11:33	4.2	Middle	2	2	28.61	8.03	27.61	88.30	6.1	4.0	7.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS5	11:33	7.4	Bottom	3	1	28.60	8.02	27.86	88.80	6.1	4.2	6.5
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS5	11:32	7.4	Bottom	3	2	28.59	8.03	27.91	90.30	6.2	4.1	6.7
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS(Mf)6	11:22	1.0	Surface	1	1	28.87	8.05	25.50	90.40	6.1	3.1	6.6
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS(Mf)6	11:23	1.0	Surface	1	2	28.88	8.05	25.50	89.30	6.0	3.0	6.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS(Mf)6	11:22	2.3	Bottom	3	1	28.77	8.04	25.94	89.70	6.1	3.5	7.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS(Mf)6	11:22	2.3	Bottom	3	2	28.74	8.05	25.95	90.90	6.2	3.4	7.1
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS7	11:13	1.0	Surface	1	1	28.85	8.05	25.52	92.20	6.2	3.0	7.0
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS7	11:13	1.0	Surface	1	2	28.75	8.06	25.59	93.40	6.3	3.1	6.6
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS7	11:13	2.2	Bottom	3	1	28.70	8.05	25.70	92.50	6.3	3.1	6.2
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS7	11:12	2.2	Bottom	3	2	28.68	8.07	25.70	95.40	6.5	3.2	5.8
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS8(N)	10:39	1.0	Surface	1	1	28.91	8.07	25.59	91.50	6.3	3.2	5.9
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS8(N)	10:40	1.0	Surface	1	2	28.86	8.06	25.78	90.20	6.2	3.1	6.2
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS8(N)	10:39	3.0	Bottom	3	1	28.63	8.04	27.51	90.40	6.2	3.2	7.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS8(N)	10:39	3.0	Bottom	3	2	28.61	8.05	27.40	91.80	6.3	3.3	7.1
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS(Mf)9	11:03	1.0	Surface	1	1	28.86	8.06	25.65	91.60	6.2	3.0	7.6
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS(Mf)9	11:03	1.0	Surface	1	2	28.89	8.06	25.63	90.90	6.2	2.9	7.2
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS(Mf)9	11:03	2.7	Bottom	3	1	28.74	8.06	25.92	92.60	6.3	2.9	7.9
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS(Mf)9	11:03	2.7	Bottom	3	2	28.72	8.05	26.06	91.10	6.2	3.1	8.3
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS10(N)	11:08	1.0	Surface	1	1	28.02	8.03	26.21	92.10	6.2	3.2	6.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS10(N)	11:07	1.0	Surface	1	2	27.99	8.03	26.21	91.80	6.2	3.2	6.6
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS10(N)	11:07	5.3	Middle	2	1	27.72	8.01	28.32	90.20	6.0	3.6	6.1
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS10(N)	11:07	5.3	Middle	2	2	27.72	8.01	28.34	89.70	6.0	3.5	5.7
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS10(N)	11:07	9.6	Bottom	3	1	27.72	8.00	28.45	88.80	5.9	4.0	5.3
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	IS10(N)	11:06	9.6	Bottom	3	2	27.72	8.00	28.39	88.00	5.9	3.8	5.1
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR3(N)	11:44	1.0	Surface	1	1	28.88	8.03	25.27	94.60	6.5	3.0	6.0
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR3(N)	11:45	1.0	Surface	1	2	28.89	8.04	25.18	93.90	6.5	2.9	5.7
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR3(N)	11:44	2.3	Bottom	3	1	28.79	8.03	25.95	94.00	6.5	3.4	7.1
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR3(N)	11:44	2.3	Bottom	3	2	28.77	8.02	25.71	95.40	6.6	3.3	6.8
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR4(N3)	10:48	1.0	Surface	1	1	28.91	8.04	26.27	91.70	6.3	3.3	6.0
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR4(N3)	10:48	1.0	Surface	1	2	28.91	8.02	26.33	92.50	6.3	3.1	5.7
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR4(N3)	10:48	2.8	Bottom	3	1	28.73	8.02	26.96	89.80	6.1	3.3	6.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR4(N3)	10:48	2.8	Bottom	3	2	28.65	8.03	27.13	90.60	6.2	3.3	6.6
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR5(N)	11:16	1.0	Surface	1	1	27.96	8.03	26.18	91.80	6.2	3.0	7.6
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR5(N)	11:16	1.0	Surface	1	2	28.01	8.03	26.23	91.70	6.2	3.0	7.8
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR5(N)	11:16	4.8	Middle	2	1	27.76	8.02	28.16	90.80	6.1	4.0	6.3
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR5(N)	11:15	4.8	Middle	2	2	27.75	8.02	28.19	90.50	6.0	3.8	6.2
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR5(N)	11:16	8.5	Bottom	3	1	27.73	8.01	28.39	91.10	6.1	4.5	5.9
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR5(N)	11:15	8.5	Bottom	3	2	27.72	8.01	28.41	90.70	6.0	4.2	5.6
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10A(N)	10:15	1.0	Surface	1	1	28.05	8.02	26.34	92.30	6.2	2.4	6.1
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10A(N)	10:15	1.0	Surface	1	2	28.01	8.03	26.31	91.80	6.1	2.5	5.7
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10A(N)	10:14	6.6	Middle	2	1	27.71	8.00	28.50	90.00	6.0	3.1	6.3
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10A(N)	10:15	6.6	Middle	2	2	27.71	8.01	28.52	90.30	6.0	3.0	6.7
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10A(N)	10:15	12.1	Bottom	3	1	27.74	8.01	28.52	90.60	6.0	3.8	7.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10A(N)	10:14	12.1	Bottom	3	2	27.71	8.00	28.59	89.90	6.0	3.9	7.6
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10B(N2)	10:05	1.0	Surface	1	1	28.01	8.03	26.25	98.40	6.6	2.7	6.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10B(N2)	10:05	1.0	Surface	1	2	28.02	8.01	26.15	99.30	6.6	2.8	6.8
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10B(N2)	10:04	3.6	Middle	2	1	27.79	8.00	28.18	94.90	6.4	3.1	6.1

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10B(N2)	10:05	3.6	Middle	2	2	27.81	8.01	28.13	93.10	6.2	3.0	6.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10B(N2)	10:04	6.1	Bottom	3	1	28.02	7.99	28.52	92.30	6.2	3.3	5.2
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	SR10B(N2)	10:05	6.1	Bottom	3	2	27.75	8.00	28.41	92.60	6.2	3.6	5.7
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS2(A)	12:03	1.0	Surface	1	1	28.01	8.03	26.18	92.60	6.2	3.6	6.8
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS2(A)	12:02	1.0	Surface	1	2	27.99	8.04	26.12	92.40	6.2	3.5	7.2
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS2(A)	12:02	3.2	Middle	2	1	27.78	8.02	28.12	91.70	6.1	4.1	6.6
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS2(A)	12:02	3.2	Middle	2	2	27.80	8.02	28.12	91.60	6.1	4.0	6.4
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS2(A)	12:02	5.3	Bottom	3	1	27.73	8.02	28.36	91.80	6.1	4.4	6.2
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS2(A)	12:02	5.3	Bottom	3	2	27.77	8.01	28.34	91.90	6.1	4.5	5.9
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS(Mf)5	9:57	1.0	Surface	1	1	28.68	8.06	26.42	92.70	6.4	2.6	8.1
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS(Mf)5	9:58	1.0	Surface	1	2	28.79	8.04	26.33	93.20	6.4	2.6	7.8
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS(Mf)5	9:57	6.0	Middle	2	1	28.15	8.04	28.44	91.60	6.2	3.0	7.5
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS(Mf)5	9:57	6.0	Middle	2	2	28.15	8.02	28.65	90.00	6.1	3.0	7.2
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS(Mf)5	9:56	10.9	Bottom	3	1	28.09	8.03	28.84	89.00	6.0	3.4	6.7
HKLR	HY/2011/03	2023-09-27	Mid-Ebb	Fine	CS(Mf)5	9:57	10.9	Bottom	3	2	28.11	8.02	28.81	88.00	6.0	3.4	6.9
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS5	18:23	1.0	Surface	1	1	28.84	8.07	25.73	92.30	6.3	3.5	8.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS5	18:23	1.0	Surface	1	2	28.85	8.07	25.76	90.20	6.2	3.7	8.6
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS5	18:22	4.2	Middle	2	1	28.35	8.04	27.09	90.40	6.2	3.9	7.8
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS5	18:23	4.2	Middle	2	2	28.40	8.04	27.27	89.50	6.1	4.0	7.4
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS5	18:22	7.4	Bottom	3	1	28.35	8.03	27.89	89.00	6.1	3.9	6.1
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS5	18:23	7.4	Bottom	3	2	28.37	8.03	27.83	88.20	6.0	3.9	6.5
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS(Mf)6	18:32	1.0	Surface	1	1	28.85	8.07	25.44	92.80	6.3	3.5	7.7
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS(Mf)6	18:32	1.0	Surface	1	2	28.84	8.06	25.47	92.30	6.3	3.4	7.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS(Mf)6	18:32	2.2	Bottom	3	1	28.72	8.06	25.83	92.50	6.3	3.5	9.0
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS(Mf)6	18:32	2.2	Bottom	3	2	28.73	8.08	25.84	93.60	6.4	3.6	8.7
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS7	18:41	1.0	Surface	1	1	28.81	8.06	25.70	91.20	6.2	3.0	8.9
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS7	18:41	1.0	Surface	1	2	28.79	8.06	25.72	91.80	6.2	3.1	9.1
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS7	18:41	2.2	Bottom	3	1	28.68	8.05	25.90	91.00	6.2	3.4	10.0
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS7	18:41	2.2	Bottom	3	2	28.63	8.06	25.97	92.30	6.3	3.3	10.6
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS8(N)	19:14	1.0	Surface	1	1	28.86	8.05	25.67	90.50	6.1	3.7	7.8
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS8(N)	19:14	1.0	Surface	1	2	28.83	8.05	25.71	90.90	6.1	3.6	7.5
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS8(N)	19:14	3.0	Bottom	3	1	28.73	8.05	25.90	90.30	6.1	4.3	8.5
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS8(N)	19:14	3.0	Bottom	3	2	28.64	8.05	25.99	90.10	6.1	4.3	8.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS(Mf)9	18:51	1.0	Surface	1	1	28.82	8.05	25.75	89.70	6.1	3.3	7.3
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS(Mf)9	18:50	1.0	Surface	1	2	28.82	8.06	25.74	90.60	6.1	3.4	7.0
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS(Mf)9	18:51	2.7	Bottom	3	1	28.64	8.05	26.01	89.90	6.1	3.5	8.3
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS(Mf)9	18:50	2.7	Bottom	3	2	28.63	8.06	25.99	90.40	6.1	3.5	8.6
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS10(N)	19:06	1.0	Surface	1	1	28.21	7.98	24.80	89.70	6.1	3.9	6.1
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS10(N)	19:06	1.0	Surface	1	2	28.28	7.98	24.67	90.80	6.1	3.9	6.4
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS10(N)	19:06	5.3	Middle	2	1	27.89	7.97	27.54	88.90	5.9	4.4	7.1
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS10(N)	19:05	5.3	Middle	2	2	27.87	7.97	27.54	88.80	5.9	4.3	6.6
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS10(N)	19:06	9.6	Bottom	3	1	27.92	7.95	27.84	89.30	6.0	4.7	7.3
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	IS10(N)	19:05	9.6	Bottom	3	2	27.85	7.96	27.70	89.20	6.0	4.7	7.6
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR3(N)	18:13	1.0	Surface	1	1	28.82	8.04	25.59	96.00	6.6	3.2	6.8
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR3(N)	18:13	1.0	Surface	1	2	28.84	8.05	25.53	94.50	6.5	3.1	6.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR3(N)	18:12	2.3	Bottom	3	1	28.74	8.04	26.45	94.50	6.5	3.2	8.0
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR3(N)	18:13	2.3	Bottom	3	2	28.79	8.04	26.24	94.20	6.5	3.3	7.6
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR4(N3)	19:06	1.0	Surface	1	1	28.77	8.03	25.76	87.80	5.9	2.9	6.0
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR4(N3)	19:05	1.0	Surface	1	2	28.82	8.04	25.72	87.90	5.9	3.0	5.8
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR4(N3)	19:05	2.9	Bottom	3	1	28.65	8.03	25.97	87.50	5.9	3.2	7.4
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR4(N3)	19:05	2.9	Bottom	3	2	28.71	8.03	25.90	88.30	6.0	3.1	7.0
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR5(N)	18:56	1.0	Surface	1	1	28.26	7.99	24.57	91.00	6.2	3.1	5.4
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR5(N)	18:55	1.0	Surface	1	2	28.25	8.00	24.52	91.00	6.2	3.0	5.6
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR5(N)	18:56	4.8	Middle	2	1	27.91	7.97	27.30	89.50	6.0	3.7	6.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR5(N)	18:55	4.8	Middle	2	2	27.91	7.99	27.28	89.30	6.0	3.8	6.6
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR5(N)	18:55	8.6	Bottom	3	1	27.82	7.97	28.56	90.20	6.0	4.2	7.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR5(N)	18:56	8.6	Bottom	3	2	27.92	7.96	28.49	90.40	6.0	4.3	6.9
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10A(N)	19:53	1.0	Surface	1	1	28.00	8.03	27.99	93.60	6.2	3.0	5.8
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10A(N)	19:54	1.0	Surface	1	2	27.95	8.01	28.11	96.20	6.4	3.0	5.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10A(N)	19:53	6.5	Middle	2	1	27.64	8.04	29.39	92.20	6.2	3.4	6.0
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10A(N)	19:53	6.5	Middle	2	2	27.63	8.00	29.57	90.40	6.0	3.4	6.3
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10A(N)	19:53	11.9	Bottom	3	1	27.64	8.05	29.72	90.60	6.0	3.6	6.9
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10A(N)	19:53	11.9	Bottom	3	2	27.66	8.01	29.61	91.10	6.0	3.5	6.5
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10B(N2)	20:04	1.0	Surface	1	1	27.93	8.01	28.17	90.60	6.0	3.2	6.1
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10B(N2)	20:03	1.0	Surface	1	2	27.93	8.01	28.13	90.90	6.1	3.1	6.4
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10B(N2)	20:04	3.5	Middle	2	1	27.76	8.00	28.77	90.00	6.0	3.5	5.5
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10B(N2)	20:03	3.5	Middle	2	2	27.75	8.01	28.84	90.00	6.0	3.5	5.8
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10B(N2)	20:03	6.0	Bottom	3	1	27.72	8.00	29.23	90.30	6.0	3.7	5.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	SR10B(N2)	20:03	6.0	Bottom	3	2	27.76	8.00	29.28	90.60	6.0	3.8	4.9
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS2(A)	18:08	1.0	Surface	1	1	28.23	8.02	24.78	96.50	6.5	3.6	5.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS2(A)	18:08	1.0	Surface	1	2	28.20	8.04	24.81	97.10	6.5	3.6	5.6
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS2(A)	18:08	3.3	Middle	2	1	27.97	8.01	27.12	92.50	6.2	3.9	6.1
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS2(A)	18:07	3.3	Middle	2	2	27.95	8.03	27.16	93.90	6.4	3.9	6.3
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS2(A)	18:08	5.5	Bottom	3	1	27.98	8.00	27.65	92.50	6.2	4.4	6.8
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS2(A)	18:07	5.5	Bottom	3	2	27.90	8.05	27.65	92.20	6.3	4.3	7.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS(Mf)5	19:58	1.0	Surface	1	1	28.78	8.06	26.81	89.20	6.0	3.0	7.0
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS(Mf)5	19:57	1.0	Surface	1	2	28.80	8.06	26.67	89.90	6.0	3.0	6.7
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS(Mf)5	19:57	6.2	Middle	2	1	28.20	8.05	28.21	87.10	5.9	3.1	7.4
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS(Mf)5	19:57	6.2	Middle	2	2	28.20	8.03	28.38	88.00	5.9	3.2	7.2
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS(Mf)5	19:56	11.4	Bottom	3	1	28.22	8.05	28.80	86.20	5.7	3.3	7.8
HKLR	HY/2011/03	2023-09-27	Mid-Flood	Fine	CS(Mf)5	19:57	11.4	Bottom	3	2	28.25	8.00	27.48	86.70	5.8	3.4	7.5
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS5	11:43	1.0	Surface	1	1	28.52	8.08	27.50	91.70	6.4	3.4	4.8
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS5	11:44	1.0	Surface	1	2	28.53	8.08	27.50	90.70	6.4	3.5	4.1
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS5	11:43	4.3	Middle	2	1	28.25	8.06	28.26	90.40	6.3	3.8	5.4
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS5	11:44	4.3	Middle	2	2	28.28	8.06	28.32	90.00	6.3	3.8	5.9
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS5	11:43	7.5	Bottom	3	1	28.25	8.05	28.67	89.70	6.3	3.8	5.2
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS5	11:43	7.5	Bottom	3	2	28.26	8.05	28.63	89.30	6.3	3.8	5.7
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS(Mf)6	11:52	1.0	Surface	1	1	28.53	8.08	27.30	93.00	6.5	3.4	4.2
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS(Mf)6	11:53	1.0	Surface	1	2	28.52	8.08	27.32	93.30	6.5	3.4	5.6
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS(Mf)6	11:52	2.2	Bottom	3	1	28.46	8.08	27.52	92.70	6.5	3.6	5.3
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS(Mf)6	11:52	2.2	Bottom	3	2	28.46	8.09	27.54	92.90	6.5	3.7	6.2
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS7	12:03	1.0	Surface	1	1	28.52	8.08	27.43	92.90	6.5	3.1	4.2
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS7	12:03	1.0	Surface	1	2	28.51	8.08	27.44	93.00	6.5	3.2	5.3
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS7	12:03	2.3	Bottom	3	1	28.45	8.08	27.54	92.50	6.5	3.4	6.7
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS7	12:03	2.3	Bottom	3	2	28.42	8.08	27.58	92.80	6.5	3.3	5.7
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS8(N)	12:37	1.0	Surface	1	1	28.57	8.07	27.46	91.00	6.3	3.4	5.1
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS8(N)	12:36	1.0	Surface	1	2	28.55	8.06	27.48	91.10	6.4	3.3	4.9
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS8(N)	12:36	3.0	Bottom	3	1	28.49	8.06	27.62	90.70	6.3	3.8	5.7
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS8(N)	12:36	3.0	Bottom	3	2	28.44	8.06	27.67	90.40	6.3	3.8	5.4
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS(Mf)9	12:14	1.0	Surface	1	1	28.53	8.08	27.51	91.40	6.4	3.2	7.0
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS(Mf)9	12:14	1.0	Surface	1	2	28.53	8.08	27.50	91.70	6.4	3.3	7.6
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS(Mf)9	12:14	2.7	Bottom	3	1	28.44	8.08	27.68	91.30	6.4	3.4	5.9
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS(Mf)9	12:13	2.7	Bottom	3	2	28.42	8.08	27.66	91.30	6.4	3.5	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS10(N)	12:38	1.0	Surface	1	1	28.18	8.04	26.54	90.10	6.2	3.6	5.4
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS10(N)	12:39	1.0	Surface	1	2	28.22	8.04	26.48	90.60	6.3	3.6	6.1
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS10(N)	12:39	5.3	Middle	2	1	27.99	8.03	28.15	89.20	6.2	4.0	6.8
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS10(N)	12:38	5.3	Middle	2	2	27.98	8.03	28.13	89.20	6.2	4.0	6.2
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS10(N)	12:38	9.6	Bottom	3	1	28.03	8.02	28.33	89.40	6.2	4.3	6.8
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	IS10(N)	12:38	9.6	Bottom	3	2	27.99	8.03	28.24	89.50	6.2	4.2	5.7
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR3(N)	11:33	1.0	Surface	1	1	28.53	8.06	27.39	94.70	6.7	3.3	5.4
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR3(N)	11:33	1.0	Surface	1	2	28.53	8.07	27.32	93.10	6.6	3.3	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR3(N)	11:33	2.3	Bottom	3	1	28.48	8.06	27.80	92.70	6.5	3.4	4.8
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR3(N)	11:33	2.3	Bottom	3	2	28.50	8.06	27.71	92.90	6.6	3.4	5.7
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR4(N3)	12:27	1.0	Surface	1	1	28.50	8.06	27.49	89.70	6.3	2.9	5.2
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR4(N3)	12:27	1.0	Surface	1	2	28.52	8.06	27.47	89.60	6.2	3.0	5.8
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR4(N3)	12:27	2.9	Bottom	3	1	28.43	8.06	27.63	89.30	6.2	3.2	5.5
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR4(N3)	12:27	2.9	Bottom	3	2	28.46	8.05	27.61	89.40	6.2	3.1	5.8
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR5(N)	12:31	1.0	Surface	1	1	28.20	8.05	26.45	91.30	6.3	3.2	5.6


Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR5(N)	12:30	1.0	Surface	1	2	28.19	8.06	26.43	91.10	6.3	3.2	6.2
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR5(N)	12:31	4.6	Middle	2	1	28.00	8.03	27.99	89.90	6.2	3.8	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR5(N)	12:30	4.6	Middle	2	2	28.00	8.05	27.99	89.70	6.2	3.8	5.3
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR5(N)	12:30	8.2	Bottom	3	1	27.97	8.04	28.68	90.20	6.2	4.3	4.4
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR5(N)	12:31	8.2	Bottom	3	2	28.03	8.03	28.63	90.30	6.2	4.3	5.5
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10A(N)	13:27	1.0	Surface	1	1	28.10	8.07	28.45	92.50	6.3	2.8	5.3
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10A(N)	13:28	1.0	Surface	1	2	28.07	8.06	28.52	93.30	6.4	2.8	5.3
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10A(N)	13:27	6.4	Middle	2	1	27.87	8.07	29.47	90.70	6.2	3.2	5.1
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10A(N)	13:28	6.4	Middle	2	2	27.88	8.05	29.53	89.20	6.1	3.2	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10A(N)	13:27	11.8	Bottom	3	1	27.88	8.08	29.66	89.80	6.2	3.4	6.4
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10A(N)	13:27	11.8	Bottom	3	2	27.90	8.06	29.57	89.60	6.1	3.3	7.0
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10B(N2)	13:37	1.0	Surface	1	1	28.07	8.06	28.56	90.20	6.2	2.7	4.6
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10B(N2)	13:38	1.0	Surface	1	2	28.07	8.06	28.58	89.80	6.2	2.7	5.2
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10B(N2)	13:38	3.6	Middle	2	1	27.95	8.05	29.03	88.90	6.1	3.1	4.8
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10B(N2)	13:37	3.6	Middle	2	2	27.96	8.06	29.07	88.90	6.1	3.1	4.4
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10B(N2)	13:37	6.1	Bottom	3	1	27.94	8.05	29.33	89.20	6.1	3.3	5.8
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	SR10B(N2)	13:38	6.1	Bottom	3	2	27.97	8.05	29.34	89.20	6.1	3.4	6.4
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS2(A)	11:43	1.0	Surface	1	1	28.10	8.06	26.62	95.10	6.6	3.5	5.9
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS2(A)	11:42	1.0	Surface	1	2	28.08	8.07	26.65	95.50	6.6	3.5	6.3
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS2(A)	11:42	3.3	Middle	2	1	27.95	8.06	27.99	92.20	6.4	4.0	5.9
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS2(A)	11:42	3.3	Middle	2	2	27.94	8.07	28.01	93.20	6.5	4.1	6.3
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS2(A)	11:42	5.6	Bottom	3	1	27.97	8.05	28.30	92.10	6.4	4.5	6.6
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS2(A)	11:42	5.6	Bottom	3	2	27.93	8.07	28.31	92.00	6.4	4.5	6.6
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS(Mf)5	13:21	1.0	Surface	1	1	28.52	8.08	28.09	89.20	6.2	2.8	4.7
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS(Mf)5	13:20	1.0	Surface	1	2	28.53	8.08	28.02	89.50	6.2	2.8	5.9
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS(Mf)5	13:20	6.3	Middle	2	1	28.15	8.05	29.01	87.40	6.1	3.1	6.6
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS(Mf)5	13:20	6.3	Middle	2	2	28.15	8.04	29.08	87.80	6.1	3.1	6.3
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS(Mf)5	13:19	11.5	Bottom	3	1	28.15	8.05	29.32	86.80	6.0	3.3	5.8
HKLR	HY/2011/03	2023-09-29	Mid-Ebb	Fine	CS(Mf)5	13:20	11.5	Bottom	3	2	28.16	8.03	28.57	87.10	6.0	3.3	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS5	6:35	1.0	Surface	1	1	28.51	8.08	27.35	90.00	6.3	3.2	6.4
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS5	6:34	1.0	Surface	1	2	28.52	8.08	27.26	92.20	6.4	3.1	5.8
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS5	6:34	4.2	Middle	2	1	28.32	8.05	28.48	89.20	6.3	3.7	5.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS5	6:35	4.2	Middle	2	2	28.33	8.05	28.49	88.20	6.2	3.7	5.8
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS5	6:34	7.4	Bottom	3	1	28.31	8.04	28.65	88.20	6.2	3.8	5.1
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS5	6:34	7.4	Bottom	3	2	28.32	8.05	28.67	88.90	6.2	3.8	6.1
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS(Mf)6	6:24	1.0	Surface	1	1	28.51	8.08	27.30	90.90	6.3	3.1	6.5
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS(Mf)6	6:24	1.0	Surface	1	2	28.52	8.08	27.30	90.50	6.3	3.0	7.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS(Mf)6	6:24	2.2	Bottom	3	1	28.46	8.07	27.55	90.40	6.3	3.4	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS(Mf)6	6:24	2.2	Bottom	3	2	28.45	8.07	27.57	90.60	6.3	3.3	6.6
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS7	6:16	1.0	Surface	1	1	28.52	8.07	27.30	91.50	6.4	3.1	6.4
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS7	6:16	1.0	Surface	1	2	28.46	8.08	27.35	91.80	6.4	3.1	6.9
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS7	6:16	2.2	Bottom	3	1	28.44	8.07	27.43	91.40	6.4	3.2	6.8
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS7	6:15	2.2	Bottom	3	2	28.42	8.08	27.43	92.70	6.5	3.3	6.9
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS8(N)	5:42	1.0	Surface	1	1	28.54	8.08	27.34	91.20	6.4	3.0	8.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS8(N)	5:43	1.0	Surface	1	2	28.51	8.07	27.43	91.00	6.4	2.9	8.2
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS8(N)	5:42	3.0	Bottom	3	1	28.39	8.06	28.35	90.60	6.3	3.1	6.4
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS8(N)	5:42	3.0	Bottom	3	2	28.38	8.07	28.31	90.80	6.4	3.2	7.1
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS(Mf)9	6:06	1.0	Surface	1	1	28.52	8.08	27.38	91.60	6.4	2.9	5.6
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS(Mf)9	6:06	1.0	Surface	1	2	28.54	8.08	27.37	91.40	6.4	2.9	6.1
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS(Mf)9	6:05	2.6	Bottom	3	1	28.44	8.08	27.55	91.50	6.4	3.0	5.3
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS(Mf)9	6:06	2.6	Bottom	3	2	28.45	8.07	27.61	91.20	6.4	3.1	6.2
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS10(N)	6:05	1.0	Surface	1	1	27.97	8.07	27.33	91.80	6.4	3.4	6.9
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS10(N)	6:06	1.0	Surface	1	2	28.01	8.07	27.33	92.10	6.4	3.4	7.3
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS10(N)	6:06	5.4	Middle	2	1	27.86	8.06	28.62	89.70	6.2	3.7	6.4
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS10(N)	6:05	5.4	Middle	2	2	27.85	8.05	28.62	90.10	6.2	3.8	6.2
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS10(N)	6:05	9.7	Bottom	3	1	27.87	8.05	28.68	89.10	6.1	4.2	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	IS10(N)	6:05	9.7	Bottom	3	2	27.86	8.05	28.68	88.90	6.1	4.1	5.9
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR3(N)	6:44	1.0	Surface	1	1	28.51	8.06	27.20	91.90	6.5	3.0	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR3(N)	6:45	1.0	Surface	1	2	28.52	8.07	27.14	91.90	6.5	2.9	5.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR3(N)	6:45	2.3	Bottom	3	1	28.47	8.06	27.57	91.60	6.4	3.3	5.8
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR3(N)	6:44	2.3	Bottom	3	2	28.45	8.05	27.45	92.10	6.5	3.3	5.1
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR4(N3)	5:51	1.0	Surface	1	1	28.53	8.07	27.67	91.50	6.4	3.0	6.5
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR4(N3)	5:52	1.0	Surface	1	2	28.54	8.06	27.71	91.90	6.4	2.9	6.2
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR4(N3)	5:52	2.9	Bottom	3	1	28.43	8.05	28.08	90.50	6.3	3.0	6.3
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR4(N3)	5:51	2.9	Bottom	3	2	28.39	8.06	28.18	90.80	6.4	3.0	6.1
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR5(N)	6:16	1.0	Surface	1	1	27.99	8.07	27.34	90.60	6.3	3.3	6.1
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR5(N)	6:15	1.0	Surface	1	2	28.02	8.07	27.37	90.60	6.3	3.2	6.5
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR5(N)	6:16	4.6	Middle	2	1	27.89	8.06	28.52	89.70	6.2	4.0	6.2
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR5(N)	6:15	4.6	Middle	2	2	27.88	8.06	28.54	89.50	6.2	3.8	6.4
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR5(N)	6:16	8.1	Bottom	3	1	27.88	8.05	28.65	90.00	6.2	4.4	6.1
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR5(N)	6:15	8.1	Bottom	3	2	27.88	8.05	28.68	89.80	6.2	4.2	6.6
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10A(N)	5:17	1.0	Surface	1	1	28.09	8.06	27.58	90.50	6.2	2.3	5.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10A(N)	5:16	1.0	Surface	1	2	28.07	8.06	27.61	90.60	6.2	2.4	6.2
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10A(N)	5:16	6.5	Middle	2	1	27.88	8.04	28.78	88.90	6.1	2.8	7.2
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10A(N)	5:16	6.5	Middle	2	2	27.88	8.04	28.78	88.70	6.1	2.8	6.5
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10A(N)	5:16	12	Bottom	3	1	27.92	8.04	28.94	89.00	6.1	3.4	7.8
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10A(N)	5:15	12	Bottom	3	2	27.90	8.04	28.94	88.80	6.1	3.4	7.3
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10B(N2)	5:06	1.0	Surface	1	1	28.06	8.06	27.58	95.20	6.5	2.6	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10B(N2)	5:06	1.0	Surface	1	2	28.07	8.04	27.49	95.90	6.6	2.7	5.5
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10B(N2)	5:05	3.6	Middle	2	1	27.94	8.03	28.68	92.30	6.4	2.9	6.2
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10B(N2)	5:06	3.6	Middle	2	2	27.95	8.04	28.65	90.90	6.2	2.8	5.6
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10B(N2)	5:05	6.1	Bottom	3	1	28.05	8.02	28.92	90.60	6.2	3.2	6.8
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	SR10B(N2)	5:06	6.1	Bottom	3	2	27.93	8.03	28.86	90.50	6.2	3.4	5.8
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS2(A)	7:07	1.0	Surface	1	1	27.93	8.08	27.34	92.20	6.4	3.7	5.6
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS2(A)	7:07	1.0	Surface	1	2	27.93	8.08	27.32	92.30	6.4	3.6	5.7
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS2(A)	7:07	3.3	Middle	2	1	27.81	8.07	28.51	91.30	6.3	4.1	4.6
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS2(A)	7:06	3.3	Middle	2	2	27.83	8.07	28.50	91.30	6.3	4.1	5.9
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS2(A)	7:06	5.5	Bottom	3	1	27.80	8.07	28.67	91.20	6.3	4.4	6.5
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS2(A)	7:07	5.5	Bottom	3	2	27.82	8.06	28.65	91.20	6.3	4.6	6.9
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS(Mf)5	5:00	1.0	Surface	1	1	28.41	8.06	27.76	92.20	6.5	2.7	6.0
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS(Mf)5	5:01	1.0	Surface	1	2	28.47	8.06	27.70	92.70	6.5	2.6	6.1
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS(Mf)5	4:59	6.1	Middle	2	1	28.10	8.04	28.94	90.80	6.3	3.0	5.9
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS(Mf)5	5:00	6.1	Middle	2	2	28.10	8.04	29.05	90.10	6.3	3.0	5.9
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS(Mf)5	4:59	11.2	Bottom	3	1	28.08	8.04	29.19	88.80	6.2	3.3	4.7
HKLR	HY/2011/03	2023-09-29	Mid-Flood	Fine	CS(Mf)5	5:00	11.2	Bottom	3	2	28.07	8.04	29.18	88.50	6.2	3.3	4.7




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.