


Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2023-10-04	AMS5	09:30	1-hr TSP	87	µg/m ³
HKLR	HY/2011/03	2023-10-04	AMS5	10:30	1-hr TSP	114	µg/m ³
HKLR	HY/2011/03	2023-10-04	AMS5	11:30	1-hr TSP	120	µg/m ³
HKLR	HY/2011/03	2023-10-10	AMS5	14:30	1-hr TSP	37	µg/m ³
HKLR	HY/2011/03	2023-10-10	AMS5	15:30	1-hr TSP	78	µg/m ³
HKLR	HY/2011/03	2023-10-10	AMS5	16:30	1-hr TSP	62	µg/m ³
HKLR	HY/2011/03	2023-10-16	AMS5	11:00	1-hr TSP	55	µg/m ³
HKLR	HY/2011/03	2023-10-16	AMS5	13:00	1-hr TSP	70	µg/m ³
HKLR	HY/2011/03	2023-10-16	AMS5	14:00	1-hr TSP	53	µg/m ³
HKLR	HY/2011/03	2023-10-20	AMS5	13:32	1-hr TSP	77	µg/m ³
HKLR	HY/2011/03	2023-10-20	AMS5	14:32	1-hr TSP	48	µg/m ³
HKLR	HY/2011/03	2023-10-20	AMS5	15:32	1-hr TSP	25	µg/m ³
HKLR	HY/2011/03	2023-10-26	AMS5	11:00	1-hr TSP	45	µg/m ³
HKLR	HY/2011/03	2023-10-26	AMS5	13:00	1-hr TSP	29	µg/m ³
HKLR	HY/2011/03	2023-10-26	AMS5	14:00	1-hr TSP	31	µg/m ³
HKLR	HY/2011/03	2023-10-03	AMS5	08:00	24-hr TSP	59	µg/m ³
HKLR	HY/2011/03	2023-10-09	AMS5	08:00	24-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2023-10-13	AMS5	08:00	24-hr TSP	47	µg/m ³
HKLR	HY/2011/03	2023-10-19	AMS5	08:00	24-hr TSP	63	µg/m ³
HKLR	HY/2011/03	2023-10-25	AMS5	08:00	24-hr TSP	55	µg/m ³
HKLR	HY/2011/03	2023-10-31	AMS5	08:00	24-hr TSP	65	µg/m ³

Remarks:

1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 1hr and 24 hr air quality monitoring at AMS6 was temporarily suspended starting from 1 April 2021.


Graphical Plot of 1-hour TSP at AMS5 and AMS6



Remark:

1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 1-hr TSP monitoring at AMS6 was temporarily suspended starting from 1 April 2021.

Air Quality Monitoring Data (24-hour)



Remarks:

- 1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 24-hr TSP monitoring at AMS6 was temporarily suspended starting from 1 April 2021.


Noise Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Start Time	Wind Speed, m/s	1st set 5mins		2nd set 5mins		3rd set 5mins		4th set 5mins		5th set 5mins		6th set 5mins		Overall (30mins)*	Unit	
						Leq:	L10:	L90:	Leq:	L10:	L90:	Leq:	L10:	L90:	Leq:	L10:	L90:			Leq:
HKLR	HY/2011/03	2023-10-04	NMS5	11:30	<5	Leq:	53.8	Leq:	47.2	Leq:	48.7	Leq:	47.8	Leq:	51.0	Leq:	52.6	Leq:	54	dB(A)
						L10:	53.5	L10:	48.5	L10:	50.0	L10:	49.0	L10:	52.5	L10:	50.5	L10:	54	
						L90:	47.0	L90:	45.5	L90:	47.0	L90:	45.5	L90:	46.5	L90:	46.5	L90:	49	
HKLR	HY/2011/03	2023-10-10	NMS5	16:30	<5	Leq:	69.5	Leq:	64.0	Leq:	62.5	Leq:	56.3	Leq:	52.2	Leq:	52.7	Leq:	67	dB(A)
						L10:	74.0	L10:	66.0	L10:	64.0	L10:	60.0	L10:	53.0	L10:	54.0	L10:	70	
						L90:	51.5	L90:	61.0	L90:	60.5	L90:	51.0	L90:	51.0	L90:	51.0	L90:	60	
HKLR	HY/2011/03	2023-10-16	NMS5	11:00	<5	Leq:	57.5	Leq:	55.6	Leq:	55.8	Leq:	55.5	Leq:	54.3	Leq:	55.4	Leq:	59	dB(A)
						L10:	60.0	L10:	53.0	L10:	57.0	L10:	58.0	L10:	56.5	L10:	57.5	L10:	60	
						L90:	53.0	L90:	52.0	L90:	52.0	L90:	51.5	L90:	51.0	L90:	51.5	L90:	55	
HKLR	HY/2011/03	2023-10-26	NMS5	11:00	<5	Leq:	57.1	Leq:	61.6	Leq:	54.2	Leq:	55.3	Leq:	59.1	Leq:	56.2	Leq:	61	dB(A)
						L10:	59.5	L10:	61.0	L10:	56.5	L10:	57.0	L10:	62.0	L10:	58.5	L10:	63	
						L90:	51.0	L90:	50.0	L90:	50.0	L90:	52.5	L90:	52.5	L90:	50.5	L90:	54	

Remark:

(1)* A facade correction of +3 dB(A) was applied to the measured noise level.

Continuous Noise Monitoring Data (NMS5)



Remarks:

(1) A facade correction of +3 dB(A) was applied to the measured noise level.

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS5	0.56	1	Surface	1	1	29.83	8.05	29.73	92.8	6.0	3.2	2.7
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS5	0.56	1	Surface	1	2	29.85	8.05	29.77	93.4	6.1	3.0	2.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS5	0.56	4.1	Middle	2	1	29.62	8.04	30.28	93.1	6.1	3.1	3.1
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS5	0.56	4.1	Middle	2	2	29.61	8.04	30.23	92.1	6.0	3.2	3.5
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS5	0.56	7.2	Bottom	3	1	29.64	8.04	30.27	93.1	6.1	3.1	3.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS5	0.56	7.2	Bottom	3	2	29.63	8.04	30.25	92.0	6.0	3.1	3.7
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS(Mf)6	0.57	1	Surface	1	1	29.93	8.08	29.77	93.2	6.1	3.2	3.7
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS(Mf)6	0.57	1	Surface	1	2	29.86	8.08	29.72	93.4	6.1	3.3	4.2
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS(Mf)6	0.57	2	Bottom	3	1	29.75	8.08	29.84	93.2	6.1	3.4	4.3
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS(Mf)6	0.57	2	Bottom	3	2	29.76	8.08	29.93	93.1	6.0	3.2	4.4
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS7	0.57	1	Surface	1	1	29.90	8.08	29.88	94.0	6.1	3.1	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS7	0.57	1	Surface	1	2	29.92	8.08	29.87	94.2	6.2	3.0	4.0
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS7	0.57	2	Bottom	3	1	29.90	8.07	30.08	94.0	6.1	3.0	4.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS7	0.57	2	Bottom	3	2	29.87	8.08	30.14	93.9	6.1	3.1	4.4
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS8(N)	0.59	1	Surface	1	1	29.85	8.08	29.76	94.1	6.1	3.1	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS8(N)	0.60	1	Surface	1	2	29.85	8.08	29.76	93.9	6.1	3.1	3.7
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS8(N)	0.59	2.9	Bottom	3	1	29.71	8.08	29.91	94.0	6.1	3.1	4.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS8(N)	0.60	2.9	Bottom	3	2	29.75	8.08	29.95	94.1	6.1	3.1	4.4
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS(Mf)9	0.58	1	Surface	1	1	29.93	8.09	29.71	93.1	6.0	3.2	3.3
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS(Mf)9	0.58	1	Surface	1	2	29.92	8.08	29.72	92.8	6.0	3.2	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS(Mf)9	0.58	2.5	Bottom	3	1	29.88	8.08	29.92	92.4	6.0	3.2	4.2
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	IS(Mf)9	0.58	2.5	Bottom	3	2	29.85	8.07	29.95	92.7	6.0	3.2	4.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	IS10(N)	0.59	1	Surface	1	1	29.67	8.06	27.38	85.1	5.9	2.6	3.1
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	IS10(N)	0.59	1	Surface	1	2	29.70	8.06	27.33	85.7	5.9	2.5	2.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	IS10(N)	0.59	5.3	Middle	2	1	29.54	8.05	28.26	84.5	5.8	2.8	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	IS10(N)	0.59	5.3	Middle	2	2	29.54	8.05	28.25	84.6	5.8	2.8	3.2
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	IS10(N)	0.59	9.6	Bottom	3	1	29.57	8.05	28.32	84.8	5.8	2.9	4.0
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	IS10(N)	0.59	9.6	Bottom	3	2	29.53	8.05	28.31	84.7	5.8	2.8	3.8
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	SR3(N)	0.55	1	Surface	1	1	29.89	8.02	29.67	94.0	6.1	3.2	3.2
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	SR3(N)	0.55	1	Surface	1	2	29.90	8.02	29.70	93.7	6.1	3.2	3.5
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	SR3(N)	0.55	2.2	Bottom	3	1	29.87	8.01	29.96	93.6	6.1	3.3	3.8
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	SR3(N)	0.55	2.2	Bottom	3	2	29.84	8.01	29.95	93.3	6.1	3.2	4.1
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	SR4(N3)	0.59	1	Surface	1	1	29.89	8.09	29.80	94.0	6.1	3.0	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	SR4(N3)	0.59	1	Surface	1	2	29.90	8.09	29.84	93.8	6.1	3.0	3.2
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	SR4(N3)	0.59	2.6	Bottom	3	1	29.87	8.08	30.08	94.0	6.1	3.0	4.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	SR4(N3)	0.59	2.6	Bottom	3	2	29.84	8.08	30.07	93.9	6.1	3.0	4.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR5(N)	0.59	1	Surface	1	1	29.73	8.05	27.34	86.3	6.0	2.2	4.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR5(N)	0.59	1	Surface	1	2	29.66	8.06	27.33	85.9	5.9	2.2	4.5
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR5(N)	0.59	4.8	Middle	2	1	29.58	8.04	28.14	85.3	5.9	2.6	4.2
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR5(N)	0.59	4.8	Middle	2	2	29.56	8.05	28.14	85.1	5.9	2.6	4.0
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR5(N)	0.59	8.6	Bottom	3	1	29.54	8.05	28.49	85.1	5.9	3.1	3.8
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR5(N)	0.59	8.6	Bottom	3	2	29.57	8.04	28.46	85.5	5.9	3.1	3.4
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10A(N)	0.63	1	Surface	1	1	29.71	8.07	28.49	87.4	6.0	2.0	3.3
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10A(N)	0.63	1	Surface	1	2	29.71	8.06	28.52	88.2	6.0	2.0	3.0
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10A(N)	0.63	6.4	Middle	2	1	29.52	8.05	29.09	84.3	5.8	2.3	3.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10A(N)	0.63	6.4	Middle	2	2	29.52	8.07	29.06	85.2	5.8	2.3	3.5
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10A(N)	0.63	11.7	Bottom	3	1	29.52	8.08	29.15	85.2	5.8	2.4	4.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10A(N)	0.63	11.7	Bottom	3	2	29.54	8.06	29.10	84.7	5.8	2.4	4.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10B(N2)	0.63	1	Surface	1	1	29.70	8.07	28.56	85.1	5.8	1.8	3.1
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10B(N2)	0.63	1	Surface	1	2	29.69	8.07	28.55	85.3	5.8	1.8	2.7
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10B(N2)	0.63	3.5	Middle	2	1	29.58	8.07	28.83	84.5	5.8	2.0	3.4
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10B(N2)	0.63	3.5	Middle	2	2	29.57	8.06	28.81	84.3	5.8	2.1	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10B(N2)	0.63	5.9	Bottom	3	1	29.58	8.06	28.98	84.6	5.8	2.3	4.1
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	SR10B(N2)	0.63	5.9	Bottom	3	2	29.59	8.06	28.96	84.8	5.8	2.2	3.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	CS2(A)	0.55	1	Surface	1	1	29.61	8.05	27.41	88.7	6.1	2.3	3.2
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	CS2(A)	0.55	1	Surface	1	2	29.59	8.06	27.43	89.5	6.2	2.4	3.4

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	CS2(A)	0.55	3.3	Middle	2	1	29.50	8.05	28.19	86.1	6.0	2.6	4.0
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	CS2(A)	0.55	3.3	Middle	2	2	29.50	8.06	28.21	86.8	6.0	2.8	3.7
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	CS2(A)	0.55	5.6	Bottom	3	1	29.49	8.06	28.39	86.5	6.0	3.1	4.7
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Sunny	CS2(A)	0.55	5.6	Bottom	3	2	29.53	8.05	28.35	86.4	6.0	3.1	5.0
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	CS(Mf)5	0.62	1	Surface	1	1	29.92	8.08	29.85	91.5	5.9	3.0	4.7
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	CS(Mf)5	0.62	1	Surface	1	2	29.85	8.09	29.72	91.3	5.9	3.0	4.9
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	CS(Mf)5	0.62	6	Middle	2	1	29.64	8.08	30.33	90.9	5.9	3.1	4.3
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	CS(Mf)5	0.62	6	Middle	2	2	29.63	8.08	30.32	91.2	5.9	3.2	4.1
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	CS(Mf)5	0.62	10.9	Bottom	3	1	29.67	8.08	30.31	90.5	5.9	3.1	3.8
HKLR	HY/2011/03	2023-10-02	Mid-Ebb	Fine	CS(Mf)5	0.62	10.9	Bottom	3	2	29.65	8.08	30.26	90.9	5.9	3.2	3.5
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS5	0.39	1	Surface	1	1	29.94	8.12	29.57	92.9	6.1	3.0	4.1
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS5	0.38	1	Surface	1	2	29.82	8.13	29.71	94.5	6.2	2.9	4.4
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS5	0.38	4.2	Middle	2	1	29.96	8.12	30.17	94.0	6.1	3.1	3.5
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS5	0.39	4.2	Middle	2	2	29.86	8.12	30.16	92.7	6.1	3.1	3.8
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS5	0.38	7.4	Bottom	3	1	29.94	8.12	30.21	91.9	6.0	3.1	3.2
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS5	0.38	7.4	Bottom	3	2	29.68	8.12	30.21	92.7	6.1	3.1	3.4
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS(Mf)6	0.38	1	Surface	1	1	29.91	8.02	29.63	93.3	6.1	3.2	3.5
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS(Mf)6	0.38	1	Surface	1	2	29.86	8.04	29.71	93.3	6.1	3.2	3.7
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS(Mf)6	0.38	2.1	Bottom	3	1	29.79	8.04	29.96	92.9	6.1	3.2	4.7
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS(Mf)6	0.38	2.1	Bottom	3	2	29.83	8.01	29.92	93.2	6.1	3.3	4.2
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS7	0.37	1	Surface	1	1	29.68	8.04	29.60	92.9	6.0	3.0	3.5
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS7	0.37	1	Surface	1	2	29.69	8.04	29.58	92.7	6.0	2.9	3.3
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS7	0.37	2	Bottom	3	1	29.70	8.03	29.92	92.9	6.0	3.1	4.0
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS7	0.37	2	Bottom	3	2	29.88	8.04	29.93	92.6	6.0	3.1	3.8
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS8(N)	0.35	1	Surface	1	1	30.00	8.03	29.56	95.9	6.2	3.2	3.0
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS8(N)	0.35	1	Surface	1	2	29.98	8.03	29.57	95.7	6.2	3.2	3.4
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS8(N)	0.35	2.7	Bottom	3	1	29.87	8.02	29.84	95.8	6.2	3.1	3.9
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS8(N)	0.35	2.7	Bottom	3	2	29.87	8.02	29.89	95.5	6.2	3.2	4.3
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS(Mf)9	0.36	1	Surface	1	1	29.93	8.07	29.62	93.7	6.1	3.0	3.4
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS(Mf)9	0.36	1	Surface	1	2	29.91	8.07	29.65	93.9	6.1	3.1	3.8
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS(Mf)9	0.36	2.5	Bottom	3	1	29.86	8.06	29.88	93.5	6.1	2.9	4.5
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS(Mf)9	0.36	2.5	Bottom	3	2	29.82	8.06	29.93	93.8	6.1	3.1	4.1
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS10(N)	0.36	1	Surface	1	1	29.55	8.06	27.70	87.4	6.0	2.2	4.5
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS10(N)	0.36	1	Surface	1	2	29.51	8.05	27.72	87.5	6.1	2.2	4.8
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS10(N)	0.36	5.3	Middle	2	1	29.36	8.04	28.41	85.4	5.9	2.6	3.9
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS10(N)	0.36	5.3	Middle	2	2	29.37	8.05	28.41	84.7	5.9	2.6	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS10(N)	0.36	9.6	Bottom	3	1	29.38	8.04	28.43	84.6	5.8	3.0	3.1
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	IS10(N)	0.36	9.6	Bottom	3	2	29.37	8.05	28.45	84.6	5.8	3.0	2.7
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR3(N)	0.39	1	Surface	1	1	29.89	8.02	29.70	91.8	6.0	3.0	2.7
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR3(N)	0.39	1	Surface	1	2	29.89	8.02	29.63	91.8	6.0	3.0	3.1
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR3(N)	0.39	2.2	Bottom	3	1	29.82	8.01	29.87	91.4	6.0	3.0	4.0
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR3(N)	0.39	2.2	Bottom	3	2	29.86	8.02	29.78	92.4	6.0	3.1	3.7
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR4(N3)	0.35	1	Surface	1	1	29.99	8.14	29.55	92.8	6.0	3.2	3.3
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR4(N3)	0.35	1	Surface	1	2	29.98	8.14	29.56	92.7	6.0	3.2	3.0
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR4(N3)	0.35	2.7	Bottom	3	1	29.92	8.13	29.75	92.7	6.0	3.3	2.6
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR4(N3)	0.35	2.7	Bottom	3	2	29.92	8.13	29.81	92.5	6.0	3.3	2.8
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR5(N)	0.37	1	Surface	1	1	29.52	8.07	27.72	85.5	5.9	2.3	3.2
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR5(N)	0.37	1	Surface	1	2	29.54	8.06	27.74	85.4	5.9	2.3	2.9
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR5(N)	0.37	4.8	Middle	2	1	29.41	8.06	28.33	84.6	5.8	2.8	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR5(N)	0.37	4.8	Middle	2	2	29.39	8.06	28.35	84.5	5.8	2.7	4.0
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR5(N)	0.37	8.5	Bottom	3	1	29.39	8.06	28.42	84.8	5.9	3.2	4.3
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR5(N)	0.37	8.5	Bottom	3	2	29.39	8.05	28.43	84.8	5.9	3.0	4.7
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10A(N)	0.33	1	Surface	1	1	29.73	8.06	28.03	85.1	5.9	1.7	5.6
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10A(N)	0.33	1	Surface	1	2	29.73	8.05	28.04	84.8	5.8	1.8	5.3
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10A(N)	0.33	6.4	Middle	2	1	29.51	8.03	28.71	83.4	5.7	2.1	5.1
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10A(N)	0.33	6.4	Middle	2	2	29.50	8.04	28.72	83.3	5.7	2.1	4.8

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10A(N)	0.33	11.8	Bottom	3	1	29.52	8.04	28.79	83.7	5.7	2.6	4.4
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10A(N)	0.33	11.8	Bottom	3	2	29.52	8.04	28.79	83.6	5.7	2.6	4.6
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10B(N2)	0.32	1	Surface	1	1	29.73	8.04	28.02	90.0	6.2	1.9	4.3
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10B(N2)	0.32	1	Surface	1	2	29.75	8.02	27.97	91.0	6.3	2.0	4.7
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10B(N2)	0.32	3.8	Middle	2	1	29.56	8.02	28.60	87.1	6.0	2.2	3.8
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10B(N2)	0.32	3.8	Middle	2	2	29.58	8.03	28.57	85.7	5.9	2.1	3.5
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10B(N2)	0.32	6.5	Bottom	3	1	29.56	8.02	28.72	84.9	5.8	2.5	3.2
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	SR10B(N2)	0.32	6.5	Bottom	3	2	29.58	8.01	28.78	85.2	5.9	2.4	3.0
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS2(A)	0.40	1	Surface	1	1	29.48	8.07	27.73	86.0	6.0	2.5	3.1
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS2(A)	0.40	1	Surface	1	2	29.47	8.07	27.73	86.0	6.0	2.6	3.3
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS2(A)	0.40	3.3	Middle	2	1	29.37	8.06	28.31	85.1	5.9	2.8	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS2(A)	0.40	3.3	Middle	2	2	29.38	8.07	28.31	85.2	5.9	2.9	3.9
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS2(A)	0.40	5.5	Bottom	3	1	29.33	8.07	28.44	85.1	5.9	3.0	4.3
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS2(A)	0.40	5.5	Bottom	3	2	29.35	8.06	28.44	85.1	5.9	3.3	4.1
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS(Mf)5	0.32	1	Surface	1	1	29.87	8.03	29.57	95.7	6.2	3.0	3.1
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS(Mf)5	0.32	1	Surface	1	2	29.83	8.06	29.52	94.1	6.1	3.1	2.9
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS(Mf)5	0.32	6	Middle	2	1	29.60	8.04	30.22	93.9	6.1	3.1	3.2
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS(Mf)5	0.32	6	Middle	2	2	29.59	8.01	30.19	95.2	6.2	3.1	3.6
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS(Mf)5	0.32	11	Bottom	3	1	29.60	8.03	30.24	93.1	6.0	3.1	3.9
HKLR	HY/2011/03	2023-10-02	Mid-Flood	Fine	CS(Mf)5	0.32	11	Bottom	3	2	29.58	8.00	30.18	93.9	6.1	3.2	4.2
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS5	0.63	1	Surface	1	1	29.06	8.08	25.39	97.6	6.9	2.5	2.3
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS5	0.63	1	Surface	1	2	29.09	8.08	25.40	96.5	6.8	2.5	2.1
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS5	0.63	4.2	Middle	2	1	28.87	8.06	28.34	89.5	6.3	2.9	2.6
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS5	0.63	4.2	Middle	2	2	28.84	8.06	28.32	89.7	6.3	2.9	2.8
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS5	0.63	7.4	Bottom	3	1	28.83	8.05	28.53	83.1	5.9	2.9	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS5	0.63	7.4	Bottom	3	2	28.85	8.05	28.50	92.6	6.5	3.0	3.1
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS(Mf)6	0.64	1	Surface	1	1	29.09	8.09	25.29	96.2	6.8	2.5	2.1
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS(Mf)6	0.64	1	Surface	1	2	29.08	8.09	25.28	95.6	6.7	2.5	2.5
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS(Mf)6	0.64	2.2	Bottom	3	1	29.04	8.08	25.43	95.1	6.7	2.9	2.8
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS(Mf)6	0.64	2.2	Bottom	3	2	29.01	8.09	25.44	94.6	6.7	2.9	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS7	0.65	1	Surface	1	1	29.10	8.09	25.33	96.1	6.8	2.2	2.7
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS7	0.65	1	Surface	1	2	29.08	8.09	25.34	95.9	6.7	2.3	3.1
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS7	0.65	2.3	Bottom	3	1	29.04	8.09	25.43	95.5	6.7	2.5	3.6
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS7	0.65	2.3	Bottom	3	2	29.01	8.09	25.47	95.5	6.7	2.5	4.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS8(N)	0.67	1	Surface	1	1	29.08	8.06	25.34	93.7	6.6	2.6	3.4
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS8(N)	0.67	1	Surface	1	2	29.11	8.08	25.32	93.9	6.6	2.6	3.2
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS8(N)	0.67	3	Bottom	3	1	29.04	8.06	25.45	93.4	6.6	3.0	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS8(N)	0.67	3	Bottom	3	2	28.99	8.06	25.50	93.0	6.5	3.0	2.7
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS(Mf)9	0.65	1	Surface	1	1	29.10	8.09	25.37	95.1	6.7	2.3	2.6
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS(Mf)9	0.65	1	Surface	1	2	29.09	8.08	25.37	94.9	6.7	2.4	2.3
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS(Mf)9	0.65	2.6	Bottom	3	1	29.03	8.08	25.51	94.8	6.7	2.5	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS(Mf)9	0.65	2.6	Bottom	3	2	29.00	8.08	25.50	94.6	6.7	2.6	2.8
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS10(N)	0.67	1	Surface	1	1	29.67	8.11	25.78	90.3	6.4	2.8	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS10(N)	0.67	1	Surface	1	2	29.64	8.11	25.82	89.8	6.3	2.9	3.4
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS10(N)	0.67	5.3	Middle	2	1	29.40	8.10	27.86	82.4	5.8	3.1	2.7
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS10(N)	0.67	5.3	Middle	2	2	29.40	8.10	27.89	82.5	5.8	3.1	2.8
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS10(N)	0.67	9.5	Bottom	3	1	29.43	8.10	28.00	82.5	5.8	3.3	2.1
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	IS10(N)	0.67	9.5	Bottom	3	2	29.41	8.10	27.99	82.5	5.8	3.2	2.4
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR3(N)	0.63	1	Surface	1	1	29.09	8.08	25.33	97.0	6.8	2.6	2.1
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR3(N)	0.63	1	Surface	1	2	29.09	8.08	25.30	95.8	6.8	2.6	2.5
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR3(N)	0.63	2.3	Bottom	3	1	29.04	8.07	25.57	94.7	6.6	2.7	3.7
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR3(N)	0.63	2.3	Bottom	3	2	29.07	8.08	25.51	95.4	6.7	2.7	3.3
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR4(N3)	0.66	1	Surface	1	1	29.06	8.07	25.36	93.1	6.5	2.2	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR4(N3)	0.66	1	Surface	1	2	29.07	8.07	25.35	93.0	6.5	2.3	2.8
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR4(N3)	0.66	2.8	Bottom	3	1	29.02	8.06	25.48	92.6	6.5	2.5	4.3
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR4(N3)	0.66	2.8	Bottom	3	2	28.78	8.05	25.46	92.4	6.5	2.5	4.7

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR5(N)	0.67	1	Surface	1	1	29.66	8.11	25.34	90.7	6.4	2.9	4.2
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR5(N)	0.67	1	Surface	1	2	29.57	8.12	25.45	90.1	6.4	2.9	3.8
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR5(N)	0.67	4.7	Middle	2	1	29.44	8.10	27.76	82.6	5.8	3.1	3.2
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR5(N)	0.67	4.7	Middle	2	2	29.43	8.11	27.77	82.2	5.8	3.1	2.9
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR5(N)	0.67	8.3	Bottom	3	1	29.42	8.11	28.11	82.1	5.8	3.6	2.1
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR5(N)	0.67	8.3	Bottom	3	2	29.44	8.09	28.09	82.8	5.8	3.6	2.2
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10A(N)	0.71	1	Surface	1	1	29.55	8.11	26.25	90.5	6.3	2.2	2.2
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10A(N)	0.71	1	Surface	1	2	29.57	8.13	26.35	90.2	6.3	2.2	2.4
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10A(N)	0.71	6.4	Middle	2	1	29.37	8.12	28.78	81.8	5.7	2.7	2.6
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10A(N)	0.71	6.4	Middle	2	2	29.37	8.10	28.79	81.2	5.7	2.6	2.8
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10A(N)	0.71	11.8	Bottom	3	1	29.37	8.13	28.85	81.8	5.7	2.8	3.3
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10A(N)	0.71	11.8	Bottom	3	2	29.39	8.11	28.81	81.5	5.7	2.8	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10B(N2)	0.72	1	Surface	1	1	29.56	8.12	26.33	88.6	6.2	2.1	3.5
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10B(N2)	0.72	1	Surface	1	2	29.55	8.12	26.14	88.5	6.2	2.1	3.2
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10B(N2)	0.72	3.7	Middle	2	1	29.44	8.10	28.50	81.3	5.7	2.5	2.8
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10B(N2)	0.72	3.7	Middle	2	2	29.45	8.11	28.52	81.4	5.7	2.5	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10B(N2)	0.72	6.4	Bottom	3	1	29.43	8.11	28.69	81.5	5.7	2.7	2.4
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	SR10B(N2)	0.72	6.4	Bottom	3	2	29.44	8.10	28.66	81.4	5.7	2.8	2.6
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS2(A)	0.63	1	Surface	1	1	29.54	8.12	25.59	93.0	6.6	2.9	1.7
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS2(A)	0.63	1	Surface	1	2	29.49	8.12	25.60	93.1	6.6	3.0	1.9
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS2(A)	0.63	3.3	Middle	2	1	29.37	8.12	27.93	83.9	5.9	3.3	2.2
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS2(A)	0.63	3.3	Middle	2	2	29.38	8.11	27.91	84.0	5.9	3.2	2.4
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS2(A)	0.63	5.6	Bottom	3	1	29.37	8.12	28.18	83.0	5.8	3.5	2.9
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS2(A)	0.63	5.6	Bottom	3	2	29.39	8.11	28.16	83.5	5.9	3.6	2.6
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS(Mf)5	0.70	1	Surface	1	1	29.06	8.08	25.68	96.4	6.8	1.9	4.1
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS(Mf)5	0.70	1	Surface	1	2	29.07	8.08	25.64	95.2	6.7	1.9	3.7
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS(Mf)5	0.70	6.3	Middle	2	1	28.65	8.03	28.83	88.5	6.2	2.2	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS(Mf)5	0.70	6.3	Middle	2	2	28.66	8.03	28.87	88.7	6.2	2.2	3.3
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS(Mf)5	0.70	11.6	Bottom	3	1	28.66	8.02	28.31	79.1	5.5	2.4	2.4
HKLR	HY/2011/03	2023-10-04	Mid-Ebb	Fine	CS(Mf)5	0.70	11.6	Bottom	3	2	28.63	8.03	28.98	79.0	5.5	2.4	2.7
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS5	0.47	1	Surface	1	1	28.98	8.09	25.31	96.0	6.8	2.3	2.7
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS5	0.47	1	Surface	1	2	29.00	8.09	25.26	95.2	6.6	2.3	2.9
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS5	0.47	4.2	Middle	2	1	28.75	8.05	28.44	89.6	6.3	2.7	3.2
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS5	0.47	4.2	Middle	2	2	28.75	8.05	28.44	89.2	6.2	2.7	3.4
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS5	0.47	7.4	Bottom	3	1	28.71	8.04	28.56	79.8	5.6	2.9	3.8
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS5	0.47	7.4	Bottom	3	2	28.74	8.05	28.56	80.2	5.6	2.9	4.0
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS(Mf)6	0.46	1	Surface	1	1	29.01	8.09	25.27	93.2	6.5	2.2	2.4
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS(Mf)6	0.46	1	Surface	1	2	29.02	8.09	25.27	93.2	6.5	2.1	2.1
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS(Mf)6	0.46	2.2	Bottom	3	1	28.95	8.08	25.46	92.9	6.5	2.4	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS(Mf)6	0.46	2.2	Bottom	3	2	28.97	8.08	25.44	92.8	6.4	2.5	2.7
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS7	0.45	1	Surface	1	1	29.03	8.08	25.26	93.7	6.5	2.2	3.4
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS7	0.45	1	Surface	1	2	28.98	8.09	25.31	93.6	6.5	2.2	3.2
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS7	0.45	2.2	Bottom	3	1	28.96	8.08	25.37	93.3	6.5	2.5	2.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS7	0.45	2.2	Bottom	3	2	28.94	8.08	25.38	93.9	6.5	2.5	2.9
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS8(N)	0.43	1	Surface	1	1	28.99	8.08	25.31	93.1	6.5	2.5	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS8(N)	0.43	1	Surface	1	2	29.02	8.08	25.26	92.9	6.5	2.5	3.3
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS8(N)	0.43	3	Bottom	3	1	28.91	8.06	25.87	92.4	6.4	2.7	3.7
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS8(N)	0.43	3	Bottom	3	2	28.88	8.07	25.86	92.1	6.4	2.8	4.1
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS(Mf)9	0.45	1	Surface	1	1	29.02	8.09	25.30	93.1	6.5	2.3	2.7
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS(Mf)9	0.45	1	Surface	1	2	29.04	8.09	25.29	93.3	6.5	2.3	2.3
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS(Mf)9	0.45	2.6	Bottom	3	1	28.97	8.07	25.47	92.7	6.4	2.7	3.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS(Mf)9	0.45	2.6	Bottom	3	2	28.93	8.08	25.44	92.5	6.4	2.6	3.2
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS10(N)	0.45	1	Surface	1	1	29.45	8.11	25.69	90.4	6.4	2.7	3.9
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS10(N)	0.45	1	Surface	1	2	29.42	8.11	25.67	90.4	6.4	2.7	4.2
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS10(N)	0.45	5.4	Middle	2	1	29.31	8.09	28.10	81.8	5.8	3.1	3.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS10(N)	0.45	5.4	Middle	2	2	29.31	8.09	28.10	82.4	5.8	3.1	3.2

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS10(N)	0.45	9.8	Bottom	3	1	29.33	8.09	28.12	82.0	5.8	3.5	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	IS10(N)	0.45	9.8	Bottom	3	2	29.32	8.10	28.16	82.0	5.8	3.5	2.7
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR3(N)	0.47	1	Surface	1	1	29.00	8.08	25.23	92.5	6.5	2.2	2.8
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR3(N)	0.47	1	Surface	1	2	29.01	8.08	25.20	93.0	6.5	2.1	3.1
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR3(N)	0.47	2.4	Bottom	3	1	28.97	8.08	25.45	92.3	6.4	2.5	3.9
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR3(N)	0.47	2.4	Bottom	3	2	28.93	8.07	25.41	92.0	6.4	2.5	4.3
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR4(N3)	0.44	1	Surface	1	1	28.99	8.08	25.42	92.8	6.5	2.4	2.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR4(N3)	0.44	1	Surface	1	2	29.02	8.07	25.44	92.8	6.5	2.2	2.2
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR4(N3)	0.44	2.9	Bottom	3	1	28.92	8.05	25.75	92.0	6.4	2.4	3.8
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR4(N3)	0.44	2.9	Bottom	3	2	28.88	8.06	25.81	92.3	6.4	2.6	3.4
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR5(N)	0.46	1	Surface	1	1	29.42	8.11	25.70	88.8	6.3	2.8	2.1
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR5(N)	0.46	1	Surface	1	2	29.43	8.11	25.66	88.9	6.3	2.8	2.3
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR5(N)	0.46	4.7	Middle	2	1	29.34	8.09	28.04	81.5	5.7	3.1	2.6
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR5(N)	0.46	4.7	Middle	2	2	29.33	8.10	28.05	81.6	5.7	3.1	2.9
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR5(N)	0.46	8.4	Bottom	3	1	29.33	8.09	28.14	81.8	5.7	3.6	3.8
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR5(N)	0.46	8.4	Bottom	3	2	29.32	8.09	28.15	81.9	5.8	3.4	3.4
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10A(N)	0.41	1	Surface	1	1	29.55	8.10	25.96	88.2	6.2	2.0	2.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10A(N)	0.41	1	Surface	1	2	29.56	8.09	25.74	88.2	6.2	2.1	2.0
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10A(N)	0.41	6.5	Middle	2	1	29.36	8.07	28.41	80.5	5.6	2.3	3.3
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10A(N)	0.41	6.5	Middle	2	2	29.36	8.07	28.41	80.2	5.6	2.3	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10A(N)	0.41	11.9	Bottom	3	1	29.40	8.07	28.54	80.6	5.6	2.8	3.8
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10A(N)	0.41	11.9	Bottom	3	2	29.38	8.07	28.51	80.7	5.7	2.8	3.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10B(N2)	0.41	1	Surface	1	1	29.56	8.08	26.02	92.9	6.5	2.2	2.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10B(N2)	0.41	1	Surface	1	2	29.58	8.07	26.01	93.7	6.6	2.2	2.2
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10B(N2)	0.41	3.7	Middle	2	1	29.44	8.07	28.26	82.3	5.8	2.4	1.7
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10B(N2)	0.41	3.7	Middle	2	2	29.42	8.06	28.32	83.7	5.9	2.4	1.9
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10B(N2)	0.41	6.4	Bottom	3	1	29.42	8.06	28.49	81.8	5.7	2.7	1.3
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	SR10B(N2)	0.41	6.4	Bottom	3	2	29.21	8.05	28.53	82.1	5.8	2.6	1.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS2(A)	0.49	1	Surface	1	1	29.37	8.12	25.45	90.0	6.4	3.1	3.2
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS2(A)	0.49	1	Surface	1	2	29.38	8.13	25.61	89.7	6.3	3.0	3.0
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS2(A)	0.49	3.3	Middle	2	1	29.29	8.11	27.98	82.6	5.8	3.3	2.6
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS2(A)	0.49	3.3	Middle	2	2	29.31	8.13	27.97	82.1	5.8	3.3	2.8
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS2(A)	0.49	5.6	Bottom	3	1	29.29	8.11	28.15	81.7	5.8	3.7	3.4
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS2(A)	0.49	5.6	Bottom	3	2	29.28	8.12	28.15	81.6	5.7	3.5	3.2
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS(Mf)5	0.41	1	Surface	1	1	28.97	8.07	25.46	95.6	6.6	1.9	3.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS(Mf)5	0.40	1	Surface	1	2	28.94	8.06	25.51	94.9	6.6	2.0	3.1
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS(Mf)5	0.41	6.2	Middle	2	1	28.61	8.04	28.77	90.4	6.3	2.3	2.7
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS(Mf)5	0.40	6.2	Middle	2	2	28.62	8.04	28.71	91.1	6.3	2.3	2.5
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS(Mf)5	0.40	11.4	Bottom	3	1	28.60	8.03	28.84	80.5	5.6	2.6	2.3
HKLR	HY/2011/03	2023-10-04	Mid-Flood	Fine	CS(Mf)5	0.41	11.4	Bottom	3	2	28.60	8.03	28.85	80.5	5.6	2.6	2.1
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS5	0.25	1	Surface	1	1	28.92	8.13	26.25	90.4	6.5	2.9	3.5
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS5	0.25	1	Surface	1	2	28.94	8.14	26.01	93.3	6.7	2.8	4.0
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS5	0.24	4.3	Middle	2	1	28.80	8.12	28.03	89.0	6.4	3.8	2.2
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS5	0.25	4.3	Middle	2	2	28.80	8.12	28.01	86.8	6.2	3.7	3.0
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS5	0.25	7.6	Bottom	3	1	28.79	8.10	29.02	82.0	5.9	4.2	3.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS5	0.24	7.6	Bottom	3	2	28.80	8.11	29.04	83.2	6.0	4.1	3.0
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS(Mf)6	0.24	1	Surface	1	1	28.94	8.13	26.07	91.7	6.6	1.4	2.6
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS(Mf)6	0.24	1	Surface	1	2	28.94	8.13	26.06	90.5	6.5	1.4	2.6
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS(Mf)6	0.24	2.3	Bottom	3	1	28.92	8.12	26.19	90.9	6.5	1.6	4.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS(Mf)6	0.24	2.3	Bottom	3	2	28.90	8.12	26.39	92.8	6.7	1.5	4.1
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS7	0.23	1	Surface	1	1	28.97	8.12	25.53	90.7	6.5	1.4	3.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS7	0.23	1	Surface	1	2	28.95	8.13	25.54	93.3	6.7	1.5	2.9
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS7	0.23	2.3	Bottom	3	1	28.94	8.12	25.63	92.1	6.6	1.6	3.1
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS7	0.23	2.3	Bottom	3	2	28.92	8.13	25.68	94.5	6.8	1.6	4.4
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS8(N)	0.21	1	Surface	1	1	28.95	8.11	24.94	88.9	6.4	2.6	3.4
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS8(N)	0.21	1	Surface	1	2	28.97	8.11	24.83	89.4	6.5	2.5	4.2

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS8(N)	0.21	3.1	Bottom	3	1	28.91	8.10	25.40	88.8	6.4	2.8	3.7
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS8(N)	0.21	3.1	Bottom	3	2	28.90	8.11	25.27	89.6	6.5	2.8	3.5
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS(Mf)9	0.23	1	Surface	1	1	28.94	8.13	25.57	91.8	6.6	2.9	2.4
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS(Mf)9	0.23	1	Surface	1	2	28.95	8.13	25.81	89.9	6.5	2.8	3.1
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS(Mf)9	0.23	2.7	Bottom	3	1	28.91	8.12	26.28	90.4	6.5	3.4	2.4
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS(Mf)9	0.23	2.7	Bottom	3	2	28.89	8.12	26.36	93.9	6.7	3.3	3.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS10(N)	0.23	1	Surface	1	1	29.41	8.11	24.50	89.1	6.4	3.8	2.8
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS10(N)	0.23	1	Surface	1	2	29.41	8.11	24.53	88.2	6.3	3.7	3.0
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS10(N)	0.23	5.4	Middle	2	1	29.32	8.09	27.95	82.3	5.9	5.5	4.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS10(N)	0.23	5.4	Middle	2	2	29.31	8.09	28.08	82.5	6.0	5.3	4.4
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS10(N)	0.23	9.7	Bottom	3	1	29.32	8.08	28.15	83.4	6.0	5.7	5.5
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	IS10(N)	0.23	9.7	Bottom	3	2	29.32	8.09	28.24	82.2	5.9	5.8	5.2
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR3(N)	0.25	1	Surface	1	1	28.96	8.13	26.28	91.0	6.5	3.5	3.8
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR3(N)	0.25	1	Surface	1	2	28.96	8.13	26.24	89.8	6.5	3.3	5.2
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR3(N)	0.25	2.5	Bottom	3	1	28.91	8.13	26.44	92.0	6.6	3.6	4.4
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR3(N)	0.25	2.5	Bottom	3	2	28.94	8.13	26.40	90.0	6.5	3.6	3.6
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR4(N3)	0.22	1	Surface	1	1	28.94	8.12	24.93	91.6	6.6	1.7	3.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR4(N3)	0.22	1	Surface	1	2	28.95	8.11	24.94	89.8	6.5	1.7	3.8
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR4(N3)	0.22	2.9	Bottom	3	1	28.90	8.10	25.14	90.2	6.5	1.8	4.2
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR4(N3)	0.22	2.9	Bottom	3	2	28.88	8.11	25.22	93.5	6.8	2.0	3.5
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR5(N)	0.24	1	Surface	1	1	29.43	8.10	24.45	85.7	6.2	3.7	5.2
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR5(N)	0.24	1	Surface	1	2	29.41	8.10	24.62	85.4	6.2	3.7	5.1
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR5(N)	0.24	4.5	Middle	2	1	29.34	8.09	27.15	81.5	5.9	3.9	4.7
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR5(N)	0.24	4.5	Middle	2	2	29.33	8.09	27.68	81.7	5.9	4.0	4.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR5(N)	0.24	8	Bottom	3	1	29.33	8.07	28.19	81.9	5.9	4.5	4.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR5(N)	0.24	8	Bottom	3	2	29.32	8.08	28.20	82.0	5.9	4.4	4.7
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10A(N)	0.20	1	Surface	1	1	29.43	8.08	25.67	85.9	6.2	2.0	3.2
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10A(N)	0.20	1	Surface	1	2	29.42	8.09	25.76	85.8	6.2	1.9	4.0
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10A(N)	0.20	6.4	Middle	2	1	29.32	8.06	29.80	81.8	5.8	2.2	3.7
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10A(N)	0.20	6.4	Middle	2	2	29.32	8.06	29.83	81.6	5.8	2.2	4.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10A(N)	0.20	11.7	Bottom	3	1	29.32	8.06	30.10	82.2	5.8	2.6	5.0
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10A(N)	0.20	11.7	Bottom	3	2	29.34	8.06	29.94	82.1	5.8	2.7	5.5
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10B(N2)	0.19	1	Surface	1	1	29.43	8.07	25.79	91.0	6.5	1.7	3.1
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10B(N2)	0.19	1	Surface	1	2	29.44	8.04	25.86	93.2	6.6	1.8	4.1
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10B(N2)	0.19	3.6	Middle	2	1	29.37	8.05	27.97	84.7	6.1	2.1	3.4
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10B(N2)	0.19	3.6	Middle	2	2	29.36	8.02	28.02	84.8	6.1	2.1	3.3
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10B(N2)	0.19	6.1	Bottom	3	1	29.36	8.03	28.83	83.5	6.0	2.3	3.0
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	SR10B(N2)	0.19	6.1	Bottom	3	2	29.24	8.01	29.22	83.6	6.0	2.2	2.9
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS2(A)	0.28	1	Surface	1	1	29.37	8.10	24.58	86.1	6.3	3.5	3.4
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS2(A)	0.28	1	Surface	1	2	29.37	8.11	24.63	85.9	6.2	3.5	2.6
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS2(A)	0.28	3.2	Middle	2	1	29.32	8.10	26.74	82.3	5.9	3.9	2.6
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS2(A)	0.28	3.2	Middle	2	2	29.33	8.11	26.78	81.9	5.9	3.8	3.5
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS2(A)	0.28	5.4	Bottom	3	1	29.32	8.08	28.03	81.9	5.9	5.1	2.7
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS2(A)	0.28	5.4	Bottom	3	2	29.30	8.10	28.05	81.6	5.9	4.8	3.9
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS(Mf)5	0.18	1	Surface	1	1	28.91	8.12	25.24	88.9	6.4	1.8	2.6
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS(Mf)5	0.18	1	Surface	1	2	28.93	8.12	25.55	89.9	6.4	1.6	2.9
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS(Mf)5	0.18	6.2	Middle	2	1	28.71	8.10	29.30	86.3	6.2	2.5	2.8
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS(Mf)5	0.18	6.2	Middle	2	2	28.73	8.10	29.10	89.0	6.3	2.5	2.5
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS(Mf)5	0.18	11.3	Bottom	3	1	28.69	8.06	31.54	81.9	5.9	2.7	3.0
HKLR	HY/2011/03	2023-10-06	Mid-Ebb	Fine	CS(Mf)5	0.18	11.3	Bottom	3	2	28.69	8.07	31.54	81.6	5.8	2.7	3.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS5	0.65	1	Surface	1	1	27.90	8.11	28.26	85.1	6.0	4.4	4.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS5	0.66	1	Surface	1	2	27.91	8.10	28.39	84.2	5.9	4.0	4.8
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS5	0.65	5.3	Middle	2	1	27.62	8.08	30.62	81.8	5.7	5.4	3.8
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS5	0.66	5.3	Middle	2	2	27.58	8.08	30.78	81.9	5.7	4.5	4.2
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS5	0.66	9.6	Bottom	3	1	27.57	8.06	30.99	81.3	5.7	4.8	3.5
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS5	0.66	9.6	Bottom	3	2	27.61	8.07	31.00	81.2	5.7	4.9	3.1

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS(Mf)6	0.66	1	Surface	1	1	27.93	8.10	28.52	84.6	6.0	4.0	3.5
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS(Mf)6	0.66	1	Surface	1	2	27.58	8.07	30.78	81.9	5.7	4.6	3.8
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS(Mf)6	0.69	9.2	Bottom	3	1	27.49	8.11	32.15	82.4	5.8	3.6	4.4
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS(Mf)6	0.69	9.2	Bottom	3	2	27.52	8.13	32.00	81.4	5.7	3.8	4.0
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS7	0.69	1	Surface	1	1	27.80	8.13	30.20	85.6	6.0	3.1	4.4
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS7	0.69	1	Surface	1	2	27.82	8.12	30.20	87.0	6.1	3.1	4.7
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS7	0.69	9.2	Bottom	3	1	27.52	8.09	31.67	82.1	5.7	3.6	4.0
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS7	0.69	9.2	Bottom	3	2	27.55	8.09	31.90	81.5	5.7	3.8	3.8
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS8(N)	0.69	1	Surface	1	1	27.70	8.12	29.69	89.0	6.3	4.8	3.4
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS8(N)	0.69	1	Surface	1	2	27.67	8.11	29.74	88.4	6.2	4.7	3.2
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS8(N)	0.69	2.9	Bottom	3	1	27.63	8.11	29.86	88.6	6.3	5.3	4.1
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS8(N)	0.69	2.9	Bottom	3	2	27.55	8.10	30.02	88.8	6.3	5.1	3.7
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS(Mf)9	0.70	1	Surface	1	1	27.81	8.11	30.14	83.7	5.9	2.9	4.0
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS(Mf)9	0.70	1	Surface	1	2	27.67	8.10	31.07	81.6	5.7	3.5	3.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS(Mf)9	0.70	6.2	Bottom	3	1	27.60	8.09	31.44	81.0	5.7	3.5	5.0
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS(Mf)9	0.70	6.2	Bottom	3	2	27.62	8.08	31.44	81.0	5.7	3.6	4.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS10(N)	0.46	1	Surface	1	1	28.19	8.09	25.83	86.8	6.3	4.3	3.8
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS10(N)	0.45	1	Surface	1	2	28.19	8.09	25.58	86.6	6.3	4.2	3.5
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS10(N)	0.45	5.3	Middle	2	1	27.87	8.08	29.12	82.6	5.9	5.0	3.9
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS10(N)	0.46	5.3	Middle	2	2	27.87	8.08	29.19	82.7	5.9	5.2	4.2
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS10(N)	0.45	9.6	Bottom	3	1	27.90	8.07	29.32	82.6	5.9	5.6	4.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	IS10(N)	0.45	9.6	Bottom	3	2	27.90	8.06	29.22	82.6	5.9	5.5	4.3
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR3(N)	0.65	1	Surface	1	1	27.87	8.11	28.37	84.7	6.0	4.3	4.2
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR3(N)	0.65	1	Surface	1	2	27.58	8.08	30.69	81.5	5.7	5.3	3.9
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR3(N)	0.65	8.3	Bottom	3	1	27.56	8.07	31.22	81.1	5.7	5.5	5.1
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR3(N)	0.65	8.3	Bottom	3	2	27.58	8.07	31.22	81.5	5.7	5.6	4.7
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR4(N3)	0.70	1	Surface	1	1	27.82	8.11	30.21	83.9	5.9	3.0	3.5
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR4(N3)	0.69	1	Surface	1	2	27.57	8.11	29.73	87.2	6.2	3.4	3.0
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR4(N3)	0.69	3.2	Bottom	3	1	27.52	8.10	30.15	87.4	6.2	3.7	4.8
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR4(N3)	0.70	3.2	Bottom	3	2	27.63	8.09	31.17	81.4	5.7	3.4	4.4
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR5(N)	0.45	1	Surface	1	1	28.11	8.10	25.53	86.9	6.3	4.9	4.0
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR5(N)	0.45	1	Surface	1	2	28.11	8.10	25.41	86.9	6.3	5.0	3.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR5(N)	0.45	4.5	Middle	2	1	27.88	8.09	29.14	82.7	5.9	6.7	4.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR5(N)	0.45	4.5	Middle	2	2	27.88	8.08	29.05	82.6	5.9	6.9	4.9
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR5(N)	0.45	8	Bottom	3	1	27.89	8.07	29.64	82.9	5.9	6.8	5.7
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR5(N)	0.45	8	Bottom	3	2	27.89	8.07	29.64	82.9	5.9	6.6	5.3
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10A(N)	0.49	1	Surface	1	1	28.05	8.14	27.83	89.4	6.4	3.0	2.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10A(N)	0.49	1	Surface	1	2	28.08	8.11	27.80	91.2	6.5	3.1	2.9
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10A(N)	0.49	6.4	Middle	2	1	27.86	8.14	30.62	84.5	6.1	3.7	3.9
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10A(N)	0.49	6.4	Middle	2	2	27.91	8.11	29.72	83.7	6.0	3.7	3.5
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10A(N)	0.49	11.7	Bottom	3	1	27.86	8.16	30.35	83.5	6.0	3.9	4.2
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10A(N)	0.49	11.7	Bottom	3	2	27.92	8.11	30.22	83.6	6.0	3.9	4.4
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10B(N2)	0.50	1	Surface	1	1	28.13	8.11	27.73	87.2	6.2	2.8	3.8
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10B(N2)	0.50	1	Surface	1	2	28.11	8.11	27.62	87.3	6.2	2.7	4.1
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10B(N2)	0.50	3.5	Middle	2	1	27.98	8.10	29.27	83.3	6.0	3.2	3.4
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10B(N2)	0.50	3.5	Middle	2	2	28.02	8.11	29.11	83.5	6.0	3.4	3.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10B(N2)	0.50	6	Bottom	3	1	27.98	8.09	29.43	83.5	6.0	3.5	3.1
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	SR10B(N2)	0.50	6	Bottom	3	2	28.00	8.10	29.35	83.6	6.0	3.3	3.3
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS2(A)	0.40	1	Surface	1	1	28.13	8.10	25.53	91.3	6.6	5.0	3.3
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS2(A)	0.40	1	Surface	1	2	28.09	8.10	25.53	90.1	6.5	4.9	3.7
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS2(A)	0.40	3.2	Middle	2	1	27.87	8.09	28.45	85.9	6.2	5.6	4.0
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS2(A)	0.40	3.2	Middle	2	2	27.87	8.10	28.21	84.8	6.1	5.6	4.4
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS2(A)	0.40	5.4	Bottom	3	1	27.87	8.10	29.35	84.1	6.1	5.7	5.0
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS2(A)	0.40	5.4	Bottom	3	2	27.90	8.08	29.32	84.3	6.1	5.9	4.7
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS(Mf)5	0.72	1	Surface	1	1	27.65	8.13	29.68	86.6	6.1	3.0	5.2
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS(Mf)5	0.72	1	Surface	1	2	27.66	8.13	29.67	85.5	6.0	3.0	5.6

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS(Mf)5	0.72	6.2	Middle	2	1	27.19	8.07	31.99	82.9	5.9	3.6	4.3
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS(Mf)5	0.72	6.2	Middle	2	2	27.19	8.07	31.94	81.9	5.8	3.7	4.6
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS(Mf)5	0.72	11.4	Bottom	3	1	27.23	8.06	32.22	78.8	5.5	3.7	3.7
HKLR	HY/2011/03	2023-10-11	Mid-Ebb	Fine	CS(Mf)5	0.72	11.4	Bottom	3	2	27.19	8.06	32.92	79.5	5.6	3.7	3.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS5	0.43	1	Surface	1	1	27.69	8.11	28.89	84.4	6.0	3.8	6.3
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS5	0.43	1	Surface	1	2	27.67	8.11	28.94	84.0	5.9	3.7	6.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS5	0.43	3.3	Middle	2	1	27.55	8.10	30.26	82.1	5.8	4.1	5.1
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS5	0.61	3.3	Middle	2	2	27.61	8.10	30.21	83.3	5.8	4.8	4.6
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS5	0.43	5.5	Bottom	3	1	27.55	8.08	31.08	81.2	5.7	4.9	4.3
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS5	0.61	5.5	Bottom	3	2	27.57	8.10	31.07	82.3	5.8	4.9	4.1
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS(Mf)6	0.39	1	Surface	1	1	27.70	8.11	28.90	83.9	5.9	3.6	3.8
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS(Mf)6	0.43	1	Surface	1	2	27.55	8.11	30.25	81.3	5.7	4.0	4.3
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS(Mf)6	0.39	5.1	Bottom	3	1	27.52	8.08	30.57	81.1	5.7	3.8	5.1
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS(Mf)6	0.43	5.1	Bottom	3	2	27.51	8.10	31.15	80.7	5.7	4.7	5.4
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS7	0.39	1	Surface	1	1	27.72	8.11	28.82	83.8	5.9	3.6	5.5
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS7	0.39	1	Surface	1	2	27.52	8.08	30.84	81.2	5.7	3.9	5.1
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS7	0.39	8.3	Bottom	3	1	27.50	8.07	31.24	80.8	5.7	4.4	4.6
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS7	0.39	8.3	Bottom	3	2	27.50	8.07	31.24	80.7	5.7	4.3	4.1
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS8(N)	0.35	1	Surface	1	1	27.77	8.08	29.53	83.7	5.9	2.5	5.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS8(N)	0.35	1	Surface	1	2	27.52	8.05	32.17	81.2	5.7	2.7	5.4
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS8(N)	0.35	12	Bottom	3	1	27.54	8.05	32.29	80.3	5.6	3.2	6.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS8(N)	0.35	12	Bottom	3	2	27.55	8.05	32.23	80.1	5.6	3.2	6.3
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS(Mf)9	0.38	1	Surface	1	1	27.72	8.11	28.84	85.6	6.0	3.6	4.9
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS(Mf)9	0.38	1	Surface	1	2	27.72	8.11	28.83	86.0	6.0	3.7	4.4
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS(Mf)9	0.38	7.5	Bottom	3	1	27.51	8.08	31.00	82.1	5.8	4.6	3.7
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS(Mf)9	0.38	7.5	Bottom	3	2	27.50	8.07	31.20	81.7	5.8	4.9	3.6
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS10(N)	0.19	1	Surface	1	1	27.89	8.11	26.02	89.1	6.4	3.8	4.8
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS10(N)	0.19	1	Surface	1	2	27.89	8.11	26.05	88.2	6.3	3.7	4.4
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS10(N)	0.19	5.4	Middle	2	1	27.80	8.09	29.47	82.3	5.9	5.5	3.7
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS10(N)	0.19	5.4	Middle	2	2	27.79	8.09	29.60	82.5	6.0	5.3	4.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS10(N)	0.19	9.7	Bottom	3	1	27.80	8.08	29.67	83.4	6.0	5.7	3.5
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	IS10(N)	0.19	9.7	Bottom	3	2	27.80	8.09	29.76	82.2	5.9	5.8	3.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR3(N)	0.61	1	Surface	1	1	27.87	8.11	28.43	88.2	6.2	4.3	3.4
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR3(N)	0.61	1	Surface	1	2	27.81	8.11	28.49	87.4	6.2	4.3	3.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR3(N)	0.61	4.4	Bottom	3	1	27.60	8.09	30.32	84.1	5.9	4.7	4.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR3(N)	0.61	4.4	Bottom	3	2	27.61	8.08	31.05	82.8	5.8	5.1	3.6
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR4(N3)	0.35	1	Surface	1	1	27.75	8.09	29.60	83.7	5.9	2.5	4.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR4(N3)	0.38	1	Surface	1	2	27.51	8.08	31.06	81.9	5.8	4.5	3.9
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR4(N3)	0.35	8.1	Bottom	3	1	27.50	8.05	32.20	80.5	5.6	2.7	3.6
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR4(N3)	0.38	8.1	Bottom	3	2	27.52	8.08	31.23	81.2	5.7	4.9	3.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR5(N)	0.20	1	Surface	1	1	27.91	8.10	25.97	85.7	6.2	3.7	3.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR5(N)	0.20	1	Surface	1	2	27.89	8.10	26.14	85.4	6.2	3.7	3.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR5(N)	0.20	4.5	Middle	2	1	27.82	8.09	28.67	81.5	5.9	3.9	2.6
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR5(N)	0.20	4.5	Middle	2	2	27.81	8.09	29.20	81.7	5.9	4.0	2.5
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR5(N)	0.20	8	Bottom	3	1	27.81	8.07	29.71	81.9	5.9	4.5	2.1
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR5(N)	0.20	8	Bottom	3	2	27.80	8.08	29.72	82.0	5.9	4.4	2.4
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10A(N)	0.16	1	Surface	1	1	27.91	8.08	27.19	85.9	6.2	2.0	5.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10A(N)	0.16	1	Surface	1	2	27.90	8.09	27.28	85.8	6.2	1.9	4.8
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10A(N)	0.16	6.4	Middle	2	1	27.80	8.06	31.32	81.8	5.8	2.2	4.4
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10A(N)	0.16	6.4	Middle	2	2	27.80	8.06	31.35	81.6	5.8	2.2	4.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10A(N)	0.16	11.7	Bottom	3	1	27.80	8.06	31.62	82.2	5.8	2.6	3.8
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10A(N)	0.16	11.7	Bottom	3	2	27.82	8.06	31.46	82.1	5.8	2.7	3.3
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10B(N2)	0.15	1	Surface	1	1	27.91	8.07	27.31	91.0	6.5	1.7	3.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10B(N2)	0.15	1	Surface	1	2	27.92	8.04	27.38	93.2	6.6	1.8	3.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10B(N2)	0.15	3.6	Middle	2	1	27.85	8.05	29.49	84.7	6.1	2.1	3.4
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10B(N2)	0.15	3.6	Middle	2	2	27.84	8.02	29.54	84.8	6.1	2.1	3.7

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10B(N2)	0.15	6.1	Bottom	3	1	27.84	8.03	30.35	83.5	6.0	2.3	4.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	SR10B(N2)	0.15	6.1	Bottom	3	2	27.72	8.01	30.74	83.6	6.0	2.2	4.5
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS2(A)	0.24	1	Surface	1	1	27.85	8.10	26.10	86.1	6.3	3.5	4.8
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS2(A)	0.24	1	Surface	1	2	27.85	8.11	26.15	85.9	6.2	3.5	5.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS2(A)	0.24	3.2	Middle	2	1	27.80	8.10	28.26	82.3	5.9	3.9	4.3
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS2(A)	0.23	3.2	Middle	2	2	27.81	8.11	28.30	81.9	5.9	3.8	4.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS2(A)	0.24	5.4	Bottom	3	1	27.80	8.08	29.55	81.9	5.9	5.1	3.3
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS2(A)	0.23	5.4	Bottom	3	2	27.78	8.10	29.57	81.6	5.9	4.8	3.5
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS(Mf)5	0.34	1	Surface	1	1	27.76	8.07	29.60	88.4	6.2	2.5	4.6
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS(Mf)5	0.34	1	Surface	1	2	27.76	8.05	29.63	89.3	6.2	2.5	4.4
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS(Mf)5	0.34	3.7	Middle	2	1	27.59	8.04	30.99	82.8	5.8	2.8	5.5
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS(Mf)5	0.34	3.7	Middle	2	2	27.59	8.02	30.99	83.4	5.8	2.8	5.0
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS(Mf)5	0.34	6.3	Bottom	3	1	27.58	8.02	31.61	82.4	5.8	3.0	6.2
HKLR	HY/2011/03	2023-10-11	Mid-Flood	Fine	CS(Mf)5	0.34	6.3	Bottom	3	2	27.50	8.01	31.84	82.4	5.8	2.9	5.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS5	0.47	1	Surface	1	1	27.83	8.07	31.70	87.5	5.6	3.1	4.5
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS5	0.47	1	Surface	1	2	27.81	8.07	31.63	88.1	5.6	3.3	4.1
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS5	0.47	4.3	Middle	2	1	27.59	8.06	32.14	87.8	5.6	3.3	4.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS5	0.47	4.3	Middle	2	2	27.60	8.06	31.59	86.8	5.5	3.5	5.1
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS5	0.47	7.5	Bottom	3	1	27.62	8.06	32.09	86.7	5.5	3.5	5.3
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS5	0.47	7.5	Bottom	3	2	27.61	8.06	32.13	87.8	5.6	3.5	5.6
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS(Mf)6	0.47	1	Surface	1	1	27.84	8.07	31.58	88.9	5.7	3.6	4.0
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS(Mf)6	0.47	1	Surface	1	2	27.91	8.07	31.63	88.7	5.7	3.6	4.2
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS(Mf)6	0.47	2	Bottom	3	1	27.73	8.07	32.11	88.7	5.7	3.6	4.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS(Mf)6	0.47	2	Bottom	3	2	27.74	8.07	31.79	88.6	5.7	3.5	5.0
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS7	0.48	1	Surface	1	1	27.90	8.07	31.58	87.5	5.6	3.4	3.3
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS7	0.48	1	Surface	1	2	27.88	8.07	31.57	87.8	5.6	3.5	3.7
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS7	0.48	2.1	Bottom	3	1	27.85	8.07	31.78	87.1	5.5	3.5	4.2
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS7	0.48	2.1	Bottom	3	2	27.88	8.06	31.81	87.4	5.6	3.4	4.5
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS8(N)	0.50	1	Surface	1	1	27.80	8.07	31.74	87.9	5.6	3.5	4.3
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS8(N)	0.50	1	Surface	1	2	27.80	8.07	31.73	88.1	5.6	3.4	3.9
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS8(N)	0.50	2.8	Bottom	3	1	27.70	8.07	32.00	87.8	5.6	3.4	3.4
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS8(N)	0.50	2.8	Bottom	3	2	27.66	8.07	31.94	87.9	5.6	3.4	3.6
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS(Mf)9	0.49	1	Surface	1	1	27.91	8.08	31.66	88.7	5.7	3.6	3.4
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS(Mf)9	0.48	1	Surface	1	2	27.90	8.07	31.70	88.5	5.7	3.5	3.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS(Mf)9	0.48	2.5	Bottom	3	1	27.86	8.07	31.93	88.6	5.7	3.6	4.4
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	IS(Mf)9	0.48	2.5	Bottom	3	2	27.83	8.06	31.94	88.7	5.7	3.6	4.5
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	IS10(N)	0.49	1	Surface	1	1	28.07	8.06	31.97	85.5	5.7	3.4	3.2
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	IS10(N)	0.49	1	Surface	1	2	28.07	8.06	31.96	86.0	5.7	3.5	2.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	IS10(N)	0.49	5.1	Middle	2	1	27.82	8.05	32.41	85.6	5.7	3.4	3.7
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	IS10(N)	0.49	5.1	Middle	2	2	27.78	8.05	32.47	84.3	5.6	3.4	4.0
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	IS10(N)	0.49	9.1	Bottom	3	1	27.85	8.06	32.39	84.3	5.6	3.5	4.6
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	IS10(N)	0.49	9.1	Bottom	3	2	27.86	8.06	32.38	85.2	5.7	3.4	4.2
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	SR3(N)	0.46	1	Surface	1	1	27.86	8.04	31.53	86.5	5.5	3.5	4.7
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	SR3(N)	0.46	1	Surface	1	2	27.85	8.04	31.49	86.5	5.5	3.3	4.3
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	SR3(N)	0.46	2.1	Bottom	3	1	27.80	8.03	31.64	87.1	5.6	3.5	3.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	SR3(N)	0.46	2.1	Bottom	3	2	27.83	8.03	31.81	86.1	5.5	3.6	3.3
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	SR4(N3)	0.50	1	Surface	1	1	27.87	8.08	31.62	88.6	5.7	3.5	3.0
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	SR4(N3)	0.49	1	Surface	1	2	27.88	8.08	31.62	88.8	5.7	3.6	2.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	SR4(N3)	0.50	2.7	Bottom	3	1	27.82	8.07	31.81	88.8	5.7	3.5	3.3
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	SR4(N3)	0.49	2.7	Bottom	3	2	27.85	8.07	31.77	88.7	5.7	3.5	3.6
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR5(N)	0.49	1	Surface	1	1	27.94	8.08	31.97	85.5	5.7	3.5	5.4
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR5(N)	0.49	1	Surface	1	2	27.99	8.08	31.93	86.7	5.8	3.4	5.5
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR5(N)	0.49	4.6	Middle	2	1	27.74	8.07	32.44	85.4	5.7	3.6	4.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR5(N)	0.49	4.6	Middle	2	2	27.76	8.07	32.42	85.6	5.7	3.5	5.2
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR5(N)	0.49	8.2	Bottom	3	1	27.77	8.07	32.48	85.0	5.7	3.6	4.6
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR5(N)	0.49	8.2	Bottom	3	2	27.78	8.07	32.42	85.2	5.7	3.6	4.9

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10A(N)	0.53	1	Surface	1	1	28.05	8.08	32.00	85.9	5.7	3.5	3.6
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10A(N)	0.53	1	Surface	1	2	28.02	8.08	32.03	85.4	5.7	3.4	4.0
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10A(N)	0.53	5.9	Middle	2	1	27.74	8.07	32.52	85.1	5.7	3.5	4.3
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10A(N)	0.53	5.9	Middle	2	2	27.76	8.07	32.52	85.6	5.7	3.6	4.6
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10A(N)	0.53	10.8	Bottom	3	1	27.75	8.08	32.52	84.8	5.7	3.6	4.9
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10A(N)	0.53	10.8	Bottom	3	2	27.82	8.08	32.44	84.9	5.7	3.6	5.1
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10B(N2)	0.54	1	Surface	1	1	28.01	8.06	32.08	85.5	5.7	3.4	3.5
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10B(N2)	0.54	1	Surface	1	2	28.02	8.06	32.03	85.1	5.7	3.5	3.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10B(N2)	0.54	3.8	Middle	2	1	27.75	8.05	32.52	85.4	5.7	3.6	4.6
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10B(N2)	0.54	3.8	Middle	2	2	27.76	8.05	32.52	85.0	5.7	3.5	4.2
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10B(N2)	0.54	6.6	Bottom	3	1	27.84	8.05	32.41	84.6	5.7	3.5	5.2
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	SR10B(N2)	0.54	6.6	Bottom	3	2	27.83	8.05	32.43	84.7	5.7	3.6	5.5
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	CS2(A)	0.45	1	Surface	1	1	28.01	8.07	31.96	86.4	5.8	3.6	5.2
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	CS2(A)	0.45	1	Surface	1	2	28.02	8.08	31.99	86.6	5.8	3.7	5.5
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	CS2(A)	0.45	3.2	Middle	2	1	27.76	8.07	32.50	86.2	5.8	3.8	4.5
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	CS2(A)	0.44	3.2	Middle	2	2	27.75	8.07	32.50	86.1	5.8	3.9	4.9
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	CS2(A)	0.45	5.4	Bottom	3	1	27.82	8.07	32.41	86.0	5.7	3.8	4.0
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Cloudy	CS2(A)	0.44	5.4	Bottom	3	2	27.80	8.07	32.43	85.7	5.7	3.9	3.7
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	CS(Mf)5	0.53	1	Surface	1	1	27.87	8.07	31.71	86.0	5.5	3.5	5.2
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	CS(Mf)5	0.53	1	Surface	1	2	27.80	8.08	31.58	86.2	5.5	3.5	5.5
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	CS(Mf)5	0.53	5.9	Middle	2	1	27.58	8.07	32.18	85.6	5.4	3.4	4.7
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	CS(Mf)5	0.53	5.9	Middle	2	2	27.59	8.07	32.19	85.9	5.5	3.6	4.3
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	CS(Mf)5	0.53	10.7	Bottom	3	1	27.60	8.07	32.12	85.2	5.4	3.5	3.8
HKLR	HY/2011/03	2023-10-13	Mid-Ebb	Fine	CS(Mf)5	0.53	10.7	Bottom	3	2	27.62	8.07	32.17	85.6	5.4	3.4	3.4
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS5	0.27	1	Surface	1	1	27.74	8.10	31.57	87.6	5.6	3.4	5.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS5	0.27	1	Surface	1	2	27.86	8.09	31.43	89.2	5.7	3.4	5.5
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS5	0.27	4.2	Middle	2	1	27.78	8.09	32.02	88.7	5.7	3.5	4.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS5	0.27	4.2	Middle	2	2	27.88	8.09	32.03	87.4	5.6	3.5	5.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS5	0.27	7.4	Bottom	3	1	27.60	8.09	32.07	86.6	5.5	3.5	4.2
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS5	0.27	7.4	Bottom	3	2	27.86	8.09	32.07	87.4	5.6	3.4	3.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS(Mf)6	0.27	1	Surface	1	1	27.83	8.04	31.42	90.6	5.8	3.3	2.6
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS(Mf)6	0.27	1	Surface	1	2	27.78	8.06	31.43	90.4	5.8	3.2	3.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS(Mf)6	0.27	2	Bottom	3	1	27.71	8.06	31.75	90.2	5.7	3.2	4.1
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS(Mf)6	0.27	2	Bottom	3	2	27.75	8.03	31.70	90.5	5.8	3.1	3.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS7	0.26	1	Surface	1	1	27.64	8.06	31.57	88.0	5.6	3.3	3.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS7	0.26	1	Surface	1	2	27.65	8.06	31.49	88.0	5.6	3.3	4.2
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS7	0.26	2	Bottom	3	1	27.66	8.05	31.82	87.6	5.6	3.3	5.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS7	0.26	2	Bottom	3	2	27.84	8.06	31.78	87.9	5.6	3.4	4.7
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS8(N)	0.24	1	Surface	1	1	27.96	8.08	31.42	87.4	5.6	3.4	5.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS8(N)	0.24	1	Surface	1	2	27.94	8.08	31.41	87.5	5.6	3.3	4.7
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS8(N)	0.24	2.9	Bottom	3	1	27.83	8.07	31.67	87.2	5.5	3.3	3.9
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS8(N)	0.24	2.9	Bottom	3	2	27.83	8.07	31.61	87.4	5.6	3.2	3.5
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS(Mf)9	0.25	1	Surface	1	1	27.87	8.09	31.46	87.6	5.6	3.5	3.7
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS(Mf)9	0.25	1	Surface	1	2	27.89	8.09	31.44	87.4	5.6	3.4	3.4
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS(Mf)9	0.25	2.5	Bottom	3	1	27.82	8.08	31.79	87.3	5.6	3.4	4.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	IS(Mf)9	0.25	2.5	Bottom	3	2	27.78	8.08	31.78	87.6	5.6	3.5	5.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	IS10(N)	0.25	1	Surface	1	1	27.96	8.08	32.00	86.0	5.7	3.3	5.4
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	IS10(N)	0.25	1	Surface	1	2	28.09	8.08	32.09	86.0	5.7	3.4	5.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	IS10(N)	0.25	5.2	Middle	2	1	27.72	8.07	32.52	85.7	5.7	3.6	4.5
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	IS10(N)	0.25	5.2	Middle	2	2	27.72	8.07	32.51	85.6	5.7	3.5	4.1
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	IS10(N)	0.25	9.4	Bottom	3	1	27.76	8.08	32.49	85.4	5.7	3.6	4.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	IS10(N)	0.25	9.4	Bottom	3	2	27.76	8.08	32.46	85.6	5.7	3.5	3.7
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	SR3(N)	0.28	1	Surface	1	1	27.81	8.04	31.56	88.7	5.7	3.4	4.2
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	SR3(N)	0.28	1	Surface	1	2	27.81	8.04	31.56	88.4	5.7	3.6	4.6
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	SR3(N)	0.28	2.1	Bottom	3	1	27.78	8.04	31.82	88.0	5.6	3.5	5.2
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	SR3(N)	0.28	2.1	Bottom	3	2	27.74	8.03	31.73	88.3	5.6	3.6	5.7

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	SR4(N3)	0.25	1	Surface	1	1	27.95	8.10	31.51	88.6	5.7	3.1	3.5
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	SR4(N3)	0.25	1	Surface	1	2	27.94	8.10	31.48	88.4	5.6	3.2	3.2
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	SR4(N3)	0.25	2.6	Bottom	3	1	27.88	8.09	31.74	88.2	5.6	3.6	4.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	SR4(N3)	0.25	2.6	Bottom	3	2	27.88	8.09	31.79	88.5	5.7	3.5	5.2
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR5(N)	0.26	1	Surface	1	1	28.04	8.06	31.98	86.0	5.7	3.5	3.6
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR5(N)	0.26	1	Surface	1	2	28.07	8.06	32.06	86.0	5.7	3.5	4.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR5(N)	0.26	4.6	Middle	2	1	27.79	8.05	32.48	85.2	5.7	3.6	4.5
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR5(N)	0.26	4.6	Middle	2	2	27.80	8.05	32.47	85.6	5.7	3.5	4.2
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR5(N)	0.26	8.1	Bottom	3	1	27.79	8.05	32.50	85.1	5.7	3.7	5.1
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR5(N)	0.26	8.1	Bottom	3	2	27.83	8.05	32.51	85.5	5.7	3.6	4.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10A(N)	0.21	1	Surface	1	1	27.97	8.06	32.04	85.9	5.7	3.5	5.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10A(N)	0.21	1	Surface	1	2	27.99	8.06	31.83	85.8	5.7	3.4	5.4
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10A(N)	0.21	6.1	Middle	2	1	27.74	8.06	32.52	85.1	5.7	3.5	4.2
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10A(N)	0.21	6.1	Middle	2	2	27.74	8.05	32.52	85.5	5.7	3.5	4.6
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10A(N)	0.21	11.1	Bottom	3	1	27.73	8.05	32.47	85.1	5.7	3.5	3.3
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10A(N)	0.21	11.1	Bottom	3	2	27.73	8.06	32.46	84.5	5.6	3.6	3.6
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10B(N2)	0.20	1	Surface	1	1	28.04	8.04	31.95	86.3	5.8	3.4	6.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10B(N2)	0.20	1	Surface	1	2	28.01	8.05	32.03	86.1	5.7	3.4	5.4
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10B(N2)	0.20	3.9	Middle	2	1	27.76	8.04	32.40	85.9	5.7	3.3	4.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10B(N2)	0.20	3.9	Middle	2	2	27.76	8.04	32.38	86.3	5.8	3.5	4.6
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10B(N2)	0.20	6.7	Bottom	3	1	27.83	8.04	32.42	85.5	5.7	3.3	4.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	SR10B(N2)	0.20	6.7	Bottom	3	2	27.82	8.04	32.40	85.7	5.7	3.4	4.1
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	CS2(A)	0.29	1	Surface	1	1	27.92	8.07	32.04	85.6	5.7	3.5	3.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	CS2(A)	0.29	1	Surface	1	2	27.89	8.07	32.04	85.9	5.7	3.5	4.1
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	CS2(A)	0.29	3.2	Middle	2	1	27.66	8.07	32.52	85.8	5.7	3.4	4.5
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	CS2(A)	0.29	3.2	Middle	2	2	27.66	8.07	32.51	85.3	5.7	3.5	4.7
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	CS2(A)	0.29	5.3	Bottom	3	1	27.68	8.07	32.46	85.4	5.7	3.4	5.0
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Cloudy	CS2(A)	0.29	5.3	Bottom	3	2	27.70	8.06	32.43	85.1	5.7	3.3	5.4
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	CS(Mf)5	0.21	1	Surface	1	1	27.79	8.11	31.43	90.4	5.7	3.5	4.1
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	CS(Mf)5	0.21	1	Surface	1	2	27.83	8.08	31.38	88.8	5.6	3.5	3.8
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	CS(Mf)5	0.21	5.9	Middle	2	1	27.56	8.09	32.05	89.9	5.7	3.4	4.7
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	CS(Mf)5	0.21	5.9	Middle	2	2	27.55	8.06	32.08	88.6	5.6	3.6	4.4
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	CS(Mf)5	0.21	10.8	Bottom	3	1	27.56	8.08	32.04	88.6	5.6	3.5	5.4
HKLR	HY/2011/03	2023-10-13	Mid-Flood	Fine	CS(Mf)5	0.21	10.8	Bottom	3	2	27.54	8.05	32.10	87.8	5.6	3.6	5.0
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS5	0.53	1	Surface	1	1	27.34	8.00	29.44	82.8	5.9	3.6	7.2
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS5	0.53	1	Surface	1	2	27.32	7.99	29.44	82.8	5.9	3.4	7.0
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS5	0.53	4.3	Middle	2	1	27.11	8.01	31.21	83.8	6.0	3.4	7.9
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS5	0.53	4.3	Middle	2	2	27.12	8.01	31.17	84.2	6.0	3.5	7.0
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS5	0.53	7.6	Bottom	3	1	27.09	8.00	31.36	82.6	5.9	3.9	7.0
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS5	0.53	7.6	Bottom	3	2	27.10	8.00	31.34	82.7	5.9	3.6	7.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS(Mf)6	0.54	1	Surface	1	1	27.34	8.02	29.37	85.3	6.1	3.2	8.2
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS(Mf)6	0.54	1	Surface	1	2	27.35	8.02	29.38	84.8	6.0	3.1	7.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS(Mf)6	0.54	2.2	Bottom	3	1	27.32	8.03	29.47	83.7	5.9	3.3	6.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS(Mf)6	0.54	2.2	Bottom	3	2	27.30	8.00	29.47	83.5	5.9	3.6	6.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS7	0.54	1	Surface	1	1	27.35	8.03	29.40	87.2	6.2	2.8	6.5
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS7	0.54	1	Surface	1	2	27.34	8.02	29.41	84.3	6.0	2.9	6.9
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS7	0.54	2.3	Bottom	3	1	27.32	8.02	29.47	84.5	6.0	3.1	6.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS7	0.54	2.3	Bottom	3	2	27.30	8.04	29.49	85.9	6.1	3.2	7.3
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS8(N)	0.57	1	Surface	1	1	27.34	8.01	29.40	86.2	6.1	3.4	7.0
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS8(N)	0.57	1	Surface	1	2	27.36	8.02	29.38	86.6	6.2	3.4	6.1
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS8(N)	0.57	2.9	Bottom	3	1	27.32	8.01	29.47	86.3	6.1	3.8	7.1
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS8(N)	0.57	2.9	Bottom	3	2	27.26	8.01	29.53	86.2	6.1	3.7	6.4
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS(Mf)9	0.55	1	Surface	1	1	27.35	8.01	29.42	83.5	5.9	3.0	6.5
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS(Mf)9	0.55	1	Surface	1	2	27.35	8.02	29.42	83.7	5.9	3.0	6.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS(Mf)9	0.55	2.6	Bottom	3	1	27.28	8.02	29.52	83.1	5.9	3.1	6.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS(Mf)9	0.55	2.6	Bottom	3	2	27.31	8.03	29.52	84.6	6.0	3.0	6.9

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS10(N)	0.57	1	Surface	1	1	27.18	8.02	28.68	85.1	6.1	3.3	8.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS10(N)	0.57	1	Surface	1	2	27.18	8.02	28.54	85.0	6.1	3.3	9.5
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS10(N)	0.57	5.3	Middle	2	1	26.99	8.01	30.65	82.7	5.9	3.8	8.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS10(N)	0.57	5.3	Middle	2	2	26.99	8.01	30.71	82.6	5.9	3.8	8.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS10(N)	0.57	9.6	Bottom	3	1	27.03	8.00	30.81	82.6	5.9	4.1	7.4
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	IS10(N)	0.57	9.6	Bottom	3	2	27.03	8.00	30.74	82.7	5.9	4.0	6.7
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR3(N)	0.52	1	Surface	1	1	27.35	8.00	29.38	83.1	5.9	2.9	6.5
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR3(N)	0.52	1	Surface	1	2	27.34	8.00	29.40	83.9	6.0	2.8	6.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR3(N)	0.52	2.2	Bottom	3	1	27.32	8.00	29.54	82.5	5.9	3.2	7.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR3(N)	0.52	2.2	Bottom	3	2	27.33	8.02	29.51	84.6	6.0	3.4	6.4
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR4(N3)	0.56	1	Surface	1	1	27.33	8.02	29.41	85.8	6.1	2.8	6.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR4(N3)	0.56	1	Surface	1	2	27.33	8.02	29.40	84.0	6.0	2.7	6.0
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR4(N3)	0.56	2.7	Bottom	3	1	27.17	8.00	29.49	82.5	5.9	2.9	8.0
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR4(N3)	0.56	2.7	Bottom	3	2	27.31	8.01	29.50	85.6	6.1	3.0	6.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR5(N)	0.57	1	Surface	1	1	27.14	8.02	28.48	85.6	6.2	3.6	6.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR5(N)	0.57	1	Surface	1	2	27.13	8.03	28.55	85.4	6.1	3.6	6.2
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR5(N)	0.57	4.5	Middle	2	1	26.99	8.02	30.66	82.9	5.9	4.5	6.2
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR5(N)	0.57	4.5	Middle	2	2	27.00	8.01	30.60	82.9	5.9	4.6	5.7
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR5(N)	0.57	7.9	Bottom	3	1	27.02	8.00	30.96	83.0	5.9	4.8	9.0
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR5(N)	0.56	7.9	Bottom	3	2	27.02	8.01	30.97	83.0	5.9	4.7	9.2
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10A(N)	0.61	1	Surface	1	1	27.13	8.05	30.07	86.7	6.1	2.5	8.2
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10A(N)	0.61	1	Surface	1	2	27.15	8.03	30.06	87.1	6.2	2.6	8.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10A(N)	0.61	6.4	Middle	2	1	27.03	8.03	31.38	82.4	5.8	3.0	8.2
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10A(N)	0.61	6.4	Middle	2	2	26.99	8.04	31.89	83.4	5.9	3.0	8.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10A(N)	0.61	11.8	Bottom	3	1	27.00	8.06	31.77	82.8	5.9	3.1	8.1
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10A(N)	0.61	11.8	Bottom	3	2	27.04	8.03	31.66	82.4	5.9	3.1	8.4
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10B(N2)	0.62	1	Surface	1	1	27.18	8.03	30.06	84.6	6.0	2.3	6.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10B(N2)	0.62	1	Surface	1	2	27.17	8.03	30.00	84.8	6.0	2.3	6.7
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10B(N2)	0.62	3.6	Middle	2	1	27.07	8.02	31.03	82.1	5.8	2.6	8.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10B(N2)	0.62	3.6	Middle	2	2	27.10	8.03	30.95	82.2	5.8	2.7	8.3
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10B(N2)	0.62	6.1	Bottom	3	1	27.09	8.02	31.17	82.2	5.8	2.9	9.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	SR10B(N2)	0.62	6.1	Bottom	3	2	27.09	8.02	31.15	82.4	5.8	2.8	9.0
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS2(A)	0.53	1	Surface	1	1	27.06	8.02	28.61	88.8	6.4	3.6	8.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS2(A)	0.53	1	Surface	1	2	27.04	8.02	28.63	88.3	6.4	3.6	8.9
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS2(A)	0.53	3.3	Middle	2	1	26.91	8.02	30.37	85.3	6.1	4.2	8.8
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS2(A)	0.53	3.3	Middle	2	2	26.91	8.02	30.24	85.1	6.1	4.3	8.4
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS2(A)	0.53	5.5	Bottom	3	1	26.92	8.02	30.90	84.4	6.1	4.4	10.2
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS2(A)	0.53	5.5	Bottom	3	2	26.94	8.01	30.88	84.4	6.1	4.5	9.1
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS(Mf)5	0.60	1	Surface	1	1	27.34	8.03	29.60	84.3	6.0	2.6	7.2
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS(Mf)5	0.60	1	Surface	1	2	27.33	8.03	29.62	83.8	6.0	2.6	8.4
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS(Mf)5	0.60	6.3	Middle	2	1	26.98	7.98	31.62	81.8	5.8	3.0	6.9
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS(Mf)5	0.60	6.3	Middle	2	2	26.98	7.98	31.63	81.4	5.8	3.0	7.9
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS(Mf)5	0.60	11.5	Bottom	3	1	26.99	7.98	31.23	79.8	5.7	3.1	7.6
HKLR	HY/2011/03	2023-10-16	Mid-Ebb	Fine	CS(Mf)5	0.60	11.5	Bottom	3	2	26.98	7.98	31.69	80.1	5.7	3.1	8.1
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS5	0.37	1	Surface	1	1	27.28	8.02	29.39	82.8	5.9	2.9	6.9
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS5	0.37	1	Surface	1	2	27.30	8.02	29.35	82.8	5.9	3.0	6.8
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS5	0.37	4.2	Middle	2	1	27.04	8.00	31.29	81.2	5.8	2.9	7.0
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS5	0.37	4.2	Middle	2	2	27.04	8.00	31.30	81.8	5.8	3.0	6.8
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS5	0.37	7.3	Bottom	3	1	27.02	8.01	31.42	82.3	5.8	3.5	6.0
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS5	0.37	7.3	Bottom	3	2	27.00	8.01	31.42	82.6	5.9	3.2	5.5
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS(Mf)6	0.36	1	Surface	1	1	27.31	8.03	29.36	84.1	6.0	3.0	6.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS(Mf)6	0.36	1	Surface	1	2	27.31	8.03	29.36	83.0	5.9	3.1	5.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS(Mf)6	0.36	2.2	Bottom	3	1	27.27	8.01	29.48	82.3	5.8	3.1	6.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS(Mf)6	0.36	2.2	Bottom	3	2	27.28	8.02	29.47	82.5	5.8	3.2	7.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS7	0.36	1	Surface	1	1	27.32	8.00	29.35	82.3	5.8	3.0	6.1
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS7	0.36	1	Surface	1	2	27.28	8.01	29.39	82.3	5.8	3.1	6.0

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS7	0.36	2.5	Bottom	3	1	27.27	8.02	29.42	83.6	5.9	3.2	5.9
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS7	0.36	2.5	Bottom	3	2	27.26	8.00	29.44	81.9	5.8	3.4	6.5
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS8(N)	0.33	1	Surface	1	1	27.29	7.99	29.38	82.5	5.8	2.7	6.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS8(N)	0.33	1	Surface	1	2	27.30	7.99	29.35	82.6	5.8	2.5	6.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS8(N)	0.33	3.1	Bottom	3	1	27.20	7.99	29.74	81.6	5.8	2.8	6.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS8(N)	0.33	3.1	Bottom	3	2	27.24	8.00	29.73	83.8	5.9	2.5	7.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS(Mf)9	0.35	1	Surface	1	1	27.31	8.02	29.37	85.4	6.1	2.4	6.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS(Mf)9	0.35	1	Surface	1	2	27.31	8.01	29.38	83.1	5.9	2.5	6.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS(Mf)9	0.35	2.7	Bottom	3	1	27.24	8.02	29.48	84.5	6.0	3.0	6.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS(Mf)9	0.35	2.7	Bottom	3	2	27.27	8.01	29.49	83.2	5.9	3.2	5.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS10(N)	0.36	1	Surface	1	1	26.96	8.03	28.87	86.9	6.2	3.2	9.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS10(N)	0.36	1	Surface	1	2	26.93	8.03	28.88	86.4	6.2	3.2	10.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS10(N)	0.36	5.4	Middle	2	1	26.91	8.02	30.94	82.5	5.9	4.0	10.1
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS10(N)	0.36	5.4	Middle	2	2	26.90	8.01	31.01	82.8	5.9	4.0	8.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS10(N)	0.36	9.7	Bottom	3	1	26.92	8.01	31.04	82.9	6.0	4.4	9.0
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	IS10(N)	0.36	9.7	Bottom	3	2	26.91	8.02	31.13	82.5	5.9	4.4	8.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR3(N)	0.38	1	Surface	1	1	27.31	8.02	29.33	85.4	6.1	3.2	6.5
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR3(N)	0.38	1	Surface	1	2	27.30	8.01	29.34	82.5	5.9	3.2	5.8
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR3(N)	0.38	2.2	Bottom	3	1	27.25	8.02	29.46	84.5	6.0	3.3	6.8
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR3(N)	0.38	2.2	Bottom	3	2	27.28	8.01	29.48	83.1	5.9	3.5	8.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR4(N3)	0.34	1	Surface	1	1	27.29	8.01	29.44	84.0	6.0	2.4	7.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR4(N3)	0.34	1	Surface	1	2	27.31	8.01	29.45	83.1	5.9	2.5	6.5
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR4(N3)	0.34	2.9	Bottom	3	1	27.24	8.00	29.67	82.8	5.9	2.7	7.7
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR4(N3)	0.34	2.9	Bottom	3	2	27.20	7.99	29.71	82.3	5.8	2.5	8.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR5(N)	0.37	1	Surface	1	1	26.97	8.02	28.96	83.9	6.0	3.2	9.8
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR5(N)	0.37	1	Surface	1	2	26.98	8.03	28.87	84.1	6.0	3.2	9.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR5(N)	0.37	4.5	Middle	2	1	26.93	8.01	30.50	81.6	5.8	3.4	11.6
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR5(N)	0.37	4.5	Middle	2	2	26.92	8.01	30.79	81.7	5.8	3.4	10.0
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR5(N)	0.37	7.9	Bottom	3	1	26.93	8.00	31.06	81.9	5.8	3.8	7.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR5(N)	0.37	7.9	Bottom	3	2	26.93	8.01	31.10	82.0	5.9	3.8	5.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10A(N)	0.32	1	Surface	1	1	27.03	8.01	29.73	84.1	6.0	2.0	6.7
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10A(N)	0.32	1	Surface	1	2	27.02	8.01	29.73	83.7	6.0	2.0	6.9
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10A(N)	0.32	6.4	Middle	2	1	26.94	7.99	32.00	81.4	5.8	2.2	7.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10A(N)	0.32	6.4	Middle	2	2	26.94	7.99	32.00	80.9	5.7	2.2	6.9
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10A(N)	0.32	11.8	Bottom	3	1	26.96	7.99	32.28	81.6	5.8	2.5	6.9
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10A(N)	0.32	11.8	Bottom	3	2	26.97	7.99	32.23	81.3	5.8	2.6	7.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10B(N2)	0.32	1	Surface	1	1	27.02	8.00	29.79	87.8	6.3	2.0	6.9
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10B(N2)	0.32	1	Surface	1	2	27.03	7.97	29.79	89.1	6.3	2.0	6.8
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10B(N2)	0.32	3.6	Middle	2	1	26.98	7.96	31.12	83.8	6.0	2.2	6.7
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10B(N2)	0.32	3.6	Middle	2	2	26.98	7.98	31.08	83.2	5.9	2.2	7.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10B(N2)	0.32	6.1	Bottom	3	1	26.99	7.97	31.61	82.5	5.9	2.5	5.1
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	SR10B(N2)	0.32	6.1	Bottom	3	2	26.91	7.95	31.83	82.8	5.9	2.4	5.8
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS2(A)	0.40	1	Surface	1	1	26.86	8.03	28.93	85.3	6.2	3.2	6.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS2(A)	0.40	1	Surface	1	2	26.87	8.04	28.98	85.5	6.2	3.2	5.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS2(A)	0.40	3.3	Middle	2	1	26.83	8.03	30.29	83.1	6.0	3.5	6.7
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS2(A)	0.40	3.3	Middle	2	2	26.84	8.04	30.31	82.9	6.0	3.5	7.4
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS2(A)	0.40	5.5	Bottom	3	1	26.85	8.02	31.01	82.7	5.9	4.2	6.5
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS2(A)	0.40	5.5	Bottom	3	2	26.83	8.03	31.03	82.7	5.9	4.0	6.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS(Mf)5	0.31	1	Surface	1	1	27.28	7.99	29.47	86.7	6.1	2.4	6.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS(Mf)5	0.31	1	Surface	1	2	27.26	7.98	29.51	86.9	6.2	2.4	7.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS(Mf)5	0.31	6	Middle	2	1	26.96	7.95	31.51	83.2	5.9	2.6	7.3
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS(Mf)5	0.31	6	Middle	2	2	26.95	7.97	31.54	83.0	5.9	2.6	7.2
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS(Mf)5	0.31	10.9	Bottom	3	1	26.95	7.95	31.61	82.1	5.8	2.8	6.0
HKLR	HY/2011/03	2023-10-16	Mid-Flood	Fine	CS(Mf)5	0.31	10.9	Bottom	3	2	26.96	7.96	31.59	82.2	5.8	2.8	6.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS5	0.59	1	Surface	1	1	27.21	8.03	29.79	87.8	6.5	3.3	3.3
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS5	0.59	1	Surface	1	2	27.20	8.03	29.79	88.4	6.5	3.4	4.2

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS5	0.59	4.3	Middle	2	1	27.03	8.03	30.87	87.1	6.5	3.5	4.4
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS5	0.59	4.3	Middle	2	2	27.03	8.03	30.86	87.1	6.4	3.4	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS5	0.59	7.5	Bottom	3	1	27.00	8.02	30.98	85.1	6.3	3.6	4.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS5	0.59	7.5	Bottom	3	2	27.02	8.02	30.96	86.4	6.4	3.4	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS(Mf)6	0.60	1	Surface	1	1	27.21	8.05	29.73	90.3	6.7	3.0	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS(Mf)6	0.60	1	Surface	1	2	27.22	8.05	29.73	89.3	6.6	2.9	5.9
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS(Mf)6	0.60	2.2	Bottom	3	1	27.19	8.05	29.81	87.3	6.5	3.2	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS(Mf)6	0.60	2.2	Bottom	3	2	27.16	8.04	29.82	86.5	6.4	3.4	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS7	0.60	1	Surface	1	1	27.25	8.05	29.79	93.3	6.8	2.5	4.9
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS7	0.60	1	Surface	1	2	27.23	8.05	29.80	89.7	6.6	2.7	4.5
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS7	0.60	2.3	Bottom	3	1	27.21	8.05	29.85	88.0	6.5	2.8	4.3
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS7	0.60	2.3	Bottom	3	2	27.19	8.06	29.87	88.0	6.5	2.7	4.5
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS8(N)	0.63	1	Surface	1	1	27.21	8.04	29.80	89.4	6.6	3.2	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS8(N)	0.63	1	Surface	1	2	27.23	8.05	29.78	91.4	6.7	3.2	4.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS8(N)	0.63	2.9	Bottom	3	1	27.15	8.04	29.92	87.3	6.4	3.4	5.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS8(N)	0.63	2.9	Bottom	3	2	27.20	8.04	29.87	88.9	6.6	3.4	4.3
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS(Mf)9	0.61	1	Surface	1	1	27.23	8.05	29.80	87.3	6.4	2.7	4.4
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS(Mf)9	0.61	1	Surface	1	2	27.22	8.05	29.79	87.2	6.4	2.8	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS(Mf)9	0.61	2.6	Bottom	3	1	27.17	8.05	29.89	87.4	6.4	2.9	6.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS(Mf)9	0.61	2.6	Bottom	3	2	27.20	8.05	29.89	87.4	6.4	2.8	5.7
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS10(N)	0.63	1	Surface	1	1	27.34	8.10	29.02	86.4	5.9	2.7	5.5
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS10(N)	0.63	1	Surface	1	2	27.39	8.11	29.02	86.3	5.9	2.7	6.6
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS10(N)	0.63	5.3	Middle	2	1	27.02	8.06	30.76	82.5	5.6	3.3	6.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS10(N)	0.63	5.3	Middle	2	2	27.03	8.06	30.78	83.5	5.7	3.2	5.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS10(N)	0.63	9.6	Bottom	3	1	27.11	8.06	30.82	83.0	5.7	3.5	3.8
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	IS10(N)	0.63	9.6	Bottom	3	2	27.04	8.05	30.83	82.3	5.6	2.6	6.0
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR3(N)	0.58	1	Surface	1	1	27.24	8.05	29.73	87.8	6.5	3.4	6.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR3(N)	0.58	1	Surface	1	2	27.24	8.04	29.74	88.3	6.5	3.4	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR3(N)	0.58	2.2	Bottom	3	1	27.18	8.05	29.85	84.6	6.0	3.6	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR3(N)	0.58	2.2	Bottom	3	2	27.22	8.06	29.82	87.3	6.5	3.3	5.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR4(N3)	0.62	1	Surface	1	1	27.21	8.05	29.75	92.6	6.8	2.7	6.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR4(N3)	0.62	1	Surface	1	2	27.22	8.05	29.64	90.0	6.6	2.7	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR4(N3)	0.62	2.8	Bottom	3	1	25.49	8.03	29.87	87.2	6.4	2.9	5.3
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR4(N3)	0.62	2.8	Bottom	3	2	27.20	8.04	29.85	89.2	6.6	2.9	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR5(N)	0.62	1	Surface	1	1	27.35	8.11	28.98	86.5	5.9	2.7	6.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR5(N)	0.62	1	Surface	1	2	27.31	8.11	29.09	86.0	5.9	2.6	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR5(N)	0.62	4.5	Middle	2	1	27.06	8.06	30.62	82.3	5.6	3.3	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR5(N)	0.62	4.5	Middle	2	2	27.05	8.06	30.65	82.7	5.7	3.3	4.8
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR5(N)	0.62	7.9	Bottom	3	1	27.07	8.06	30.88	82.9	5.7	3.6	4.9
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR5(N)	0.62	7.9	Bottom	3	2	27.03	8.03	30.96	81.3	5.6	3.5	4.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10A(N)	0.66	1	Surface	1	1	27.36	8.14	30.20	89.4	6.1	2.2	6.6
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10A(N)	0.66	1	Surface	1	2	27.39	8.16	30.10	89.7	6.1	2.2	6.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10A(N)	0.66	6.8	Middle	2	1	27.09	8.10	31.45	85.3	5.8	2.4	6.6
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10A(N)	0.66	6.8	Middle	2	2	27.06	8.11	31.76	85.7	5.8	2.4	6.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10A(N)	0.66	12.5	Bottom	3	1	27.07	8.14	31.68	85.4	5.8	2.7	4.8
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10A(N)	0.66	12.5	Bottom	3	2	27.07	8.09	31.64	85.0	5.8	2.8	5.6
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10B(N2)	0.67	1	Surface	1	1	27.45	8.14	29.94	89.1	6.0	1.8	5.3
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10B(N2)	0.67	1	Surface	1	2	27.40	8.14	30.02	89.1	6.1	1.9	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10B(N2)	0.67	3.7	Middle	2	1	27.10	8.09	31.31	85.1	5.8	2.1	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10B(N2)	0.67	3.7	Middle	2	2	27.12	8.09	31.22	86.2	5.9	2.0	4.9
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10B(N2)	0.67	6.4	Bottom	3	1	27.07	8.09	31.50	84.7	5.8	2.5	4.4
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	SR10B(N2)	0.67	6.4	Bottom	3	2	27.10	8.09	31.44	85.0	5.8	2.6	3.9
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS2(A)	0.59	1	Surface	1	1	27.23	8.10	29.20	88.4	6.1	2.5	5.8
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS2(A)	0.59	1	Surface	1	2	27.25	8.11	29.16	88.6	6.1	2.4	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS2(A)	0.59	3.2	Middle	2	1	27.04	8.07	30.36	84.5	5.8	3.0	5.5
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS2(A)	0.59	3.2	Middle	2	2	27.05	8.07	30.38	85.4	5.9	2.9	5.5

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS2(A)	0.59	5.4	Bottom	3	1	27.02	8.08	30.82	83.5	5.7	3.2	4.8
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS2(A)	0.59	5.4	Bottom	3	2	27.07	8.07	30.67	84.0	5.8	3.3	4.9
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS(Mf)5	0.65	1	Surface	1	1	27.18	8.05	30.05	87.6	6.4	2.4	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS(Mf)5	0.66	1	Surface	1	2	27.18	8.05	30.07	87.7	6.5	2.4	4.7
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS(Mf)5	0.65	6.3	Middle	2	1	26.82	8.00	31.55	85.2	6.3	2.6	6.2
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS(Mf)5	0.65	6.3	Middle	2	2	26.83	8.00	31.54	84.5	6.2	2.6	4.7
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS(Mf)5	0.65	11.6	Bottom	3	1	26.84	8.00	31.22	82.6	6.1	2.7	6.1
HKLR	HY/2011/03	2023-10-18	Mid-Ebb	Fine	CS(Mf)5	0.65	11.6	Bottom	3	2	26.81	8.00	31.61	82.3	6.1	2.7	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS5	0.41	1	Surface	1	1	27.09	8.05	29.75	86.0	5.8	3.4	5.8
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS5	0.41	1	Surface	1	2	27.10	8.05	29.73	87.0	5.9	3.3	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS5	0.41	4.2	Middle	2	1	26.87	8.02	30.99	82.5	5.6	3.6	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS5	0.41	4.2	Middle	2	2	26.87	8.02	30.99	82.9	5.7	3.5	4.7
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS5	0.41	7.4	Bottom	3	1	26.83	8.02	31.09	80.9	5.5	3.4	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS5	0.41	7.4	Bottom	3	2	26.86	8.02	31.11	81.0	5.5	3.4	5.7
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS(Mf)6	0.41	1	Surface	1	1	27.12	8.05	29.76	89.6	6.1	3.4	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS(Mf)6	0.41	1	Surface	1	2	27.13	8.05	29.76	90.6	6.2	3.5	4.8
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS(Mf)6	0.41	2.2	Bottom	3	1	27.09	8.05	29.87	87.7	6.0	3.7	5.6
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS(Mf)6	0.41	2.2	Bottom	3	2	27.08	8.04	29.89	88.1	6.0	3.6	5.9
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS7	0.40	1	Surface	1	1	27.13	8.04	29.74	88.3	6.0	3.3	4.4
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS7	0.40	1	Surface	1	2	27.10	8.04	29.76	86.9	5.9	3.2	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS7	0.40	2.4	Bottom	3	1	27.09	8.04	29.83	87.1	5.9	3.4	6.3
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS7	0.40	2.4	Bottom	3	2	27.07	8.03	29.86	85.1	5.8	3.4	6.5
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS8(N)	0.38	1	Surface	1	1	27.10	8.03	29.72	86.9	5.9	3.5	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS8(N)	0.38	1	Surface	1	2	27.10	8.03	29.71	87.8	6.0	3.4	5.8
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS8(N)	0.38	3	Bottom	3	1	27.03	8.03	30.03	87.4	5.9	3.7	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS8(N)	0.38	3	Bottom	3	2	27.05	8.03	30.01	86.8	5.9	3.5	5.5
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS(Mf)9	0.39	1	Surface	1	1	27.12	8.05	29.75	89.3	6.1	2.9	4.8
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS(Mf)9	0.39	1	Surface	1	2	27.12	8.04	29.75	86.6	5.9	3.2	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS(Mf)9	0.39	2.6	Bottom	3	1	27.05	8.04	29.88	85.9	5.8	3.2	4.9
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS(Mf)9	0.39	2.6	Bottom	3	2	27.08	8.03	29.87	86.3	5.9	3.3	6.3
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS10(N)	0.39	1	Surface	1	1	27.06	8.11	29.89	84.1	5.8	2.7	4.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS10(N)	0.39	1	Surface	1	2	27.04	8.10	29.95	84.0	5.7	2.7	4.8
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS10(N)	0.39	5.3	Middle	2	1	26.88	8.07	31.48	79.9	5.5	3.2	4.2
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS10(N)	0.39	5.3	Middle	2	2	26.87	8.06	31.50	80.6	5.5	3.2	8.3
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS10(N)	0.39	9.5	Bottom	3	1	26.89	8.07	31.53	79.0	5.4	3.5	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	IS10(N)	0.39	9.5	Bottom	3	2	26.90	8.06	31.44	79.4	5.5	3.5	5.7
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR3(N)	0.42	1	Surface	1	1	27.12	8.05	29.71	89.5	6.1	2.9	6.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR3(N)	0.42	1	Surface	1	2	27.12	8.04	29.73	88.9	6.1	3.1	5.1
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR3(N)	0.42	2.2	Bottom	3	1	27.07	8.04	29.85	88.4	6.0	3.3	6.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR3(N)	0.42	2.2	Bottom	3	2	27.10	8.04	29.84	87.1	5.9	3.4	6.5
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR4(N3)	0.38	1	Surface	1	1	27.09	8.04	29.73	88.0	6.0	2.9	4.4
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR4(N3)	0.38	1	Surface	1	2	27.11	8.04	29.74	88.0	6.0	3.2	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR4(N3)	0.38	2.9	Bottom	3	1	27.04	8.02	30.00	85.4	5.8	3.4	5.3
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR4(N3)	0.38	2.9	Bottom	3	2	27.01	8.02	30.05	84.7	5.8	3.0	4.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR5(N)	0.40	1	Surface	1	1	27.07	8.11	29.94	82.8	5.7	2.5	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR5(N)	0.39	1	Surface	1	2	27.07	8.11	29.89	83.3	5.7	2.6	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR5(N)	0.39	4.7	Middle	2	1	26.90	8.07	31.27	80.1	5.5	2.7	5.6
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR5(N)	0.40	4.7	Middle	2	2	26.91	8.07	31.15	79.9	5.5	2.8	4.3
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR5(N)	0.39	8.3	Bottom	3	1	26.89	8.06	31.56	79.0	5.4	3.3	4.4
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR5(N)	0.40	8.3	Bottom	3	2	26.89	8.06	31.52	78.8	5.4	3.2	4.8
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10A(N)	0.35	1	Surface	1	1	27.10	8.10	30.31	84.3	5.8	2.0	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10A(N)	0.35	1	Surface	1	2	27.08	8.09	30.36	84.3	5.8	1.8	5.3
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10A(N)	0.35	6.7	Middle	2	1	26.88	8.04	32.03	80.1	5.4	2.0	4.8
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10A(N)	0.35	6.7	Middle	2	2	26.87	8.04	32.05	80.3	5.5	2.1	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10A(N)	0.35	12.4	Bottom	3	1	26.89	8.04	32.17	80.1	5.4	2.4	4.3
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10A(N)	0.35	12.4	Bottom	3	2	26.89	8.04	32.14	79.1	5.4	2.4	5.3

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10B(N2)	0.34	1	Surface	1	1	27.10	8.09	30.31	89.1	6.1	2.0	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10B(N2)	0.34	1	Surface	1	2	27.11	8.07	30.33	88.9	6.1	2.0	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10B(N2)	0.34	3.7	Middle	2	1	26.98	8.04	31.28	86.0	5.9	2.4	4.5
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10B(N2)	0.34	3.7	Middle	2	2	26.98	8.05	31.27	85.0	5.8	2.3	4.8
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10B(N2)	0.34	6.4	Bottom	3	1	26.96	8.04	31.75	82.4	5.6	2.7	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	SR10B(N2)	0.34	6.4	Bottom	3	2	26.90	8.02	31.87	81.7	5.6	2.7	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS2(A)	0.43	1	Surface	1	1	27.01	8.11	29.93	83.4	5.7	2.2	5.4
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS2(A)	0.43	1	Surface	1	2	27.01	8.12	29.97	83.4	5.7	2.2	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS2(A)	0.43	3.2	Middle	2	1	26.89	8.08	30.96	81.6	5.6	2.8	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS2(A)	0.43	3.2	Middle	2	2	26.88	8.08	30.94	81.6	5.6	2.7	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS2(A)	0.43	5.4	Bottom	3	1	26.85	8.08	31.48	80.3	5.5	3.0	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS2(A)	0.43	5.4	Bottom	3	2	26.87	8.07	31.45	79.9	5.5	3.0	4.6
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS(Mf)5	0.35	1	Surface	1	1	27.10	8.02	29.85	87.3	5.9	2.7	4.9
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS(Mf)5	0.35	1	Surface	1	2	27.09	8.02	29.89	86.5	5.9	2.7	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS(Mf)5	0.35	6.1	Middle	2	1	26.81	8.00	31.25	83.2	5.7	2.9	5.0
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS(Mf)5	0.35	6.1	Middle	2	2	26.82	7.98	31.23	82.5	5.6	2.8	5.2
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS(Mf)5	0.35	11.2	Bottom	3	1	26.82	7.98	31.46	80.7	5.5	2.9	4.7
HKLR	HY/2011/03	2023-10-18	Mid-Flood	Fine	CS(Mf)5	0.35	11.2	Bottom	3	2	26.83	7.99	31.46	79.9	5.5	3.0	4.4
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS5	0.64	1	Surface	1	1	26.98	8.07	30.78	87.6	6.6	3.2	4.6
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS5	0.64	1	Surface	1	2	27.01	8.08	30.77	87.7	6.6	3.1	5.0
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS5	0.64	4.3	Middle	2	1	26.82	8.02	31.00	86.7	6.6	3.3	5.3
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS5	0.64	4.3	Middle	2	2	26.80	8.02	31.03	86.2	6.5	3.2	5.6
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS5	0.64	7.5	Bottom	3	1	26.73	8.02	31.43	84.9	6.4	3.4	6.1
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS5	0.64	7.5	Bottom	3	2	26.74	8.01	31.44	86.5	6.5	3.3	6.7
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS(Mf)6	0.65	1	Surface	1	1	26.99	8.08	30.93	90.3	6.8	2.8	5.0
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS(Mf)6	0.65	1	Surface	1	2	27.04	8.08	30.42	90.2	6.8	2.8	5.1
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS(Mf)6	0.65	2.2	Bottom	3	1	26.98	8.07	30.97	88.3	6.7	3.0	4.6
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS(Mf)6	0.65	2.2	Bottom	3	2	26.97	8.08	30.80	86.8	6.5	3.1	4.7
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS7	0.66	1	Surface	1	1	27.09	8.09	30.84	91.6	6.9	2.5	2.6
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS7	0.66	1	Surface	1	2	27.04	8.09	31.09	89.0	6.7	2.6	2.9
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS7	0.66	2.3	Bottom	3	1	27.05	8.09	30.88	86.4	6.5	2.7	4.0
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS7	0.66	2.3	Bottom	3	2	27.02	8.09	31.08	87.4	6.6	2.7	4.4
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS8(N)	0.68	1	Surface	1	1	27.06	8.08	30.76	87.8	6.6	2.8	4.5
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS8(N)	0.68	1	Surface	1	2	27.07	8.07	30.75	89.8	6.8	2.8	4.2
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS8(N)	0.68	3	Bottom	3	1	27.04	8.07	30.84	87.8	6.6	2.9	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS8(N)	0.68	3	Bottom	3	2	27.00	8.07	30.87	86.0	6.5	2.9	5.0
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS(Mf)9	0.66	1	Surface	1	1	27.01	8.08	31.00	87.6	6.6	2.6	4.6
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS(Mf)9	0.66	1	Surface	1	2	27.01	8.08	30.94	86.6	6.5	2.6	4.7
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS(Mf)9	0.66	2.6	Bottom	3	1	26.99	8.08	31.04	86.3	6.5	2.7	5.0
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS(Mf)9	0.66	2.6	Bottom	3	2	27.02	8.08	30.86	87.0	6.6	2.7	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS10(N)	0.68	1	Surface	1	1	27.65	8.09	29.76	85.3	5.9	3.1	3.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS10(N)	0.68	1	Surface	1	2	27.70	8.09	29.75	85.7	5.9	3.1	4.2
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS10(N)	0.68	5.3	Middle	2	1	27.34	8.05	31.06	83.7	5.7	3.4	4.6
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS10(N)	0.68	5.3	Middle	2	2	27.33	8.05	31.05	83.0	5.7	3.4	4.9
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS10(N)	0.68	9.5	Bottom	3	1	27.38	8.05	31.15	83.0	5.7	3.6	5.1
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	IS10(N)	0.68	9.5	Bottom	3	2	27.34	8.05	31.15	82.8	5.7	3.6	5.4
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR3(N)	0.64	1	Surface	1	1	27.02	8.09	30.72	88.5	6.7	3.1	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR3(N)	0.64	1	Surface	1	2	27.03	8.09	30.77	89.2	6.7	3.0	4.6
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR3(N)	0.64	2.2	Bottom	3	1	27.04	8.09	30.46	87.6	6.6	3.0	3.5
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR3(N)	0.64	2.2	Bottom	3	2	26.93	8.09	30.94	84.6	6.0	3.2	4.0
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR4(N3)	0.67	1	Surface	1	1	27.02	8.08	30.69	90.7	6.8	2.6	3.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR4(N3)	0.67	1	Surface	1	2	27.08	8.08	30.52	89.1	6.7	2.6	4.0
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR4(N3)	0.67	2.8	Bottom	3	1	25.36	8.06	31.03	86.1	6.5	2.8	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR4(N3)	0.67	2.8	Bottom	3	2	27.03	8.07	30.82	88.4	6.7	2.8	4.4
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR5(N)	0.67	1	Surface	1	1	27.67	8.10	29.74	86.3	5.9	3.5	3.4
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR5(N)	0.67	1	Surface	1	2	27.63	8.10	29.80	85.7	5.9	3.4	3.9

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR5(N)	0.67	4.6	Middle	2	1	27.38	8.06	30.91	82.8	5.7	3.8	4.4
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR5(N)	0.67	4.6	Middle	2	2	27.38	8.06	30.93	83.1	5.7	3.7	4.2
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR5(N)	0.67	8.1	Bottom	3	1	27.36	8.05	31.18	83.3	5.7	4.1	4.4
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR5(N)	0.67	8.1	Bottom	3	2	27.33	8.04	31.23	82.2	5.6	4.0	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10A(N)	0.72	1	Surface	1	1	27.59	8.11	30.72	87.2	6.0	2.2	5.6
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10A(N)	0.71	1	Surface	1	2	27.64	8.13	30.64	87.3	6.0	2.2	5.3
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10A(N)	0.71	6.7	Middle	2	1	27.31	8.09	31.88	84.5	5.8	2.5	5.1
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10A(N)	0.71	6.7	Middle	2	2	27.33	8.08	31.70	84.2	5.7	2.4	4.7
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10A(N)	0.71	12.3	Bottom	3	1	27.32	8.11	31.86	84.4	5.8	2.6	3.7
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10A(N)	0.71	12.3	Bottom	3	2	27.34	8.08	31.81	84.2	5.8	2.7	4.0
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10B(N2)	0.72	1	Surface	1	1	27.65	8.11	30.60	86.5	5.9	2.0	5.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10B(N2)	0.72	1	Surface	1	2	27.63	8.11	30.64	86.8	5.9	2.1	6.2
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10B(N2)	0.72	3.7	Middle	2	1	27.40	8.08	31.50	84.3	5.8	2.2	5.4
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10B(N2)	0.72	3.7	Middle	2	2	27.40	8.08	31.44	84.8	5.8	2.2	5.1
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10B(N2)	0.72	6.4	Bottom	3	1	27.34	8.08	31.70	83.8	5.7	2.5	4.5
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	SR10B(N2)	0.72	6.4	Bottom	3	2	27.39	8.08	31.64	83.9	5.7	2.5	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS2(A)	0.64	1	Surface	1	1	27.58	8.10	29.89	88.3	6.1	3.3	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS2(A)	0.64	1	Surface	1	2	27.58	8.10	29.88	88.4	6.1	3.3	4.3
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS2(A)	0.64	3.3	Middle	2	1	27.37	8.07	30.77	85.1	5.8	3.7	5.4
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS2(A)	0.64	3.3	Middle	2	2	27.40	8.07	30.78	85.7	5.9	3.6	5.1
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS2(A)	0.64	5.5	Bottom	3	1	27.35	8.08	31.14	84.4	5.8	3.9	6.1
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS2(A)	0.64	5.5	Bottom	3	2	27.39	8.07	31.05	85.2	5.9	3.9	5.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS(Mf)5	0.71	1	Surface	1	1	26.99	8.08	31.05	85.9	6.5	2.5	5.6
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS(Mf)5	0.71	1	Surface	1	2	26.99	8.08	31.06	86.9	6.5	2.5	5.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS(Mf)5	0.71	6.4	Middle	2	1	26.56	8.00	32.32	83.3	6.3	2.6	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS(Mf)5	0.71	6.4	Middle	2	2	26.55	8.01	32.35	84.0	6.3	2.7	5.2
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS(Mf)5	0.71	11.7	Bottom	3	1	26.60	8.01	32.19	81.4	6.1	2.8	4.2
HKLR	HY/2011/03	2023-10-20	Mid-Ebb	Fine	CS(Mf)5	0.71	11.7	Bottom	3	2	26.55	8.01	32.52	80.7	6.1	2.8	4.6
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS5	0.51	1	Surface	1	1	26.91	8.08	30.66	85.1	5.7	3.0	4.3
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS5	0.51	1	Surface	1	2	26.92	8.08	30.66	85.7	5.8	3.0	3.9
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS5	0.51	4.2	Middle	2	1	26.62	8.01	31.54	80.5	5.4	3.3	3.6
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS5	0.51	4.2	Middle	2	2	26.64	8.01	31.50	81.1	5.5	3.3	3.4
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS5	0.51	7.4	Bottom	3	1	26.62	8.01	31.28	78.5	5.3	3.4	2.7
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS5	0.51	7.4	Bottom	3	2	26.62	8.01	31.33	78.5	5.3	3.3	3.0
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS(Mf)6	0.50	1	Surface	1	1	26.94	8.08	30.54	88.8	6.0	3.0	4.5
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS(Mf)6	0.50	1	Surface	1	2	26.92	8.08	30.73	89.4	6.0	3.0	4.1
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS(Mf)6	0.50	2.2	Bottom	3	1	26.87	8.06	30.96	87.6	5.9	3.2	3.6
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS(Mf)6	0.50	2.2	Bottom	3	2	26.84	8.05	30.93	87.9	5.9	3.2	3.9
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS7	0.50	1	Surface	1	1	26.93	8.07	30.88	87.4	5.9	3.0	3.7
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS7	0.50	1	Surface	1	2	26.93	8.08	30.82	86.4	5.8	3.0	3.4
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS7	0.50	2.3	Bottom	3	1	26.89	8.05	30.69	86.3	5.8	3.1	4.6
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS7	0.50	2.3	Bottom	3	2	26.84	8.04	31.09	84.7	5.7	3.1	4.2
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS8(N)	0.47	1	Surface	1	1	26.92	8.07	30.94	87.1	5.9	3.1	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS8(N)	0.47	1	Surface	1	2	26.90	8.06	30.99	87.2	5.9	3.1	4.3
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS8(N)	0.47	3	Bottom	3	1	26.83	8.03	30.89	85.7	5.8	3.2	5.9
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS8(N)	0.47	3	Bottom	3	2	26.80	8.03	31.28	86.1	5.8	3.4	5.6
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS(Mf)9	0.49	1	Surface	1	1	26.95	8.08	30.54	87.6	5.9	2.8	5.0
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS(Mf)9	0.49	1	Surface	1	2	26.92	8.08	30.88	85.9	5.8	3.0	4.7
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS(Mf)9	0.49	2.6	Bottom	3	1	26.83	8.04	31.09	85.8	5.8	3.2	5.3
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS(Mf)9	0.49	2.6	Bottom	3	2	26.81	8.03	30.83	85.0	5.7	3.0	5.7
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS10(N)	0.47	1	Surface	1	1	27.46	8.10	30.30	84.6	5.8	3.0	4.3
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS10(N)	0.47	1	Surface	1	2	27.43	8.09	30.33	84.5	5.8	3.0	4.0
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS10(N)	0.47	5.3	Middle	2	1	27.25	8.06	31.43	81.7	5.6	3.4	4.6
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS10(N)	0.47	5.3	Middle	2	2	27.25	8.05	31.43	82.2	5.6	3.4	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS10(N)	0.47	9.6	Bottom	3	1	27.26	8.06	31.52	81.3	5.6	3.6	5.1
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	IS10(N)	0.47	9.6	Bottom	3	2	27.27	8.05	31.47	81.6	5.6	3.6	5.7

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR3(N)	0.52	1	Surface	1	1	26.95	8.08	30.42	88.4	6.0	2.8	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR3(N)	0.52	1	Surface	1	2	26.92	8.08	30.79	87.4	5.9	2.9	5.2
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR3(N)	0.52	2.3	Bottom	3	1	26.90	8.07	30.76	86.9	5.9	3.0	4.4
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR3(N)	0.52	2.3	Bottom	3	2	26.89	8.07	30.57	86.4	5.8	3.1	4.2
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR4(N3)	0.48	1	Surface	1	1	26.93	8.07	30.58	86.6	5.8	2.8	6.4
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR4(N3)	0.48	1	Surface	1	2	26.89	8.07	30.79	85.8	5.8	2.9	6.3
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR4(N3)	0.48	2.9	Bottom	3	1	26.77	8.02	31.22	84.1	5.7	3.1	4.3
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR4(N3)	0.48	2.9	Bottom	3	2	26.75	8.02	31.43	84.2	5.7	3.0	4.5
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR5(N)	0.48	1	Surface	1	1	27.43	8.09	30.34	83.5	5.7	3.0	3.9
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR5(N)	0.48	1	Surface	1	2	27.43	8.09	30.31	83.8	5.8	3.0	4.2
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR5(N)	0.48	4.7	Middle	2	1	27.27	8.06	31.29	81.6	5.6	3.2	4.7
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR5(N)	0.48	4.7	Middle	2	2	27.27	8.06	31.23	81.5	5.6	3.2	4.4
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR5(N)	0.48	8.4	Bottom	3	1	27.24	8.05	31.55	81.1	5.6	3.5	5.0
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR5(N)	0.48	8.4	Bottom	3	2	27.25	8.05	31.52	81.0	5.6	3.5	5.4
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10A(N)	0.45	1	Surface	1	1	27.48	8.08	30.63	83.8	5.8	2.0	5.1
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10A(N)	0.45	1	Surface	1	2	27.50	8.08	30.61	83.9	5.8	2.2	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10A(N)	0.45	6.7	Middle	2	1	27.24	8.04	31.84	81.0	5.5	2.2	5.6
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10A(N)	0.45	6.7	Middle	2	2	27.24	8.04	31.85	81.2	5.6	2.3	5.9
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10A(N)	0.45	12.3	Bottom	3	1	27.26	8.04	31.96	81.1	5.5	2.5	6.7
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10A(N)	0.45	12.3	Bottom	3	2	27.28	8.04	31.95	80.6	5.5	2.5	6.4
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10B(N2)	0.44	1	Surface	1	1	27.50	8.08	30.61	88.3	6.0	2.2	5.7
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10B(N2)	0.44	1	Surface	1	2	27.51	8.06	30.61	88.0	6.0	2.2	5.3
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10B(N2)	0.44	3.7	Middle	2	1	27.35	8.03	31.33	85.3	5.8	2.4	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10B(N2)	0.44	3.7	Middle	2	2	27.35	8.04	31.29	84.4	5.8	2.4	5.0
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10B(N2)	0.44	6.4	Bottom	3	1	27.32	8.04	31.70	82.9	5.7	2.6	4.6
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	SR10B(N2)	0.44	6.4	Bottom	3	2	26.87	8.02	31.79	82.6	5.7	2.6	4.3
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS2(A)	0.51	1	Surface	1	1	27.42	8.09	30.32	84.2	5.8	2.9	4.3
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS2(A)	0.51	1	Surface	1	2	27.41	8.10	30.35	84.1	5.8	2.9	4.1
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS2(A)	0.51	3.3	Middle	2	1	27.29	8.07	31.02	83.0	5.7	3.2	4.5
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS2(A)	0.51	3.3	Middle	2	2	27.30	8.08	31.02	82.7	5.7	3.3	4.8
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS2(A)	0.51	5.5	Bottom	3	1	27.25	8.07	31.44	82.0	5.6	3.4	5.2
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS2(A)	0.51	5.5	Bottom	3	2	27.28	8.07	31.41	82.0	5.6	3.5	5.0
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS(Mf)5	0.45	1	Surface	1	1	26.94	8.06	30.69	85.3	5.7	2.8	4.5
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS(Mf)5	0.45	1	Surface	1	2	26.95	8.06	30.68	84.2	5.7	2.8	4.2
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS(Mf)5	0.45	6.2	Middle	2	1	26.56	7.99	31.80	81.1	5.5	3.0	3.9
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS(Mf)5	0.45	6.2	Middle	2	2	26.59	7.99	31.78	80.2	5.4	2.9	3.4
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS(Mf)5	0.44	11.4	Bottom	3	1	26.57	7.98	32.01	78.7	5.3	3.0	2.4
HKLR	HY/2011/03	2023-10-20	Mid-Flood	Fine	CS(Mf)5	0.45	11.4	Bottom	3	2	26.67	8.00	32.11	77.5	5.2	3.2	2.8
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS5	0.30	1	Surface	1	1	27.02	8.05	29.59	89.8	5.8	3.2	2.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS5	0.30	1	Surface	1	2	26.90	8.04	29.73	88.2	5.7	3.2	2.5
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS5	0.30	4.2	Middle	2	1	26.94	8.04	30.18	89.3	5.8	3.3	2.9
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS5	0.30	4.2	Middle	2	2	27.04	8.04	30.19	88.0	5.7	3.3	3.0
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS5	0.30	7.4	Bottom	3	1	27.02	8.04	30.23	88.0	5.7	3.2	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS5	0.30	7.4	Bottom	3	2	26.76	8.04	30.23	87.2	5.6	3.3	3.5
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS(Mf)6	0.29	1	Surface	1	1	27.10	8.03	29.53	88.1	5.6	3.1	2.6
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS(Mf)6	0.29	1	Surface	1	2	27.12	8.03	29.54	88.0	5.6	3.1	3.0
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS(Mf)6	0.29	2.1	Bottom	3	1	26.99	8.02	29.73	88.0	5.6	3.1	4.0
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS(Mf)6	0.29	2.1	Bottom	3	2	26.99	8.02	29.79	87.8	5.6	3.2	4.3
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS7	0.28	1	Surface	1	1	26.94	8.01	29.59	88.6	5.7	3.1	3.1
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS7	0.28	1	Surface	1	2	26.99	7.99	29.58	88.6	5.7	3.2	2.9
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS7	0.28	2	Bottom	3	1	26.87	8.01	29.91	88.2	5.7	3.0	3.6
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS7	0.28	2	Bottom	3	2	26.91	7.98	29.86	88.5	5.7	3.1	3.4
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS8(N)	0.26	1	Surface	1	1	27.11	8.05	29.63	89.2	5.7	2.9	3.8
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS8(N)	0.26	1	Surface	1	2	27.10	8.05	29.60	89.0	5.7	3.0	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS8(N)	0.26	3	Bottom	3	1	27.04	8.04	29.91	89.1	5.7	3.3	3.4
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS8(N)	0.26	3	Bottom	3	2	27.04	8.04	29.86	88.8	5.7	3.4	3.2

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS(Mf)9	0.27	1	Surface	1	1	26.80	8.01	29.69	91.0	5.8	3.0	3.1
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS(Mf)9	0.27	1	Surface	1	2	26.81	8.01	29.61	91.2	5.8	3.1	3.6
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS(Mf)9	0.27	2.5	Bottom	3	1	26.82	8.00	29.94	90.8	5.8	3.0	4.3
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	IS(Mf)9	0.27	2.5	Bottom	3	2	27.00	8.01	29.90	91.1	5.8	2.9	4.2
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	IS10(N)	0.27	1	Surface	1	1	26.46	8.04	30.37	82.0	5.7	3.2	3.0
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	IS10(N)	0.27	1	Surface	1	2	26.49	8.04	30.36	81.9	5.7	3.1	2.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	IS10(N)	0.27	5.3	Middle	2	1	26.36	8.02	31.08	80.3	5.6	3.5	3.2
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	IS10(N)	0.27	5.3	Middle	2	2	26.36	8.02	31.08	80.8	5.6	3.5	3.5
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	IS10(N)	0.27	9.6	Bottom	3	1	26.37	8.02	31.10	80.4	5.6	3.8	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	IS10(N)	0.27	9.6	Bottom	3	2	26.36	8.02	31.13	80.6	5.6	3.8	3.4
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	SR3(N)	0.31	1	Surface	1	1	27.02	7.99	29.69	89.3	5.7	3.2	2.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	SR3(N)	0.31	1	Surface	1	2	27.01	7.99	29.65	87.1	5.6	3.3	3.2
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	SR3(N)	0.31	2	Bottom	3	1	26.99	7.98	29.97	88.6	5.7	3.3	3.4
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	SR3(N)	0.31	2	Bottom	3	2	26.96	7.98	29.80	86.7	5.6	3.4	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	SR4(N3)	0.27	1	Surface	1	1	27.03	8.04	29.58	88.2	5.7	3.3	3.5
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	SR4(N3)	0.27	1	Surface	1	2	27.05	8.04	29.56	88.0	5.6	3.2	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	SR4(N3)	0.27	2.6	Bottom	3	1	26.94	8.03	29.90	88.2	5.6	3.3	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	SR4(N3)	0.27	2.6	Bottom	3	2	26.98	8.03	29.91	87.9	5.6	3.2	3.0
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR5(N)	0.28	1	Surface	1	1	26.48	8.04	30.38	81.2	5.6	3.1	4.0
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR5(N)	0.28	1	Surface	1	2	26.48	8.04	30.37	81.3	5.6	3.1	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR5(N)	0.28	4.8	Middle	2	1	26.38	8.02	30.94	80.0	5.5	3.3	3.0
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR5(N)	0.28	4.8	Middle	2	2	26.37	8.02	30.97	80.2	5.6	3.3	2.8
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR5(N)	0.28	8.6	Bottom	3	1	26.36	8.02	31.10	80.0	5.5	3.8	2.4
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR5(N)	0.28	8.6	Bottom	3	2	26.35	8.02	31.14	80.1	5.5	3.7	2.6
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10A(N)	0.24	1	Surface	1	1	26.46	8.03	30.60	82.3	5.7	2.4	4.2
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10A(N)	0.24	1	Surface	1	2	26.53	8.03	30.55	81.7	5.7	2.5	4.5
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10A(N)	0.24	6.6	Middle	2	1	26.36	8.01	31.31	79.7	5.5	2.6	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10A(N)	0.24	6.6	Middle	2	2	26.36	8.01	31.32	80.1	5.5	2.7	4.0
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10A(N)	0.24	12.2	Bottom	3	1	26.37	8.01	31.38	80.2	5.5	3.1	2.8
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10A(N)	0.24	12.2	Bottom	3	2	26.39	8.01	31.38	79.7	5.5	3.1	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10B(N2)	0.24	1	Surface	1	1	26.53	8.03	30.56	85.6	5.9	2.5	2.9
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10B(N2)	0.24	1	Surface	1	2	26.53	8.02	30.56	84.6	5.9	2.5	3.2
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10B(N2)	0.24	3.9	Middle	2	1	26.43	8.01	31.05	83.3	5.8	2.8	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10B(N2)	0.24	3.9	Middle	2	2	26.43	8.01	31.03	82.0	5.7	2.7	3.5
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10B(N2)	0.24	6.8	Bottom	3	1	26.40	8.01	31.26	81.5	5.6	3.0	4.1
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	SR10B(N2)	0.24	6.8	Bottom	3	2	26.14	8.00	31.31	81.1	5.6	3.0	4.5
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	CS2(A)	0.31	1	Surface	1	1	26.46	8.04	30.37	81.9	5.7	3.2	5.0
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	CS2(A)	0.31	1	Surface	1	2	26.45	8.05	30.39	81.9	5.7	3.2	5.3
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	CS2(A)	0.31	3.3	Middle	2	1	26.38	8.03	30.84	81.1	5.6	3.5	4.3
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	CS2(A)	0.31	3.3	Middle	2	2	26.39	8.04	30.82	81.0	5.6	3.6	3.9
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	CS2(A)	0.31	5.6	Bottom	3	1	26.36	8.03	31.06	80.9	5.6	3.7	3.6
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Fine	CS2(A)	0.31	5.6	Bottom	3	2	26.37	8.03	31.06	80.8	5.6	3.8	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	CS(Mf)5	0.23	1	Surface	1	1	26.99	8.03	29.50	91.0	5.8	3.3	4.2
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	CS(Mf)5	0.23	1	Surface	1	2	26.95	8.06	29.55	89.4	5.7	3.3	4.5
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	CS(Mf)5	0.23	5.9	Middle	2	1	26.71	8.01	30.20	90.5	5.8	3.4	3.5
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	CS(Mf)5	0.23	5.9	Middle	2	2	26.72	8.04	30.17	89.2	5.7	3.2	3.8
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	CS(Mf)5	0.23	10.8	Bottom	3	1	26.70	8.00	30.22	89.2	5.7	3.4	2.9
HKLR	HY/2011/03	2023-10-23	Mid-Ebb	Cloudy	CS(Mf)5	0.23	10.8	Bottom	3	2	26.72	8.03	30.16	88.4	5.6	3.3	3.2
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	ISS	0.67	1	Surface	1	1	26.97	8.02	29.76	88.7	5.7	3.1	4.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	ISS	0.67	1	Surface	1	2	26.99	8.02	29.83	88.1	5.7	2.9	5.0
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	ISS	0.67	4.2	Middle	2	1	26.75	8.01	30.27	88.4	5.7	3.1	3.8
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	ISS	0.67	4.2	Middle	2	2	26.76	8.01	29.72	87.4	5.6	3.3	4.1
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	ISS	0.67	7.4	Bottom	3	1	26.77	8.01	30.26	88.4	5.7	3.3	3.1
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	ISS	0.67	7.4	Bottom	3	2	26.78	8.01	30.22	87.3	5.6	3.3	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS(Mf)6	0.67	1	Surface	1	1	27.06	8.02	29.71	88.1	5.6	3.2	4.5
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS(Mf)6	0.67	1	Surface	1	2	27.04	8.02	29.70	88.4	5.7	3.3	4.1

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS(Mf)6	0.67	2	Bottom	3	1	27.04	8.01	29.94	88.0	5.6	3.2	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS(Mf)6	0.67	2	Bottom	3	2	27.01	8.02	29.91	87.7	5.6	3.3	3.9
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS7	0.68	1	Surface	1	1	27.06	8.02	29.83	89.1	5.7	3.3	4.8
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS7	0.68	1	Surface	1	2	27.07	8.03	29.79	89.3	5.8	3.4	4.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS7	0.68	2	Bottom	3	1	26.99	8.01	30.07	89.3	5.8	3.4	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS7	0.68	2	Bottom	3	2	27.02	8.02	30.06	89.2	5.8	3.4	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS8(N)	0.70	1	Surface	1	1	27.00	8.02	29.71	88.7	5.7	3.4	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS8(N)	0.70	1	Surface	1	2	27.07	8.02	29.76	88.5	5.7	3.4	3.9
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS8(N)	0.70	2.8	Bottom	3	1	26.89	8.02	30.24	88.5	5.7	3.4	4.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS8(N)	0.70	2.8	Bottom	3	2	26.90	8.02	29.92	88.4	5.7	3.3	5.1
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS(Mf)9	0.69	1	Surface	1	1	27.04	8.03	29.75	89.4	5.7	3.4	3.4
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS(Mf)9	0.69	1	Surface	1	2	27.03	8.03	29.75	89.2	5.7	3.3	3.8
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS(Mf)9	0.69	2.4	Bottom	3	1	27.01	8.02	29.90	89.3	5.7	3.3	4.5
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	IS(Mf)9	0.69	2.4	Bottom	3	2	26.98	8.02	29.94	89.4	5.7	3.3	4.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	IS10(N)	0.66	1	Surface	1	1	26.62	8.04	30.06	81.8	5.7	3.4	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	IS10(N)	0.66	1	Surface	1	2	26.65	8.04	30.06	81.9	5.7	3.4	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	IS10(N)	0.66	5.3	Middle	2	1	26.41	8.02	30.89	80.8	5.6	3.7	4.2
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	IS10(N)	0.66	5.3	Middle	2	2	26.40	8.02	30.90	80.6	5.6	3.7	3.9
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	IS10(N)	0.66	9.5	Bottom	3	1	26.45	8.02	30.93	80.7	5.6	3.9	4.6
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	IS10(N)	0.66	9.5	Bottom	3	2	26.41	8.02	30.95	80.8	5.6	3.9	4.8
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	SR3(N)	0.66	1	Surface	1	1	26.97	7.99	29.72	89.0	5.7	3.1	4.4
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	SR3(N)	0.66	1	Surface	1	2	26.97	7.99	29.72	87.1	5.6	3.4	4.0
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	SR3(N)	0.66	2.1	Bottom	3	1	26.90	7.98	29.89	88.9	5.7	3.3	3.4
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	SR3(N)	0.66	2.1	Bottom	3	2	26.94	7.99	29.98	87.7	5.6	3.4	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	SR4(N3)	0.70	1	Surface	1	1	26.96	8.02	29.86	89.5	5.8	3.2	4.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	SR4(N3)	0.70	1	Surface	1	2	26.96	8.02	29.87	89.3	5.8	3.3	5.0
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	SR4(N3)	0.70	2.6	Bottom	3	1	26.82	8.02	30.07	89.3	5.8	3.2	3.9
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	SR4(N3)	0.70	2.6	Bottom	3	2	26.86	8.02	30.13	89.2	5.7	3.2	3.6
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR5(N)	0.66	1	Surface	1	1	26.63	8.04	30.06	82.4	5.7	3.5	5.1
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR5(N)	0.65	1	Surface	1	2	26.61	8.04	30.10	82.2	5.7	3.4	4.8
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR5(N)	0.65	4.7	Middle	2	1	26.44	8.02	30.82	80.6	5.6	3.8	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR5(N)	0.66	4.7	Middle	2	2	26.44	8.02	30.83	80.6	5.6	3.7	3.6
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR5(N)	0.66	8.4	Bottom	3	1	26.42	8.02	30.96	81.0	5.6	4.1	2.8
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR5(N)	0.65	8.4	Bottom	3	2	26.41	8.01	30.98	80.6	5.6	4.1	3.1
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10A(N)	0.70	1	Surface	1	1	26.58	8.05	30.60	83.2	5.7	2.7	4.5
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10A(N)	0.70	1	Surface	1	2	26.61	8.06	30.57	83.0	5.7	2.7	4.9
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10A(N)	0.70	6.6	Middle	2	1	26.40	8.03	31.27	81.0	5.6	2.9	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10A(N)	0.70	6.6	Middle	2	2	26.40	8.04	31.34	81.4	5.6	3.0	4.1
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10A(N)	0.70	12.2	Bottom	3	1	26.40	8.05	31.33	81.5	5.6	3.1	2.8
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10A(N)	0.70	12.2	Bottom	3	2	26.41	8.03	31.31	81.2	5.6	3.1	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10B(N2)	0.70	1	Surface	1	1	26.61	8.05	30.60	82.6	5.7	2.7	3.9
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10B(N2)	0.70	1	Surface	1	2	26.61	8.05	30.55	82.5	5.7	2.6	3.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10B(N2)	0.70	3.9	Middle	2	1	26.45	8.03	31.15	81.1	5.6	2.8	3.5
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10B(N2)	0.70	3.9	Middle	2	2	26.45	8.03	31.10	81.5	5.6	2.8	3.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10B(N2)	0.70	6.8	Bottom	3	1	26.41	8.03	31.25	81.2	5.6	3.1	2.9
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	SR10B(N2)	0.70	6.8	Bottom	3	2	26.45	8.03	31.19	81.1	5.6	3.1	3.2
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	CS2(A)	0.62	1	Surface	1	1	26.55	8.04	30.15	84.1	5.8	3.3	3.4
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	CS2(A)	0.62	1	Surface	1	2	26.54	8.04	30.15	83.9	5.8	3.3	3.2
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	CS2(A)	0.62	3.3	Middle	2	1	26.42	8.03	30.72	82.2	5.7	3.7	3.6
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	CS2(A)	0.62	3.3	Middle	2	2	26.44	8.03	30.73	82.4	5.7	3.6	3.9
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	CS2(A)	0.62	5.6	Bottom	3	1	26.43	8.03	30.89	82.3	5.7	3.9	4.2
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Fine	CS2(A)	0.62	5.6	Bottom	3	2	26.40	8.03	30.95	82.1	5.7	3.9	4.6
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	CS(Mf)5	0.73	1	Surface	1	1	26.96	8.03	29.71	86.8	5.5	3.3	2.4
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	CS(Mf)5	0.73	1	Surface	1	2	27.03	8.02	29.84	86.6	5.5	3.3	2.7
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	CS(Mf)5	0.73	6	Middle	2	1	26.74	8.02	30.31	86.2	5.5	3.2	3.6
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	CS(Mf)5	0.73	6	Middle	2	2	26.75	8.02	30.32	86.5	5.5	3.4	3.3

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	CS(Mf)5	0.73	11	Bottom	3	1	26.76	8.02	30.25	85.8	5.5	3.3	4.3
HKLR	HY/2011/03	2023-10-23	Mid-Flood	Cloudy	CS(Mf)5	0.73	11	Bottom	3	2	26.78	8.02	30.30	86.2	5.5	3.2	4.8
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS5	0.43	1	Surface	1	1	26.72	8.06	30.73	78.2	5.2	2.9	4.8
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS5	0.43	1	Surface	1	2	26.78	8.05	30.74	79.0	5.2	2.9	5.2
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS5	0.43	4.3	Middle	2	1	26.28	8.01	31.39	75.3	5.0	3.1	4.6
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS5	0.43	4.3	Middle	2	2	26.32	8.00	31.37	75.4	5.0	3.2	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS5	0.43	7.5	Bottom	3	1	26.22	7.99	31.31	74.8	4.9	3.2	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS5	0.43	7.5	Bottom	3	2	26.30	7.99	31.28	74.7	4.9	3.3	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS(Mf)6	0.42	1	Surface	1	1	26.75	8.04	30.65	80.6	5.3	2.9	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS(Mf)6	0.42	1	Surface	1	2	26.75	8.04	30.73	80.8	5.3	2.8	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS(Mf)6	0.42	2.2	Bottom	3	1	26.60	8.02	30.96	80.0	5.3	3.1	4.6
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS(Mf)6	0.42	2.2	Bottom	3	2	26.65	8.02	30.95	79.9	5.3	3.2	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS7	0.42	1	Surface	1	1	26.74	8.04	30.80	80.2	5.3	3.1	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS7	0.42	1	Surface	1	2	26.81	8.04	30.83	80.5	5.3	3.0	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS7	0.42	2.3	Bottom	3	1	26.67	8.02	30.83	79.9	5.3	3.1	5.1
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS7	0.42	2.3	Bottom	3	2	26.59	8.02	31.05	79.6	5.3	3.1	4.7
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS8(N)	0.39	1	Surface	1	1	26.74	8.05	30.83	79.6	5.3	2.9	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS8(N)	0.39	1	Surface	1	2	26.76	8.05	30.82	80.1	5.3	2.9	3.7
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS8(N)	0.39	3.1	Bottom	3	1	26.60	8.02	30.97	79.2	5.2	2.9	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS8(N)	0.39	3.1	Bottom	3	2	26.47	8.02	31.19	79.1	5.2	3.1	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS(Mf)9	0.41	1	Surface	1	1	26.76	8.05	30.79	79.1	5.2	2.7	3.9
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS(Mf)9	0.41	1	Surface	1	2	26.78	8.05	30.59	79.9	5.3	2.6	3.9
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS(Mf)9	0.41	2.6	Bottom	3	1	26.60	8.02	31.00	78.9	5.2	2.8	3.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS(Mf)9	0.41	2.6	Bottom	3	2	26.49	8.02	30.84	78.5	5.2	2.7	3.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS10(N)	0.41	1	Surface	1	1	26.58	8.01	30.70	78.8	5.3	3.0	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS10(N)	0.41	1	Surface	1	2	26.65	8.02	30.57	77.9	5.2	2.9	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS10(N)	0.41	5.4	Middle	2	1	26.46	8.00	31.58	76.5	5.1	3.2	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS10(N)	0.41	5.4	Middle	2	2	26.45	8.00	31.60	76.6	5.2	3.2	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS10(N)	0.41	9.7	Bottom	3	1	26.43	8.00	31.68	75.9	5.1	3.4	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	IS10(N)	0.41	9.7	Bottom	3	2	26.45	8.00	31.64	75.1	5.0	3.4	4.6
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR3(N)	0.44	1	Surface	1	1	26.76	8.04	30.82	79.5	5.3	2.9	3.9
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR3(N)	0.44	1	Surface	1	2	26.76	8.04	30.62	80.1	5.3	2.8	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR3(N)	0.44	2.2	Bottom	3	1	26.64	8.03	30.81	78.9	5.2	3.1	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR3(N)	0.44	2.2	Bottom	3	2	26.66	8.03	30.87	79.2	5.2	3.1	4.5
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR4(N3)	0.40	1	Surface	1	1	26.76	8.05	30.63	79.5	5.3	2.7	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR4(N3)	0.40	1	Surface	1	2	26.74	8.04	30.70	79.0	5.2	2.7	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR4(N3)	0.40	3	Bottom	3	1	26.50	8.01	31.27	77.9	5.1	2.8	3.5
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR4(N3)	0.40	3	Bottom	3	2	26.59	8.01	31.09	78.1	5.2	2.9	3.4
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR5(N)	0.42	1	Surface	1	1	26.66	8.02	30.55	78.1	5.2	3.0	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR5(N)	0.42	1	Surface	1	2	26.66	8.02	30.55	77.8	5.2	3.0	4.6
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR5(N)	0.42	5	Middle	2	1	26.46	8.00	31.46	74.9	5.0	3.1	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR5(N)	0.42	5	Middle	2	2	26.44	7.99	31.40	75.9	5.1	3.1	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR5(N)	0.42	9	Bottom	3	1	26.43	8.00	31.68	74.4	5.0	3.3	3.5
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR5(N)	0.42	9	Bottom	3	2	26.44	8.00	31.63	74.4	5.0	3.4	3.7
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10A(N)	0.38	1	Surface	1	1	26.68	8.01	30.64	77.8	5.2	2.5	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10A(N)	0.38	1	Surface	1	2	26.65	8.01	30.66	78.4	5.3	2.5	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10A(N)	0.38	6.7	Middle	2	1	26.43	7.99	31.80	75.9	5.1	2.7	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10A(N)	0.38	6.7	Middle	2	2	26.43	7.99	31.79	74.5	5.0	2.7	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10A(N)	0.38	12.4	Bottom	3	1	26.42	7.99	31.87	74.4	5.0	3.0	3.6
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10A(N)	0.38	12.4	Bottom	3	2	26.44	7.99	31.85	74.3	5.0	2.9	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10B(N2)	0.37	1	Surface	1	1	26.67	8.01	30.66	79.7	5.3	2.4	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10B(N2)	0.37	1	Surface	1	2	26.67	8.01	30.67	79.5	5.3	2.4	4.7
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10B(N2)	0.37	3.8	Middle	2	1	26.49	7.99	31.34	76.2	5.1	2.6	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10B(N2)	0.37	3.8	Middle	2	2	26.49	8.00	31.34	76.7	5.1	2.6	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10B(N2)	0.37	6.6	Bottom	3	1	26.47	8.00	31.66	77.3	5.2	2.8	3.7
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	SR10B(N2)	0.37	6.6	Bottom	3	2	26.32	8.00	31.78	76.8	5.2	2.9	4.0

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS2(A)	0.45	1	Surface	1	1	26.64	8.02	30.56	77.6	5.2	3.0	4.6
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS2(A)	0.45	1	Surface	1	2	26.61	8.02	30.61	78.0	5.2	3.1	4.8
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS2(A)	0.45	3.2	Middle	2	1	26.49	8.00	31.13	76.6	5.1	3.2	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS2(A)	0.45	3.2	Middle	2	2	26.48	8.01	31.15	76.8	5.2	3.3	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS2(A)	0.45	5.4	Bottom	3	1	26.47	8.00	31.45	76.5	5.1	3.3	3.8
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS2(A)	0.45	5.4	Bottom	3	2	26.48	8.00	31.53	76.0	5.1	3.4	3.8
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS(Mf)5	0.36	1	Surface	1	1	26.75	8.05	30.69	79.2	5.3	2.6	3.4
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS(Mf)5	0.36	1	Surface	1	2	26.71	8.05	30.72	79.5	5.2	2.5	3.1
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS(Mf)5	0.36	6.4	Middle	2	1	26.20	8.00	32.49	76.5	5.0	2.7	3.8
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS(Mf)5	0.36	6.4	Middle	2	2	26.24	8.01	32.47	76.5	5.0	2.7	3.6
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS(Mf)5	0.36	11.8	Bottom	3	1	26.22	8.00	32.59	75.2	5.0	2.9	3.9
HKLR	HY/2011/03	2023-10-25	Mid-Ebb	Fine	CS(Mf)5	0.36	11.8	Bottom	3	2	26.29	8.00	32.64	74.4	4.8	3.1	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS5	0.68	1	Surface	1	1	26.82	8.03	30.85	80.6	5.7	2.9	3.6
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS5	0.68	1	Surface	1	2	26.88	8.04	30.84	80.7	5.7	2.9	3.3
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS5	0.68	4.2	Middle	2	1	26.57	8.00	31.18	79.6	5.6	2.9	3.9
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS5	0.68	4.2	Middle	2	2	26.55	8.00	31.19	79.5	5.6	3.0	3.6
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS5	0.68	7.4	Bottom	3	1	26.51	8.00	31.39	79.0	5.6	3.1	3.9
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS5	0.68	7.4	Bottom	3	2	26.55	8.00	31.38	79.2	5.6	3.1	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS(Mf)6	0.69	1	Surface	1	1	26.87	8.05	30.85	82.3	5.8	2.8	3.7
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS(Mf)6	0.69	1	Surface	1	2	26.89	8.05	30.60	82.3	5.8	2.9	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS(Mf)6	0.69	2.2	Bottom	3	1	26.79	8.04	30.98	81.1	5.7	3.0	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS(Mf)6	0.69	2.2	Bottom	3	2	26.78	8.06	30.90	80.8	5.7	3.0	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS7	0.69	1	Surface	1	1	26.90	8.04	30.78	82.5	5.8	2.5	3.6
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS7	0.69	1	Surface	1	2	26.87	8.04	30.91	81.3	5.7	2.7	3.7
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS7	0.69	2.3	Bottom	3	1	26.77	8.04	30.94	80.0	5.6	2.9	3.9
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS7	0.69	2.3	Bottom	3	2	26.78	8.04	31.00	80.3	5.7	3.0	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS8(N)	0.72	1	Surface	1	1	26.94	8.03	30.73	81.6	5.8	2.6	3.4
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS8(N)	0.72	1	Surface	1	2	26.92	8.03	30.74	80.5	5.7	2.5	3.8
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS8(N)	0.72	2.9	Bottom	3	1	26.81	8.03	30.87	80.6	5.7	3.0	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS8(N)	0.72	2.9	Bottom	3	2	26.74	8.02	30.93	79.2	5.6	3.0	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS(Mf)9	0.70	1	Surface	1	1	26.87	8.03	30.87	80.2	5.6	2.7	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS(Mf)9	0.70	1	Surface	1	2	26.87	8.04	30.83	79.9	5.6	2.6	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS(Mf)9	0.70	2.5	Bottom	3	1	26.73	8.03	31.02	79.6	5.6	3.0	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS(Mf)9	0.70	2.5	Bottom	3	2	26.77	8.03	30.94	79.9	5.6	3.0	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS10(N)	0.71	1	Surface	1	1	26.72	8.02	30.40	77.4	5.2	3.1	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS10(N)	0.71	1	Surface	1	2	26.74	8.02	30.40	78.0	5.2	3.1	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS10(N)	0.71	5.1	Middle	2	1	26.46	8.00	31.29	74.8	5.0	3.3	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS10(N)	0.71	5.1	Middle	2	2	26.46	8.00	31.34	76.4	5.1	3.4	3.9
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS10(N)	0.71	9.2	Bottom	3	1	26.49	8.00	31.46	74.0	5.0	3.5	3.6
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	IS10(N)	0.71	9.2	Bottom	3	2	26.44	8.00	31.57	74.4	5.0	3.6	3.8
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR3(N)	0.67	1	Surface	1	1	26.85	8.06	30.80	82.8	5.8	3.1	3.7
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR3(N)	0.67	1	Surface	1	2	26.85	8.05	30.84	82.7	5.8	3.1	3.8
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR3(N)	0.67	2.3	Bottom	3	1	26.76	8.06	30.98	81.2	5.5	3.3	3.5
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR3(N)	0.67	2.3	Bottom	3	2	26.83	8.05	30.72	82.1	5.8	3.2	3.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR4(N3)	0.71	1	Surface	1	1	26.85	8.03	30.72	81.6	5.8	2.6	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR4(N3)	0.71	1	Surface	1	2	26.91	8.04	30.61	80.9	5.7	2.6	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR4(N3)	0.71	2.7	Bottom	3	1	25.97	8.02	30.96	79.5	5.6	3.1	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR4(N3)	0.71	2.7	Bottom	3	2	26.81	8.03	30.88	80.6	5.7	3.2	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR5(N)	0.70	1	Surface	1	1	26.71	8.02	30.43	77.4	5.2	3.1	4.6
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR5(N)	0.70	1	Surface	1	2	26.73	8.02	30.40	77.7	5.2	3.2	4.4
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR5(N)	0.70	4.9	Middle	2	1	26.49	8.00	31.36	76.0	5.1	3.3	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR5(N)	0.70	4.9	Middle	2	2	26.49	8.00	31.40	76.3	5.1	3.3	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR5(N)	0.70	8.8	Bottom	3	1	26.47	8.00	31.54	74.9	5.0	3.5	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR5(N)	0.70	8.8	Bottom	3	2	26.45	7.99	31.56	74.8	5.0	3.6	3.7
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10A(N)	0.74	1	Surface	1	1	26.70	8.03	30.66	78.4	5.3	2.8	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10A(N)	0.74	1	Surface	1	2	26.71	8.03	30.65	78.1	5.2	2.8	4.1

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10A(N)	0.74	6.6	Middle	2	1	26.45	8.01	31.73	77.2	5.2	3.1	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10A(N)	0.74	6.6	Middle	2	2	26.46	8.00	31.68	75.7	5.1	3.0	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10A(N)	0.74	12.2	Bottom	3	1	26.47	8.01	31.72	74.9	5.0	3.1	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10A(N)	0.74	12.2	Bottom	3	2	26.46	8.02	31.74	75.3	5.1	3.1	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10B(N2)	0.75	1	Surface	1	1	26.71	8.03	30.65	77.6	5.2	2.7	4.5
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10B(N2)	0.75	1	Surface	1	2	26.71	8.03	30.67	78.3	5.3	2.9	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10B(N2)	0.75	3.8	Middle	2	1	26.52	8.01	31.21	76.0	5.1	2.9	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10B(N2)	0.75	3.8	Middle	2	2	26.52	8.01	31.30	75.7	5.1	2.8	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10B(N2)	0.75	6.6	Bottom	3	1	26.50	8.01	31.59	76.5	5.1	3.1	3.7
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	SR10B(N2)	0.75	6.6	Bottom	3	2	26.47	8.01	31.64	76.5	5.1	3.0	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS2(A)	0.67	1	Surface	1	1	26.67	8.02	30.48	78.5	5.3	3.1	3.4
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS2(A)	0.67	1	Surface	1	2	26.68	8.02	30.45	78.6	5.3	3.1	3.6
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS2(A)	0.67	3.3	Middle	2	1	26.51	8.00	31.09	77.5	5.2	3.2	4.0
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS2(A)	0.67	3.3	Middle	2	2	26.50	8.00	31.09	77.5	5.2	3.4	3.8
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS2(A)	0.67	5.6	Bottom	3	1	26.52	8.00	31.33	76.8	5.2	3.4	4.1
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS2(A)	0.67	5.6	Bottom	3	2	26.49	8.00	31.48	76.6	5.2	3.4	4.3
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS(Mf)5	0.75	1	Surface	1	1	26.85	8.06	30.99	78.8	5.5	2.9	3.6
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS(Mf)5	0.75	1	Surface	1	2	26.89	8.06	31.01	79.4	5.6	2.8	3.6
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS(Mf)5	0.75	6.6	Middle	2	1	26.37	8.01	32.63	76.7	5.4	3.0	3.9
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS(Mf)5	0.75	6.6	Middle	2	2	26.35	8.02	32.64	77.3	5.4	3.0	4.2
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS(Mf)5	0.75	12.1	Bottom	3	1	26.38	8.00	31.90	75.6	5.3	3.0	4.5
HKLR	HY/2011/03	2023-10-25	Mid-Flood	Fine	CS(Mf)5	0.75	12.1	Bottom	3	2	26.31	8.01	32.77	75.1	5.3	3.1	4.3
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS5	0.49	1	Surface	1	1	26.66	8.03	30.69	80.9	5.5	3.0	5.9
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS5	0.49	1	Surface	1	2	26.70	8.03	30.70	82.1	5.5	3.0	5.1
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS5	0.49	4.2	Middle	2	1	26.37	7.99	31.17	78.9	5.3	3.2	6.0
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS5	0.49	4.2	Middle	2	2	26.40	7.98	31.16	79.0	5.3	3.2	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS5	0.49	7.4	Bottom	3	1	26.34	7.98	31.15	78.5	5.2	3.4	5.5
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS5	0.49	7.4	Bottom	3	2	26.37	7.98	31.15	78.5	5.2	3.4	5.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS(Mf)6	0.48	1	Surface	1	1	26.69	8.03	30.64	83.5	5.6	3.0	4.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS(Mf)6	0.48	1	Surface	1	2	26.70	8.03	30.68	83.6	5.6	2.9	5.2
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS(Mf)6	0.48	2.2	Bottom	3	1	26.60	8.01	30.85	83.1	5.6	3.2	4.6
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS(Mf)6	0.48	2.2	Bottom	3	2	26.64	8.01	30.83	83.0	5.6	3.2	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS7	0.48	1	Surface	1	1	26.69	8.03	30.72	83.2	5.6	3.1	4.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS7	0.48	1	Surface	1	2	26.74	8.02	30.72	83.6	5.6	3.0	4.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS7	0.48	2.3	Bottom	3	1	26.65	8.01	30.77	83.0	5.6	3.2	5.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS7	0.48	2.3	Bottom	3	2	26.60	8.01	30.88	82.9	5.6	3.2	5.6
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS8(N)	0.45	1	Surface	1	1	26.67	8.03	30.69	83.1	5.6	3.3	5.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS8(N)	0.45	1	Surface	1	2	26.69	8.03	30.68	83.1	5.6	3.2	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS8(N)	0.45	3	Bottom	3	1	26.60	8.01	30.88	82.5	5.6	3.4	4.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS8(N)	0.45	3	Bottom	3	2	26.51	8.01	31.00	82.0	5.5	3.5	4.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS(Mf)9	0.47	1	Surface	1	1	26.71	8.03	30.59	83.1	5.6	3.0	4.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS(Mf)9	0.47	1	Surface	1	2	26.70	8.03	30.69	82.4	5.6	3.1	4.3
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS(Mf)9	0.47	2.6	Bottom	3	1	26.61	8.01	30.85	82.1	5.5	3.3	5.0
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS(Mf)9	0.47	2.6	Bottom	3	2	26.53	8.01	30.77	81.6	5.5	3.2	4.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS10(N)	0.47	1	Surface	1	1	26.52	8.04	30.64	79.9	5.4	3.0	6.2
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS10(N)	0.47	1	Surface	1	2	26.56	8.04	30.58	79.3	5.4	3.0	5.6
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS10(N)	0.47	5.4	Middle	2	1	26.44	8.02	31.25	78.2	5.3	3.2	6.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS10(N)	0.47	5.4	Middle	2	2	26.43	8.02	31.25	78.0	5.3	3.3	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS10(N)	0.47	9.7	Bottom	3	1	26.43	8.02	31.32	78.1	5.3	3.5	5.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	IS10(N)	0.47	9.7	Bottom	3	2	26.44	8.02	31.27	77.7	5.3	3.5	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR3(N)	0.50	1	Surface	1	1	26.70	8.02	30.74	82.0	5.5	3.1	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR3(N)	0.50	1	Surface	1	2	26.71	8.02	30.63	82.6	5.6	3.0	6.0
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR3(N)	0.50	2.3	Bottom	3	1	26.64	8.01	30.80	81.8	5.5	3.2	6.0
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR3(N)	0.50	2.3	Bottom	3	2	26.62	8.01	30.79	81.2	5.5	3.2	5.6
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR4(N3)	0.46	1	Surface	1	1	26.68	8.02	30.63	82.0	5.5	3.1	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR4(N3)	0.46	1	Surface	1	2	26.68	8.02	30.59	82.4	5.6	3.1	6.0

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR4(N3)	0.46	3	Bottom	3	1	26.59	8.00	30.94	81.5	5.5	3.4	5.5
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR4(N3)	0.46	3	Bottom	3	2	26.53	8.00	31.05	81.6	5.5	3.3	4.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR5(N)	0.48	1	Surface	1	1	26.57	8.04	30.57	79.3	5.4	3.1	5.5
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR5(N)	0.48	1	Surface	1	2	26.57	8.04	30.57	79.1	5.4	3.1	6.1
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR5(N)	0.48	4.9	Middle	2	1	26.45	8.03	31.15	77.3	5.3	3.2	6.0
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR5(N)	0.48	4.9	Middle	2	2	26.44	8.02	31.12	77.6	5.3	3.2	9.3
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR5(N)	0.48	8.8	Bottom	3	1	26.42	8.02	31.30	77.2	5.2	3.5	7.4
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR5(N)	0.48	8.8	Bottom	3	2	26.43	8.02	31.28	77.1	5.2	3.6	6.1
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10A(N)	0.44	1	Surface	1	1	26.61	8.03	30.71	78.7	5.3	2.7	6.1
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10A(N)	0.44	1	Surface	1	2	26.59	8.03	30.74	79.5	5.4	2.7	5.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10A(N)	0.44	6.6	Middle	2	1	26.44	8.01	31.45	76.5	5.2	2.8	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10A(N)	0.44	6.6	Middle	2	2	26.44	8.01	31.46	77.3	5.2	2.8	6.1
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10A(N)	0.44	12.1	Bottom	3	1	26.45	8.01	31.50	76.5	5.2	3.1	6.3
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10A(N)	0.44	12.1	Bottom	3	2	26.44	8.01	31.51	76.7	5.2	3.2	5.5
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10B(N2)	0.43	1	Surface	1	1	26.61	8.03	30.72	81.4	5.5	2.6	5.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10B(N2)	0.43	1	Surface	1	2	26.61	8.02	30.72	81.3	5.5	2.7	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10B(N2)	0.43	3.9	Middle	2	1	26.49	8.01	31.14	78.3	5.3	2.8	5.6
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10B(N2)	0.43	3.9	Middle	2	2	26.48	8.01	31.16	79.0	5.4	2.8	6.2
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10B(N2)	0.43	6.7	Bottom	3	1	26.47	8.01	31.38	78.3	5.3	3.1	5.6
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	SR10B(N2)	0.43	6.7	Bottom	3	2	26.39	8.01	31.46	78.1	5.3	3.1	5.6
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS2(A)	0.51	1	Surface	1	1	26.55	8.05	30.58	79.3	5.4	3.2	6.7
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS2(A)	0.51	1	Surface	1	2	26.54	8.05	30.61	79.4	5.4	3.2	6.1
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS2(A)	0.51	3.3	Middle	2	1	26.46	8.03	30.95	78.4	5.3	3.4	5.5
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS2(A)	0.51	3.3	Middle	2	2	26.46	8.04	30.96	78.4	5.3	3.4	5.3
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS2(A)	0.51	5.5	Bottom	3	1	26.44	8.03	31.18	78.1	5.3	3.5	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS2(A)	0.51	5.5	Bottom	3	2	26.45	8.03	31.21	78.1	5.3	3.6	5.5
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS(Mf)5	0.42	1	Surface	1	1	26.68	8.01	30.68	82.2	5.5	2.7	4.8
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS(Mf)5	0.42	1	Surface	1	2	26.67	8.02	30.67	82.5	5.5	2.7	5.2
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS(Mf)5	0.42	6.4	Middle	2	1	26.30	7.98	31.77	79.7	5.3	2.9	4.9
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS(Mf)5	0.42	6.4	Middle	2	2	26.33	7.98	31.75	80.3	5.4	2.9	5.5
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS(Mf)5	0.42	11.7	Bottom	3	1	26.32	7.98	31.83	79.0	5.3	3.2	4.6
HKLR	HY/2011/03	2023-10-27	Mid-Ebb	Fine	CS(Mf)5	0.42	11.7	Bottom	3	2	26.35	7.98	31.87	78.5	5.2	3.2	5.8
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS5	0.75	1	Surface	1	1	26.75	8.01	30.77	84.0	5.8	3.0	4.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS5	0.75	1	Surface	1	2	26.80	8.01	30.77	84.2	5.9	3.0	5.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS5	0.75	4.2	Middle	2	1	26.58	7.99	31.07	83.0	5.8	3.2	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS5	0.75	4.2	Middle	2	2	26.60	7.99	31.06	83.1	5.8	3.2	6.8
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS5	0.75	7.4	Bottom	3	1	26.55	7.99	31.17	82.9	5.8	3.3	7.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS5	0.75	7.4	Bottom	3	2	26.58	7.99	31.16	82.9	5.8	3.4	6.1
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS(Mf)6	0.76	1	Surface	1	1	26.79	8.02	30.76	85.9	6.0	3.0	5.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS(Mf)6	0.76	1	Surface	1	2	26.79	8.03	30.64	85.5	6.0	3.0	5.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS(Mf)6	0.76	2.2	Bottom	3	1	26.74	8.02	30.87	84.6	5.9	3.3	7.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS(Mf)6	0.76	2.2	Bottom	3	2	26.71	8.03	30.83	84.1	5.9	3.3	6.8
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS7	0.76	1	Surface	1	1	26.82	8.02	30.70	85.8	6.0	2.7	6.4
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS7	0.76	1	Surface	1	2	26.79	8.02	30.77	85.2	5.9	2.9	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS7	0.76	2.3	Bottom	3	1	26.72	8.02	30.85	84.5	5.9	3.1	4.6
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS7	0.76	2.3	Bottom	3	2	26.74	8.02	30.86	84.6	5.9	3.1	4.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS8(N)	0.79	1	Surface	1	1	26.78	8.01	30.67	83.8	5.8	3.0	6.5
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS8(N)	0.79	1	Surface	1	2	26.81	8.01	30.64	84.5	5.9	3.0	6.1
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS8(N)	0.79	3	Bottom	3	1	26.73	8.00	30.78	83.8	5.8	3.3	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS8(N)	0.79	3	Bottom	3	2	26.67	8.00	30.84	82.9	5.8	3.3	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS(Mf)9	0.77	1	Surface	1	1	26.79	8.02	30.74	84.5	5.9	2.9	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS(Mf)9	0.77	1	Surface	1	2	26.79	8.02	30.73	84.3	5.9	2.9	4.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS(Mf)9	0.77	2.6	Bottom	3	1	26.70	8.01	30.89	84.1	5.8	3.2	5.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS(Mf)9	0.77	2.6	Bottom	3	2	26.73	8.01	30.85	84.3	5.9	3.2	5.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS10(N)	0.78	1	Surface	1	1	26.62	8.04	30.42	79.1	5.4	3.2	6.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS10(N)	0.78	1	Surface	1	2	26.63	8.04	30.41	79.7	5.4	3.2	6.5

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS10(N)	0.78	5.2	Middle	2	1	26.45	8.02	31.08	78.4	5.3	3.4	5.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS10(N)	0.78	5.2	Middle	2	2	26.45	8.03	31.06	77.6	5.3	3.4	5.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS10(N)	0.78	9.3	Bottom	3	1	26.48	8.03	31.16	77.0	5.2	3.6	5.1
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	IS10(N)	0.78	9.3	Bottom	3	2	26.45	8.03	31.22	77.3	5.3	3.6	5.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR3(N)	0.74	1	Surface	1	1	26.79	8.03	30.74	86.1	6.0	3.2	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR3(N)	0.74	1	Surface	1	2	26.79	8.03	30.76	86.4	6.0	3.2	5.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR3(N)	0.74	2.3	Bottom	3	1	26.75	8.03	30.86	84.8	5.8	3.4	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR3(N)	0.74	2.3	Bottom	3	2	26.78	8.03	30.71	85.4	5.9	3.4	5.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR4(N3)	0.78	1	Surface	1	1	26.77	8.01	30.66	84.4	5.9	2.9	4.8
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR4(N3)	0.78	1	Surface	1	2	26.79	8.01	30.61	83.9	5.8	3.0	4.5
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR4(N3)	0.78	2.8	Bottom	3	1	26.28	8.00	30.84	83.0	5.8	3.3	4.9
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR4(N3)	0.78	2.8	Bottom	3	2	26.75	8.01	30.81	83.6	5.8	3.3	4.6
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR5(N)	0.77	1	Surface	1	1	26.63	8.04	30.43	79.6	5.4	3.3	5.1
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR5(N)	0.77	1	Surface	1	2	26.61	8.04	30.46	79.2	5.4	3.3	5.0
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR5(N)	0.77	4.8	Middle	2	1	26.48	8.03	31.05	78.1	5.3	3.4	6.1
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR5(N)	0.77	4.8	Middle	2	2	26.48	8.03	31.07	78.2	5.3	3.5	5.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR5(N)	0.77	8.6	Bottom	3	1	26.47	8.02	31.21	77.7	5.3	3.7	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR5(N)	0.77	8.6	Bottom	3	2	26.45	8.02	31.22	77.6	5.3	3.7	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10A(N)	0.81	1	Surface	1	1	26.62	8.05	30.82	79.7	5.4	2.8	6.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10A(N)	0.81	1	Surface	1	2	26.62	8.05	30.81	79.3	5.4	2.8	5.1
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10A(N)	0.81	6.6	Middle	2	1	26.46	8.03	31.49	78.2	5.3	3.1	6.0
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10A(N)	0.81	6.6	Middle	2	2	26.47	8.03	31.47	77.2	5.2	3.0	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10A(N)	0.81	12.1	Bottom	3	1	26.47	8.04	31.50	77.4	5.2	3.2	5.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10A(N)	0.81	12.1	Bottom	3	2	26.48	8.03	31.48	77.1	5.2	3.2	5.0
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10B(N2)	0.82	1	Surface	1	1	26.63	8.05	30.82	78.9	5.3	2.7	6.1
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10B(N2)	0.82	1	Surface	1	2	26.63	8.05	30.83	79.3	5.4	2.8	5.1
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10B(N2)	0.82	3.9	Middle	2	1	26.52	8.03	31.17	77.8	5.3	3.0	5.6
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10B(N2)	0.82	3.9	Middle	2	2	26.51	8.04	31.22	77.6	5.3	2.9	6.2
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10B(N2)	0.82	6.8	Bottom	3	1	26.50	8.03	31.38	78.0	5.3	3.2	6.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	SR10B(N2)	0.82	6.8	Bottom	3	2	26.49	8.04	31.42	78.0	5.3	3.2	5.6
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS2(A)	0.74	1	Surface	1	1	26.58	8.04	30.51	80.8	5.5	3.2	7.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS2(A)	0.74	1	Surface	1	2	26.59	8.04	30.48	80.7	5.5	3.2	6.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS2(A)	0.74	3.3	Middle	2	1	26.48	8.03	30.95	79.4	5.4	3.3	5.8
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS2(A)	0.74	3.3	Middle	2	2	26.47	8.03	30.95	79.4	5.4	3.5	5.0
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS2(A)	0.74	5.6	Bottom	3	1	26.49	8.03	31.14	79.1	5.4	3.5	4.6
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS2(A)	0.74	5.6	Bottom	3	2	26.47	8.03	31.23	78.9	5.4	3.5	5.0
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS(Mf)5	0.82	1	Surface	1	1	26.75	8.03	30.84	81.2	5.6	2.9	5.7
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS(Mf)5	0.82	1	Surface	1	2	26.77	8.03	30.85	81.6	5.6	2.8	6.5
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS(Mf)5	0.82	6.5	Middle	2	1	26.40	7.98	31.92	79.3	5.5	3.0	5.4
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS(Mf)5	0.82	6.5	Middle	2	2	26.38	7.99	31.93	79.5	5.5	3.0	5.3
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS(Mf)5	0.82	11.9	Bottom	3	1	26.41	7.98	31.27	78.5	5.4	3.1	5.1
HKLR	HY/2011/03	2023-10-27	Mid-Flood	Fine	CS(Mf)5	0.82	11.9	Bottom	3	2	26.34	7.98	31.99	78.3	5.4	3.2	6.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS5	0.53	1	Surface	1	1	26.61	7.99	30.20	96.0	6.8	2.3	4.7
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS5	0.53	1	Surface	1	2	26.67	8.00	30.20	96.7	6.9	2.3	4.9
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS5	0.53	4.3	Middle	2	1	26.43	7.97	30.63	95.2	6.8	2.5	4.7
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS5	0.53	4.3	Middle	2	2	26.40	7.96	30.65	94.8	6.7	2.5	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS5	0.53	7.5	Bottom	3	1	26.38	7.96	30.73	94.6	6.7	2.5	4.1
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS5	0.53	7.5	Bottom	3	2	26.40	7.96	30.71	95.2	6.8	2.5	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS(Mf)6	0.53	1	Surface	1	1	26.64	8.00	30.20	98.4	7.0	2.2	5.2
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS(Mf)6	0.53	1	Surface	1	2	26.63	8.01	30.13	97.6	6.9	2.2	4.8
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS(Mf)6	0.53	2.2	Bottom	3	1	26.60	8.00	30.33	96.4	6.9	2.4	3.9
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS(Mf)6	0.53	2.2	Bottom	3	2	26.56	8.01	30.30	94.9	6.8	2.4	3.7
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS7	0.54	1	Surface	1	1	26.66	8.01	30.20	98.2	7.0	2.0	4.7
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS7	0.54	1	Surface	1	2	26.63	8.00	30.24	97.3	6.9	2.2	4.9
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS7	0.54	2.3	Bottom	3	1	26.57	8.00	30.36	95.9	6.8	2.3	3.7
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS7	0.54	2.3	Bottom	3	2	26.60	8.00	30.35	96.5	6.9	2.3	4.0

Water Quality Monitoring Data


Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS8(N)	0.56	1	Surface	1	1	26.62	7.99	30.17	95.4	6.8	2.2	3.8
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS8(N)	0.56	1	Surface	1	2	26.64	7.99	30.14	96.6	6.9	2.2	4.1
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS8(N)	0.56	3	Bottom	3	1	26.59	7.98	30.29	95.6	6.8	2.4	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS8(N)	0.56	3	Bottom	3	2	26.53	7.98	30.36	94.4	6.7	2.4	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS(Mf)9	0.55	1	Surface	1	1	26.64	8.00	30.22	96.9	6.9	2.1	3.6
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS(Mf)9	0.55	1	Surface	1	2	26.63	8.00	30.22	96.1	6.8	2.1	3.8
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS(Mf)9	0.55	2.6	Bottom	3	1	26.59	7.99	30.36	96.3	6.9	2.3	4.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS(Mf)9	0.55	2.6	Bottom	3	2	26.55	7.99	30.38	95.7	6.8	2.3	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS10(N)	0.57	1	Surface	1	1	26.48	7.99	29.93	88.7	6.1	2.3	4.9
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS10(N)	0.57	1	Surface	1	2	26.51	7.99	29.92	89.4	6.1	2.3	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS10(N)	0.57	5.2	Middle	2	1	26.23	7.97	30.62	87.6	6.0	2.4	5.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS10(N)	0.57	5.2	Middle	2	2	26.23	7.96	30.63	87.8	6.0	2.4	5.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS10(N)	0.57	9.4	Bottom	3	1	26.25	7.97	30.74	86.8	5.9	2.6	5.6
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	IS10(N)	0.57	9.4	Bottom	3	2	26.23	7.97	30.76	87.2	6.0	2.5	5.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR3(N)	0.52	1	Surface	1	1	26.64	8.00	30.20	97.9	7.0	2.3	5.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR3(N)	0.52	1	Surface	1	2	26.65	8.01	30.21	98.6	7.0	2.3	5.2
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR3(N)	0.52	2.3	Bottom	3	1	26.63	8.01	30.22	96.9	6.9	2.4	5.8
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR3(N)	0.52	2.3	Bottom	3	2	26.59	8.00	30.33	95.1	6.6	2.5	5.5
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR4(N3)	0.56	1	Surface	1	1	26.61	7.99	30.18	96.4	6.9	2.2	4.1
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR4(N3)	0.56	1	Surface	1	2	26.62	7.99	30.14	95.9	6.8	2.2	3.7
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR4(N3)	0.56	2.8	Bottom	3	1	26.59	7.99	30.33	95.3	6.8	2.4	6.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR4(N3)	0.56	2.8	Bottom	3	2	25.53	7.98	30.34	93.9	6.7	2.4	5.7
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR5(N)	0.56	1	Surface	1	1	26.50	7.99	29.93	89.9	6.2	2.3	5.6
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR5(N)	0.56	1	Surface	1	2	26.47	7.99	29.95	89.3	6.1	2.3	5.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR5(N)	0.56	4.8	Middle	2	1	26.28	7.97	30.56	87.6	6.0	2.4	4.8
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR5(N)	0.56	4.8	Middle	2	2	26.27	7.97	30.57	87.5	6.0	2.4	5.1
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR5(N)	0.56	8.5	Bottom	3	1	26.24	7.96	30.76	87.5	6.0	2.7	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR5(N)	0.56	8.5	Bottom	3	2	26.22	7.97	30.77	87.2	5.9	2.7	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10A(N)	0.61	1	Surface	1	1	26.41	8.00	30.46	89.4	6.1	2.0	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10A(N)	0.61	1	Surface	1	2	26.44	8.00	30.44	89.1	6.1	2.0	4.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10A(N)	0.61	6.6	Middle	2	1	26.20	7.98	31.14	87.6	6.0	2.2	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10A(N)	0.61	6.6	Middle	2	2	26.21	7.98	31.12	87.0	5.9	2.2	5.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10A(N)	0.61	12.1	Bottom	3	1	26.21	7.99	31.16	87.3	5.9	2.3	6.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10A(N)	0.61	12.1	Bottom	3	2	26.23	7.98	31.13	87.2	5.9	2.3	5.5
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10B(N2)	0.62	1	Surface	1	1	26.43	8.00	30.48	88.5	6.0	1.9	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10B(N2)	0.62	1	Surface	1	2	26.44	8.00	30.49	88.9	6.1	2.0	4.1
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10B(N2)	0.62	3.8	Middle	2	1	26.28	7.98	30.82	87.5	6.0	2.1	5.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10B(N2)	0.62	3.8	Middle	2	2	26.29	7.99	30.86	87.4	6.0	2.1	5.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10B(N2)	0.61	6.5	Bottom	3	1	26.24	7.99	31.06	87.3	5.9	2.2	5.8
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	SR10B(N2)	0.62	6.5	Bottom	3	2	26.27	7.98	31.01	87.3	5.9	2.2	6.2
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS2(A)	0.52	1	Surface	1	1	26.43	8.00	30.02	91.7	6.3	2.3	4.5
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS2(A)	0.52	1	Surface	1	2	26.45	8.00	29.99	91.6	6.3	2.2	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS2(A)	0.52	3.3	Middle	2	1	26.30	7.98	30.50	89.8	6.1	2.4	4.8
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS2(A)	0.52	3.3	Middle	2	2	26.27	7.98	30.49	89.5	6.1	2.5	5.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS2(A)	0.52	5.6	Bottom	3	1	26.28	7.98	30.71	89.7	6.1	2.6	5.3
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS2(A)	0.52	5.6	Bottom	3	2	26.26	7.98	30.76	89.0	6.1	2.6	5.7
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS(Mf)5	0.59	1	Surface	1	1	26.59	8.00	30.30	90.9	6.5	2.1	4.0
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS(Mf)5	0.59	1	Surface	1	2	26.59	8.00	30.30	91.9	6.5	2.0	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS(Mf)5	0.59	6.4	Middle	2	1	26.08	7.93	31.28	88.8	6.3	2.2	4.9
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS(Mf)5	0.59	6.4	Middle	2	2	26.06	7.94	31.30	88.9	6.3	2.2	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS(Mf)5	0.59	11.7	Bottom	3	1	26.09	7.94	30.52	87.6	6.2	2.3	5.3
HKLR	HY/2011/03	2023-10-30	Mid-Ebb	Fine	CS(Mf)5	0.59	11.7	Bottom	3	2	26.04	7.94	31.32	87.2	6.2	2.3	5.6
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS5	0.39	1	Surface	1	1	26.46	8.00	30.20	91.3	6.2	2.3	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS5	0.38	1	Surface	1	2	26.50	8.01	30.20	92.5	6.2	2.3	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS5	0.38	4.3	Middle	2	1	26.11	7.95	30.79	88.2	5.9	2.5	5.4
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS5	0.38	4.3	Middle	2	2	26.12	7.94	30.78	88.5	6.0	2.5	5.3

Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS5	0.38	7.5	Bottom	3	1	26.05	7.94	30.85	86.9	5.8	2.6	6.0
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS5	0.38	7.5	Bottom	3	2	26.10	7.94	30.84	87.0	5.8	2.6	5.7
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS(Mf)6	0.38	1	Surface	1	1	26.53	8.01	30.20	95.8	6.5	2.2	6.1
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS(Mf)6	0.38	1	Surface	1	2	26.52	8.01	30.18	95.6	6.4	2.2	5.7
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS(Mf)6	0.38	2.2	Bottom	3	1	26.43	7.99	30.38	95.3	6.4	2.4	5.5
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS(Mf)6	0.38	2.2	Bottom	3	2	26.47	7.99	30.35	95.2	6.4	2.4	5.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS7	0.37	1	Surface	1	1	26.55	8.00	30.22	95.1	6.4	2.2	4.7
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS7	0.37	1	Surface	1	2	26.51	8.01	30.24	94.6	6.4	2.2	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS7	0.37	2.3	Bottom	3	1	26.47	7.99	30.32	94.4	6.4	2.5	5.8
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS7	0.37	2.3	Bottom	3	2	26.43	7.98	30.39	94.0	6.3	2.4	5.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS8(N)	0.35	1	Surface	1	1	26.48	8.00	30.20	94.7	6.4	2.3	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS8(N)	0.35	1	Surface	1	2	26.51	8.00	30.20	94.2	6.4	2.3	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS8(N)	0.35	3	Bottom	3	1	26.39	7.98	30.47	93.4	6.3	2.5	5.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS8(N)	0.35	3	Bottom	3	2	26.35	7.98	30.53	92.8	6.3	2.5	4.9
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS(Mf)9	0.37	1	Surface	1	1	26.55	8.01	30.14	94.7	6.4	2.2	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS(Mf)9	0.37	1	Surface	1	2	26.53	8.01	30.20	93.9	6.3	2.3	4.8
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS(Mf)9	0.37	2.6	Bottom	3	1	26.46	7.98	30.40	93.4	6.3	2.5	5.0
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS(Mf)9	0.37	2.6	Bottom	3	2	26.37	7.98	30.35	92.6	6.2	2.4	5.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS10(N)	0.36	1	Surface	1	1	26.36	7.99	30.11	89.4	6.1	2.1	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS10(N)	0.36	1	Surface	1	2	26.40	7.99	30.09	89.2	6.1	2.2	5.0
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS10(N)	0.36	5.4	Middle	2	1	26.21	7.96	30.72	87.6	6.0	2.4	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS10(N)	0.36	5.4	Middle	2	2	26.22	7.96	30.71	87.8	6.0	2.3	4.0
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS10(N)	0.36	9.7	Bottom	3	1	26.23	7.96	30.78	87.5	6.0	2.5	3.9
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	IS10(N)	0.36	9.7	Bottom	3	2	26.21	7.96	30.82	87.6	6.0	2.6	3.6
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR3(N)	0.39	1	Surface	1	1	26.52	8.00	30.18	94.1	6.4	2.3	3.7
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR3(N)	0.39	1	Surface	1	2	26.51	8.00	30.24	93.0	6.3	2.4	3.9
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR3(N)	0.39	2.3	Bottom	3	1	26.47	7.99	30.33	92.9	6.3	2.4	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR3(N)	0.39	2.3	Bottom	3	2	26.41	7.99	30.35	91.5	6.2	2.5	4.0
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR4(N3)	0.36	1	Surface	1	1	26.50	8.00	30.16	93.0	6.3	2.2	3.8
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR4(N3)	0.35	1	Surface	1	2	26.48	8.00	30.14	93.7	6.3	2.2	3.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR4(N3)	0.36	2.9	Bottom	3	1	26.38	7.97	30.50	92.5	6.2	2.4	4.3
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR4(N3)	0.35	2.9	Bottom	3	2	26.33	7.97	30.59	92.9	6.3	2.4	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR5(N)	0.36	1	Surface	1	1	26.37	7.99	30.09	88.7	6.1	2.2	3.1
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR5(N)	0.36	1	Surface	1	2	26.37	7.99	30.09	88.6	6.1	2.2	3.4
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR5(N)	0.36	4.8	Middle	2	1	26.22	7.97	30.62	87.0	5.9	2.3	3.9
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR5(N)	0.36	4.8	Middle	2	2	26.23	7.97	30.64	87.0	6.0	2.4	3.6
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR5(N)	0.36	8.6	Bottom	3	1	26.19	7.96	30.82	86.9	5.9	2.5	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR5(N)	0.36	8.6	Bottom	3	2	26.20	7.96	30.80	86.8	5.9	2.6	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10A(N)	0.32	1	Surface	1	1	26.42	7.98	30.25	88.3	6.0	2.0	3.6
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10A(N)	0.32	1	Surface	1	2	26.45	7.98	30.24	87.9	6.0	2.0	3.8
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10A(N)	0.32	6.6	Middle	2	1	26.21	7.95	30.94	85.9	5.9	2.0	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10A(N)	0.32	6.6	Middle	2	2	26.21	7.95	30.95	86.4	5.9	2.1	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10A(N)	0.32	12.2	Bottom	3	1	26.25	7.95	31.02	86.0	5.9	2.3	4.7
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10A(N)	0.32	12.2	Bottom	3	2	26.22	7.95	31.01	86.1	5.9	2.3	4.9
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10B(N2)	0.31	1	Surface	1	1	26.45	7.98	30.24	91.6	6.3	2.0	3.7
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10B(N2)	0.31	1	Surface	1	2	26.45	7.97	30.24	91.4	6.3	2.0	3.9
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10B(N2)	0.31	3.8	Middle	2	1	26.29	7.95	30.63	88.0	6.0	2.1	4.4
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10B(N2)	0.31	3.8	Middle	2	2	26.28	7.95	30.68	88.8	6.1	2.1	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10B(N2)	0.31	6.5	Bottom	3	1	26.26	7.95	30.91	87.7	6.0	2.3	5.0
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	SR10B(N2)	0.31	6.5	Bottom	3	2	25.79	7.94	30.98	87.6	6.0	2.2	4.6
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS2(A)	0.40	1	Surface	1	1	26.37	7.99	30.09	89.1	6.1	2.3	3.9
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS2(A)	0.40	1	Surface	1	2	26.36	8.00	30.11	89.1	6.1	2.3	4.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS2(A)	0.40	3.3	Middle	2	1	26.27	7.98	30.44	88.2	6.0	2.4	3.8
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS2(A)	0.40	3.3	Middle	2	2	26.27	7.99	30.44	87.9	6.0	2.5	3.5
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS2(A)	0.40	5.6	Bottom	3	1	26.23	7.97	30.69	87.7	6.0	2.6	3.2
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS2(A)	0.40	5.6	Bottom	3	2	26.25	7.98	30.70	87.9	6.0	2.7	3.0


Water Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS(Mf)5	0.32	1	Surface	1	1	26.47	7.99	30.21	91.9	6.2	2.1	4.5
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS(Mf)5	0.32	1	Surface	1	2	26.47	7.99	30.20	92.8	6.2	2.1	4.8
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS(Mf)5	0.32	6.4	Middle	2	1	26.08	7.95	31.13	89.2	6.0	2.3	4.1
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS(Mf)5	0.32	6.4	Middle	2	2	26.11	7.95	31.12	89.4	6.0	2.3	4.3
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS(Mf)5	0.32	11.7	Bottom	3	1	25.73	7.94	31.10	87.8	5.9	2.4	3.4
HKLR	HY/2011/03	2023-10-30	Mid-Flood	Fine	CS(Mf)5	0.32	11.7	Bottom	3	2	26.12	7.95	31.18	87.2	5.8	2.5	3.8




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitue monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
2. No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
3. Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
4. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
5. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

- No. 8 Storm Signal was in force on 17 July 2023, the water quality monitoring were cancelled due to safety reasons and no substitute monitoring will be conducted.
- No.8 Storm Signal was in force on 1 Septmber 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- Black rainstorm Signal was in force on 8 September 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.