


Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2024-04-02	AMS5	08:50	1-hr TSP	66	µg/m ³
HKLR	HY/2011/03	2024-04-02	AMS5	09:50	1-hr TSP	68	µg/m ³
HKLR	HY/2011/03	2024-04-02	AMS5	10:50	1-hr TSP	68	µg/m ³
HKLR	HY/2011/03	2024-04-08	AMS5	08:45	1-hr TSP	72	µg/m ³
HKLR	HY/2011/03	2024-04-08	AMS5	09:45	1-hr TSP	66	µg/m ³
HKLR	HY/2011/03	2024-04-08	AMS5	10:45	1-hr TSP	66	µg/m ³
HKLR	HY/2011/03	2024-04-12	AMS5	08:45	1-hr TSP	72	µg/m ³
HKLR	HY/2011/03	2024-04-12	AMS5	09:45	1-hr TSP	66	µg/m ³
HKLR	HY/2011/03	2024-04-12	AMS5	10:45	1-hr TSP	66	µg/m ³
HKLR	HY/2011/03	2024-04-18	AMS5	08:56	1-hr TSP	51	µg/m ³
HKLR	HY/2011/03	2024-04-18	AMS5	09:56	1-hr TSP	36	µg/m ³
HKLR	HY/2011/03	2024-04-18	AMS5	10:56	1-hr TSP	36	µg/m ³
HKLR	HY/2011/03	2024-04-24	AMS5	08:49	1-hr TSP	77	µg/m ³
HKLR	HY/2011/03	2024-04-24	AMS5	09:49	1-hr TSP	70	µg/m ³
HKLR	HY/2011/03	2024-04-24	AMS5	10:49	1-hr TSP	70	µg/m ³
HKLR	HY/2011/03	2024-04-30	AMS5	08:44	1-hr TSP	57	µg/m ³
HKLR	HY/2011/03	2024-04-30	AMS5	09:44	1-hr TSP	51	µg/m ³
HKLR	HY/2011/03	2024-04-30	AMS5	10:44	1-hr TSP	51	µg/m ³
HKLR	HY/2011/03	2024-04-02	AMS5	08:00	24-hr TSP	42	µg/m ³
HKLR	HY/2011/03	2024-04-04	AMS5	08:00	24-hr TSP	27	µg/m ³
HKLR	HY/2011/03	2024-04-10	AMS5	08:00	24-hr TSP	61	µg/m ³
HKLR	HY/2011/03	2024-04-16	AMS5	08:00	24-hr TSP	50	µg/m ³
HKLR	HY/2011/03	2024-04-22	AMS5	08:00	24-hr TSP	26	µg/m ³
HKLR	HY/2011/03	2024-04-26	AMS5	08:00	24-hr TSP	37	µg/m ³

Remarks:


1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 1hr and 24 hr air quality monitoring at AMS6 was temporarily suspended starting from 1 April 2021.

Graphical Plot of 1-hour TSP at AMS5 and AMS6



Remark:
1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 1-hr TSP monitoring at AMS6 was temporarily suspended starting from 1 April 2021.

Air Quality Monitoring Data (24-hour)




Remarks:

- 1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 24-hr TSP monitoring at AMS6 was temporarily suspended starting from 1 April 2021.
- 2) The 24-hour TSP monitoring of 29 Mar 2024 was rescheduled to 2 April 2024 due to equipment malfunctioning.

Project	Works	Date (yyyy-mm-dd)	Station	Start Time	Wind Speed, m/s	1st set 5mins		2nd set 5mins		3rd set 5mins		4th set 5mins		5th set 5mins		6th set 5mins		Overall (30mins)*		Unit
HKLR	HY/2011/03	2024-04-02	NMS5	9:23	<5	Leq:	56.8	Leq:	55.3	Leq:	55.3	Leq:	53.4	Leq:	55.0	Leq:	53.9	Leq:	58	dB(A)
						L10:	56.9	L10:	57.4	L10:	57.1	L10:	54.9	L10:	57.6	L10:	55.8	L10:	60	
						L90:	52.5	L90:	52.2	L90:	52.1	L90:	51.2	L90:	51.7	L90:	51.9	L90:	55	
HKLR	HY/2011/03	2024-04-08	NMS5	9:07	<5	Leq:	55.4	Leq:	55.7	Leq:	56.9	Leq:	56.6	Leq:	55.5	Leq:	57.3	Leq:	59	dB(A)
						L10:	56.2	L10:	57.8	L10:	58.9	L10:	58.9	L10:	57.3	L10:	59.6	L10:	61	
						L90:	51.4	L90:	52.5	L90:	53.0	L90:	53.2	L90:	53.4	L90:	54.4	L90:	56	
HKLR	HY/2011/03	2024-04-18	NMS5	9:30	<5	Leq:	53.4	Leq:	54.1	Leq:	54.5	Leq:	53.3	Leq:	54.4	Leq:	54.2	Leq:	57	dB(A)
						L10:	54.6	L10:	55.1	L10:	55.6	L10:	54.2	L10:	55.4	L10:	54.8	L10:	58	
						L90:	52.2	L90:	52.6	L90:	53.2	L90:	52.4	L90:	52.4	L90:	52.4	L90:	56	
HKLR	HY/2011/03	2024-04-24	NMS5	9:30	<5	Leq:	57.5	Leq:	53.2	Leq:	52.4	Leq:	51.9	Leq:	51.9	Leq:	52.1	Leq:	57	dB(A)
						L10:	56.2	L10:	55.0	L10:	53.5	L10:	53.0	L10:	53.6	L10:	53.1	L10:	57	
						L90:	51.0	L90:	50.8	L90:	51.0	L90:	50.0	L90:	50.1	L90:	50.9	L90:	54	
HKLR	HY/2011/03	2024-04-30	NMS5	9:22	<5	Leq:	56.6	Leq:	57.8	Leq:	57.1	Leq:	58.2	Leq:	57.4	Leq:	56.5	Leq:	60	dB(A)
						L10:	57.6	L10:	59.4	L10:	58.9	L10:	59.8	L10:	58.8	L10:	57.8	L10:	62	
						L90:	55.3	L90:	55.8	L90:	55.2	L90:	56.4	L90:	55.7	L90:	55.0	L90:	59	

Remark:
(1)* A free field correction of +3 dB(A) was applied to the measured noise level.

Continuous Noise Monitoring Data (NMS5)



Remarks:
(1) A free field correction of +3 dB(A) was applied to the measured noise level.

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS5	16:47:40	1.0	Surface	1	1	23.78	8.10	32.60	92.2	6.3	3.1	3.0
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS5	16:48:23	1.0	Surface	1	2	23.79	8.10	32.59	91.9	6.3	3.2	2.7
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS5	16:48:05	4.3	Middle	2	1	23.43	8.08	33.27	90.8	6.2	3.4	2.2
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS5	16:47:24	4.3	Middle	2	2	23.40	8.07	33.36	90.8	6.2	3.4	2.4
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS5	16:47:12	7.5	Bottom	3	1	23.39	8.07	33.48	89.7	6.1	3.5	1.6
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS5	16:47:52	7.5	Bottom	3	2	23.46	8.08	33.41	89.5	6.1	3.6	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS(Mf)6	16:56:29	1.0	Surface	1	1	23.80	8.11	32.65	94.8	6.4	3.0	1.5
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS(Mf)6	16:56:55	1.0	Surface	1	2	23.79	8.10	32.69	94.9	6.5	2.9	1.4
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS(Mf)6	16:56:15	2.2	Bottom	3	1	23.66	8.10	32.90	93.1	6.3	3.2	2.3
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS(Mf)6	16:56:42	2.2	Bottom	3	2	23.66	8.10	32.93	94.0	6.4	3.1	2.5
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS7	17:05:51	1.0	Surface	1	1	23.76	8.10	32.75	94.1	6.4	2.8	2.6
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS7	17:06:12	1.0	Surface	1	2	23.79	8.10	32.71	95.0	6.5	2.6	2.2
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS7	17:05:59	2.3	Bottom	3	1	23.65	8.10	32.96	93.6	6.4	3.1	1.7
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS7	17:05:40	2.3	Bottom	3	2	23.58	8.10	33.04	93.6	6.4	3.1	1.9
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS8(N)	17:38:49	1.0	Surface	1	1	23.82	8.10	32.63	93.7	6.4	2.8	1.7
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS8(N)	17:38:26	1.0	Surface	1	2	23.78	8.09	32.67	92.9	6.3	2.6	1.6
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS8(N)	17:38:34	2.9	Bottom	3	1	23.66	8.09	32.93	93.0	6.3	3.2	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS8(N)	17:38:13	2.9	Bottom	3	2	23.55	8.09	33.05	91.7	6.2	3.3	2.5
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS(Mf)9	17:16:31	1.0	Surface	1	1	23.78	8.10	32.72	93.6	6.4	2.8	3.5
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS(Mf)9	17:16:08	1.0	Surface	1	2	23.78	8.11	32.70	93.6	6.4	3.0	3.2
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS(Mf)9	17:16:20	2.7	Bottom	3	1	23.60	8.10	33.03	93.2	6.3	3.1	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS(Mf)9	17:15:58	2.7	Bottom	3	2	23.58	8.09	33.04	93.4	6.4	3.1	1.9
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS10(N)	17:50:50	1.0	Surface	1	1	23.58	8.09	32.46	96.3	6.7	3.4	2.4
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS10(N)	17:51:21	1.0	Surface	1	2	23.58	8.09	32.46	96.1	6.7	3.4	2.6
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS10(N)	17:51:11	5.4	Middle	2	1	23.50	8.09	32.53	95.9	6.7	3.5	2.0
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS10(N)	17:50:34	5.4	Middle	2	2	23.50	8.11	32.53	96.0	6.7	3.4	2.0
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS10(N)	17:51:03	9.7	Bottom	3	1	23.47	8.11	32.62	95.6	6.6	3.5	1.7
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	IS10(N)	17:50:24	9.7	Bottom	3	2	23.45	8.11	32.64	96.0	6.7	3.5	1.5
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR3(N)	16:36:05	1.0	Surface	1	1	23.74	8.10	32.61	94.5	6.4	3.0	1.5
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR3(N)	16:35:49	1.0	Surface	1	2	23.76	8.10	32.58	94.1	6.4	2.8	1.3
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR3(N)	16:35:40	2.2	Bottom	3	1	23.66	8.10	32.74	93.3	6.3	3.1	0.7
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR3(N)	16:35:55	2.2	Bottom	3	2	23.70	8.10	32.69	93.6	6.4	3.1	0.8
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR4(N3)	17:28:53	1.0	Surface	1	1	23.73	8.09	32.71	93.3	6.4	2.6	1.6
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR4(N3)	17:28:27	1.0	Surface	1	2	23.79	8.10	32.64	92.9	6.3	2.7	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR4(N3)	17:28:43	3.0	Bottom	3	1	23.59	8.09	33.00	92.6	6.3	3.0	1.2
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR4(N3)	17:28:14	3.0	Bottom	3	2	23.04	8.08	32.98	92.2	6.3	3.0	1.3
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR5(N)	17:41:23	1.0	Surface	1	1	23.62	8.12	32.43	97.6	6.8	2.8	1.1
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR5(N)	17:41:58	1.0	Surface	1	2	23.58	8.11	32.46	96.9	6.7	2.8	1.3
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR5(N)	17:41:11	4.7	Middle	2	1	23.52	8.13	32.51	97.5	6.8	2.9	1.7
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR5(N)	17:41:47	4.7	Middle	2	2	23.53	8.11	32.50	96.8	6.7	2.8	1.5
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR5(N)	17:41:31	8.3	Bottom	3	1	23.54	8.12	32.54	97.0	6.7	3.4	1.7
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR5(N)	17:41:00	8.3	Bottom	3	2	23.47	8.15	32.60	97.4	6.8	3.2	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10A(N)	18:41:52	1.0	Surface	1	1	23.58	8.09	33.74	91.9	6.3	2.9	1.3
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10A(N)	18:42:37	1.0	Surface	1	2	23.58	8.09	33.74	91.4	6.2	2.8	1.2
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10A(N)	18:42:25	6.2	Middle	2	1	23.55	8.09	33.86	91.2	6.2	2.9	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10A(N)	18:41:36	6.2	Middle	2	2	23.55	8.09	33.87	91.7	6.3	3.0	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10A(N)	18:42:05	11.4	Bottom	3	1	23.55	8.09	33.88	91.5	6.3	3.4	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10A(N)	18:41:25	11.4	Bottom	3	2	23.55	8.09	33.88	91.9	6.3	3.3	2.2
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10B(N2)	18:52:05	1.0	Surface	1	1	23.58	8.09	33.75	90.8	6.2	2.5	1.2
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10B(N2)	18:51:30	1.0	Surface	1	2	23.56	8.09	33.80	91.0	6.2	2.5	1.4
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10B(N2)	18:51:21	3.7	Middle	2	1	23.55	8.09	33.86	90.9	6.2	2.6	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10B(N2)	18:51:55	3.7	Middle	2	2	23.55	8.09	33.86	90.6	6.2	2.5	1.6
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10B(N2)	18:51:11	6.3	Bottom	3	1	23.55	8.09	33.88	90.8	6.2	2.8	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	SR10B(N2)	18:51:44	6.3	Bottom	3	2	23.55	8.09	33.88	90.6	6.2	2.7	2.4
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS2(A)	16:48:34	1.0	Surface	1	1	23.35	8.12	32.45	96.8	6.8	3.5	1.2
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS2(A)	16:47:53	1.0	Surface	1	2	23.30	8.13	32.50	96.3	6.7	3.6	1.4
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS2(A)	16:47:42	3.1	Middle	2	1	23.24	8.13	32.55	95.7	6.7	3.8	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS2(A)	16:48:21	3.1	Middle	2	2	23.27	8.13	32.53	96.3	6.7	3.8	1.6
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS2(A)	16:47:35	5.2	Bottom	3	1	23.23	8.13	32.56	95.3	6.7	3.9	2.3
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS2(A)	16:48:13	5.2	Bottom	3	2	23.23	8.13	32.55	96.1	6.7	3.9	2.7
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS(Mf)5	18:21:01	1	Surface	1	1	23.78	8.10	32.73	89.7	6.1	2.6	2.6
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS(Mf)5	18:20:17	1	Surface	1	2	23.78	8.10	32.70	89.7	6.1	2.6	3.0

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS(Mf)5	18:20:00	6.3	Middle	2	1	23.21	8.05	33.88	87.2	6.0	2.6	2.4
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS(Mf)5	18:20:44	6.3	Middle	2	2	23.21	8.04	33.87	87.2	5.9	2.8	2.2
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS(Mf)5	18:19:45	11.5	Bottom	3	1	23.20	8.05	33.99	86.0	5.8	2.9	1.7
HKLR	HY/2011/03	2024-04-01	Mid-Ebb	Fine	CS(Mf)5	18:20:32	11.5	Bottom	3	2	23.24	8.03	32.36	86.2	5.9	3.0	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS5	05:33:55	1	Surface	1	1	23.73	8.10	32.79	90.4	6.1	2.9	1.3
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS5	05:33:10	1	Surface	1	2	23.73	8.10	32.79	91.2	6.1	2.8	1.5
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS5	05:32:50	4.2	Middle	2	1	23.32	8.09	33.49	87.7	5.9	3.0	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS5	05:33:36	4.2	Middle	2	2	23.33	8.09	33.47	87.7	5.9	3.1	2.3
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS5	05:33:25	7.4	Bottom	3	1	23.30	8.08	33.66	87.5	5.9	3.3	2.7
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS5	05:32:42	7.4	Bottom	3	2	23.30	8.09	33.67	87.5	5.9	3.2	3.0
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS(Mf)6	05:23:27	1.0	Surface	1	1	23.73	8.10	32.69	92.9	6.2	2.7	3.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS(Mf)6	05:23:48	1.0	Surface	1	2	23.74	8.10	32.70	93.2	6.3	2.6	3.2
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS(Mf)6	05:23:36	2.3	Bottom	3	1	23.62	8.10	32.93	92.5	6.2	3.1	2.3
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS(Mf)6	05:23:15	2.3	Bottom	3	2	23.59	8.10	32.98	92.6	6.2	3.0	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS7	05:15:38	1.0	Surface	1	1	23.77	8.10	32.68	93.7	6.3	2.8	2.4
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS7	05:15:15	1.0	Surface	1	2	23.65	8.11	32.78	94.0	6.3	2.9	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS7	05:15:24	2.2	Bottom	3	1	23.59	8.10	32.94	93.4	6.3	3.1	3.0
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS7	05:15:08	2.2	Bottom	3	2	23.54	8.10	32.98	94.2	6.3	3.1	2.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS8(N)	04:42:36	1	Surface	1	1	23.72	8.11	32.61	91.7	6.2	2.7	1.3
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS8(N)	04:43:05	1	Surface	1	2	23.69	8.11	32.64	91.5	6.2	2.6	1.5
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS8(N)	04:42:47	2.9	Bottom	3	1	23.51	8.10	33.06	91.3	6.1	2.7	2.2
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS8(N)	04:42:24	2.9	Bottom	3	2	23.46	8.10	33.09	91.2	6.1	2.9	2.5
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS(Mf)9	05:05:29	1.0	Surface	1	1	23.75	8.11	32.61	92.1	6.2	2.2	2.2
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS(Mf)9	05:05:09	1.0	Surface	1	2	23.72	8.11	32.63	92.1	6.2	2.2	2.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS(Mf)9	05:04:58	2.6	Bottom	3	1	23.54	8.10	32.90	91.8	6.2	2.4	3.3
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS(Mf)9	05:05:17	2.6	Bottom	3	2	23.57	8.10	32.97	91.5	6.2	2.5	3.7
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS10(N)	04:33:04	1.0	Surface	1	1	23.36	8.13	32.64	94.7	6.6	2.4	4.0
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS10(N)	04:33:44	1.0	Surface	1	2	23.36	8.12	32.57	94.3	6.6	2.4	3.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS10(N)	04:33:33	5.5	Middle	2	1	23.37	8.12	32.73	94.3	6.5	2.6	3.2
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS10(N)	04:32:47	5.5	Middle	2	2	23.36	8.13	32.65	94.7	6.6	2.5	3.4
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS10(N)	04:33:15	9.9	Bottom	3	1	23.36	8.12	32.67	94.3	6.6	2.8	2.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	IS10(N)	04:32:32	9.9	Bottom	3	2	23.36	8.14	32.67	94.8	6.6	2.7	3.0
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR3(N)	05:44:26	1.0	Surface	1	1	23.72	8.10	32.78	91.7	6.2	2.7	1.7
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR3(N)	05:44:47	1.0	Surface	1	2	23.74	8.10	32.74	92.3	6.2	2.6	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR3(N)	05:44:35	2.2	Bottom	3	1	23.61	8.10	32.97	91.3	6.1	3.0	2.2
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR3(N)	05:44:17	2.2	Bottom	3	2	23.58	8.09	33.01	90.9	6.1	2.9	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR4(N3)	04:51:43	1.0	Surface	1	1	23.73	8.11	32.59	91.7	6.2	2.3	1.3
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR4(N3)	04:52:05	1.0	Surface	1	2	23.74	8.10	32.60	91.4	6.1	2.2	1.1
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR4(N3)	04:51:52	2.9	Bottom	3	1	23.52	8.09	32.99	90.8	6.1	2.4	1.4
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR4(N3)	04:51:26	2.9	Bottom	3	2	23.46	8.09	33.12	90.6	6.1	2.5	1.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR5(N)	04:41:47	1.0	Surface	1	1	23.37	8.11	32.69	94.1	6.5	2.7	2.0
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR5(N)	04:42:19	1.0	Surface	1	2	23.37	8.10	32.69	94.0	6.5	2.8	2.0
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR5(N)	04:41:29	4.7	Middle	2	1	23.36	8.11	32.71	93.9	6.5	2.8	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR5(N)	04:42:08	4.7	Middle	2	2	23.36	8.10	32.70	93.9	6.5	2.9	1.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR5(N)	04:41:59	8.3	Bottom	3	1	23.36	8.11	32.70	93.8	6.5	3.2	1.5
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR5(N)	04:41:16	8.3	Bottom	3	2	23.37	8.11	32.74	93.9	6.5	3.1	1.2
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10A(N)	03:42:51	1.0	Surface	1	1	23.36	8.09	33.10	92.7	6.4	2.5	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10A(N)	03:42:09	1.0	Surface	1	2	23.37	8.09	33.12	92.5	6.4	2.4	2.0
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10A(N)	03:42:01	6.3	Middle	2	1	23.47	8.08	33.32	92.2	6.3	2.5	2.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10A(N)	03:42:41	6.3	Middle	2	2	23.46	8.08	33.29	92.3	6.4	2.6	2.3
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10A(N)	03:42:28	11.5	Bottom	3	1	23.51	8.08	33.56	92.4	6.3	2.6	2.8
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10A(N)	03:41:50	11.5	Bottom	3	2	23.51	8.08	33.54	92.3	6.3	2.5	3.2
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10B(N2)	03:33:21	1.0	Surface	1	1	23.39	8.09	33.13	92.4	6.4	2.5	1.7
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10B(N2)	03:32:33	1.0	Surface	1	2	23.37	8.09	33.12	92.5	6.4	2.5	1.9
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10B(N2)	03:33:13	3.7	Middle	2	1	23.47	8.08	33.31	92.3	6.4	2.6	2.3
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10B(N2)	03:32:26	3.7	Middle	2	2	23.46	8.09	33.28	92.2	6.3	2.5	2.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10B(N2)	03:32:18	6.3	Bottom	3	1	23.50	8.08	33.46	92.1	6.3	2.6	2.9
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	SR10B(N2)	03:33:03	6.3	Bottom	3	2	23.49	8.08	33.48	92.2	6.3	2.7	3.0
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS2(A)	05:33:20	1.0	Surface	1	1	23.39	8.14	32.38	97.2	6.8	3.1	1.4
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS2(A)	05:33:57	1.0	Surface	1	2	23.42	8.13	32.35	97.2	6.8	3.2	1.5
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS2(A)	05:33:44	3.2	Middle	2	1	23.27	8.14	32.54	96.7	6.8	3.3	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS2(A)	05:33:10	3.2	Middle	2	2	23.24	8.15	32.55	96.7	6.8	3.2	1.7

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS2(A)	05:33:04	5.4	Bottom	3	1	23.23	8.16	32.56	96.6	6.8	3.3	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS2(A)	05:33:35	5.4	Bottom	3	2	23.24	8.14	32.55	96.7	6.8	3.4	2.5
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS(Mf)5	04:03:04	1.0	Surface	1	1	23.69	8.11	32.64	91.7	6.2	2.5	1.8
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS(Mf)5	04:04:02	1.0	Surface	1	2	23.71	8.10	32.60	91.3	6.1	2.4	1.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS(Mf)5	04:03:36	6.0	Middle	2	1	23.26	8.08	33.67	89.1	6.0	2.8	2.2
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS(Mf)5	04:02:49	6.0	Middle	2	2	23.27	8.11	33.67	89.6	6.0	2.9	2.1
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS(Mf)5	04:02:36	10.9	Bottom	3	1	23.27	8.13	33.82	87.6	5.9	3.2	2.6
HKLR	HY/2011/03	2024-04-01	Mid-Flood	Fine	CS(Mf)5	04:03:21	10.9	Bottom	3	2	23.28	8.09	33.79	87.1	5.8	3.2	2.3
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS5	19:26:05	1.0	Surface	1	1	24.15	8.12	32.75	95.4	6.4	2.7	1.5
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS5	19:26:46	1.0	Surface	1	2	24.20	8.13	32.75	96.2	6.4	2.9	1.7
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS5	19:26:29	4.2	Middle	2	1	23.92	8.11	33.31	94.5	6.3	3.0	1.3
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS5	19:25:52	4.2	Middle	2	2	23.87	8.10	33.37	94.3	6.3	3.0	1.1
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS5	19:25:43	7.4	Bottom	3	1	23.87	8.10	33.43	94.2	6.3	3.1	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS5	19:26:17	7.4	Bottom	3	2	23.92	8.11	33.38	94.0	6.3	3.2	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS(Mf)6	19:35:40	1.0	Surface	1	1	24.07	8.12	32.76	96.2	6.4	2.4	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS(Mf)6	19:35:20	1.0	Surface	1	2	24.05	8.13	32.75	95.6	6.4	2.5	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS(Mf)6	19:35:30	2.2	Bottom	3	1	24.00	8.12	32.96	94.2	6.3	2.5	1.1
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS(Mf)6	19:35:09	2.2	Bottom	3	2	23.95	8.13	32.96	93.0	6.2	2.5	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS7	19:45:11	1.0	Surface	1	1	24.09	8.12	32.77	97.1	6.5	2.4	3.1
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS7	19:44:53	1.0	Surface	1	2	24.04	8.12	32.80	96.4	6.5	2.6	3.3
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS7	19:44:44	2.3	Bottom	3	1	23.92	8.12	33.06	96.1	6.4	2.9	2.2
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS7	19:44:59	2.3	Bottom	3	2	23.99	8.11	32.99	96.1	6.4	3.0	2.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS8(N)	20:17:29	1.0	Surface	1	1	24.03	8.10	32.72	94.5	6.3	2.3	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS8(N)	20:17:47	1.0	Surface	1	2	24.06	8.11	32.66	95.5	6.4	2.3	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS8(N)	20:17:35	2.9	Bottom	3	1	23.97	8.09	32.95	94.9	6.3	2.8	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS8(N)	20:17:18	2.9	Bottom	3	2	23.87	8.09	33.08	93.8	6.3	2.7	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS(Mf)9	19:54:55	1.0	Surface	1	1	24.08	8.12	32.77	96.3	6.4	2.2	<0.5
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS(Mf)9	19:54:36	1.0	Surface	1	2	24.07	8.12	32.77	95.9	6.4	2.3	<0.5
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS(Mf)9	19:54:45	2.5	Bottom	3	1	23.97	8.11	33.05	95.8	6.4	2.5	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS(Mf)9	19:54:27	2.5	Bottom	3	2	23.91	8.10	33.07	95.7	6.4	2.4	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS10(N)	20:32:46	1.0	Surface	1	1	23.37	8.08	32.66	90.4	6.3	2.8	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS10(N)	20:33:24	1.0	Surface	1	2	23.42	8.08	32.62	91.4	6.4	2.8	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS10(N)	20:33:09	5.3	Middle	2	1	22.99	8.03	33.48	90.3	6.3	2.9	0.5
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS10(N)	20:32:34	5.3	Middle	2	2	22.98	8.03	33.53	89.5	6.2	2.9	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS10(N)	20:33:00	9.5	Bottom	3	1	22.97	8.03	33.57	88.9	6.2	3.0	0.5
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	IS10(N)	20:32:25	9.5	Bottom	3	2	22.95	8.03	33.62	89.4	6.2	3.0	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR3(N)	19:16:03	1.0	Surface	1	1	24.15	8.13	32.74	97.3	6.5	2.5	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR3(N)	19:16:19	1.0	Surface	1	2	24.15	8.13	32.76	97.8	6.5	2.8	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR3(N)	19:15:54	2.2	Bottom	3	1	24.07	8.13	32.87	95.5	6.4	2.8	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR3(N)	19:16:08	2.2	Bottom	3	2	24.12	8.13	32.83	96.4	6.4	2.7	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR4(N3)	20:09:12	1.0	Surface	1	1	24.02	8.10	32.75	94.7	6.3	2.0	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR4(N3)	20:08:53	1.0	Surface	1	2	24.05	8.10	32.70	94.1	6.3	2.2	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR4(N3)	20:09:04	2.8	Bottom	3	1	23.94	8.09	33.02	93.5	6.3	2.4	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR4(N3)	20:08:42	2.8	Bottom	3	2	23.63	8.08	32.99	92.5	6.2	2.4	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR5(N)	20:23:45	1.0	Surface	1	1	23.41	8.08	32.67	93.4	6.5	2.6	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR5(N)	20:23:09	1.0	Surface	1	2	23.34	8.08	32.67	92.3	6.5	2.6	1.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR5(N)	20:23:35	4.6	Middle	2	1	23.05	8.03	33.36	89.6	6.2	3.0	1.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR5(N)	20:22:55	4.6	Middle	2	2	23.07	8.04	33.34	89.4	6.2	3.0	1.9
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR5(N)	20:22:44	8.2	Bottom	3	1	22.93	8.03	33.65	89.0	6.2	3.4	2.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR5(N)	20:23:26	8.2	Bottom	3	2	22.94	8.03	33.64	90.0	6.3	3.4	2.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10A(N)	21:24:59	1.0	Surface	1	1	23.37	8.08	33.35	93.7	6.5	2.1	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10A(N)	21:25:45	1.0	Surface	1	2	23.26	8.08	33.41	94.1	6.5	2.2	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10A(N)	21:24:45	6.3	Middle	2	1	23.04	8.07	33.95	91.7	6.4	2.4	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10A(N)	21:25:30	6.3	Middle	2	2	23.04	8.06	33.93	91.0	6.3	2.5	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10A(N)	21:24:33	11.6	Bottom	3	1	23.03	8.07	33.97	92.4	6.4	2.5	1.1
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10A(N)	21:25:16	11.6	Bottom	3	2	23.09	8.07	33.94	92.3	6.4	2.7	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10B(N2)	21:36:55	1.0	Surface	1	1	23.34	8.08	33.41	92.9	6.5	2.1	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10B(N2)	21:36:19	1.0	Surface	1	2	23.34	8.08	33.42	92.7	6.4	2.1	1.1
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10B(N2)	21:36:09	4.1	Middle	2	1	23.14	8.06	33.76	91.5	6.4	2.2	1.5
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10B(N2)	21:36:42	4.1	Middle	2	2	23.14	8.06	33.76	91.7	6.3	2.3	1.3
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10B(N2)	21:35:58	7.1	Bottom	3	1	23.05	8.06	33.92	90.6	6.3	2.6	2.1
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	SR10B(N2)	21:36:31	7.1	Bottom	3	2	23.12	8.05	33.83	90.3	6.3	2.6	2.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS2(A)	19:17:11	1.0	Surface	1	1	23.34	8.09	32.73	97.5	6.8	2.7	1.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS2(A)	19:16:37	1.0	Surface	1	2	23.35	8.09	32.73	98.3	6.9	2.7	1.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS2(A)	19:17:01	3.2	Middle	2	1	23.19	8.05	33.28	94.5	6.6	3.0	2.3
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS2(A)	19:16:25	3.2	Middle	2	2	23.08	8.06	33.27	93.8	6.6	3.2	2.0
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS2(A)	19:16:50	5.4	Bottom	3	1	23.07	8.04	33.50	95.1	6.6	3.5	2.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS2(A)	19:16:16	5.4	Bottom	3	2	23.07	8.05	33.50	94.2	6.6	3.4	2.5
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS(Mf)5	20:59:59	1	Surface	1	1	23.89	8.08	32.72	89.7	5.9	2.6	1.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS(Mf)5	20:59:18	1	Surface	1	2	23.89	8.08	32.71	88.9	5.9	2.7	1.8
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS(Mf)5	20:59:03	6.2	Middle	2	1	22.78	8.00	34.42	85.4	5.7	2.7	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS(Mf)5	20:59:43	6.2	Middle	2	2	22.78	7.99	34.41	86.0	5.7	2.2	1.6
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS(Mf)5	20:58:50	11.4	Bottom	3	1	22.73	8.00	34.51	83.7	5.6	2.9	1.1
HKLR	HY/2011/03	2024-04-03	Mid-Ebb	Fine	CS(Mf)5	20:59:32	11.4	Bottom	3	2	22.77	7.99	33.07	83.8	5.6	2.9	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS5	08:34:20	1	Surface	1	1	23.83	8.07	32.78	88.1	5.9	2.6	1.3
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS5	08:33:36	1	Surface	1	2	23.87	8.08	32.76	89.6	5.9	2.4	1.5
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS5	08:33:20	4.2	Middle	2	1	23.26	8.02	33.69	86.2	5.7	3.0	1.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS5	08:34:05	4.2	Middle	2	2	23.22	8.02	33.71	86.0	5.7	3.0	1.6
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS5	08:33:50	7.3	Bottom	3	1	23.03	8.00	34.06	85.1	5.6	3.1	2.6
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS5	08:33:12	7.3	Bottom	3	2	23.28	8.01	33.99	85.4	5.6	3.1	2.2
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS(Mf)6	08:24:47	1.0	Surface	1	1	23.95	8.10	32.78	94.0	6.2	2.4	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS(Mf)6	08:25:04	1.0	Surface	1	2	23.98	8.10	32.77	94.1	6.2	2.4	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS(Mf)6	08:24:55	2.2	Bottom	3	1	23.90	8.10	32.96	93.8	6.2	2.8	1.9
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS(Mf)6	08:24:38	2.2	Bottom	3	2	23.85	8.10	33.02	93.7	6.2	2.7	1.7
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS7	08:16:04	1.0	Surface	1	1	23.90	8.11	32.84	93.9	6.2	2.3	1.3
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS7	08:16:23	1.0	Surface	1	2	23.99	8.10	32.75	94.1	6.2	2.3	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS7	08:16:12	2.2	Bottom	3	1	23.87	8.10	32.97	93.6	6.2	2.8	1.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS7	08:15:57	2.2	Bottom	3	2	23.81	8.10	33.00	94.1	6.2	2.7	1.6
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS8(N)	07:41:33	1	Surface	1	1	23.90	8.11	32.70	91.5	6.1	2.3	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS8(N)	07:42:01	1	Surface	1	2	23.84	8.10	32.74	91.5	6.1	2.2	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS8(N)	07:41:43	3.0	Bottom	3	1	23.73	8.09	33.11	91.6	6.1	2.4	1.9
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS8(N)	07:41:22	3.0	Bottom	3	2	23.74	8.10	33.14	90.3	6.0	2.4	1.7
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS(Mf)9	08:06:13	1.0	Surface	1	1	24.03	8.11	32.70	93.1	6.2	2.1	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS(Mf)9	08:05:57	1.0	Surface	1	2	24.01	8.12	32.72	92.7	6.2	2.0	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS(Mf)9	08:05:48	2.6	Bottom	3	1	23.83	8.12	32.94	91.0	6.0	2.5	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS(Mf)9	08:06:04	2.6	Bottom	3	2	23.94	8.11	32.97	91.7	6.1	2.5	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS10(N)	08:23:11	1.0	Surface	1	1	23.20	8.07	32.71	93.2	6.6	2.6	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS10(N)	08:23:46	1.0	Surface	1	2	23.23	8.07	32.71	92.8	6.5	2.6	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS10(N)	08:22:56	5.3	Middle	2	1	22.99	8.04	33.31	91.1	6.4	2.9	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS10(N)	08:23:34	5.3	Middle	2	2	22.96	8.03	33.36	90.6	6.3	3.0	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS10(N)	08:23:24	9.5	Bottom	3	1	23.02	8.03	33.48	91.0	6.3	3.3	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	IS10(N)	08:22:46	9.5	Bottom	3	2	22.98	8.03	33.44	91.4	6.4	3.2	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR3(N)	08:45:22	1.0	Surface	1	1	23.89	8.08	32.76	90.7	6.0	2.5	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR3(N)	08:45:39	1.0	Surface	1	2	23.94	8.10	32.71	91.5	6.1	2.3	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR3(N)	08:45:15	2.2	Bottom	3	1	23.73	8.06	33.09	88.7	5.9	2.6	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR3(N)	08:45:30	2.2	Bottom	3	2	23.85	8.08	33.01	89.8	6.0	2.5	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR4(N3)	07:51:31	1.0	Surface	1	1	23.92	8.10	32.69	91.9	6.1	2.1	1.6
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR4(N3)	07:51:11	1.0	Surface	1	2	23.85	8.10	32.70	92.1	6.1	2.3	1.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR4(N3)	07:51:18	2.9	Bottom	3	1	23.72	8.08	33.06	91.4	6.1	2.3	2.4
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR4(N3)	07:50:59	2.9	Bottom	3	2	23.69	8.09	33.15	91.5	6.1	2.4	2.0
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR5(N)	08:34:49	1.0	Surface	1	1	23.16	8.08	32.73	90.6	6.4	2.8	2.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR5(N)	08:34:12	1.0	Surface	1	2	23.17	8.07	32.73	90.8	6.4	2.7	2.6
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR5(N)	08:34:02	4.6	Middle	2	1	23.00	8.05	33.28	89.8	6.3	3.0	1.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR5(N)	08:34:38	4.6	Middle	2	2	22.99	8.05	33.27	89.3	6.2	3.0	1.7
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR5(N)	08:33:52	8.2	Bottom	3	1	22.90	8.03	33.54	89.9	6.3	3.3	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR5(N)	08:34:29	8.2	Bottom	3	2	22.93	8.03	33.52	89.5	6.2	3.3	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10A(N)	07:27:32	1.0	Surface	1	1	23.22	8.06	33.10	92.4	6.5	2.2	1.5
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10A(N)	07:26:51	1.0	Surface	1	2	23.34	8.07	32.94	91.0	6.4	2.3	1.3
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10A(N)	07:27:13	6.4	Middle	2	1	23.04	8.02	33.68	89.0	6.2	2.5	1.9
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10A(N)	07:26:35	6.4	Middle	2	2	23.04	8.02	33.68	89.6	6.2	2.6	1.7
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10A(N)	07:27:05	11.7	Bottom	3	1	23.12	8.02	33.74	89.8	6.2	2.8	2.1
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10A(N)	07:26:26	11.7	Bottom	3	2	23.03	8.01	33.74	90.1	6.3	2.9	2.3
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10B(N2)	07:17:42	1.0	Surface	1	1	23.37	8.08	32.93	97.8	6.8	2.2	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10B(N2)	07:16:59	1.0	Surface	1	2	23.37	8.05	32.95	97.5	6.8	2.3	0.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10B(N2)	07:16:35	4.1	Middle	2	1	23.15	8.02	33.42	94.8	6.6	2.6	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10B(N2)	07:17:26	4.1	Middle	2	2	23.16	8.03	33.23	92.7	6.5	2.4	1.2
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10B(N2)	07:17:17	7.1	Bottom	3	1	23.05	8.03	33.65	91.4	6.4	2.9	1.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	SR10B(N2)	07:16:24	7.1	Bottom	3	2	23.04	8.03	33.68	91.6	6.4	2.7	1.6
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS2(A)	09:21:01	1.0	Surface	1	1	23.21	8.07	32.70	92.2	6.5	2.7	1.4
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS2(A)	09:20:24	1.0	Surface	1	2	23.19	8.08	32.72	91.7	6.5	2.6	1.5
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS2(A)	09:20:48	3.2	Middle	2	1	23.08	8.06	32.95	91.2	6.4	3.0	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS2(A)	09:20:15	3.2	Middle	2	2	23.09	8.07	32.96	91.0	6.4	3.0	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS2(A)	09:20:03	5.4	Bottom	3	1	23.00	8.05	33.31	90.8	6.4	3.2	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS2(A)	09:20:39	5.4	Bottom	3	2	23.04	8.05	33.30	91.1	6.4	3.2	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS(Mf)5	07:11:05	1.0	Surface	1	1	23.70	8.07	32.70	90.1	6.0	2.2	0.6
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS(Mf)5	07:11:55	1.0	Surface	1	2	23.71	8.07	32.66	90.5	5.9	2.2	0.7
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS(Mf)5	07:11:34	6.0	Middle	2	1	23.23	8.04	33.64	87.3	5.8	2.4	0.9
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS(Mf)5	07:10:50	6.0	Middle	2	2	23.28	8.06	33.60	88.3	5.8	2.6	0.8
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS(Mf)5	07:10:38	11.0	Bottom	3	1	23.32	8.07	33.83	86.0	5.7	2.8	1.3
HKLR	HY/2011/03	2024-04-03	Mid-Flood	Fine	CS(Mf)5	07:11:22	11.0	Bottom	3	2	23.16	8.04	33.89	86.3	5.7	2.8	1.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS5	10:02:44	1.0	Surface	1	1	23.98	8.15	32.54	93.9	6.3	2.4	2.5
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS5	10:03:21	1.0	Surface	1	2	24.03	8.15	32.52	94.4	6.4	2.5	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS5	10:03:06	4.2	Middle	2	1	23.76	8.13	33.39	92.9	6.3	2.7	1.0
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS5	10:02:32	4.2	Middle	2	2	23.72	8.12	33.49	92.7	6.2	2.7	1.8
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS5	10:02:22	7.4	Bottom	3	1	23.73	8.13	33.64	92.3	6.2	2.8	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS5	10:02:56	7.4	Bottom	3	2	23.77	8.13	33.60	92.5	6.2	2.9	0.9
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS(Mf)6	10:12:53	1.0	Surface	1	1	23.98	8.15	32.62	96.1	6.5	2.4	1.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS(Mf)6	10:12:34	1.0	Surface	1	2	23.97	8.16	32.61	95.4	6.4	2.4	1.8
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS(Mf)6	10:12:43	2.2	Bottom	3	1	23.92	8.15	32.85	94.5	6.4	2.6	1.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS(Mf)6	10:12:24	2.2	Bottom	3	2	23.85	8.16	32.87	93.3	6.3	2.6	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS7	10:22:18	1.0	Surface	1	1	23.98	8.15	32.62	96.0	6.5	2.2	1.9
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS7	10:22:00	1.0	Surface	1	2	23.93	8.15	32.65	95.5	6.4	2.4	1.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS7	10:21:52	2.2	Bottom	3	1	23.86	8.15	32.90	95.3	6.4	2.6	1.7
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS7	10:22:06	2.2	Bottom	3	2	23.90	8.14	32.80	95.3	6.4	2.6	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS8(N)	10:54:57	1.0	Surface	1	1	23.88	8.14	32.66	93.3	6.3	2.4	3.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS8(N)	10:55:15	1.0	Surface	1	2	23.93	8.15	32.59	94.1	6.4	2.4	2.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS8(N)	10:55:05	2.9	Bottom	3	1	23.86	8.13	32.84	93.4	6.3	2.7	1.8
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS8(N)	10:54:47	2.9	Bottom	3	2	23.71	8.13	33.14	92.4	6.2	2.7	1.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS(Mf)9	10:32:08	1.0	Surface	1	1	24.03	8.16	32.59	96.5	6.5	2.1	1.7
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS(Mf)9	10:31:48	1.0	Surface	1	2	24.02	8.16	32.59	96.1	6.5	2.1	2.7
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS(Mf)9	10:31:58	2.5	Bottom	3	1	23.95	8.15	32.80	96.0	6.5	2.5	2.6
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS(Mf)9	10:31:40	2.5	Bottom	3	2	23.91	8.14	32.81	95.9	6.5	2.4	1.8
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS10(N)	11:04:23	1.0	Surface	1	1	23.39	8.18	32.37	88.0	6.1	3.0	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS10(N)	11:05:01	1.0	Surface	1	2	23.44	8.18	32.34	89.1	6.2	3.0	1.5
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS10(N)	11:04:46	5.2	Middle	2	1	23.05	8.13	33.50	87.7	6.1	3.3	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS10(N)	11:04:11	5.2	Middle	2	2	23.04	8.14	33.52	87.0	6.0	3.3	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS10(N)	11:04:37	9.4	Bottom	3	1	23.04	8.13	33.62	86.4	6.0	3.5	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	IS10(N)	11:04:02	9.4	Bottom	3	2	23.03	8.13	33.62	86.9	6.0	3.4	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR3(N)	09:50:57	1.0	Surface	1	1	24.04	8.16	32.53	97.1	6.5	2.7	1.7
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR3(N)	09:50:41	1.0	Surface	1	2	24.04	8.17	32.52	96.4	6.5	2.5	2.0
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR3(N)	09:50:30	2.2	Bottom	3	1	23.98	8.17	32.65	95.1	6.4	2.8	1.8
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR3(N)	09:50:46	2.2	Bottom	3	2	24.02	8.16	32.59	95.8	6.5	2.7	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR4(N3)	10:46:08	1.0	Surface	1	1	23.92	8.13	32.56	93.5	6.3	2.5	1.0
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR4(N3)	10:45:50	1.0	Surface	1	2	23.94	8.13	32.54	93.0	6.3	2.6	2.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR4(N3)	10:46:00	2.8	Bottom	3	1	23.87	8.12	32.85	92.7	6.3	2.7	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR4(N3)	10:45:39	2.8	Bottom	3	2	23.69	8.12	32.87	91.8	6.2	2.8	1.5
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR5(N)	10:55:04	1.0	Surface	1	1	23.41	8.18	32.35	90.2	6.3	2.6	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR5(N)	10:54:28	1.0	Surface	1	2	23.37	8.18	32.36	89.5	6.2	2.6	0.7
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR5(N)	10:54:54	4.6	Middle	2	1	23.10	8.14	33.34	87.2	6.0	3.1	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR5(N)	10:54:15	4.6	Middle	2	2	23.10	8.15	33.32	87.0	6.0	3.2	1.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR5(N)	10:54:43	8.2	Bottom	3	1	23.02	8.13	33.69	87.5	6.1	3.7	2.2
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR5(N)	10:54:04	8.2	Bottom	3	2	22.99	8.14	33.70	86.8	6.0	3.6	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10A(N)	11:57:51	1.0	Surface	1	1	23.33	8.19	33.49	90.4	6.3	2.1	1.7
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10A(N)	11:58:37	1.0	Surface	1	2	23.25	8.19	33.55	91.1	6.3	2.2	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10A(N)	11:57:37	6.4	Middle	2	1	23.03	8.18	34.22	88.7	6.1	2.4	1.5
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10A(N)	11:58:20	6.4	Middle	2	2	23.06	8.17	34.10	88.2	6.1	2.5	1.7

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10A(N)	11:57:25	11.8	Bottom	3	1	23.03	8.18	34.25	89.1	6.2	2.6	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10A(N)	11:58:08	11.8	Bottom	3	2	23.10	8.18	34.10	88.9	6.1	2.7	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10B(N2)	12:09:44	1.0	Surface	1	1	23.31	8.18	33.56	90.0	6.2	2.2	0.6
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10B(N2)	12:09:08	1.0	Surface	1	2	23.32	8.18	33.54	89.8	6.2	2.2	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10B(N2)	12:08:57	3.8	Middle	2	1	23.16	8.17	33.88	88.7	6.1	2.3	1.7
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10B(N2)	12:09:31	3.8	Middle	2	2	23.15	8.17	33.88	88.8	6.1	2.4	1.9
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10B(N2)	12:08:46	6.6	Bottom	3	1	23.08	8.17	34.06	88.2	6.1	2.7	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	SR10B(N2)	12:09:20	6.6	Bottom	3	2	23.14	8.16	33.98	88.2	6.1	2.7	2.1
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS2(A)	10:01:25	1.0	Surface	1	1	23.35	8.19	32.41	93.9	6.5	2.6	1.5
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS2(A)	10:00:53	1.0	Surface	1	2	23.34	8.19	32.44	94.6	6.6	2.6	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS2(A)	10:01:15	3.3	Middle	2	1	23.18	8.16	33.21	91.4	6.3	3.0	1.5
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS2(A)	10:00:42	3.3	Middle	2	2	23.11	8.17	33.22	91.1	6.3	3.2	1.5
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS2(A)	10:01:05	5.6	Bottom	3	1	23.11	8.15	33.49	91.5	6.3	3.4	1.7
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS2(A)	10:00:32	5.6	Bottom	3	2	23.09	8.17	33.50	91.0	6.3	3.4	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS(Mf)5	11:36:56	1	Surface	1	1	23.80	8.13	32.53	88.1	5.9	2.3	2.2
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS(Mf)5	11:36:15	1	Surface	1	2	23.81	8.13	32.50	87.9	5.9	2.3	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS(Mf)5	11:36:01	6.2	Middle	2	1	23.03	8.06	34.07	84.8	5.7	2.4	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS(Mf)5	11:36:40	6.2	Middle	2	2	23.02	8.05	34.07	85.1	5.7	2.1	1.7
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS(Mf)5	11:35:48	11.4	Bottom	3	1	22.87	8.05	34.66	83.5	5.6	2.6	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Ebb	Fine	CS(Mf)5	11:36:29	11.4	Bottom	3	2	22.92	8.05	33.66	83.6	5.6	2.6	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS5	05:41:17	1	Surface	1	1	23.71	8.12	32.62	88.2	5.9	2.5	0.8
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS5	05:40:35	1	Surface	1	2	23.71	8.14	32.61	89.6	6.0	2.4	2.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS5	05:40:21	4.2	Middle	2	1	23.26	8.08	33.71	86.4	5.8	2.8	1.1
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS5	05:41:03	4.2	Middle	2	2	23.23	8.08	33.73	86.2	5.8	2.8	1.5
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS5	05:40:49	7.4	Bottom	3	1	23.15	8.07	34.09	85.6	5.7	3.0	1.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS5	05:40:12	7.4	Bottom	3	2	23.25	8.08	34.07	85.5	5.7	3.0	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS(Mf)6	05:30:26	1.0	Surface	1	1	23.78	8.14	32.61	92.7	6.2	2.3	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS(Mf)6	05:30:36	1.0	Surface	1	2	23.80	8.14	32.63	92.9	6.2	2.3	1.8
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS(Mf)6	05:30:31	2.2	Bottom	3	1	23.75	8.14	32.83	92.6	6.2	2.6	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS(Mf)6	05:30:19	2.2	Bottom	3	2	23.70	8.14	32.92	92.6	6.2	2.6	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS7	05:21:44	1.0	Surface	1	1	23.72	8.14	32.66	92.3	6.2	2.2	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS7	05:22:02	1.0	Surface	1	2	23.79	8.14	32.58	92.5	6.2	2.1	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS7	05:21:51	2.2	Bottom	3	1	23.71	8.13	32.82	92.0	6.2	2.5	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS7	05:21:36	2.2	Bottom	3	2	23.67	8.13	32.85	92.7	6.2	2.5	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS8(N)	04:48:25	1	Surface	1	1	23.72	8.14	32.51	90.3	6.1	2.3	2.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS8(N)	04:48:53	1	Surface	1	2	23.69	8.14	32.53	90.1	6.1	2.2	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS8(N)	04:48:34	3.0	Bottom	3	1	23.62	8.12	32.99	90.0	6.0	2.4	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS8(N)	04:48:12	3.0	Bottom	3	2	23.61	8.13	33.07	89.5	6.0	2.5	0.9
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS(Mf)9	05:12:11	1.0	Surface	1	1	23.84	8.15	32.50	92.3	6.2	1.9	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS(Mf)9	05:11:55	1.0	Surface	1	2	23.82	8.15	32.51	92.0	6.2	1.9	1.1
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS(Mf)9	05:11:46	2.5	Bottom	3	1	23.72	8.15	32.73	90.9	6.1	2.3	1.5
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS(Mf)9	05:12:02	2.5	Bottom	3	2	23.78	8.14	32.74	91.3	6.1	2.3	0.9
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS10(N)	05:30:23	1.0	Surface	1	1	23.27	8.17	32.59	90.0	6.3	2.6	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS10(N)	05:31:02	1.0	Surface	1	2	23.28	8.16	32.60	89.9	6.3	2.6	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS10(N)	05:30:49	5.3	Middle	2	1	23.03	8.17	33.39	87.8	6.1	3.0	2.1
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS10(N)	05:30:08	5.3	Middle	2	2	23.06	8.18	33.33	88.0	6.1	3.0	2.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS10(N)	05:30:39	9.5	Bottom	3	1	23.06	8.17	33.54	87.9	6.1	3.4	2.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	IS10(N)	05:29:58	9.5	Bottom	3	2	23.04	8.17	33.51	88.0	6.1	3.3	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR3(N)	05:51:30	1.0	Surface	1	1	23.78	8.13	32.64	91.0	6.1	2.6	1.5
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR3(N)	05:51:47	1.0	Surface	1	2	23.80	8.15	32.60	91.6	6.2	2.5	0.8
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR3(N)	05:51:38	2.3	Bottom	3	1	23.75	8.13	32.84	90.5	6.1	2.7	2.7
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR3(N)	05:51:21	2.3	Bottom	3	2	23.66	8.12	32.93	89.7	6.0	2.8	1.7
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR4(N3)	04:58:16	1.0	Surface	1	1	23.74	8.12	32.47	90.3	6.1	2.1	1.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR4(N3)	04:57:57	1.0	Surface	1	2	23.69	8.12	32.45	90.5	6.1	2.1	0.9
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR4(N3)	04:58:04	2.9	Bottom	3	1	23.61	8.10	32.91	89.6	6.0	2.2	2.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR4(N3)	04:57:46	2.9	Bottom	3	2	23.59	8.12	32.96	90.3	6.1	2.3	2.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR5(N)	05:41:53	1.0	Surface	1	1	23.23	8.17	32.63	88.3	6.2	2.6	2.5
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR5(N)	05:41:12	1.0	Surface	1	2	23.24	8.16	32.63	88.3	6.2	2.6	1.7
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR5(N)	05:41:41	4.6	Middle	2	1	23.07	8.18	33.26	86.8	6.0	2.9	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR5(N)	05:41:01	4.6	Middle	2	2	23.08	8.18	33.28	87.2	6.1	2.9	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR5(N)	05:40:49	8.2	Bottom	3	1	22.98	8.16	33.62	87.2	6.1	3.3	0.9
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR5(N)	05:41:30	8.2	Bottom	3	2	23.01	8.16	33.57	86.9	6.0	3.4	1.3

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10A(N)	04:33:37	1.0	Surface	1	1	23.29	8.18	32.87	89.0	6.2	2.0	0.9
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10A(N)	04:32:55	1.0	Surface	1	2	23.35	8.16	32.76	88.4	6.2	2.1	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10A(N)	04:32:39	6.5	Middle	2	1	23.07	8.16	33.68	87.0	6.0	2.4	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10A(N)	04:33:19	6.5	Middle	2	2	23.06	8.16	33.70	86.3	6.0	2.3	2.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10A(N)	04:33:09	11.9	Bottom	3	1	23.14	8.16	33.82	87.1	6.0	2.8	1.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10A(N)	04:32:29	11.9	Bottom	3	2	23.07	8.15	33.80	87.1	6.0	2.9	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10B(N2)	04:23:41	1.0	Surface	1	1	23.38	8.17	32.76	94.2	6.5	2.0	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10B(N2)	04:22:59	1.0	Surface	1	2	23.36	8.18	32.78	93.7	6.5	2.1	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10B(N2)	04:22:39	3.9	Middle	2	1	23.18	8.16	33.30	91.2	6.3	2.4	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10B(N2)	04:23:26	3.9	Middle	2	2	23.19	8.17	33.17	89.4	6.2	2.3	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10B(N2)	04:23:16	6.7	Bottom	3	1	23.11	8.17	33.61	88.4	6.1	2.7	1.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	SR10B(N2)	04:22:28	6.7	Bottom	3	2	23.08	8.16	33.63	88.5	6.1	2.5	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS2(A)	06:32:39	1.0	Surface	1	1	23.26	8.21	32.60	89.7	6.3	2.7	1.4
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS2(A)	06:32:01	1.0	Surface	1	2	23.24	8.16	32.63	89.3	6.2	2.6	1.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS2(A)	06:32:25	3.3	Middle	2	1	23.13	8.19	32.98	88.5	6.2	3.0	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS2(A)	06:31:51	3.3	Middle	2	2	23.13	8.18	32.95	88.5	6.2	3.0	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS2(A)	06:31:39	5.5	Bottom	3	1	23.04	8.18	33.39	88.2	6.1	3.3	1.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS2(A)	06:32:16	5.5	Bottom	3	2	23.10	8.18	33.37	88.2	6.1	3.3	0.9
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS(Mf)5	04:10:03	1.0	Surface	1	1	23.58	8.13	32.52	88.5	6.0	2.0	1.8
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS(Mf)5	04:10:52	1.0	Surface	1	2	23.62	8.13	32.47	88.9	5.9	2.0	1.3
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS(Mf)5	04:10:33	6.1	Middle	2	1	23.23	8.10	33.61	85.9	5.8	2.1	2.0
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS(Mf)5	04:09:49	6.1	Middle	2	2	23.21	8.11	33.64	86.8	5.8	2.3	1.6
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS(Mf)5	04:10:20	11.2	Bottom	3	1	23.13	8.10	34.25	84.8	5.6	2.5	2.2
HKLR	HY/2011/03	2024-04-05	Mid-Flood	Fine	CS(Mf)5	04:09:34	11.2	Bottom	3	2	23.22	8.11	34.15	84.8	5.7	2.5	1.9
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS5	11:41:33	1.0	Surface	1	1	24.50	8.21	29.25	95.3	6.5	2.6	6.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS5	11:42:10	1.0	Surface	1	2	24.55	8.21	29.24	96.1	6.5	2.7	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS5	11:41:56	4.2	Middle	2	1	24.35	8.19	29.79	94.5	6.4	2.9	6.6
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS5	11:41:22	4.2	Middle	2	2	24.31	8.18	29.85	94.4	6.4	2.9	6.4
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS5	11:41:13	7.4	Bottom	3	1	24.32	8.19	29.93	94.4	6.4	3.0	6.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS5	11:41:46	7.4	Bottom	3	2	24.35	8.19	29.91	94.4	6.4	3.1	6.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS(Mf)6	11:51:57	1.0	Surface	1	1	24.46	8.21	29.25	97.0	6.6	2.5	7.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS(Mf)6	11:51:40	1.0	Surface	1	2	24.44	8.22	29.25	96.1	6.5	2.5	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS(Mf)6	11:51:49	2.2	Bottom	3	1	24.42	8.21	29.41	95.1	6.5	2.7	6.4
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS(Mf)6	11:51:31	2.2	Bottom	3	2	24.36	8.22	29.44	93.8	6.4	2.7	6.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS7	12:01:40	1.0	Surface	1	1	24.47	8.21	29.25	97.4	6.6	2.5	6.4
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS7	12:01:23	1.0	Surface	1	2	24.43	8.21	29.28	97.0	6.6	2.6	6.4
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS7	12:01:15	2.2	Bottom	3	1	24.38	8.21	29.46	96.6	6.6	2.8	6.9
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS7	12:01:30	2.2	Bottom	3	2	24.42	8.20	29.39	96.7	6.6	2.9	6.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS8(N)	12:34:27	1.0	Surface	1	1	24.41	8.19	29.28	94.4	6.4	2.5	6.1
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS8(N)	12:34:44	1.0	Surface	1	2	24.44	8.20	29.22	95.2	6.5	2.4	6.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS8(N)	12:34:35	2.9	Bottom	3	1	24.39	8.18	29.43	94.6	6.4	2.8	5.8
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS8(N)	12:34:18	2.9	Bottom	3	2	24.29	8.18	29.61	93.8	6.4	2.7	5.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS(Mf)9	12:11:35	1.0	Surface	1	1	24.50	8.22	29.27	97.2	6.6	2.2	5.9
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS(Mf)9	12:11:16	1.0	Surface	1	2	24.49	8.21	29.27	96.7	6.6	2.3	6.3
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS(Mf)9	12:11:24	2.5	Bottom	3	1	24.45	8.21	29.44	96.7	6.6	2.6	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS(Mf)9	12:11:08	2.5	Bottom	3	2	24.40	8.19	29.45	96.4	6.6	2.5	6.6
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS10(N)	12:41:38	1.0	Surface	1	1	24.38	8.19	29.04	89.5	6.3	2.9	8.5
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS10(N)	12:42:16	1.0	Surface	1	2	24.43	8.19	29.02	90.4	6.3	3.0	8.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS10(N)	12:42:02	5.3	Middle	2	1	24.03	8.15	29.90	89.1	6.2	3.2	8.6
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS10(N)	12:41:26	5.3	Middle	2	2	24.02	8.15	29.91	88.5	6.2	3.2	8.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS10(N)	12:41:54	9.5	Bottom	3	1	24.03	8.15	29.99	87.9	6.1	3.4	8.6
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	IS10(N)	12:41:17	9.5	Bottom	3	2	24.02	8.15	29.99	88.4	6.2	3.3	8.8
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR3(N)	11:30:39	1.0	Surface	1	1	24.54	8.22	29.21	97.2	6.6	2.7	6.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR3(N)	11:30:56	1.0	Surface	1	2	24.55	8.22	29.23	98.1	6.7	2.9	6.3
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR3(N)	11:30:28	2.2	Bottom	3	1	24.49	8.22	29.30	95.6	6.5	2.9	5.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR3(N)	11:30:44	2.2	Bottom	3	2	24.53	8.22	29.28	96.6	6.6	2.8	6.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR4(N3)	12:25:48	1.0	Surface	1	1	24.42	8.19	29.23	94.6	6.5	2.3	6.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR4(N3)	12:25:32	1.0	Surface	1	2	24.43	8.18	29.21	94.1	6.4	2.5	7.1
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR4(N3)	12:25:40	2.8	Bottom	3	1	24.39	8.18	29.44	93.6	6.4	2.6	7.5
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR4(N3)	12:25:21	2.8	Bottom	3	2	24.28	8.17	29.45	92.6	6.3	2.6	7.9
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR5(N)	12:32:17	1.0	Surface	1	1	24.39	8.20	29.05	92.1	6.5	2.6	8.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR5(N)	12:31:41	1.0	Surface	1	2	24.36	8.21	29.04	91.2	6.4	2.7	7.7

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR5(N)	12:32:07	4.6	Middle	2	1	24.08	8.16	29.76	88.6	6.2	3.2	8.6
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR5(N)	12:31:27	4.6	Middle	2	2	24.10	8.17	29.75	88.5	6.2	3.2	8.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR5(N)	12:31:56	8.1	Bottom	3	1	24.01	8.15	30.03	89.0	6.2	3.7	8.9
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR5(N)	12:31:16	8.1	Bottom	3	2	23.99	8.16	30.04	88.4	6.2	3.6	9.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10A(N)	13:33:59	1.0	Surface	1	1	24.33	8.21	29.80	91.7	6.4	2.2	7.9
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10A(N)	13:34:46	1.0	Surface	1	2	24.24	8.21	29.84	91.9	6.4	2.3	8.1
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10A(N)	13:33:45	6.4	Middle	2	1	24.04	8.19	30.44	90.1	6.3	2.5	7.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10A(N)	13:34:28	6.4	Middle	2	2	24.06	8.19	30.36	89.4	6.2	2.6	7.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10A(N)	13:33:33	11.7	Bottom	3	1	24.04	8.19	30.47	90.6	6.3	2.7	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10A(N)	13:34:15	11.7	Bottom	3	2	24.10	8.19	30.38	90.4	6.3	2.8	6.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10B(N2)	13:45:45	1.0	Surface	1	1	24.31	8.20	29.86	91.3	6.3	2.2	8.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10B(N2)	13:45:07	1.0	Surface	1	2	24.31	8.20	29.86	91.2	6.3	2.2	7.9
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10B(N2)	13:44:56	3.9	Middle	2	1	24.15	8.18	30.18	89.9	6.3	2.4	7.5
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10B(N2)	13:45:32	3.9	Middle	2	2	24.15	8.18	30.18	90.0	6.2	2.4	7.2
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10B(N2)	13:44:44	6.7	Bottom	3	1	24.07	8.18	30.33	89.3	6.2	2.7	6.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	SR10B(N2)	13:45:19	6.7	Bottom	3	2	24.14	8.18	30.26	89.1	6.2	2.7	6.3
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS2(A)	11:40:19	1.0	Surface	1	1	24.32	8.22	29.11	95.7	6.7	2.7	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS2(A)	11:39:45	1.0	Surface	1	2	24.32	8.22	29.12	96.3	6.8	2.7	6.8
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS2(A)	11:40:08	3.3	Middle	2	1	24.17	8.18	29.69	93.4	6.5	3.3	6.3
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS2(A)	11:39:33	3.3	Middle	2	2	24.08	8.19	29.69	93.0	6.5	3.5	6.5
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS2(A)	11:39:57	5.5	Bottom	3	1	24.08	8.17	29.91	93.6	6.5	3.6	6.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS2(A)	11:39:24	5.5	Bottom	3	2	24.08	8.18	29.92	92.9	6.5	3.6	5.6
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS(Mf)5	13:13:58	1	Surface	1	1	24.29	8.18	29.22	89.6	6.1	2.5	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS(Mf)5	13:13:18	1	Surface	1	2	24.30	8.18	29.21	89.1	6.1	2.5	6.7
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS(Mf)5	13:13:04	6.2	Middle	2	1	23.46	8.10	30.56	86.1	5.9	2.7	6.0
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS(Mf)5	13:13:43	6.2	Middle	2	2	23.45	8.09	30.56	86.5	5.9	2.2	6.3
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS(Mf)5	13:13:33	11.4	Bottom	3	1	23.38	8.10	30.06	84.9	5.8	2.8	5.8
HKLR	HY/2011/03	2024-04-08	Mid-Ebb	Fine	CS(Mf)5	13:12:52	11.4	Bottom	3	2	23.35	8.10	30.87	84.8	5.8	2.8	6.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS5	08:01:08	1	Surface	1	1	24.20	8.17	29.24	88.8	6.0	2.6	5.5
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS5	08:00:25	1	Surface	1	2	24.22	8.18	29.21	90.3	6.1	2.5	5.8
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS5	08:00:12	4.2	Middle	2	1	23.77	8.12	30.06	87.2	5.9	3.0	6.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS5	08:00:55	4.2	Middle	2	2	23.73	8.11	30.09	87.1	5.9	3.0	6.3
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS5	08:00:39	7.3	Bottom	3	1	23.60	8.10	30.38	86.2	5.8	3.1	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS5	08:00:03	7.3	Bottom	3	2	23.78	8.11	30.35	86.3	5.8	3.2	6.6
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS(Mf)6	07:50:32	1.0	Surface	1	1	24.30	8.19	29.24	93.9	6.4	2.4	5.9
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS(Mf)6	07:50:44	1.0	Surface	1	2	24.32	8.19	29.25	94.1	6.4	2.5	6.1
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS(Mf)6	07:50:38	2.2	Bottom	3	1	24.28	8.19	29.39	93.8	6.4	2.7	6.4
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS(Mf)6	07:50:23	2.2	Bottom	3	2	24.25	8.19	29.46	93.5	6.3	2.7	6.2
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS7	07:42:04	1.0	Surface	1	1	24.27	8.19	29.28	93.1	6.3	2.3	6.3
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS7	07:42:21	1.0	Surface	1	2	24.32	8.19	29.21	93.5	6.3	2.3	6.8
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS7	07:42:11	2.2	Bottom	3	1	24.26	8.19	29.39	93.0	6.3	2.7	6.9
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS7	07:41:56	2.2	Bottom	3	2	24.23	8.18	29.41	93.3	6.3	2.7	7.2
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS8(N)	07:08:30	1	Surface	1	1	24.21	8.19	29.20	91.8	6.3	2.2	7.8
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS8(N)	07:08:03	1	Surface	1	2	24.25	8.19	29.18	91.6	6.2	2.3	7.7
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS8(N)	07:08:11	3.0	Bottom	3	1	24.17	8.17	29.52	91.6	6.2	2.5	7.4
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS8(N)	07:07:52	3.0	Bottom	3	2	24.17	8.18	29.57	90.4	6.1	2.5	7.2
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS(Mf)9	07:32:35	1.0	Surface	1	1	24.37	8.20	29.17	93.6	6.4	2.2	7.5
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS(Mf)9	07:32:19	1.0	Surface	1	2	24.36	8.21	29.19	93.1	6.3	2.1	7.1
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS(Mf)9	07:32:27	2.5	Bottom	3	1	24.34	8.20	29.35	92.4	6.3	2.6	9.2
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS(Mf)9	07:32:11	2.5	Bottom	3	2	24.26	8.21	29.35	91.5	6.2	2.6	9.4
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS10(N)	07:26:10	1.0	Surface	1	1	24.23	8.19	29.14	91.3	6.4	2.8	5.6
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS10(N)	07:26:48	1.0	Surface	1	2	24.26	8.19	29.15	91.3	6.4	2.8	5.8
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS10(N)	07:26:35	5.3	Middle	2	1	24.03	8.18	29.80	89.4	6.3	3.1	6.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS10(N)	07:25:56	5.3	Middle	2	2	24.06	8.18	29.76	89.7	6.3	3.2	6.2
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS10(N)	07:26:26	9.5	Bottom	3	1	24.08	8.17	29.93	89.7	6.3	3.5	6.4
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	IS10(N)	07:25:46	9.5	Bottom	3	2	24.05	8.17	29.91	90.0	6.3	3.4	6.7
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR3(N)	08:10:54	1.0	Surface	1	1	24.27	8.18	29.24	91.1	6.2	2.6	9.2
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR3(N)	08:11:10	1.0	Surface	1	2	24.30	8.19	29.21	91.9	6.3	2.5	9.4
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR3(N)	08:11:01	2.3	Bottom	3	1	24.26	8.18	29.42	90.5	6.1	2.7	8.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR3(N)	08:10:45	2.3	Bottom	3	2	24.16	8.16	29.48	89.6	6.1	2.8	8.3
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR4(N3)	07:18:01	1.0	Surface	1	1	24.27	8.18	29.15	92.0	6.3	2.2	8.4
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR4(N3)	07:17:42	1.0	Surface	1	2	24.21	8.18	29.15	92.1	6.3	2.3	8.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR4(N3)	07:17:49	2.9	Bottom	3	1	24.15	8.16	29.47	91.5	6.2	2.3	7.8
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR4(N3)	07:17:32	2.9	Bottom	3	2	24.14	8.18	29.51	91.9	6.3	2.4	8.1
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR5(N)	07:36:06	1.0	Surface	1	1	24.20	8.19	29.19	89.6	6.3	2.8	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR5(N)	07:35:25	1.0	Surface	1	2	24.21	8.19	29.19	89.7	6.3	2.8	6.6
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR5(N)	07:35:54	4.6	Middle	2	1	24.07	8.18	29.71	88.2	6.2	3.1	7.5
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR5(N)	07:35:15	4.6	Middle	2	2	24.08	8.18	29.73	88.6	6.2	3.1	7.3
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR5(N)	07:35:03	8.1	Bottom	3	1	23.99	8.16	29.99	88.8	6.2	3.4	8.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR5(N)	07:35:43	8.1	Bottom	3	2	24.02	8.16	29.95	88.5	6.2	3.5	7.7
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10A(N)	06:33:44	1.0	Surface	1	1	24.23	8.19	29.43	90.6	6.4	2.1	7.9
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10A(N)	06:33:02	1.0	Surface	1	2	24.31	8.18	29.34	90.0	6.3	2.2	8.2
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10A(N)	06:32:46	6.4	Middle	2	1	24.05	8.17	30.02	88.4	6.2	2.5	7.5
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10A(N)	06:33:25	6.4	Middle	2	2	24.05	8.16	30.02	87.8	6.1	2.4	7.7
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10A(N)	06:33:15	11.8	Bottom	3	1	24.13	8.16	30.17	88.6	6.2	2.8	6.7
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10A(N)	06:32:36	11.8	Bottom	3	2	24.05	8.16	30.14	88.7	6.2	2.9	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10B(N2)	06:23:57	1.0	Surface	1	1	24.33	8.19	29.33	95.2	6.6	2.2	7.4
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10B(N2)	06:23:15	1.0	Surface	1	2	24.33	8.18	29.34	94.7	6.6	2.2	7.1
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10B(N2)	06:22:53	3.9	Middle	2	1	24.16	8.16	29.79	92.4	6.5	2.5	7.8
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10B(N2)	06:23:42	3.9	Middle	2	2	24.16	8.17	29.64	90.8	6.4	2.4	7.5
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10B(N2)	06:23:32	6.8	Bottom	3	1	24.08	8.17	30.02	89.8	6.3	2.8	7.8
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	SR10B(N2)	06:22:42	6.8	Bottom	3	2	24.06	8.16	30.04	90.1	6.3	2.7	8.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS2(A)	08:27:42	1.0	Surface	1	1	24.21	8.22	29.16	91.5	6.4	3.0	7.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS2(A)	08:27:06	1.0	Surface	1	2	24.19	8.19	29.19	91.3	6.4	2.9	7.3
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS2(A)	08:27:29	3.3	Middle	2	1	24.10	8.19	29.46	90.4	6.4	3.2	7.4
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS2(A)	08:26:55	3.3	Middle	2	2	24.11	8.19	29.45	90.4	6.4	3.2	7.6
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS2(A)	08:26:44	5.5	Bottom	3	1	24.03	8.19	29.79	90.2	6.3	3.5	7.9
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS2(A)	08:27:21	5.5	Bottom	3	2	24.08	8.18	29.78	90.3	6.3	3.5	8.2
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS(Mf)5	06:33:00	1.0	Surface	1	1	24.08	8.16	29.18	90.2	6.2	2.2	9.4
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS(Mf)5	06:33:45	1.0	Surface	1	2	24.10	8.16	29.14	90.8	6.1	2.2	9.8
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS(Mf)5	06:33:28	6.1	Middle	2	1	23.76	8.14	29.97	87.7	6.0	2.3	8.7
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS(Mf)5	06:32:46	6.1	Middle	2	2	23.77	8.14	29.96	88.5	6.0	2.5	9.0
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS(Mf)5	06:32:32	11.2	Bottom	3	1	23.80	8.14	30.30	86.5	5.9	2.7	8.5
HKLR	HY/2011/03	2024-04-08	Mid-Flood	Fine	CS(Mf)5	06:33:16	11.2	Bottom	3	2	23.66	8.13	30.38	86.9	5.8	2.7	8.2
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS5	12:51:02	1.0	Surface	1	1	24.61	8.10	29.32	92.4	6.2	2.3	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS5	12:50:19	1.0	Surface	1	2	24.57	8.10	29.33	92.0	6.2	2.4	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS5	12:50:08	4.3	Middle	2	1	24.35	8.08	29.78	90.9	6.1	2.9	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS5	12:50:43	4.3	Middle	2	2	24.32	8.08	29.81	90.3	6.1	2.8	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS5	12:50:33	7.6	Bottom	3	1	24.31	8.08	29.93	89.1	6.0	3.0	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS5	12:49:56	7.6	Bottom	3	2	24.31	8.08	29.92	89.9	6.0	3.0	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS(Mf)6	12:59:31	1.0	Surface	1	1	24.56	8.11	29.32	93.6	6.3	2.1	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS(Mf)6	12:59:48	1.0	Surface	1	2	24.57	8.10	29.32	94.3	6.3	2.2	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS(Mf)6	12:59:39	2.2	Bottom	3	1	24.55	8.10	29.40	93.1	6.2	2.3	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS(Mf)6	12:59:23	2.2	Bottom	3	2	24.52	8.11	29.41	92.3	6.2	2.3	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS7	13:09:33	1.0	Surface	1	1	24.57	8.10	29.33	94.8	6.3	2.2	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS7	13:09:18	1.0	Surface	1	2	24.55	8.10	29.34	94.6	6.3	2.2	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS7	13:09:10	2.2	Bottom	3	1	24.53	8.10	29.43	94.2	6.3	2.3	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS7	13:09:25	2.2	Bottom	3	2	24.55	8.10	29.40	94.4	6.3	2.4	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS8(N)	13:44:03	1.0	Surface	1	1	24.55	8.09	29.33	92.8	6.2	2.2	1.9
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS8(N)	13:44:18	1.0	Surface	1	2	24.57	8.10	29.30	93.4	6.3	2.1	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS8(N)	13:44:10	2.9	Bottom	3	1	24.54	8.09	29.40	93.1	6.2	2.3	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS8(N)	13:43:54	2.9	Bottom	3	2	24.45	8.09	29.53	92.1	6.2	2.3	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS(Mf)9	13:19:11	1.0	Surface	1	1	24.59	8.10	29.34	94.4	6.3	2.0	1.9
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS(Mf)9	13:19:30	1.0	Surface	1	2	24.59	8.11	29.33	94.6	6.3	2.0	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS(Mf)9	13:19:20	2.5	Bottom	3	1	24.56	8.10	29.42	94.2	6.3	2.2	2.6
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS(Mf)9	13:18:58	2.5	Bottom	3	2	24.53	8.09	29.44	94.0	6.3	2.1	2.2
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS10(N)	13:51:18	1.0	Surface	1	1	24.41	8.10	29.21	88.3	6.0	2.8	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS10(N)	13:51:54	1.0	Surface	1	2	24.50	8.10	29.17	89.8	6.1	2.8	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS10(N)	13:51:07	5.3	Middle	2	1	24.03	8.08	29.74	87.3	5.9	3.0	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS10(N)	13:51:39	5.3	Middle	2	2	24.04	8.08	29.71	87.9	6.0	3.0	1.8
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS10(N)	13:51:32	9.5	Bottom	3	1	24.08	8.08	29.73	87.4	5.9	3.1	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	IS10(N)	13:50:57	9.5	Bottom	3	2	23.98	8.07	29.79	87.0	5.9	3.1	1.9
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR3(N)	12:39:19	1.0	Surface	1	1	24.61	8.11	29.30	94.6	6.3	2.3	2.1
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR3(N)	12:39:37	1.0	Surface	1	2	24.61	8.11	29.30	95.2	6.4	2.3	2.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR3(N)	12:39:26	2.3	Bottom	3	1	24.60	8.11	29.33	94.2	6.3	2.3	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR3(N)	12:39:08	2.3	Bottom	3	2	24.58	8.11	29.35	93.7	6.3	2.4	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR4(N3)	13:34:28	1.0	Surface	1	1	24.55	8.09	29.30	93.3	6.2	2.2	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR4(N3)	13:34:12	1.0	Surface	1	2	24.55	8.09	29.30	92.9	6.2	2.1	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR4(N3)	13:34:20	2.9	Bottom	3	1	24.53	8.09	29.41	92.6	6.2	2.3	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR4(N3)	13:34:03	2.9	Bottom	3	2	24.46	8.08	29.43	92.1	6.2	2.2	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR5(N)	13:42:24	1.0	Surface	1	1	24.39	8.11	29.21	89.2	6.1	2.7	1.1
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR5(N)	13:43:01	1.0	Surface	1	2	24.46	8.11	29.20	90.6	6.2	2.6	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR5(N)	13:42:13	4.7	Middle	2	1	24.11	8.09	29.57	87.0	5.9	2.9	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR5(N)	13:42:50	4.7	Middle	2	2	24.15	8.08	29.57	88.1	6.0	2.9	1.8
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR5(N)	13:42:38	8.4	Bottom	3	1	24.06	8.08	29.75	88.2	6.0	3.3	2.3
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR5(N)	13:42:03	8.4	Bottom	3	2	24.01	8.09	29.75	86.5	5.9	3.2	2.1
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10A(N)	14:42:28	1.0	Surface	1	1	24.29	8.11	29.83	87.1	5.9	2.4	0.9
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10A(N)	14:41:41	1.0	Surface	1	2	24.30	8.12	29.80	87.3	5.9	2.4	0.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10A(N)	14:42:11	6.9	Middle	2	1	24.01	8.10	30.20	85.0	5.7	2.7	1.0
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10A(N)	14:41:24	6.9	Middle	2	2	23.99	8.12	30.26	85.4	5.8	2.6	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10A(N)	14:41:12	12.7	Bottom	3	1	24.00	8.12	30.27	86.1	5.8	2.7	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10A(N)	14:41:57	12.7	Bottom	3	2	24.03	8.10	30.20	85.7	5.8	2.8	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10B(N2)	14:53:22	1.0	Surface	1	1	24.32	8.11	29.84	87.2	5.9	2.1	2.4
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10B(N2)	14:52:46	1.0	Surface	1	2	24.30	8.11	29.84	87.2	5.9	2.1	2.6
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10B(N2)	14:52:34	3.8	Middle	2	1	24.10	8.11	30.03	86.1	5.8	2.2	2.2
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10B(N2)	14:53:10	3.8	Middle	2	2	24.09	8.10	30.04	85.9	5.8	2.2	2.1
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10B(N2)	14:52:23	6.6	Bottom	3	1	24.09	8.11	30.13	86.0	5.8	2.3	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	SR10B(N2)	14:52:56	6.6	Bottom	3	2	24.08	8.10	30.12	85.7	5.8	2.4	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS2(A)	12:54:45	1.0	Surface	1	1	24.29	8.13	29.21	90.6	6.2	2.8	1.9
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS2(A)	12:55:17	1.0	Surface	1	2	24.29	8.12	29.21	90.2	6.2	2.8	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS2(A)	12:55:06	3.3	Middle	2	1	24.07	8.11	29.76	88.5	6.0	3.1	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS2(A)	12:54:32	3.3	Middle	2	2	24.01	8.11	29.78	87.5	6.0	3.3	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS2(A)	12:54:55	5.6	Bottom	3	1	24.06	8.10	29.87	89.0	6.0	3.7	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS2(A)	12:54:24	5.6	Bottom	3	2	23.99	8.11	29.93	87.5	5.9	3.5	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS(Mf)5	14:19:06	1	Surface	1	1	24.49	8.09	29.30	88.6	5.9	2.4	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS(Mf)5	14:19:51	1	Surface	1	2	24.48	8.09	29.31	88.8	5.9	2.5	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS(Mf)5	14:18:49	6.3	Middle	2	1	23.86	8.03	30.27	86.4	5.8	2.9	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS(Mf)5	14:19:34	6.3	Middle	2	2	23.85	8.03	30.25	85.8	5.7	2.5	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS(Mf)5	14:18:38	11.6	Bottom	3	1	23.82	8.04	30.40	84.6	5.7	3.0	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Ebb	Fine	CS(Mf)5	14:19:23	11.6	Bottom	3	2	23.83	8.04	30.02	83.8	5.6	3.1	1.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS5	08:37:54	1	Surface	1	1	24.44	8.08	29.30	88.8	5.9	2.5	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS5	08:37:03	1	Surface	1	2	24.45	8.09	29.29	89.7	6.0	2.3	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS5	08:36:44	4.3	Middle	2	1	24.02	8.04	29.96	86.8	5.8	2.8	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS5	08:37:34	4.3	Middle	2	2	23.99	8.04	29.99	85.7	5.7	2.9	1.9
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS5	08:37:20	7.5	Bottom	3	1	23.90	8.03	30.19	84.3	5.6	3.0	2.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS5	08:36:35	7.5	Bottom	3	2	24.00	8.04	30.17	85.3	5.7	3.0	2.0
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS(Mf)6	08:27:12	1.0	Surface	1	1	24.51	8.09	29.30	93.0	6.2	2.3	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS(Mf)6	08:26:59	1.0	Surface	1	2	24.50	8.09	29.30	93.0	6.2	2.3	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS(Mf)6	08:27:05	2.2	Bottom	3	1	24.49	8.09	29.37	92.9	6.2	2.4	2.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS(Mf)6	08:26:51	2.2	Bottom	3	2	24.47	8.09	29.40	92.8	6.2	2.5	2.4
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS7	08:18:25	1.0	Surface	1	1	24.48	8.09	29.31	92.7	6.2	2.4	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS7	08:18:42	1.0	Surface	1	2	24.51	8.09	29.29	92.8	6.2	2.3	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS7	08:18:33	2.3	Bottom	3	1	24.48	8.09	29.37	92.6	6.2	2.6	2.3
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS7	08:18:18	2.3	Bottom	3	2	24.46	8.09	29.38	92.8	6.2	2.6	2.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS8(N)	07:43:09	1	Surface	1	1	24.46	8.08	29.27	92.3	6.2	2.6	1.9
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS8(N)	07:42:48	1	Surface	1	2	24.47	8.07	29.27	92.0	6.1	2.6	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS8(N)	07:42:39	2.9	Bottom	3	1	24.41	8.07	29.48	91.1	6.1	2.7	1.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS8(N)	07:42:54	2.9	Bottom	3	2	24.43	8.06	29.43	91.9	6.1	2.8	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS(Mf)9	08:08:57	1.0	Surface	1	1	24.53	8.10	29.26	92.9	6.2	2.4	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS(Mf)9	08:08:42	1.0	Surface	1	2	24.53	8.10	29.27	92.6	6.2	2.4	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS(Mf)9	08:08:49	2.5	Bottom	3	1	24.52	8.10	29.35	92.1	6.1	2.7	1.8
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS(Mf)9	08:08:31	2.5	Bottom	3	2	24.46	8.10	29.37	91.9	6.1	2.7	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS10(N)	07:59:40	1.0	Surface	1	1	24.21	8.09	29.22	88.0	6.0	2.8	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS10(N)	08:00:19	1.0	Surface	1	2	24.29	8.10	29.20	88.5	6.0	2.9	1.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS10(N)	08:00:05	5.4	Middle	2	1	23.93	8.09	29.66	86.4	5.9	3.0	1.8
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS10(N)	07:59:27	5.4	Middle	2	2	23.94	8.09	29.65	87.1	5.9	3.2	1.7

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS10(N)	07:59:55	9.8	Bottom	3	1	23.99	8.08	29.70	87.0	5.9	3.7	2.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	IS10(N)	07:59:15	9.8	Bottom	3	2	23.94	8.08	29.73	87.4	6.0	3.7	2.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR3(N)	08:47:16	1.0	Surface	1	1	24.49	8.09	29.29	91.6	6.1	2.2	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR3(N)	08:47:00	1.0	Surface	1	2	24.47	8.09	29.31	91.1	6.1	2.3	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR3(N)	08:47:08	2.2	Bottom	3	1	24.47	8.09	29.39	90.9	6.1	2.4	1.9
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR3(N)	08:46:52	2.2	Bottom	3	2	24.42	8.08	29.43	90.5	6.0	2.4	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR4(N3)	07:52:59	1.0	Surface	1	1	24.46	8.08	29.25	92.2	6.2	2.7	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR4(N3)	07:53:18	1.0	Surface	1	2	24.49	8.08	29.24	92.3	6.2	2.6	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR4(N3)	07:53:07	2.9	Bottom	3	1	24.41	8.07	29.41	92.0	6.1	2.6	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR4(N3)	07:52:47	2.9	Bottom	3	2	24.40	8.08	29.44	92.1	6.2	2.8	1.9
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR5(N)	08:10:46	1.0	Surface	1	1	24.20	8.10	29.23	87.4	6.0	3.2	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR5(N)	08:10:05	1.0	Surface	1	2	24.21	8.10	29.22	87.3	6.0	3.1	1.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR5(N)	08:10:32	4.7	Middle	2	1	23.99	8.10	29.57	86.0	5.9	3.5	1.8
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR5(N)	08:09:54	4.7	Middle	2	2	23.99	8.10	29.58	86.2	5.9	3.6	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR5(N)	08:10:21	8.3	Bottom	3	1	23.94	8.09	29.71	86.3	5.9	3.9	2.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR5(N)	08:09:43	8.3	Bottom	3	2	23.93	8.09	29.74	86.4	5.9	3.8	2.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10A(N)	07:08:25	1.0	Surface	1	1	24.34	8.08	29.58	87.0	5.9	2.1	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10A(N)	07:07:44	1.0	Surface	1	2	24.38	8.07	29.54	86.2	5.8	2.2	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10A(N)	07:08:07	6.8	Middle	2	1	23.97	8.06	30.09	84.3	5.7	2.4	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10A(N)	07:07:29	6.8	Middle	2	2	23.97	8.06	30.05	84.5	5.7	2.4	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10A(N)	07:07:20	12.5	Bottom	3	1	23.98	8.06	30.11	85.0	5.8	2.8	1.8
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10A(N)	07:07:56	12.5	Bottom	3	2	24.02	8.06	30.15	85.1	5.8	2.7	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10B(N2)	06:58:47	1.0	Surface	1	1	24.40	8.09	29.54	91.0	6.2	2.2	1.6
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10B(N2)	06:58:02	1.0	Surface	1	2	24.42	8.07	29.51	90.8	6.2	2.2	1.5
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10B(N2)	06:57:41	3.8	Middle	2	1	24.08	8.05	29.84	87.7	6.0	2.6	1.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10B(N2)	06:58:33	3.8	Middle	2	2	24.13	8.07	29.74	87.4	5.9	2.4	1.3
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10B(N2)	06:57:28	6.5	Bottom	3	1	23.97	8.05	30.09	86.6	5.9	2.8	0.7
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	SR10B(N2)	06:58:18	6.5	Bottom	3	2	24.05	8.07	30.01	85.8	5.8	2.9	0.8
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS2(A)	08:59:40	1.0	Surface	1	1	24.17	8.10	29.30	87.8	6.0	2.9	1.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS2(A)	09:00:20	1.0	Surface	1	2	24.18	8.11	29.29	88.1	6.0	2.9	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS2(A)	09:00:05	3.3	Middle	2	1	24.02	8.10	29.46	86.8	5.9	3.1	1.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS2(A)	08:59:26	3.3	Middle	2	2	24.01	8.10	29.45	86.9	5.9	3.1	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS2(A)	08:59:13	5.6	Bottom	3	1	23.91	8.10	29.69	86.5	5.9	3.6	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS2(A)	08:59:54	5.6	Bottom	3	2	23.95	8.09	29.69	86.6	5.9	3.6	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS(Mf)5	07:00:58	1.0	Surface	1	1	24.41	8.05	29.24	90.9	6.1	1.8	1.1
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS(Mf)5	07:00:09	1.0	Surface	1	2	24.39	8.04	29.27	92.1	6.2	1.8	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS(Mf)5	07:00:36	6.4	Middle	2	1	24.01	8.03	29.93	89.1	5.9	2.4	1.2
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS(Mf)5	06:59:53	6.4	Middle	2	2	24.02	8.03	29.94	89.2	6.0	2.1	1.4
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS(Mf)5	06:59:40	11.7	Bottom	3	1	24.03	8.03	30.15	87.9	5.9	2.5	1.7
HKLR	HY/2011/03	2024-04-10	Mid-Flood	Fine	CS(Mf)5	07:00:23	11.7	Bottom	3	2	23.98	8.02	30.15	86.4	5.7	2.5	1.9
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS5	14:06:32	1.0	Surface	1	1	24.50	8.10	29.32	92.4	6.2	2.3	4.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS5	14:05:49	1.0	Surface	1	2	24.46	8.10	29.33	92.0	6.2	2.4	4.5
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS5	14:05:38	4.3	Middle	2	1	24.24	8.08	29.78	90.9	6.1	2.9	4.6
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS5	14:06:13	4.3	Middle	2	2	24.21	8.08	29.81	90.3	6.1	2.8	4.9
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS5	14:06:03	7.6	Bottom	3	1	24.20	8.08	29.93	89.1	6.0	3.0	5.0
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS5	14:05:26	7.6	Bottom	3	2	24.20	8.08	29.92	89.9	6.0	3.0	5.3
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS(Mf)6	14:15:01	1.0	Surface	1	1	24.45	8.11	29.32	93.6	6.3	2.1	4.2
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS(Mf)6	14:15:18	1.0	Surface	1	2	24.46	8.10	29.32	94.3	6.3	2.2	4.2
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS(Mf)6	14:15:09	2.2	Bottom	3	1	24.44	8.10	29.40	93.1	6.2	2.3	4.1
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS(Mf)6	14:14:53	2.2	Bottom	3	2	24.41	8.11	29.41	92.3	6.2	2.3	4.1
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS7	14:25:03	1.0	Surface	1	1	24.46	8.10	29.33	94.8	6.3	2.2	3.9
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS7	14:24:48	1.0	Surface	1	2	24.44	8.10	29.34	94.6	6.3	2.2	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS7	14:24:40	2.2	Bottom	3	1	24.42	8.10	29.43	94.2	6.3	2.3	4.1
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS7	14:24:55	2.2	Bottom	3	2	24.44	8.10	29.40	94.4	6.3	2.4	3.9
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS8(N)	14:59:33	1.0	Surface	1	1	24.44	8.09	29.33	92.8	6.2	2.2	3.7
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS8(N)	14:59:48	1.0	Surface	1	2	24.46	8.10	29.30	93.4	6.3	2.1	4.0
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS8(N)	14:59:40	2.9	Bottom	3	1	24.43	8.09	29.40	93.1	6.2	2.3	4.6
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS8(N)	14:59:24	2.9	Bottom	3	2	24.34	8.09	29.53	92.1	6.2	2.3	4.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS(Mf)9	14:34:41	1.0	Surface	1	1	24.48	8.10	29.34	94.4	6.3	2.0	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS(Mf)9	14:35:00	1.0	Surface	1	2	24.48	8.11	29.33	94.6	6.3	2.0	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS(Mf)9	14:34:50	2.5	Bottom	3	1	24.45	8.10	29.42	94.2	6.3	2.2	4.3
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS(Mf)9	14:34:28	2.5	Bottom	3	2	24.42	8.09	29.44	94.0	6.3	2.1	4.0

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS10(N)	14:59:28	1.0	Surface	1	1	24.36	8.11	29.21	92.2	6.4	2.5	4.0
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS10(N)	14:58:50	1.0	Surface	1	2	24.30	8.11	29.23	91.2	6.3	2.5	4.2
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS10(N)	14:58:38	5.3	Middle	2	1	24.04	8.09	29.72	90.4	6.2	2.7	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS10(N)	14:59:14	5.3	Middle	2	2	24.05	8.09	29.70	90.6	6.3	2.7	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS10(N)	14:58:28	9.5	Bottom	3	1	24.02	8.09	29.77	90.1	6.2	2.8	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	IS10(N)	14:59:05	9.5	Bottom	3	2	24.08	8.09	29.74	90.1	6.2	2.8	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR3(N)	13:54:49	1.0	Surface	1	1	24.50	8.11	29.30	94.6	6.3	2.3	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR3(N)	13:55:07	1.0	Surface	1	2	24.50	8.11	29.30	95.2	6.4	2.3	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR3(N)	13:54:56	2.3	Bottom	3	1	24.49	8.11	29.33	94.2	6.3	2.3	4.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR3(N)	13:54:38	2.3	Bottom	3	2	24.47	8.11	29.35	93.7	6.3	2.4	4.3
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR4(N3)	14:49:58	1.0	Surface	1	1	24.44	8.09	29.30	93.3	6.2	2.2	3.9
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR4(N3)	14:49:42	1.0	Surface	1	2	24.44	8.09	29.30	92.9	6.2	2.1	3.7
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR4(N3)	14:49:50	2.9	Bottom	3	1	24.42	8.09	29.41	92.6	6.2	2.3	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR4(N3)	14:49:33	2.9	Bottom	3	2	24.35	8.08	29.43	92.1	6.2	2.2	3.0
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR5(N)	14:50:30	1.0	Surface	1	1	24.33	8.12	29.22	93.2	6.4	2.4	2.9
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR5(N)	14:49:51	1.0	Surface	1	2	24.29	8.12	29.23	92.2	6.4	2.5	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR5(N)	14:50:18	4.7	Middle	2	1	24.11	8.09	29.60	91.0	6.3	2.7	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR5(N)	14:49:38	4.7	Middle	2	2	24.09	8.10	29.61	90.3	6.2	2.7	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR5(N)	14:50:06	8.3	Bottom	3	1	24.06	8.09	29.75	90.9	6.3	3.0	3.7
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR5(N)	14:49:27	8.3	Bottom	3	2	24.03	8.10	29.76	89.9	6.2	3.0	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10A(N)	15:50:14	1.0	Surface	1	1	24.26	8.12	29.82	91.0	6.3	2.1	3.3
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10A(N)	15:49:27	1.0	Surface	1	2	24.27	8.13	29.81	91.4	6.3	2.2	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10A(N)	15:49:11	6.7	Middle	2	1	24.03	8.12	30.27	89.7	6.2	2.3	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10A(N)	15:49:56	6.7	Middle	2	2	24.05	8.11	30.20	88.9	6.1	2.4	3.9
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10A(N)	15:48:59	12.4	Bottom	3	1	24.04	8.12	30.28	90.0	6.2	2.4	4.3
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10A(N)	15:49:42	12.4	Bottom	3	2	24.07	8.11	30.22	89.3	6.1	2.4	4.0
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10B(N2)	17:18:22	1.0	Surface	1	1	24.28	8.12	29.84	90.7	6.2	1.9	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10B(N2)	16:01:26	1.0	Surface	1	2	24.26	8.12	29.84	90.9	6.2	1.9	3.9
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10B(N2)	16:01:14	3.8	Middle	2	1	24.12	8.12	30.06	89.4	6.2	2.0	4.2
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10B(N2)	16:01:54	3.8	Middle	2	2	24.10	8.11	30.07	89.3	6.1	2.0	4.0
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10B(N2)	16:01:04	6.6	Bottom	3	1	24.10	8.12	30.17	89.4	6.1	2.2	4.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	SR10B(N2)	16:01:39	6.6	Bottom	3	2	24.11	8.11	30.15	89.1	6.1	2.2	4.7
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS2(A)	13:58:54	1.0	Surface	1	1	24.16	8.13	29.28	94.5	6.6	2.5	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS2(A)	13:59:32	1.0	Surface	1	2	24.16	8.12	29.27	94.1	6.5	2.5	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS2(A)	13:59:18	3.3	Middle	2	1	24.01	8.11	29.72	92.3	6.4	2.9	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS2(A)	13:58:40	3.3	Middle	2	2	23.97	8.11	29.73	92.0	6.4	3.1	3.7
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS2(A)	13:59:08	5.6	Bottom	3	1	24.00	8.10	29.84	92.5	6.4	3.3	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS2(A)	13:58:30	5.6	Bottom	3	2	23.96	8.10	29.89	91.7	6.4	3.2	3.7
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS(Mf)5	15:39:58	1	Surface	1	1	24.38	8.09	29.30	88.6	5.9	2.4	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS(Mf)5	15:40:43	1	Surface	1	2	24.37	8.09	29.31	88.8	5.9	2.5	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS(Mf)5	15:39:41	6.3	Middle	2	1	23.75	8.03	30.27	86.4	5.8	2.9	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS(Mf)5	15:40:26	6.3	Middle	2	2	23.74	8.03	30.25	85.8	5.7	2.5	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS(Mf)5	15:39:30	11.6	Bottom	3	1	23.71	8.04	30.40	84.6	5.7	3.0	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Ebb	Fine	CS(Mf)5	15:40:15	11.6	Bottom	3	2	23.72	8.04	30.02	83.8	5.6	3.1	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS5	08:40:23	1	Surface	1	1	24.33	8.08	29.30	88.8	5.9	2.5	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS5	08:39:32	1	Surface	1	2	24.34	8.09	29.29	89.7	6.0	2.3	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS5	08:39:13	4.3	Middle	2	1	23.91	8.04	29.96	86.8	5.8	2.8	4.0
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS5	08:40:03	4.3	Middle	2	2	23.88	8.04	29.99	85.7	5.7	2.9	4.1
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS5	08:39:49	7.5	Bottom	3	1	23.79	8.03	30.19	84.3	5.6	3.0	4.3
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS5	08:39:04	7.5	Bottom	3	2	23.89	8.04	30.17	85.3	5.7	3.0	4.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS(Mf)6	08:29:41	1.0	Surface	1	1	24.40	8.09	29.30	93.0	6.2	2.3	3.3
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS(Mf)6	08:29:28	1.0	Surface	1	2	24.39	8.09	29.30	93.0	6.2	2.3	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS(Mf)6	08:29:34	2.2	Bottom	3	1	24.38	8.09	29.37	92.9	6.2	2.4	4.0
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS(Mf)6	08:29:20	2.2	Bottom	3	2	24.36	8.09	29.40	92.8	6.2	2.5	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS7	08:20:54	1.0	Surface	1	1	24.37	8.09	29.31	92.7	6.2	2.4	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS7	08:21:11	1.0	Surface	1	2	24.40	8.09	29.29	92.8	6.2	2.3	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS7	08:21:02	2.3	Bottom	3	1	24.37	8.09	29.37	92.6	6.2	2.6	4.2
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS7	08:20:47	2.3	Bottom	3	2	24.35	8.09	29.38	92.8	6.2	2.6	4.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS8(N)	07:45:38	1	Surface	1	1	24.35	8.08	29.27	92.3	6.2	2.6	4.0
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS8(N)	07:45:17	1	Surface	1	2	24.36	8.07	29.27	92.0	6.1	2.6	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS8(N)	07:45:08	2.9	Bottom	3	1	24.30	8.07	29.48	91.1	6.1	2.7	2.8
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS8(N)	07:45:23	2.9	Bottom	3	2	24.32	8.06	29.43	91.9	6.1	2.8	3.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS(Mf)9	08:11:26	1.0	Surface	1	1	24.42	8.10	29.26	92.9	6.2	2.4	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS(Mf)9	08:11:11	1.0	Surface	1	2	24.42	8.10	29.27	92.6	6.2	2.4	3.0
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS(Mf)9	08:11:18	2.5	Bottom	3	1	24.41	8.10	29.35	92.1	6.1	2.7	3.3
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS(Mf)9	08:11:00	2.5	Bottom	3	2	24.35	8.10	29.37	91.9	6.1	2.7	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS10(N)	08:24:02	1.0	Surface	1	1	24.11	8.11	29.30	92.0	6.4	2.5	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS10(N)	08:24:40	1.0	Surface	1	2	24.17	8.11	29.28	92.4	6.4	2.6	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS10(N)	08:24:27	5.4	Middle	2	1	23.95	8.10	29.72	90.3	6.3	2.7	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS10(N)	08:23:48	5.4	Middle	2	2	23.96	8.10	29.71	90.5	6.3	2.8	3.0
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS10(N)	08:24:16	9.7	Bottom	3	1	23.99	8.09	29.75	90.2	6.2	3.2	3.0
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	IS10(N)	08:23:35	9.7	Bottom	3	2	23.96	8.09	29.78	90.6	6.3	3.2	2.7
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR3(N)	08:49:45	1.0	Surface	1	1	24.38	8.09	29.29	91.6	6.1	2.2	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR3(N)	08:49:29	1.0	Surface	1	2	24.36	8.09	29.31	91.1	6.1	2.3	3.3
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR3(N)	08:49:37	2.2	Bottom	3	1	24.36	8.09	29.39	90.9	6.1	2.4	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR3(N)	08:49:21	2.2	Bottom	3	2	24.31	8.08	29.43	90.5	6.0	2.4	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR4(N3)	07:55:28	1.0	Surface	1	1	24.35	8.08	29.25	92.2	6.2	2.7	3.0
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR4(N3)	07:55:47	1.0	Surface	1	2	24.38	8.08	29.24	92.3	6.2	2.6	2.6
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR4(N3)	07:55:36	2.9	Bottom	3	1	24.30	8.07	29.41	92.0	6.1	2.6	3.0
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR4(N3)	07:55:16	2.9	Bottom	3	2	24.29	8.08	29.44	92.1	6.2	2.8	2.9
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR5(N)	08:33:51	1.0	Surface	1	1	24.14	8.11	29.32	90.7	6.3	2.7	3.1
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR5(N)	08:33:08	1.0	Surface	1	2	24.14	8.11	29.32	90.6	6.3	2.6	2.9
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR5(N)	08:32:56	4.6	Middle	2	1	23.99	8.11	29.66	89.5	6.2	3.0	3.1
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR5(N)	08:33:36	4.6	Middle	2	2	23.99	8.11	29.65	89.4	6.2	3.0	3.3
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR5(N)	08:33:26	8.2	Bottom	3	1	23.96	8.10	29.77	89.5	6.2	3.3	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR5(N)	08:32:45	8.2	Bottom	3	2	23.95	8.10	29.80	89.6	6.2	3.2	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10A(N)	07:30:47	1.0	Surface	1	1	24.25	8.10	29.60	90.3	6.2	1.9	4.1
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10A(N)	07:30:06	1.0	Surface	1	2	24.28	8.09	29.58	90.1	6.2	1.9	3.9
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10A(N)	07:30:30	6.7	Middle	2	1	24.00	8.08	30.06	88.0	6.1	2.1	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10A(N)	07:29:51	6.7	Middle	2	2	24.00	8.08	30.04	88.5	6.1	2.1	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10A(N)	07:29:40	12.4	Bottom	3	1	24.01	8.08	30.10	88.7	6.1	2.4	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10A(N)	07:30:19	12.4	Bottom	3	2	24.04	8.08	30.12	88.4	6.1	2.4	3.3
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10B(N2)	07:20:57	1.0	Surface	1	1	24.28	8.10	29.57	94.0	6.5	2.0	3.1
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10B(N2)	07:20:13	1.0	Surface	1	2	24.29	8.08	29.56	93.9	6.5	2.0	2.9
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10B(N2)	07:19:55	3.8	Middle	2	1	24.07	8.06	29.86	91.2	6.3	2.2	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10B(N2)	07:20:43	3.8	Middle	2	2	24.10	8.08	29.80	90.5	6.2	2.1	3.1
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10B(N2)	07:20:29	6.5	Bottom	3	1	24.05	8.07	30.02	89.5	6.2	2.5	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	SR10B(N2)	07:19:42	6.5	Bottom	3	2	23.89	8.06	30.07	90.1	6.2	2.4	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS2(A)	09:25:20	1.0	Surface	1	1	24.06	8.12	29.36	91.9	6.4	2.7	3.1
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS2(A)	09:24:40	1.0	Surface	1	2	24.06	8.12	29.38	92.0	6.4	2.7	3.3
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS2(A)	09:25:05	3.3	Middle	2	1	23.95	8.12	29.57	90.8	6.3	2.9	3.5
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS2(A)	09:24:26	3.3	Middle	2	2	23.95	8.12	29.56	90.9	6.3	2.9	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS2(A)	09:24:14	5.6	Bottom	3	1	23.89	8.11	29.75	90.5	6.3	3.2	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS2(A)	09:24:55	5.6	Bottom	3	2	23.91	8.11	29.76	90.6	6.3	3.3	3.6
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS(Mf)5	07:07:16	1.0	Surface	1	1	24.30	8.05	29.24	90.9	6.1	1.8	3.7
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS(Mf)5	07:06:27	1.0	Surface	1	2	24.28	8.04	29.27	92.1	6.2	1.8	3.8
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS(Mf)5	07:06:54	6.4	Middle	2	1	23.90	8.03	29.93	89.1	5.9	2.4	3.2
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS(Mf)5	07:06:11	6.4	Middle	2	2	23.91	8.03	29.94	89.2	6.0	2.1	3.4
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS(Mf)5	07:05:58	11.7	Bottom	3	1	23.92	8.03	30.15	87.9	5.9	2.5	2.9
HKLR	HY/2011/03	2024-04-12	Mid-Flood	Fine	CS(Mf)5	07:06:41	11.7	Bottom	3	2	23.87	8.02	30.15	86.4	5.7	2.5	3.0
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS5	16:51:10	1.0	Surface	1	1	24.65	8.08	29.48	90.7	6.3	2.4	2.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS5	16:51:49	1.0	Surface	1	2	24.67	8.08	29.43	90.9	6.3	2.4	3.1
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS5	16:51:00	4.3	Middle	2	1	24.52	8.06	29.79	89.7	6.3	2.8	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS5	16:51:34	4.3	Middle	2	2	24.50	8.07	29.76	89.3	6.2	2.7	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS5	16:50:48	7.6	Bottom	3	1	24.49	8.07	29.86	88.9	6.2	2.8	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS5	16:51:24	7.6	Bottom	3	2	24.50	8.06	29.86	88.6	6.2	2.8	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS(Mf)6	16:59:38	1.0	Surface	1	1	24.64	8.09	29.38	93.9	6.5	2.3	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS(Mf)6	16:59:21	1.0	Surface	1	2	24.63	8.10	29.38	92.8	6.5	2.3	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS(Mf)6	16:59:29	2.2	Bottom	3	1	24.63	8.09	29.45	92.5	6.4	2.5	1.8
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS(Mf)6	16:59:11	2.2	Bottom	3	2	24.60	8.10	29.47	91.6	6.4	2.4	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS7	17:09:05	1.0	Surface	1	1	24.65	8.10	29.38	94.5	6.6	2.4	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS7	17:08:48	1.0	Surface	1	2	24.64	8.09	29.38	93.9	6.5	2.4	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS7	17:08:38	2.3	Bottom	3	1	24.62	8.10	29.44	93.1	6.5	2.5	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS7	17:08:55	2.3	Bottom	3	2	24.64	8.09	29.42	93.8	6.5	2.5	1.6

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS8(N)	17:40:46	1.0	Surface	1	1	24.67	8.08	29.50	91.0	6.3	2.3	1.0
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS8(N)	17:41:02	1.0	Surface	1	2	24.68	8.09	29.49	91.6	6.4	2.2	1.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS8(N)	17:40:53	2.9	Bottom	3	1	24.66	8.08	29.60	91.1	6.3	2.4	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS8(N)	17:40:36	2.9	Bottom	3	2	24.61	8.08	29.68	90.3	6.3	2.4	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS(Mf)9	17:19:06	1.0	Surface	1	1	24.67	8.10	29.49	93.0	6.5	2.2	1.1
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS(Mf)9	17:18:45	1.0	Surface	1	2	24.67	8.10	29.49	92.6	6.5	2.2	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS(Mf)9	17:18:55	2.6	Bottom	3	1	24.66	8.10	29.60	92.4	6.4	2.3	0.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS(Mf)9	17:18:33	2.6	Bottom	3	2	24.63	8.10	29.60	91.9	6.4	2.3	0.9
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS10(N)	17:33:28	1.0	Surface	1	1	24.54	8.12	29.06	88.4	6.2	2.5	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS10(N)	17:34:05	1.0	Surface	1	2	24.57	8.12	29.05	88.8	6.3	2.5	1.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS10(N)	17:33:16	5.4	Middle	2	1	24.40	8.10	29.39	87.7	6.2	2.8	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS10(N)	17:33:51	5.4	Middle	2	2	24.40	8.10	29.38	87.8	6.2	2.8	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS10(N)	17:33:05	9.7	Bottom	3	1	24.39	8.10	29.43	87.7	6.2	2.8	1.8
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	IS10(N)	17:33:42	9.7	Bottom	3	2	24.43	8.10	29.41	87.5	6.2	2.8	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR3(N)	16:39:54	1.0	Surface	1	1	24.69	8.09	29.37	94.0	6.6	2.4	1.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR3(N)	16:39:34	1.0	Surface	1	2	24.68	8.09	29.30	92.3	6.4	2.4	1.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR3(N)	16:39:42	2.4	Bottom	3	1	24.67	8.09	29.37	92.1	6.4	2.4	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR3(N)	16:39:22	2.4	Bottom	3	2	24.66	8.09	29.35	91.2	6.4	2.5	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR4(N3)	17:32:53	1.0	Surface	1	1	24.63	8.09	29.43	91.8	6.4	2.3	1.1
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR4(N3)	17:32:36	1.0	Surface	1	2	24.63	8.09	29.44	91.3	6.4	2.2	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR4(N3)	17:32:44	2.8	Bottom	3	1	24.62	8.08	29.55	91.1	6.4	2.4	1.8
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR4(N3)	17:32:26	2.8	Bottom	3	2	24.59	8.08	29.58	90.5	6.3	2.3	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR5(N)	17:24:26	1.0	Surface	1	1	24.56	8.12	29.06	90.3	6.4	2.5	1.8
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR5(N)	17:23:48	1.0	Surface	1	2	24.54	8.12	29.07	89.5	6.3	2.6	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR5(N)	17:23:36	4.5	Middle	2	1	24.41	8.11	29.32	88.1	6.2	2.8	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR5(N)	17:24:14	4.5	Middle	2	2	24.43	8.10	29.31	88.6	6.3	2.8	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR5(N)	17:24:03	7.9	Bottom	3	1	24.40	8.10	29.42	88.3	6.2	3.1	1.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR5(N)	17:23:24	7.9	Bottom	3	2	24.38	8.11	29.42	87.7	6.2	3.1	1.0
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10A(N)	18:25:43	1.0	Surface	1	1	24.58	8.13	29.66	88.7	6.2	2.1	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10A(N)	18:24:53	1.0	Surface	1	2	24.58	8.13	29.66	89.5	6.3	2.1	1.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10A(N)	18:24:38	6.6	Middle	2	1	24.42	8.12	30.00	88.0	6.2	2.2	1.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10A(N)	18:25:19	6.6	Middle	2	2	24.45	8.12	29.93	86.9	6.1	2.3	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10A(N)	18:24:26	12.1	Bottom	3	1	24.43	8.13	30.00	88.3	6.2	2.3	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10A(N)	18:25:06	12.1	Bottom	3	2	24.47	8.12	29.94	87.0	6.1	2.3	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10B(N2)	18:35:56	1.0	Surface	1	1	24.59	8.13	29.69	88.0	6.2	1.8	2.5
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10B(N2)	18:34:54	1.0	Surface	1	2	24.57	8.13	29.70	88.8	6.2	1.9	2.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10B(N2)	18:34:42	3.7	Middle	2	1	24.49	8.13	29.86	86.8	6.1	1.9	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10B(N2)	18:35:27	3.7	Middle	2	2	24.46	8.12	29.88	86.7	6.1	2.0	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10B(N2)	18:34:32	6.4	Bottom	3	1	24.48	8.13	29.93	86.9	6.1	2.2	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	SR10B(N2)	18:35:06	6.4	Bottom	3	2	24.49	8.12	29.90	86.6	6.1	2.1	1.1
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS2(A)	16:36:15	1.0	Surface	1	1	24.33	8.12	29.13	92.5	6.6	2.5	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS2(A)	16:36:49	1.0	Surface	1	2	24.32	8.12	29.12	92.0	6.5	2.5	1.8
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS2(A)	16:36:37	3.3	Middle	2	1	24.24	8.11	29.44	90.2	6.4	3.2	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS2(A)	16:36:02	3.3	Middle	2	2	24.21	8.10	29.45	90.5	6.4	3.3	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS2(A)	16:35:50	5.6	Bottom	3	1	24.21	8.09	29.57	90.2	6.4	3.4	1.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS2(A)	16:36:28	5.6	Bottom	3	2	24.23	8.10	29.53	90.3	6.4	3.4	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS(Mf)5	18:22:50	1	Surface	1	1	24.62	8.09	29.50	88.4	6.2	2.2	0.8
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS(Mf)5	18:23:33	1	Surface	1	2	24.62	8.09	29.51	88.4	6.2	2.2	0.7
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS(Mf)5	18:22:33	6.3	Middle	2	1	24.26	8.04	30.22	86.3	6.0	2.6	1.2
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS(Mf)5	18:23:17	6.3	Middle	2	2	24.27	8.04	30.19	85.9	6.0	2.4	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS(Mf)5	18:22:22	11.6	Bottom	3	1	24.22	8.05	30.32	84.9	5.9	2.7	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Ebb	Fine	CS(Mf)5	18:23:06	11.6	Bottom	3	2	24.22	8.05	30.04	84.9	5.9	2.7	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS5	06:05:45	1	Surface	1	1	24.54	8.07	29.33	88.1	6.2	2.5	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS5	06:04:58	1	Surface	1	2	24.55	8.08	29.30	89.1	6.2	2.4	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS5	06:04:42	4.2	Middle	2	1	24.31	8.04	29.78	86.5	6.0	2.7	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS5	06:05:28	4.2	Middle	2	2	24.29	8.04	29.80	85.8	6.0	2.7	1.1
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS5	06:05:13	7.4	Bottom	3	1	24.24	8.03	29.91	84.8	5.9	2.8	0.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS5	06:04:33	7.4	Bottom	3	2	24.30	8.04	29.90	85.4	5.9	2.8	0.8
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS(Mf)6	05:55:24	1.0	Surface	1	1	24.58	8.08	29.29	91.8	6.4	2.3	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS(Mf)6	05:55:08	1.0	Surface	1	2	24.58	8.08	29.29	91.6	6.4	2.4	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS(Mf)6	05:55:15	2.2	Bottom	3	1	24.57	8.08	29.36	91.5	6.4	2.4	2.2
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS(Mf)6	05:54:55	2.2	Bottom	3	2	24.57	8.07	29.41	90.6	6.3	2.5	2.5

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS7	05:46:29	1.0	Surface	1	1	24.59	8.08	29.29	90.3	6.3	2.5	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS7	05:46:46	1.0	Surface	1	2	24.61	8.08	29.27	90.7	6.3	2.4	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS7	05:46:37	2.2	Bottom	3	1	24.59	8.08	29.35	90.4	6.3	2.7	2.5
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS7	05:46:21	2.2	Bottom	3	2	24.58	8.07	29.36	90.2	6.3	2.7	2.8
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS8(N)	05:12:49	1	Surface	1	1	24.58	8.07	29.24	91.4	6.4	2.2	2.2
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS8(N)	05:12:22	1	Surface	1	2	24.59	8.07	29.25	90.6	6.3	2.3	2.1
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS8(N)	05:12:29	3.0	Bottom	3	1	24.56	8.06	29.37	90.7	6.3	2.5	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS8(N)	05:12:12	3.0	Bottom	3	2	24.55	8.06	29.42	89.5	6.2	2.5	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS(Mf)9	05:37:27	1.0	Surface	1	1	24.61	8.08	29.27	92.0	6.4	2.3	1.1
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS(Mf)9	05:37:10	1.0	Surface	1	2	24.61	8.09	29.27	91.4	6.4	2.3	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS(Mf)9	05:37:17	2.5	Bottom	3	1	24.60	8.08	29.34	91.3	6.4	2.4	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS(Mf)9	05:37:00	2.5	Bottom	3	2	24.57	8.08	29.37	90.4	6.3	2.4	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS10(N)	05:28:23	1.0	Surface	1	1	24.33	8.12	29.12	90.1	6.4	2.5	2.3
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS10(N)	05:29:01	1.0	Surface	1	2	24.37	8.12	29.12	90.8	6.5	2.6	2.1
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS10(N)	05:28:49	5.4	Middle	2	1	24.28	8.12	29.44	88.5	6.3	2.7	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS10(N)	05:28:11	5.4	Middle	2	2	24.28	8.11	29.43	88.3	6.3	2.8	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS10(N)	05:28:38	9.7	Bottom	3	1	24.30	8.11	29.46	87.8	6.2	3.2	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	IS10(N)	05:27:59	9.7	Bottom	3	2	24.28	8.11	29.48	88.3	6.2	3.1	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR3(N)	06:14:59	1.0	Surface	1	1	24.56	8.07	29.32	89.2	6.2	2.3	2.1
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR3(N)	06:15:15	1.0	Surface	1	2	24.57	8.07	29.29	89.7	6.3	2.2	2.2
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR3(N)	06:15:07	2.3	Bottom	3	1	24.56	8.07	29.40	89.1	6.2	2.4	1.8
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR3(N)	06:14:50	2.3	Bottom	3	2	24.53	8.07	29.41	88.8	6.2	2.4	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR4(N3)	05:21:59	1.0	Surface	1	1	24.57	8.07	29.23	91.2	6.4	2.3	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR4(N3)	05:22:16	1.0	Surface	1	2	24.59	8.07	29.24	91.4	6.4	2.3	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR4(N3)	05:22:06	2.8	Bottom	3	1	24.54	8.06	29.36	91.2	6.4	2.3	2.4
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR4(N3)	05:21:46	2.8	Bottom	3	2	24.53	8.07	29.39	90.8	6.3	2.4	2.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR5(N)	05:39:07	1.0	Surface	1	1	24.39	8.12	29.20	87.9	6.2	2.6	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR5(N)	05:38:23	1.0	Surface	1	2	24.39	8.12	29.20	88.0	6.2	2.5	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR5(N)	05:38:11	4.4	Middle	2	1	24.31	8.12	29.42	87.2	6.2	2.8	1.8
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR5(N)	05:38:51	4.4	Middle	2	2	24.31	8.12	29.41	87.1	6.2	2.9	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR5(N)	05:38:00	7.8	Bottom	3	1	24.29	8.12	29.51	87.3	6.2	3.1	2.0
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR5(N)	05:38:40	7.8	Bottom	3	2	24.29	8.12	29.49	87.1	6.1	3.1	2.1
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10A(N)	04:35:18	1.0	Surface	1	1	24.50	8.11	29.46	87.7	6.2	1.8	2.4
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10A(N)	04:34:37	1.0	Surface	1	2	24.52	8.10	29.45	88.1	6.2	1.8	2.1
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10A(N)	04:35:01	6.6	Middle	2	1	24.36	8.09	29.75	85.9	6.0	1.9	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10A(N)	04:34:23	6.6	Middle	2	2	24.36	8.09	29.74	86.8	6.1	2.0	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10A(N)	04:34:13	12.1	Bottom	3	1	24.37	8.09	29.78	86.8	6.1	2.2	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10A(N)	04:34:51	12.1	Bottom	3	2	24.39	8.09	29.80	86.2	6.1	2.2	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10B(N2)	04:25:21	1.0	Surface	1	1	24.51	8.10	29.44	91.0	6.4	1.9	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10B(N2)	04:24:37	1.0	Surface	1	2	24.52	8.07	29.43	91.1	6.4	1.9	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10B(N2)	04:24:22	3.7	Middle	2	1	24.40	8.06	29.64	88.8	6.3	2.1	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10B(N2)	04:25:04	3.7	Middle	2	2	24.41	8.08	29.60	87.8	6.2	1.9	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10B(N2)	04:24:51	6.3	Bottom	3	1	24.39	8.07	29.74	87.2	6.1	2.3	1.3
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	SR10B(N2)	04:24:10	6.3	Bottom	3	2	24.30	8.06	29.77	87.8	6.2	2.3	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS2(A)	06:30:46	1.0	Surface	1	1	24.23	8.14	29.23	90.0	6.4	2.9	1.6
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS2(A)	06:30:06	1.0	Surface	1	2	24.23	8.14	29.25	90.5	6.4	2.8	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS2(A)	06:30:33	3.3	Middle	2	1	24.16	8.14	29.40	89.1	6.3	3.1	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS2(A)	06:29:53	3.3	Middle	2	2	24.16	8.14	29.39	89.4	6.4	3.1	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS2(A)	06:29:42	5.6	Bottom	3	1	24.13	8.13	29.52	88.9	6.3	3.3	2.2
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS2(A)	06:30:23	5.6	Bottom	3	2	24.14	8.13	29.52	88.9	6.3	3.4	2.1
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS(Mf)5	04:34:49	1.0	Surface	1	1	24.54	8.04	29.21	89.7	6.3	1.9	1.5
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS(Mf)5	04:34:04	1.0	Surface	1	2	24.52	8.03	29.24	90.1	6.3	1.9	1.4
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS(Mf)5	04:34:31	6.3	Middle	2	1	24.31	8.03	29.76	88.1	6.1	2.2	1.9
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS(Mf)5	04:33:49	6.3	Middle	2	2	24.31	8.02	29.76	87.9	6.1	2.1	1.7
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS(Mf)5	04:33:36	11.5	Bottom	3	1	24.32	8.02	29.95	86.6	6.1	2.4	2.0
HKLR	HY/2011/03	2024-04-15	Mid-Flood	Fine	CS(Mf)5	04:34:19	11.5	Bottom	3	2	24.28	8.02	29.94	86.3	6.0	2.4	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS5	20:12:28	1.0	Surface	1	1	24.66	8.09	29.47	87.7	6.2	2.4	3.2
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS5	20:13:07	1.0	Surface	1	2	24.68	8.10	29.43	87.9	6.2	2.4	2.8
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS5	20:12:18	4.3	Middle	2	1	24.54	8.07	29.77	86.7	6.1	2.9	2.8
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS5	20:12:52	4.3	Middle	2	2	24.53	8.08	29.74	86.5	6.1	2.8	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS5	20:12:07	7.5	Bottom	3	1	24.52	8.08	29.82	86.2	6.1	2.9	2.2
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS5	20:12:43	7.5	Bottom	3	2	24.53	8.07	29.81	86.1	6.1	2.9	2.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS(Mf)6	20:22:38	1.0	Surface	1	1	24.65	8.10	29.37	90.7	6.4	2.3	2.8
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS(Mf)6	20:22:20	1.0	Surface	1	2	24.64	8.11	29.37	89.5	6.3	2.3	2.7
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS(Mf)6	20:22:28	2.2	Bottom	3	1	24.63	8.10	29.46	89.1	6.3	2.6	3.1
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS(Mf)6	20:22:10	2.2	Bottom	3	2	24.60	8.12	29.47	88.0	6.2	2.6	3.4
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS7	20:32:03	1.0	Surface	1	1	24.66	8.12	29.38	91.1	6.4	2.4	2.8
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS7	20:31:45	1.0	Surface	1	2	24.65	8.11	29.38	90.5	6.4	2.5	2.7
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS7	20:31:35	2.3	Bottom	3	1	24.62	8.11	29.46	89.6	6.3	2.6	3.0
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS7	20:31:52	2.3	Bottom	3	2	24.64	8.11	29.44	90.3	6.4	2.6	2.9
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS8(N)	21:05:44	1.0	Surface	1	1	24.68	8.09	29.48	87.6	6.2	2.4	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS8(N)	21:06:00	1.0	Surface	1	2	24.68	8.10	29.47	88.2	6.2	2.3	2.1
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS8(N)	21:05:52	3.0	Bottom	3	1	24.67	8.09	29.60	87.6	6.2	2.5	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS8(N)	21:05:34	3.0	Bottom	3	2	24.62	8.09	29.66	87.0	6.1	2.6	3.0
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS(Mf)9	20:42:10	1.0	Surface	1	1	24.67	8.11	29.49	89.6	6.3	2.2	3.2
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS(Mf)9	20:41:49	1.0	Surface	1	2	24.67	8.12	29.48	89.1	6.3	2.3	3.5
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS(Mf)9	20:41:59	2.6	Bottom	3	1	24.66	8.11	29.62	89.0	6.3	2.4	2.9
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS(Mf)9	20:41:38	2.6	Bottom	3	2	24.63	8.12	29.61	88.5	6.2	2.4	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS10(N)	21:10:24	1.0	Surface	1	1	24.54	8.11	29.37	86.2	6.0	2.6	1.9
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS10(N)	21:11:01	1.0	Surface	1	2	24.58	8.11	29.35	86.7	6.1	2.6	1.7
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS10(N)	21:10:48	5.3	Middle	2	1	24.38	8.09	29.89	85.7	6.0	2.9	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS10(N)	21:10:12	5.3	Middle	2	2	24.37	8.09	29.89	85.6	6.0	2.9	2.0
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS10(N)	21:10:02	9.6	Bottom	3	1	24.37	8.09	29.95	85.6	6.0	2.9	2.8
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	IS10(N)	21:10:38	9.6	Bottom	3	2	24.40	8.09	29.93	85.3	6.0	3.0	2.5
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR3(N)	20:02:14	1.0	Surface	1	1	24.69	8.10	29.38	90.6	6.4	2.5	2.2
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR3(N)	20:01:54	1.0	Surface	1	2	24.68	8.10	29.31	88.8	6.3	2.5	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR3(N)	20:02:02	2.4	Bottom	3	1	24.67	8.10	29.38	88.6	6.3	2.5	3.0
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR3(N)	20:01:42	2.4	Bottom	3	2	24.66	8.10	29.37	87.4	6.1	2.7	3.1
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR4(N3)	20:56:35	1.0	Surface	1	1	24.64	8.10	29.43	88.3	6.2	2.3	3.0
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR4(N3)	20:56:18	1.0	Surface	1	2	24.64	8.10	29.43	87.9	6.2	2.3	2.7
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR4(N3)	20:56:27	2.8	Bottom	3	1	24.62	8.09	29.57	87.6	6.2	2.5	3.4
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR4(N3)	20:56:09	2.8	Bottom	3	2	24.60	8.09	29.59	86.9	6.1	2.5	3.2
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR5(N)	21:01:54	1.0	Surface	1	1	24.56	8.11	29.36	87.9	6.2	2.5	1.9
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR5(N)	21:01:16	1.0	Surface	1	2	24.53	8.12	29.37	87.2	6.1	2.5	1.7
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR5(N)	21:01:42	4.6	Middle	2	1	24.40	8.09	29.80	86.1	6.0	2.7	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR5(N)	21:01:03	4.6	Middle	2	2	24.39	8.10	29.80	85.8	6.0	2.8	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR5(N)	21:01:31	8.1	Bottom	3	1	24.37	8.09	29.95	86.0	6.0	3.2	3.4
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR5(N)	21:00:52	8.1	Bottom	3	2	24.36	8.10	29.96	85.7	6.0	3.1	2.9
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10A(N)	22:04:32	1.0	Surface	1	1	24.54	8.12	30.08	87.3	6.1	2.0	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10A(N)	22:05:20	1.0	Surface	1	2	24.52	8.12	30.09	87.0	6.1	2.0	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10A(N)	22:04:17	6.6	Middle	2	1	24.36	8.11	30.52	85.9	6.0	2.3	2.5
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10A(N)	22:04:59	6.6	Middle	2	2	24.39	8.11	30.45	85.0	5.9	2.3	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10A(N)	22:04:05	12.1	Bottom	3	1	24.37	8.12	30.53	86.1	6.0	2.4	2.5
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10A(N)	22:04:47	12.1	Bottom	3	2	24.41	8.11	30.46	85.2	5.9	2.4	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10B(N2)	22:15:27	1.0	Surface	1	1	24.53	8.12	30.13	86.6	6.0	1.9	2.1
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10B(N2)	22:16:13	1.0	Surface	1	2	24.54	8.12	30.14	86.1	6.0	1.9	2.1
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10B(N2)	22:15:15	3.6	Middle	2	1	24.44	8.11	30.35	85.0	5.9	2.0	1.5
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10B(N2)	22:15:57	3.6	Middle	2	2	24.42	8.11	30.35	85.0	5.9	2.1	1.6
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10B(N2)	22:15:04	6.2	Bottom	3	1	24.42	8.11	30.44	84.9	5.9	2.3	0.7
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	SR10B(N2)	22:15:38	6.2	Bottom	3	2	24.44	8.11	30.39	84.7	5.9	2.3	0.8
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS2(A)	20:05:52	1.0	Surface	1	1	24.40	8.12	29.44	90.5	6.4	2.5	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS2(A)	20:06:27	1.0	Surface	1	2	24.40	8.12	29.41	90.0	6.3	2.4	2.8
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS2(A)	20:06:15	3.4	Middle	2	1	24.31	8.10	29.85	88.2	6.2	3.0	1.6
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS2(A)	20:05:41	3.4	Middle	2	2	24.27	8.10	29.85	88.4	6.2	3.1	1.8
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS2(A)	20:05:30	5.7	Bottom	3	1	24.27	8.09	30.01	88.1	6.2	3.3	1.2
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS2(A)	20:06:06	5.7	Bottom	3	2	24.28	8.09	29.99	88.3	6.2	3.3	1.4
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS(Mf)5	21:47:29	1	Surface	1	1	24.64	8.10	29.53	84.9	6.0	2.0	1.3
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS(Mf)5	21:46:48	1	Surface	1	2	24.63	8.10	29.53	84.7	6.0	2.1	1.2
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS(Mf)5	21:46:32	6.3	Middle	2	1	24.28	8.06	30.20	82.7	5.8	2.5	1.8
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS(Mf)5	21:47:14	6.3	Middle	2	2	24.30	8.06	30.17	82.5	5.8	2.3	1.6
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS(Mf)5	21:46:21	11.6	Bottom	3	1	24.25	8.07	30.26	81.6	5.8	2.6	2.1
HKLR	HY/2011/03	2024-04-17	Mid-Ebb	Fine	CS(Mf)5	21:47:04	11.6	Bottom	3	2	24.25	8.07	29.82	81.8	5.8	2.6	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS5	09:02:46	1	Surface	1	1	24.51	8.09	29.38	84.7	6.0	2.5	3.1
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS5	09:01:59	1	Surface	1	2	24.53	8.10	29.35	85.8	6.0	2.4	3.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS5	09:01:45	4.2	Middle	2	1	24.32	8.06	29.79	83.1	5.8	2.8	2.5
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS5	09:02:31	4.2	Middle	2	2	24.30	8.05	29.80	82.7	5.8	2.7	2.8
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS5	09:02:14	7.4	Bottom	3	1	24.25	8.05	29.89	81.8	5.7	2.9	2.2
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS5	09:01:36	7.4	Bottom	3	2	24.32	8.06	29.88	82.1	5.7	2.9	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS(Mf)6	08:53:17	1.0	Surface	1	1	24.57	8.10	29.34	88.3	6.2	2.4	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS(Mf)6	08:53:00	1.0	Surface	1	2	24.56	8.10	29.34	88.1	6.2	2.4	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS(Mf)6	08:53:08	2.2	Bottom	3	1	24.55	8.10	29.42	88.0	6.2	2.5	3.5
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS(Mf)6	08:52:47	2.2	Bottom	3	2	24.55	8.09	29.47	87.1	6.1	2.6	3.2
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS7	08:42:58	1.0	Surface	1	1	24.57	8.10	29.35	86.7	6.1	2.5	2.5
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS7	08:43:14	1.0	Surface	1	2	24.59	8.10	29.32	87.2	6.1	2.4	2.2
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS7	08:43:05	2.3	Bottom	3	1	24.57	8.10	29.41	86.8	6.1	2.8	3.0
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS7	08:42:49	2.3	Bottom	3	2	24.56	8.09	29.43	86.6	6.1	2.8	2.8
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS8(N)	08:10:46	1	Surface	1	1	24.56	8.09	29.30	87.9	6.2	2.2	3.2
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS8(N)	08:10:15	1	Surface	1	2	24.58	8.09	29.30	87.0	6.1	2.3	2.9
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS8(N)	08:10:22	3.0	Bottom	3	1	24.54	8.08	29.46	87.1	6.1	2.6	2.2
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS8(N)	08:10:04	3.0	Bottom	3	2	24.53	8.08	29.50	85.8	6.0	2.6	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS(Mf)9	08:33:44	1.0	Surface	1	1	24.60	8.10	29.32	88.3	6.2	2.3	1.8
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS(Mf)9	08:33:27	1.0	Surface	1	2	24.59	8.11	29.33	87.7	6.1	2.3	2.0
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS(Mf)9	08:33:34	2.5	Bottom	3	1	24.58	8.10	29.42	87.6	6.1	2.5	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS(Mf)9	08:33:17	2.5	Bottom	3	2	24.54	8.10	29.43	86.6	6.1	2.5	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS10(N)	08:22:47	1.0	Surface	1	1	24.36	8.11	29.51	87.6	6.2	2.4	2.1
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS10(N)	08:23:26	1.0	Surface	1	2	24.39	8.12	29.52	88.0	6.2	2.5	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS10(N)	08:23:13	5.4	Middle	2	1	24.30	8.11	29.89	86.1	6.1	2.7	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS10(N)	08:22:34	5.4	Middle	2	2	24.30	8.10	29.87	86.0	6.1	2.7	2.7
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS10(N)	08:23:02	9.7	Bottom	3	1	24.32	8.10	29.93	85.8	6.0	3.1	3.5
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	IS10(N)	08:22:22	9.7	Bottom	3	2	24.30	8.10	29.93	86.1	6.0	3.1	3.2
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR3(N)	09:13:06	1.0	Surface	1	1	24.54	8.09	29.37	85.5	6.0	2.4	1.8
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR3(N)	09:13:22	1.0	Surface	1	2	24.55	8.09	29.34	86.1	6.0	2.3	1.6
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR3(N)	09:13:13	2.3	Bottom	3	1	24.54	8.09	29.46	85.3	6.0	2.5	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR3(N)	09:12:57	2.3	Bottom	3	2	24.50	8.08	29.47	84.8	5.9	2.5	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR4(N3)	08:19:57	1.0	Surface	1	1	24.57	8.09	29.30	87.6	6.2	2.2	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR4(N3)	08:19:40	1.0	Surface	1	2	24.54	8.09	29.29	87.5	6.2	2.2	2.1
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR4(N3)	08:19:48	2.8	Bottom	3	1	24.52	8.08	29.45	87.4	6.1	2.3	3.1
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR4(N3)	08:19:28	2.8	Bottom	3	2	24.50	8.08	29.49	87.2	6.1	2.4	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR5(N)	08:31:05	1.0	Surface	1	1	24.39	8.12	29.57	85.9	6.0	2.5	2.2
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR5(N)	08:30:21	1.0	Surface	1	2	24.39	8.12	29.57	85.9	6.0	2.4	2.1
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR5(N)	08:30:49	4.6	Middle	2	1	24.32	8.11	29.84	85.0	6.0	2.7	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR5(N)	08:30:09	4.6	Middle	2	2	24.32	8.11	29.86	85.2	6.0	2.7	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR5(N)	08:29:58	8.1	Bottom	3	1	24.29	8.10	29.98	85.3	6.0	3.0	2.8
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR5(N)	08:30:38	8.1	Bottom	3	2	24.30	8.10	29.95	85.1	6.0	3.1	3.2
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10A(N)	07:31:35	1.0	Surface	1	1	24.47	8.11	29.77	85.7	6.0	1.8	1.8
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10A(N)	07:30:53	1.0	Surface	1	2	24.50	8.10	29.76	85.9	6.0	1.8	1.9
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10A(N)	07:31:19	6.6	Middle	2	1	24.35	8.08	30.13	84.1	5.9	1.9	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10A(N)	07:30:38	6.6	Middle	2	2	24.35	8.08	30.12	84.8	5.9	2.0	2.0
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10A(N)	07:30:28	12.1	Bottom	3	1	24.36	8.09	30.18	84.8	5.9	2.3	2.7
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10A(N)	07:31:09	12.1	Bottom	3	2	24.38	8.08	30.19	84.4	5.9	2.3	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10B(N2)	07:21:33	1.0	Surface	1	1	24.50	8.10	29.75	89.6	6.3	1.8	2.3
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10B(N2)	07:20:50	1.0	Surface	1	2	24.50	8.08	29.74	89.3	6.3	1.9	2.1
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10B(N2)	07:20:34	3.7	Middle	2	1	24.40	8.06	29.99	87.2	6.1	2.1	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10B(N2)	07:21:17	3.7	Middle	2	2	24.40	8.08	29.94	86.0	6.0	1.9	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10B(N2)	07:21:05	6.4	Bottom	3	1	24.38	8.07	30.12	85.5	6.0	2.3	2.9
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	SR10B(N2)	07:20:22	6.4	Bottom	3	2	24.32	8.06	30.14	85.8	6.0	2.3	2.9
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS2(A)	09:25:04	1.0	Surface	1	1	24.30	8.13	29.57	87.6	6.2	2.8	2.9
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS2(A)	09:24:25	1.0	Surface	1	2	24.30	8.13	29.59	87.8	6.2	2.7	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS2(A)	09:24:51	3.3	Middle	2	1	24.24	8.12	29.78	86.8	6.1	3.0	2.4
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS2(A)	09:24:13	3.3	Middle	2	2	24.24	8.13	29.76	86.9	6.1	3.0	2.2
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS2(A)	09:24:02	5.6	Bottom	3	1	24.21	8.12	29.92	86.6	6.1	3.2	1.8
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS2(A)	09:24:42	5.6	Bottom	3	2	24.23	8.12	29.92	86.6	6.1	3.4	1.7
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS(Mf)5	07:29:45	1.0	Surface	1	1	24.53	8.07	29.29	86.2	6.0	1.9	1.5
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS(Mf)5	07:29:01	1.0	Surface	1	2	24.51	8.06	29.32	86.1	6.1	1.9	1.7
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS(Mf)5	07:29:28	6.3	Middle	2	1	24.33	8.05	29.81	84.4	5.9	2.2	2.1
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS(Mf)5	07:28:46	6.3	Middle	2	2	24.33	8.04	29.80	84.3	5.9	2.2	2.3

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS(Mf)5	07:28:34	11.5	Bottom	3	1	24.34	8.04	29.93	82.9	5.8	2.5	2.6
HKLR	HY/2011/03	2024-04-17	Mid-Flood	Fine	CS(Mf)5	07:29:16	11.5	Bottom	3	2	24.30	8.04	29.94	83.0	5.8	2.5	2.5
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS5	11:47:38	1.0	Surface	1	1	24.71	8.09	28.08	87.4	6.1	2.9	1.0
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS5	11:46:53	1.0	Surface	1	2	24.73	8.09	28.02	89.0	6.2	2.8	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS5	11:46:38	4.2	Middle	2	1	24.52	8.06	28.84	86.2	6.0	3.3	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS5	11:47:23	4.2	Middle	2	2	24.52	8.05	28.85	85.5	6.0	3.2	1.7
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS5	11:47:08	7.4	Bottom	3	1	24.48	8.05	28.98	85.0	6.0	3.4	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS5	11:46:29	7.4	Bottom	3	2	24.52	8.06	28.98	85.5	6.0	3.4	2.7
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS(Mf)6	11:37:12	1.0	Surface	1	1	24.75	8.09	28.04	89.4	6.3	2.7	1.2
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS(Mf)6	11:36:54	1.0	Surface	1	2	24.74	8.09	28.04	89.5	6.3	2.8	1.8
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS(Mf)6	11:37:03	2.2	Bottom	3	1	24.71	8.09	28.20	89.2	6.2	3.0	1.5
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS(Mf)6	11:36:42	2.2	Bottom	3	2	24.70	8.08	28.23	88.9	6.2	3.0	2.1
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS7	11:28:22	1.0	Surface	1	1	24.76	8.09	28.03	89.4	6.2	2.8	1.9
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS7	11:28:05	1.0	Surface	1	2	24.72	8.09	28.07	89.3	6.2	2.8	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS7	11:28:12	2.2	Bottom	3	1	24.71	8.09	28.14	89.1	6.2	3.0	1.8
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS7	11:27:52	2.2	Bottom	3	2	24.69	8.09	28.15	89.7	6.3	3.1	1.7
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS8(N)	10:58:03	1.0	Surface	1	1	24.74	8.08	28.08	89.5	6.3	2.6	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS8(N)	10:57:35	1.0	Surface	1	2	24.76	8.09	28.04	89.1	6.3	2.7	2.0
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS8(N)	10:57:43	3.0	Bottom	3	1	24.67	8.07	28.62	88.9	6.2	2.9	1.3
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS8(N)	10:57:23	3.0	Bottom	3	2	24.66	8.08	28.62	88.3	6.2	2.9	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS(Mf)9	11:20:17	1.0	Surface	1	1	24.77	8.09	28.06	89.9	6.3	2.6	2.0
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS(Mf)9	11:20:00	1.0	Surface	1	2	24.76	8.10	28.07	89.7	6.3	2.6	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS(Mf)9	11:20:07	2.6	Bottom	3	1	24.72	8.09	28.23	89.4	6.2	2.8	0.9
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS(Mf)9	11:19:50	2.6	Bottom	3	2	24.69	8.09	28.21	89.1	6.2	2.8	1.2
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS10(N)	11:12:32	1.0	Surface	1	1	24.37	8.09	28.14	89.7	6.3	2.9	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS10(N)	11:13:13	1.0	Surface	1	2	24.40	8.10	28.14	90.1	6.3	3.0	1.7
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS10(N)	11:12:59	5.4	Middle	2	1	24.28	8.09	28.96	87.9	6.1	3.2	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS10(N)	11:12:19	5.4	Middle	2	2	24.28	8.08	28.95	88.1	6.1	3.3	1.2
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS10(N)	11:12:49	9.7	Bottom	3	1	24.30	8.08	29.01	87.5	6.1	3.7	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	IS10(N)	11:12:08	9.7	Bottom	3	2	24.28	8.08	29.01	87.5	6.1	3.6	1.5
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR3(N)	11:57:56	1.0	Surface	1	1	24.73	8.08	28.00	88.7	6.2	2.7	2.4
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR3(N)	11:58:13	1.0	Surface	1	2	24.74	8.08	27.96	89.0	6.3	2.6	1.8
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR3(N)	11:58:04	2.3	Bottom	3	1	24.71	8.08	28.23	88.5	6.2	2.9	2.5
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR3(N)	11:57:45	2.3	Bottom	3	2	24.68	8.07	28.18	88.5	6.2	2.9	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR4(N3)	11:06:22	1.0	Surface	1	1	24.74	8.08	28.20	89.5	6.3	2.6	1.1
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR4(N3)	11:06:39	1.0	Surface	1	2	24.76	8.08	28.22	89.8	6.3	2.6	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR4(N3)	11:06:29	2.8	Bottom	3	1	24.68	8.07	28.48	89.0	6.2	2.7	2.3
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR4(N3)	11:06:08	2.8	Bottom	3	2	24.65	8.07	28.55	89.0	6.2	2.7	3.3
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR5(N)	11:23:20	1.0	Surface	1	1	24.39	8.10	28.17	88.3	6.2	2.9	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR5(N)	11:22:36	1.0	Surface	1	2	24.41	8.10	28.19	88.3	6.2	2.8	2.2
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR5(N)	11:23:05	4.6	Middle	2	1	24.31	8.09	28.89	87.4	6.1	3.4	1.8
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR5(N)	11:22:23	4.6	Middle	2	2	24.30	8.09	28.91	87.4	6.1	3.3	1.8
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR5(N)	11:22:54	8.1	Bottom	3	1	24.29	8.08	29.01	87.6	6.1	3.8	1.2
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR5(N)	11:22:12	8.1	Bottom	3	2	24.29	8.08	29.04	87.6	6.1	3.6	1.3
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10A(N)	10:22:49	1.0	Surface	1	1	24.48	8.09	28.39	88.1	6.1	2.1	0.7
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10A(N)	10:22:06	1.0	Surface	1	2	24.49	8.08	28.40	88.3	6.1	2.1	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10A(N)	10:21:53	6.6	Middle	2	1	24.32	8.06	29.16	86.9	6.0	2.4	1.5
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10A(N)	10:22:32	6.6	Middle	2	2	24.32	8.06	29.16	86.4	6.0	2.4	1.8
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10A(N)	10:22:22	12.1	Bottom	3	1	24.35	8.06	29.27	86.7	6.0	2.9	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10A(N)	10:21:42	12.1	Bottom	3	2	24.33	8.07	29.26	86.8	6.0	2.9	1.3
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10B(N2)	10:11:38	1.0	Surface	1	1	24.48	8.08	28.38	92.4	6.4	2.2	1.8
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10B(N2)	10:10:57	1.0	Surface	1	2	24.49	8.06	28.33	92.6	6.4	2.3	1.5
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10B(N2)	10:10:42	3.6	Middle	2	1	24.37	8.05	29.04	89.8	6.2	2.5	1.3
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10B(N2)	10:11:23	3.6	Middle	2	2	24.38	8.06	29.00	88.5	6.1	2.4	1.3
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10B(N2)	10:11:11	6.2	Bottom	3	1	24.36	8.05	29.20	88.0	6.1	2.9	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	SR10B(N2)	10:10:30	6.2	Bottom	3	2	24.39	8.04	29.23	88.2	6.1	2.8	1.1
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS2(A)	12:11:43	1.0	Surface	1	1	24.32	8.11	28.17	89.9	6.3	3.3	1.5
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS2(A)	12:11:05	1.0	Surface	1	2	24.32	8.11	28.17	90.1	6.3	3.2	1.9
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS2(A)	12:11:30	3.3	Middle	2	1	24.23	8.10	28.85	89.1	6.2	3.6	1.2
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS2(A)	12:10:53	3.3	Middle	2	2	24.24	8.10	28.84	89.1	6.2	3.6	2.0
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS2(A)	12:10:42	5.6	Bottom	3	1	24.21	8.10	29.00	88.9	6.2	3.8	1.1
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS2(A)	12:11:21	5.6	Bottom	3	2	24.23	8.09	28.99	88.9	6.2	4.0	1.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS(Mf)5	10:16:56	1	Surface	1	1	24.70	8.07	28.21	89.5	6.3	2.3	1.8
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS(Mf)5	10:16:07	1	Surface	1	2	24.66	8.06	28.25	89.2	6.3	2.3	1.3
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS(Mf)5	10:16:36	6.2	Middle	2	1	24.42	8.05	29.14	87.3	6.1	2.6	1.0
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS(Mf)5	10:15:52	6.2	Middle	2	2	24.42	8.04	29.08	87.6	6.1	2.6	1.7
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS(Mf)5	10:15:40	11.3	Bottom	3	1	24.41	8.04	29.26	85.9	6.0	2.9	3.0
HKLR	HY/2011/03	2024-04-19	Mid-Ebb	Fine	CS(Mf)5	10:16:24	11.3	Bottom	3	2	24.39	8.04	29.26	85.8	6.0	2.9	2.6
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS5	15:31:21	1	Surface	1	1	24.79	8.09	28.20	89.7	6.3	2.9	1.2
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS5	15:32:00	1	Surface	1	2	24.81	8.09	28.18	89.3	6.3	3.0	1.2
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS5	15:31:10	4.3	Middle	2	1	24.60	8.07	28.72	88.6	6.2	3.4	1.2
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS5	15:31:46	4.3	Middle	2	2	24.61	8.07	28.74	88.3	6.2	3.3	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS5	15:30:59	7.5	Bottom	3	1	24.59	8.07	28.95	88.0	6.2	3.4	1.9
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS5	15:31:35	7.5	Bottom	3	2	24.60	8.06	28.93	87.7	6.2	3.4	2.0
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS(Mf)6	15:41:10	1.0	Surface	1	1	24.79	8.09	28.06	92.0	6.5	2.9	1.2
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS(Mf)6	15:40:53	1.0	Surface	1	2	24.79	8.10	28.05	91.3	6.4	2.9	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS(Mf)6	15:41:01	2.2	Bottom	3	1	24.75	8.09	28.21	90.9	6.4	3.1	1.9
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS(Mf)6	15:40:42	2.2	Bottom	3	2	24.73	8.11	28.22	90.5	6.3	3.2	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS7	15:51:06	1.0	Surface	1	1	24.79	8.10	28.12	92.0	6.5	2.8	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS7	15:50:48	1.0	Surface	1	2	24.78	8.10	28.13	91.8	6.4	2.9	1.5
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS7	15:50:56	2.3	Bottom	3	1	24.75	8.10	28.21	91.4	6.4	3.0	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS7	15:50:38	2.3	Bottom	3	2	24.72	8.10	28.23	91.2	6.4	3.0	1.4
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS8(N)	16:25:22	1	Surface	1	1	24.82	8.08	28.20	89.4	6.3	2.9	1.6
HKLR	HY/2011/03	2024-04-19	Mid-Flood	Fine	IS8(N)	16:25:40	1	Surface	1	2	24.83	8.09	28.18	89.6	6.3	2.9	1.6
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS8(N)	16:25:30	3.0	Bottom	3	1	24.78	8.08	28.32	89.2	6.3	3.2	1.2
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS8(N)	16:25:11	3.0	Bottom	3	2	24.73	8.08	28.38	88.7	6.2	3.2	1.3
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS(Mf)9	16:01:33	1.0	Surface	1	1	24.80	8.10	28.22	90.5	6.4	2.7	1.5
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS(Mf)9	16:01:12	1.0	Surface	1	2	24.80	8.10	28.21	90.4	6.3	2.8	1.5
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS(Mf)9	16:01:22	2.6	Bottom	3	1	24.75	8.10	28.36	90.2	6.3	2.9	1.1
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS(Mf)9	16:01:02	2.6	Bottom	3	2	24.73	8.10	28.35	89.9	6.3	3.0	1.8
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS10(N)	16:09:19	1.0	Surface	1	1	24.56	8.08	27.68	88.2	6.1	3.1	1.6
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS10(N)	16:09:58	1.0	Surface	1	2	24.60	8.08	27.64	88.7	6.2	3.1	1.9
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS10(N)	16:09:44	5.3	Middle	2	1	24.39	8.06	28.73	87.5	6.1	3.5	1.8
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS10(N)	16:09:07	5.3	Middle	2	2	24.38	8.06	28.72	87.4	6.1	3.5	1.9
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS10(N)	16:08:57	9.6	Bottom	3	1	24.38	8.06	28.80	87.6	6.1	3.6	1.8
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	IS10(N)	16:09:34	9.6	Bottom	3	2	24.42	8.06	28.84	87.4	6.1	3.7	1.7
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR3(N)	15:21:17	1.0	Surface	1	1	24.81	8.08	28.10	92.7	6.5	2.9	1.8
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR3(N)	15:20:59	1.0	Surface	1	2	24.81	8.09	28.03	91.0	6.4	2.9	1.8
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR3(N)	15:21:07	2.3	Bottom	3	1	24.79	8.08	28.26	90.8	6.4	3.0	2.1
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR3(N)	15:20:48	2.3	Bottom	3	2	24.77	8.08	28.30	90.1	6.3	3.1	2.1
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR4(N3)	16:15:32	1.0	Surface	1	1	24.77	8.08	28.18	89.0	6.2	2.6	1.8
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR4(N3)	16:15:15	1.0	Surface	1	2	24.78	8.08	28.17	88.8	6.2	2.7	1.6
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR4(N3)	16:15:24	2.8	Bottom	3	1	24.73	8.08	28.31	88.5	6.2	2.9	3.1
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR4(N3)	16:15:05	2.8	Bottom	3	2	24.73	8.07	28.31	88.2	6.2	2.8	2.4
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR5(N)	16:01:27	1.0	Surface	1	1	24.58	8.08	27.63	89.6	6.3	2.9	2.0
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR5(N)	16:00:50	1.0	Surface	1	2	24.56	8.09	27.62	89.2	6.2	2.9	2.3
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR5(N)	16:01:15	4.6	Middle	2	1	24.40	8.06	28.61	88.0	6.1	3.3	2.3
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR5(N)	16:00:38	4.6	Middle	2	2	24.40	8.08	28.61	87.8	6.1	3.3	2.5
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR5(N)	16:00:26	8.2	Bottom	3	1	24.37	8.07	29.03	88.0	6.1	3.7	3.5
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR5(N)	16:01:05	8.2	Bottom	3	2	24.40	8.06	29.00	88.2	6.1	3.8	2.3
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10A(N)	17:00:51	1.0	Surface	1	1	24.52	8.10	28.97	89.9	6.2	2.4	2.2
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10A(N)	17:01:37	1.0	Surface	1	2	24.50	8.09	29.01	90.2	6.2	2.4	1.7
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10A(N)	17:00:35	6.5	Middle	2	1	24.32	8.09	29.70	88.3	6.1	2.8	2.7
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10A(N)	17:01:17	6.5	Middle	2	2	24.34	8.08	29.69	87.1	6.0	2.8	2.4
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10A(N)	17:00:24	12.0	Bottom	3	1	24.33	8.10	29.79	88.0	6.1	2.9	2.0
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10A(N)	17:01:06	12.0	Bottom	3	2	24.36	8.09	29.71	87.4	6.0	2.9	2.3
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10B(N2)	17:11:26	1.0	Surface	1	1	24.50	8.09	29.05	88.4	6.1	2.3	1.8
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10B(N2)	17:12:38	1.0	Surface	1	2	24.51	8.09	29.07	88.0	6.1	2.3	1.9
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10B(N2)	17:11:54	3.6	Middle	2	1	24.39	8.08	29.39	87.0	6.0	2.6	2.1
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10B(N2)	17:11:14	3.6	Middle	2	2	24.40	8.09	29.41	87.0	6.0	2.6	2.8
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10B(N2)	17:11:04	6.2	Bottom	3	1	24.38	8.08	29.59	87.1	6.0	2.8	2.5
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	SR10B(N2)	17:11:37	6.2	Bottom	3	2	24.41	8.08	29.57	87.0	6.0	2.9	3.2
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS2(A)	15:13:30	1.0	Surface	1	1	24.45	8.09	27.73	92.6	6.5	3.0	2.7
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS2(A)	15:12:56	1.0	Surface	1	2	24.44	8.10	27.76	93.0	6.5	3.0	1.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS2(A)	15:13:18	3.3	Middle	2	1	24.33	8.08	28.63	90.2	6.3	3.5	2.8
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS2(A)	15:12:46	3.3	Middle	2	2	24.31	8.09	28.64	90.8	6.4	3.6	2.2
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS2(A)	15:12:34	5.6	Bottom	3	1	24.30	8.08	28.87	90.1	6.3	3.9	2.1
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS2(A)	15:13:10	5.6	Bottom	3	2	24.33	8.07	28.85	90.2	6.3	3.9	2.1
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS(Mf)5	17:08:25	1.0	Surface	1	1	24.78	8.09	28.52	87.1	6.1	2.4	3.1
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS(Mf)5	17:07:41	1.0	Surface	1	2	24.78	8.09	28.49	87.1	6.1	2.5	2.3
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS(Mf)5	17:07:24	6.3	Middle	2	1	24.42	8.06	29.31	85.1	6.0	2.8	2.0
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS(Mf)5	17:08:07	6.3	Middle	2	2	24.43	8.05	29.33	85.2	6.0	2.7	1.9
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS(Mf)5	17:07:12	11.5	Bottom	3	1	24.40	8.06	29.49	84.2	5.9	3.0	2.6
HKLR	HY/2011/03	2024/04/19	Mid-Flood	Fine	CS(Mf)5	17:07:56	11.5	Bottom	3	2	24.41	8.05	28.90	84.5	5.9	3.0	2.2
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS5	12:08:32	1.0	Surface	1	1	25.27	8.06	20.34	80.7	5.8	3.5	3.0
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS5	12:09:07	1.0	Surface	1	2	25.42	8.05	20.19	81.4	5.8	3.5	3.0
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS5	12:08:54	4.3	Middle	2	1	25.12	8.04	21.12	79.8	5.7	4.5	3.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS5	12:08:24	4.3	Middle	2	2	25.08	8.04	21.21	80.3	5.8	4.6	3.2
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS5	12:08:45	7.6	Bottom	3	1	25.14	8.03	21.21	80.4	5.8	5.1	4.0
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS5	12:08:14	7.6	Bottom	3	2	25.04	8.04	21.42	81.5	5.8	5.1	3.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS(Mf)6	12:17:47	1.0	Surface	1	1	25.42	8.08	19.67	81.7	5.9	3.5	3.0
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS(Mf)6	12:17:30	1.0	Surface	1	2	25.39	8.10	19.75	81.6	5.9	3.7	2.9
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS(Mf)6	12:17:37	2.2	Bottom	3	1	25.35	8.09	20.03	80.9	5.8	3.8	2.4
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS(Mf)6	12:17:22	2.2	Bottom	3	2	25.32	8.12	20.14	82.4	5.9	4.0	2.8
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS7	12:26:06	1.0	Surface	1	1	25.40	8.07	19.87	81.6	5.9	3.4	3.8
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS7	12:26:22	1.0	Surface	1	2	25.39	8.06	19.87	81.2	5.8	3.1	3.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS7	12:25:58	2.4	Bottom	3	1	25.32	8.06	20.16	81.5	5.9	3.6	2.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS7	12:26:16	2.4	Bottom	3	2	25.32	8.05	20.15	81.1	5.8	3.7	2.9
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS8(N)	12:59:20	1.0	Surface	1	1	25.49	8.05	19.75	79.7	5.7	3.1	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS8(N)	12:59:39	1.0	Surface	1	2	25.49	8.05	19.78	80.2	5.8	3.2	2.9
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS8(N)	12:59:31	2.9	Bottom	3	1	25.35	8.04	20.23	80.1	5.7	3.7	3.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS8(N)	12:59:09	2.9	Bottom	3	2	25.28	8.03	20.41	79.1	5.7	3.7	3.9
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS(Mf)9	12:37:03	1.0	Surface	1	1	25.43	8.05	19.85	80.3	5.8	3.3	2.8
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS(Mf)9	12:36:46	1.0	Surface	1	2	25.40	8.05	19.88	80.2	5.8	3.1	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS(Mf)9	12:36:39	2.5	Bottom	3	1	25.27	8.04	20.33	79.9	5.7	4.1	2.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS(Mf)9	12:36:54	2.5	Bottom	3	2	25.35	8.05	20.13	80.2	5.8	3.8	2.2
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS10(N)	12:20:01	1.0	Surface	1	1	25.08	8.01	21.64	79.8	5.7	4.0	3.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS10(N)	12:20:41	1.0	Surface	1	2	25.16	8.01	21.53	80.2	5.7	3.6	3.3
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS10(N)	12:19:51	5.3	Middle	2	1	24.90	7.99	23.03	79.2	5.6	4.2	2.8
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS10(N)	12:20:26	5.3	Middle	2	2	24.90	7.99	23.07	78.3	5.5	4.2	3.0
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS10(N)	12:19:42	9.6	Bottom	3	1	24.92	8.00	23.10	80.3	5.7	4.8	2.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	IS10(N)	12:20:16	9.6	Bottom	3	2	24.92	7.99	23.28	79.1	5.6	5.1	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR3(N)	11:37:24	1.0	Surface	1	1	25.38	8.10	20.34	85.6	6.1	3.4	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR3(N)	11:37:39	1.0	Surface	1	2	25.40	8.09	20.25	84.7	6.1	3.5	2.8
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR3(N)	11:37:31	2.4	Bottom	3	1	25.37	8.08	20.44	84.9	6.1	3.5	3.2
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR3(N)	11:37:18	2.4	Bottom	3	2	25.36	8.11	20.52	86.2	6.2	3.6	3.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR4(N3)	12:50:42	1.0	Surface	1	1	25.43	8.05	19.99	79.4	5.7	3.2	2.1
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR4(N3)	12:50:55	1.0	Surface	1	2	25.40	8.05	19.96	79.6	5.7	3.4	2.4
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR4(N3)	12:50:48	2.9	Bottom	3	1	25.43	8.04	20.21	79.6	5.7	4.5	2.9
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR4(N3)	12:50:34	2.9	Bottom	3	2	25.26	8.04	20.31	79.0	5.7	4.3	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR5(N)	12:11:49	1.0	Surface	1	1	25.12	8.02	21.58	80.7	5.7	3.5	2.4
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR5(N)	12:11:13	1.0	Surface	1	2	25.14	8.03	21.52	80.9	5.8	3.2	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR5(N)	12:11:37	4.5	Middle	2	1	24.91	8.00	22.94	79.1	5.6	4.6	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR5(N)	12:10:59	4.5	Middle	2	2	24.90	8.02	22.94	78.6	5.6	4.4	3.1
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR5(N)	12:11:25	7.9	Bottom	3	1	24.96	8.00	24.94	80.6	5.6	5.3	3.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR5(N)	12:10:48	7.9	Bottom	3	2	24.88	8.00	25.01	79.6	5.6	5.2	3.2
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10A(N)	13:22:08	1.0	Surface	1	1	25.13	8.02	22.64	82.3	5.8	3.9	3.3
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10A(N)	13:21:28	1.0	Surface	1	2	25.12	8.03	22.70	82.2	5.8	3.8	3.1
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10A(N)	13:21:51	6.4	Middle	2	1	24.99	8.02	23.34	80.6	5.7	4.2	2.9
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10A(N)	13:21:12	6.4	Middle	2	2	24.97	8.03	23.40	81.2	5.7	4.2	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10A(N)	13:20:59	11.7	Bottom	3	1	24.96	8.04	23.60	81.5	5.7	4.5	2.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10A(N)	13:21:40	11.7	Bottom	3	2	25.02	8.02	23.26	80.9	5.7	4.6	2.8
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10B(N2)	13:32:09	1.0	Surface	1	1	25.13	8.02	22.76	83.5	5.9	3.5	2.7
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10B(N2)	13:31:10	1.0	Surface	1	2	25.11	8.03	22.71	82.1	5.8	3.6	2.4
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10B(N2)	13:30:59	3.5	Middle	2	1	24.99	8.03	23.21	81.8	5.8	4.2	2.9
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10B(N2)	13:31:42	3.5	Middle	2	2	25.04	8.02	23.02	80.5	5.7	4.1	2.7

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10B(N2)	13:30:50	6.0	Bottom	3	1	24.94	8.02	23.97	80.8	5.7	4.0	3.2
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	SR10B(N2)	13:31:25	6.0	Bottom	3	2	24.97	8.01	23.87	80.5	5.7	4.2	3.5
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS2(A)	11:13:18	1.0	Surface	1	1	25.04	8.04	21.61	84.7	6.0	3.9	2.4
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS2(A)	11:12:46	1.0	Surface	1	2	25.02	8.05	21.72	83.3	5.9	4.1	2.2
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS2(A)	11:13:07	3.3	Middle	2	1	24.88	8.03	22.92	81.5	5.8	4.6	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS2(A)	11:12:36	3.3	Middle	2	2	24.87	8.04	22.95	82.3	5.9	4.8	2.9
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS2(A)	11:12:24	5.6	Bottom	3	1	24.87	8.04	23.10	80.8	5.7	5.2	3.4
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS2(A)	11:12:59	5.6	Bottom	3	2	24.89	8.02	23.09	81.3	5.8	5.1	3.1
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS(Mf)5	13:40:25	1.0	Surface	1	1	25.35	8.13	20.71	78.0	5.6	3.5	2.8
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS(Mf)5	13:41:03	1.0	Surface	1	2	25.46	8.11	20.65	78.2	5.5	3.3	3.0
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS(Mf)5	13:40:50	6.0	Middle	2	1	24.82	8.10	23.34	75.8	5.4	3.8	3.1
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS(Mf)5	13:40:13	6.0	Middle	2	2	24.80	8.11	23.38	77.0	5.5	3.7	3.2
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS(Mf)5	13:40:04	11.0	Bottom	3	1	24.67	8.10	24.61	75.6	5.4	4.6	3.2
HKLR	HY/2011/03	2024/04/22	Mid-Ebb	Fine	CS(Mf)5	13:40:40	11.0	Bottom	3	2	24.80	8.09	24.21	75.9	5.4	4.7	3.5
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS5	06:28:19	1.0	Surface	1	1	25.07	8.12	20.51	76.1	5.5	3.8	3.9
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS5	06:27:44	1.0	Surface	1	2	25.24	8.09	20.61	77.8	5.6	3.7	3.6
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS5	06:27:28	4.2	Middle	2	1	24.50	8.06	26.15	76.1	5.3	3.9	3.1
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS5	06:28:08	4.2	Middle	2	2	24.58	8.05	26.15	75.6	5.3	3.9	3.3
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS5	06:27:56	7.4	Bottom	3	1	24.54	8.01	28.19	76.0	5.3	4.0	2.8
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS5	06:27:19	7.4	Bottom	3	2	24.30	8.03	28.64	76.4	5.3	4.0	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS(Mf)6	06:17:27	1.0	Surface	1	1	25.16	8.06	20.83	78.0	5.6	3.7	3.3
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS(Mf)6	06:17:45	1.0	Surface	1	2	25.19	8.06	20.79	77.9	5.6	3.6	2.9
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS(Mf)6	06:17:37	2.3	Bottom	3	1	25.10	8.04	22.39	77.8	5.5	3.7	2.6
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS(Mf)6	06:17:19	2.3	Bottom	3	2	25.03	8.05	22.65	77.7	5.5	3.7	2.4
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS7	06:10:01	1.0	Surface	1	1	25.23	8.06	20.01	78.0	5.6	4.0	2.4
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS7	06:10:18	1.0	Surface	1	2	25.30	8.06	20.53	78.3	5.6	3.8	2.1
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS7	06:09:53	2.3	Bottom	3	1	25.05	8.04	22.52	77.8	5.5	3.8	2.5
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS7	06:10:07	2.3	Bottom	3	2	25.16	8.04	22.31	77.8	5.5	3.9	2.7
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS8(N)	05:41:53	1.0	Surface	1	1	25.19	8.07	20.07	78.4	5.6	3.5	2.2
HKLR	HY/2011/03	2024/04/22	Mid-Flood	Fine	IS8(N)	05:41:36	1.0	Surface	1	2	25.24	8.09	19.91	79.4	5.7	3.6	2.8
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS8(N)	05:41:43	2.9	Bottom	3	1	25.13	8.04	22.93	79.1	5.6	3.6	3.2
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS8(N)	05:41:24	2.9	Bottom	3	2	24.80	8.06	23.17	77.7	5.5	3.8	2.9
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS(Mf)9	06:01:23	1.0	Surface	1	1	25.23	8.09	19.99	77.8	5.6	3.8	2.5
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS(Mf)9	06:01:42	1.0	Surface	1	2	25.21	8.07	20.09	78.0	5.6	3.6	2.4
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS(Mf)9	06:01:33	2.6	Bottom	3	1	25.08	8.04	22.74	77.7	5.5	3.6	3.0
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS(Mf)9	06:01:14	2.6	Bottom	3	2	24.77	8.06	23.29	77.1	5.5	3.7	3.4
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS10(N)	05:41:32	1.0	Surface	1	1	24.83	8.10	20.42	82.9	5.7	3.5	3.1
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS10(N)	05:42:27	1.0	Surface	1	2	25.00	8.10	20.39	84.6	6.1	3.6	2.9
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS10(N)	05:41:20	5.2	Middle	2	1	24.54	8.08	28.04	80.0	5.8	4.2	3.4
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS10(N)	05:42:02	5.2	Middle	2	2	24.53	8.09	28.09	79.0	5.5	4.0	3.2
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS10(N)	05:41:46	9.4	Bottom	3	1	24.67	8.06	28.10	80.5	5.6	4.3	3.4
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	IS10(N)	05:41:05	9.4	Bottom	3	2	24.68	8.03	27.96	78.9	5.5	4.0	3.6
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR3(N)	06:39:32	1.0	Surface	1	1	25.24	8.07	20.27	77.6	5.6	3.9	2.6
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR3(N)	06:39:49	1.0	Surface	1	2	25.16	8.07	20.35	77.8	5.6	3.7	3.0
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR3(N)	06:39:42	2.4	Bottom	3	1	25.09	8.05	22.49	77.5	5.5	4.4	3.1
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR3(N)	06:39:23	2.4	Bottom	3	2	25.04	8.05	22.67	77.2	5.5	4.4	3.4
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR4(N3)	05:49:52	1.0	Surface	1	1	25.17	8.07	20.23	78.0	5.6	3.7	2.4
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR4(N3)	05:49:39	1.0	Surface	1	2	25.16	8.08	20.07	77.9	5.6	3.7	2.6
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR4(N3)	05:49:29	2.7	Bottom	3	1	24.98	8.05	23.01	77.5	5.5	3.8	3.0
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR4(N3)	05:49:46	2.7	Bottom	3	2	25.15	8.04	22.79	77.8	5.5	3.8	3.2
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR5(N)	05:52:54	1.0	Surface	1	1	24.97	8.10	22.48	81.8	5.9	3.5	2.1
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR5(N)	05:52:06	1.0	Surface	1	2	24.93	8.11	22.27	80.8	5.7	3.6	2.4
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR5(N)	05:52:36	4.4	Middle	2	1	24.62	8.09	27.35	79.2	5.5	4.8	2.6
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR5(N)	05:51:53	4.4	Middle	2	2	24.61	8.09	27.20	79.6	5.5	4.6	2.9
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR5(N)	05:52:22	7.7	Bottom	3	1	24.59	8.06	28.05	80.1	5.5	5.2	3.0
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR5(N)	05:51:40	7.7	Bottom	3	2	24.57	8.06	27.84	80.8	5.6	4.8	3.2
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10A(N)	04:54:35	1.0	Surface	1	1	25.06	8.11	20.45	81.5	5.8	2.6	2.7
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10A(N)	04:55:15	1.0	Surface	1	2	25.00	8.12	20.88	79.1	5.7	2.5	3.1
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10A(N)	04:54:58	6.4	Middle	2	1	24.55	8.05	26.19	78.5	5.5	2.8	3.3
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10A(N)	04:54:17	6.4	Middle	2	2	24.54	8.06	25.74	78.4	5.5	2.9	3.6
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10A(N)	04:54:05	11.8	Bottom	3	1	24.61	8.05	28.32	79.8	5.6	3.7	4.0
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10A(N)	04:54:48	11.8	Bottom	3	2	24.68	8.04	28.10	80.0	5.5	3.9	3.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10B(N2)	04:45:24	1.0	Surface	1	1	24.83	8.09	20.57	85.2	5.9	2.8	3.6
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10B(N2)	04:44:48	1.0	Surface	1	2	25.01	8.09	20.66	85.9	6.2	2.8	4.0
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10B(N2)	04:45:13	3.5	Middle	2	1	24.62	8.09	27.60	83.0	5.7	3.5	3.2
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10B(N2)	04:44:28	3.5	Middle	2	2	24.59	8.09	27.68	82.7	5.7	3.5	3.4
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10B(N2)	04:45:00	6.0	Bottom	3	1	24.69	8.09	28.18	80.7	5.6	4.0	3.0
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	SR10B(N2)	04:44:18	6.0	Bottom	3	2	24.63	8.09	28.30	80.9	5.8	3.8	2.9
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS2(A)	06:43:13	1.0	Surface	1	1	24.88	8.11	21.46	81.8	5.9	2.7	4.0
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS2(A)	06:42:34	1.0	Surface	1	2	24.93	8.10	21.28	83.2	6.0	2.5	4.2
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS2(A)	06:42:14	3.2	Middle	2	1	24.66	8.09	26.25	80.3	5.6	4.2	3.9
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS2(A)	06:43:01	3.2	Middle	2	2	24.63	8.09	25.93	80.7	5.7	4.0	3.6
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS2(A)	06:42:50	5.4	Bottom	3	1	24.56	8.06	27.67	81.4	5.7	4.8	3.2
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS2(A)	06:42:02	5.4	Bottom	3	2	24.51	8.08	27.88	80.5	5.6	5.2	2.9
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS(Mf)5	05:03:43	1.0	Surface	1	1	25.02	8.11	20.41	79.4	5.5	2.5	2.9
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS(Mf)5	05:03:06	1.0	Surface	1	2	25.14	8.08	20.59	78.6	5.6	2.6	3.2
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS(Mf)5	05:02:52	6.2	Middle	2	1	24.39	8.03	26.27	77.2	5.4	2.6	3.4
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS(Mf)5	05:03:30	6.2	Middle	2	2	24.31	8.04	28.30	76.2	5.3	2.7	3.3
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS(Mf)5	05:02:40	11.3	Bottom	3	1	24.35	7.98	28.67	76.9	5.5	3.0	4.0
HKLR	HY/2011/03	2024-04-22	Mid-Flood	Fine	CS(Mf)5	05:03:20	11.3	Bottom	3	2	24.41	8.01	28.61	76.8	5.3	3.2	3.7
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS5	12:34:45	1.0	Surface	1	1	25.31	8.07	22.92	83.6	6.0	3.5	5.6
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS5	12:35:21	1.0	Surface	1	2	25.42	8.06	22.82	83.9	6.0	3.3	5.2
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS5	12:35:08	4.3	Middle	2	1	25.15	8.05	23.63	82.5	5.9	3.9	4.6
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS5	12:34:36	4.3	Middle	2	2	25.12	8.05	23.68	83.0	5.9	3.7	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS5	12:34:58	7.6	Bottom	3	1	25.16	8.04	23.75	82.7	5.9	4.4	4.1
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS5	12:34:26	7.6	Bottom	3	2	25.09	8.05	23.90	83.6	6.0	4.2	4.3
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS(Mf)6	12:44:11	1.0	Surface	1	1	25.41	8.08	22.43	85.0	6.1	3.7	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS(Mf)6	12:43:54	1.0	Surface	1	2	25.39	8.10	22.48	84.7	6.0	3.8	4.6
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS(Mf)6	12:44:02	2.2	Bottom	3	1	25.35	8.09	22.72	84.1	6.0	3.9	5.2
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS(Mf)6	12:43:46	2.2	Bottom	3	2	25.32	8.12	22.80	85.0	6.1	4.1	5.3
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS7	12:52:15	1.0	Surface	1	1	25.39	8.08	22.53	84.9	6.0	3.1	5.7
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS7	12:52:31	1.0	Surface	1	2	25.39	8.07	22.58	84.6	6.0	2.9	5.3
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS7	12:52:06	2.3	Bottom	3	1	25.32	8.07	22.81	84.6	6.0	3.3	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS7	12:52:24	2.3	Bottom	3	2	25.33	8.07	22.80	84.4	6.0	3.4	4.6
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS8(N)	13:25:58	1.0	Surface	1	1	25.47	8.06	22.36	82.8	5.9	2.9	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS8(N)	13:26:17	1.0	Surface	1	2	25.47	8.06	22.54	83.2	5.9	3.0	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS8(N)	13:26:08	2.9	Bottom	3	1	25.36	8.05	22.89	83.0	5.9	3.4	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS8(N)	13:25:47	2.9	Bottom	3	2	25.30	8.05	23.03	82.2	5.8	3.4	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS(Mf)9	13:03:08	1.0	Surface	1	1	25.42	8.07	22.60	83.6	6.0	3.0	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS(Mf)9	13:02:49	1.0	Surface	1	2	25.40	8.07	22.62	83.5	5.9	2.9	4.7
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS(Mf)9	13:02:42	2.6	Bottom	3	1	25.29	8.06	22.97	83.1	5.9	3.6	5.4
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS(Mf)9	13:02:58	2.6	Bottom	3	2	25.35	8.07	22.84	83.4	5.9	3.4	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS10(N)	13:28:47	1.0	Surface	1	1	24.99	8.02	19.98	73.9	5.3	4.1	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS10(N)	13:28:08	1.0	Surface	1	2	24.94	8.02	20.01	73.9	5.3	4.2	4.6
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS10(N)	13:27:58	5.3	Middle	2	1	24.79	7.99	23.13	73.6	5.2	4.8	5.1
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS10(N)	13:28:35	5.3	Middle	2	2	24.79	8.00	23.15	72.7	5.1	4.9	5.3
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS10(N)	13:28:21	9.5	Bottom	3	1	24.81	7.99	23.73	73.6	5.2	5.4	5.4
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	IS10(N)	13:27:50	9.5	Bottom	3	2	24.81	7.99	23.17	74.6	5.3	5.4	5.7
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR3(N)	12:22:57	1.0	Surface	1	1	25.39	8.10	22.87	87.3	6.2	3.6	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR3(N)	12:23:14	1.0	Surface	1	2	25.40	8.09	22.83	87.3	6.2	3.7	5.1
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR3(N)	12:23:05	2.4	Bottom	3	1	25.38	8.08	23.01	86.8	6.2	3.7	4.2
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR3(N)	12:22:50	2.4	Bottom	3	2	25.36	8.10	23.08	87.4	6.2	3.8	4.2
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR4(N3)	13:17:33	1.0	Surface	1	1	25.41	8.06	22.54	82.4	5.9	2.9	4.5
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR4(N3)	13:17:47	1.0	Surface	1	2	25.39	8.06	22.66	82.6	5.9	3.0	4.7
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR4(N3)	13:17:40	2.9	Bottom	3	1	25.40	8.05	22.87	82.4	5.9	3.9	5.7
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR4(N3)	13:17:24	2.9	Bottom	3	2	25.28	8.05	22.94	81.9	5.8	3.7	5.3
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR5(N)	13:20:37	1.0	Surface	1	1	25.02	8.03	19.69	74.8	5.4	2.7	6.4
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR5(N)	13:20:03	1.0	Surface	1	2	25.05	8.04	19.64	75.3	5.4	2.7	6.5
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR5(N)	13:20:25	4.4	Middle	2	1	24.78	8.00	23.00	73.6	5.2	4.5	6.0
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR5(N)	13:19:49	4.4	Middle	2	2	24.78	8.02	23.02	72.8	5.2	4.5	5.7
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR5(N)	13:19:38	7.7	Bottom	3	1	24.74	7.99	25.78	74.0	5.2	5.0	5.1
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR5(N)	13:20:15	7.7	Bottom	3	2	24.82	7.98	25.65	74.9	5.2	5.0	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10A(N)	14:23:37	1.0	Surface	1	1	24.90	8.05	23.01	79.6	5.6	3.2	5.6
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10A(N)	14:24:13	1.0	Surface	1	2	24.87	8.04	23.05	81.4	5.7	3.2	5.9

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10A(N)	14:23:23	6.4	Middle	2	1	24.73	8.05	24.55	79.0	5.6	3.7	6.2
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10A(N)	14:23:59	6.4	Middle	2	2	24.71	8.03	25.01	77.2	5.4	3.8	5.9
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10A(N)	14:23:49	11.7	Bottom	3	1	24.76	8.03	25.05	78.5	5.5	4.0	6.3
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10A(N)	14:23:13	11.7	Bottom	3	2	24.72	8.06	25.13	77.6	5.5	4.0	6.4
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10B(N2)	14:33:02	1.0	Surface	1	1	24.88	8.04	23.04	79.0	5.6	2.9	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10B(N2)	14:32:18	1.0	Surface	1	2	24.87	8.04	23.06	78.6	5.6	2.9	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10B(N2)	14:32:09	3.4	Middle	2	1	24.78	8.04	23.93	78.3	5.5	3.3	5.7
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10B(N2)	14:32:46	3.4	Middle	2	2	24.79	8.03	23.79	77.4	5.5	3.4	5.3
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10B(N2)	14:32:01	5.7	Bottom	3	1	24.74	8.03	24.82	77.9	5.5	3.4	6.1
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	SR10B(N2)	14:32:31	5.7	Bottom	3	2	24.77	8.02	25.04	77.9	5.4	3.5	6.4
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS2(A)	12:26:40	1.0	Surface	1	1	24.95	8.07	19.44	80.3	5.7	3.4	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS2(A)	12:26:07	1.0	Surface	1	2	24.96	8.08	19.44	79.2	5.6	3.6	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS2(A)	12:25:59	3.2	Middle	2	1	24.82	8.04	22.73	78.1	5.6	4.0	5.3
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS2(A)	12:26:31	3.2	Middle	2	2	24.83	8.03	22.66	76.7	5.4	4.1	5.6
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS2(A)	12:26:20	5.4	Bottom	3	1	24.80	8.02	23.19	75.6	5.4	4.3	5.7
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS2(A)	12:25:46	5.4	Bottom	3	2	24.77	8.04	23.19	75.3	5.4	4.4	5.5
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS(Mf)5	14:08:43	1	Surface	1	1	25.36	8.12	23.27	80.9	5.7	2.9	3.5
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS(Mf)5	14:09:23	1	Surface	1	2	25.43	8.10	23.24	81.0	5.7	2.8	3.8
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS(Mf)5	14:09:08	6.1	Middle	2	1	24.89	8.08	25.31	78.8	5.6	3.2	4.0
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS(Mf)5	14:08:30	6.1	Middle	2	2	24.87	8.09	25.33	79.6	5.6	3.2	3.9
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS(Mf)5	14:08:19	11.2	Bottom	3	1	24.78	8.09	26.22	78.3	5.6	3.8	4.1
HKLR	HY/2011/03	2024-04-24	Mid-Ebb	Fine	CS(Mf)5	14:08:58	11.2	Bottom	3	2	24.87	8.08	25.75	78.6	5.5	3.9	4.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS5	06:54:36	1	Surface	1	1	25.15	8.11	23.00	79.7	5.7	3.4	5.2
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS5	06:53:58	1	Surface	1	2	25.27	8.09	23.05	81.4	5.8	3.3	5.3
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS5	06:53:42	4.2	Middle	2	1	24.71	8.06	27.03	79.3	5.6	3.6	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS5	06:54:24	4.2	Middle	2	2	24.76	8.05	27.04	78.8	5.5	3.6	5.1
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS5	06:54:11	7.4	Bottom	3	1	24.72	8.02	28.45	78.9	5.5	3.7	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS5	06:53:33	7.4	Bottom	3	2	24.57	8.04	28.75	79.3	5.5	3.7	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS(Mf)6	06:44:05	1.0	Surface	1	1	25.24	8.07	23.17	81.6	5.8	3.2	5.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS(Mf)6	06:43:47	1.0	Surface	1	2	25.22	8.07	23.20	81.7	5.8	3.3	5.1
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS(Mf)6	06:43:56	2.3	Bottom	3	1	25.17	8.06	24.30	81.5	5.7	3.4	6.9
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS(Mf)6	06:43:38	2.3	Bottom	3	2	25.12	8.06	24.49	81.3	5.7	3.4	6.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS7	06:35:53	1.0	Surface	1	1	25.26	8.07	22.66	81.6	5.8	3.5	5.8
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS7	06:36:10	1.0	Surface	1	2	25.32	8.07	23.00	81.9	5.8	3.4	5.6
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS7	06:35:59	2.3	Bottom	3	1	25.21	8.06	24.23	81.4	5.8	3.5	5.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS7	06:35:43	2.3	Bottom	3	2	25.13	8.06	24.37	81.6	5.8	3.5	5.6
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS8(N)	06:07:49	1	Surface	1	1	25.24	8.07	22.70	82.0	5.9	3.6	5.2
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS8(N)	06:07:28	1	Surface	1	2	25.28	8.09	22.58	82.5	5.9	3.7	5.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS8(N)	06:07:36	2.9	Bottom	3	1	25.18	8.05	24.80	82.3	5.8	3.8	5.9
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS8(N)	06:07:16	2.9	Bottom	3	2	24.95	8.07	24.96	81.1	5.7	3.9	5.6
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS(Mf)9	06:27:26	1.0	Surface	1	1	25.27	8.09	22.58	81.6	5.8	3.3	4.3
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS(Mf)9	06:27:44	1.0	Surface	1	2	25.26	8.08	22.71	81.8	5.8	3.2	4.6
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS(Mf)9	06:27:35	2.6	Bottom	3	1	25.16	8.06	24.54	81.5	5.7	3.2	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS(Mf)9	06:27:17	2.6	Bottom	3	2	24.94	8.07	24.91	80.9	5.7	3.3	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS10(N)	06:37:05	1.0	Surface	1	1	24.76	8.12	20.77	80.2	5.7	3.8	4.6
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS10(N)	06:36:19	1.0	Surface	1	2	24.69	8.11	20.83	79.3	5.6	3.7	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS10(N)	06:36:06	5.3	Middle	2	1	24.50	8.08	26.82	77.5	5.5	4.2	5.1
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS10(N)	06:36:47	5.3	Middle	2	2	24.50	8.09	26.87	75.5	5.3	4.5	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS10(N)	06:35:54	9.6	Bottom	3	1	24.58	8.05	26.78	73.2	5.1	4.4	5.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	IS10(N)	06:36:32	9.6	Bottom	3	2	24.57	8.07	26.92	74.3	5.2	4.7	5.2
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR3(N)	07:05:31	1.0	Surface	1	1	25.27	8.07	22.81	81.1	5.8	3.4	4.7
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR3(N)	07:05:48	1.0	Surface	1	2	25.22	8.07	22.85	81.4	5.8	3.2	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR3(N)	07:05:40	2.4	Bottom	3	1	25.16	8.06	24.38	81.0	5.7	4.0	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR3(N)	07:05:21	2.4	Bottom	3	2	25.12	8.06	24.48	80.8	5.7	4.0	5.3
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR4(N3)	06:16:00	1.0	Surface	1	1	25.23	8.07	22.86	81.8	5.8	3.2	4.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR4(N3)	06:15:46	1.0	Surface	1	2	25.22	8.08	22.74	81.6	5.8	3.2	4.7
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR4(N3)	06:15:53	2.8	Bottom	3	1	25.19	8.05	24.66	81.4	5.7	3.3	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR4(N3)	06:15:35	2.8	Bottom	3	2	25.07	8.06	24.83	81.2	5.7	3.3	5.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR5(N)	06:48:21	1.0	Surface	1	1	24.73	8.11	21.74	78.4	5.6	3.6	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR5(N)	06:47:46	1.0	Surface	1	2	24.74	8.12	21.55	77.9	5.6	3.7	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR5(N)	06:48:09	4.3	Middle	2	1	24.55	8.09	26.43	77.2	5.4	5.2	4.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR5(N)	06:47:34	4.3	Middle	2	2	24.54	8.10	26.36	76.8	5.3	5.0	4.7

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR5(N)	06:47:59	7.6	Bottom	3	1	24.54	8.07	26.76	77.8	5.4	5.8	4.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR5(N)	06:47:22	7.6	Bottom	3	2	24.52	8.08	26.78	77.5	5.4	5.5	4.5
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10A(N)	05:41:37	1.0	Surface	1	1	24.78	8.12	20.86	79.0	5.6	2.4	5.8
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10A(N)	05:42:19	1.0	Surface	1	2	24.80	8.11	20.86	77.9	5.6	2.3	5.5
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10A(N)	05:41:59	6.4	Middle	2	1	24.51	8.07	25.92	76.5	5.3	3.4	5.2
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10A(N)	05:41:24	6.4	Middle	2	2	24.50	8.08	25.71	76.2	5.4	3.5	5.1
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10A(N)	05:41:09	11.7	Bottom	3	1	24.54	8.07	27.01	76.3	5.3	3.5	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10A(N)	05:41:50	11.7	Bottom	3	2	24.57	8.07	26.89	77.4	5.4	3.5	4.6
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10B(N2)	05:32:39	1.0	Surface	1	1	24.67	8.11	20.73	82.2	5.7	2.9	4.6
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10B(N2)	05:32:10	1.0	Surface	1	2	24.75	8.10	20.62	84.5	6.0	2.8	4.2
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10B(N2)	05:31:57	3.5	Middle	2	1	24.53	8.08	26.62	80.6	5.7	3.4	4.8
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10B(N2)	05:32:30	3.5	Middle	2	2	24.54	8.09	26.56	79.8	5.5	3.3	4.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10B(N2)	05:32:20	5.9	Bottom	3	1	24.59	8.09	26.86	79.2	5.5	4.0	5.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	SR10B(N2)	05:31:46	5.9	Bottom	3	2	24.56	8.06	26.96	78.8	5.7	3.5	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS2(A)	07:43:43	1.0	Surface	1	1	24.74	8.11	21.00	78.7	5.6	3.1	5.3
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS2(A)	07:43:10	1.0	Surface	1	2	24.74	8.12	20.75	79.1	5.7	2.9	5.0
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS2(A)	07:43:32	3.2	Middle	2	1	24.55	8.09	25.67	77.9	5.4	4.2	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS2(A)	07:42:55	3.2	Middle	2	2	24.57	8.10	25.86	77.6	5.4	4.5	4.7
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS2(A)	07:42:46	5.3	Bottom	3	1	24.49	8.09	26.73	77.9	5.4	5.0	4.4
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS2(A)	07:43:21	5.3	Bottom	3	2	24.55	8.07	26.58	78.4	5.5	4.9	4.5
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS(Mf)5	05:29:31	1.0	Surface	1	1	25.11	8.10	22.98	82.6	5.8	2.4	4.3
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS(Mf)5	05:28:50	1.0	Surface	1	2	25.18	8.07	23.11	82.0	5.8	2.5	4.5
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS(Mf)5	05:28:36	6.2	Middle	2	1	24.60	8.03	27.20	80.5	5.6	2.6	4.9
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS(Mf)5	05:29:16	6.2	Middle	2	2	24.55	8.04	28.58	79.8	5.6	2.7	4.7
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS(Mf)5	05:28:24	11.3	Bottom	3	1	24.57	8.00	28.86	79.8	5.7	3.0	5.5
HKLR	HY/2011/03	2024-04-24	Mid-Flood	Fine	CS(Mf)5	05:29:05	11.3	Bottom	3	2	24.60	8.02	28.82	79.7	5.5	3.1	5.2
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS5	13:08:02	1.0	Surface	1	1	25.05	8.10	22.08	82.4	5.9	4.0	2.4
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS5	13:08:36	1.0	Surface	1	2	25.14	8.09	21.97	83.1	5.9	4.0	2.2
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS5	13:08:25	4.3	Middle	2	1	24.87	8.08	23.11	81.5	5.8	4.7	2.4
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS5	13:07:53	4.3	Middle	2	2	24.84	8.08	23.54	81.6	5.8	4.8	2.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS5	13:08:16	7.6	Bottom	3	1	24.85	8.07	23.90	82.0	5.9	5.2	3.0
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS5	13:07:44	7.6	Bottom	3	2	24.77	8.07	24.05	82.4	5.9	5.1	2.7
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS(Mf)6	13:17:42	1.0	Surface	1	1	25.09	8.10	22.38	87.8	6.3	3.7	2.8
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS(Mf)6	13:17:26	1.0	Surface	1	2	25.09	8.12	22.35	87.0	6.2	3.9	2.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS(Mf)6	13:17:33	2.2	Bottom	3	1	25.05	8.11	22.61	87.4	6.2	3.9	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS(Mf)6	13:17:17	2.2	Bottom	3	2	25.03	8.12	22.67	87.0	6.2	4.0	2.4
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS7	13:27:23	1.0	Surface	1	1	25.09	8.10	22.44	87.6	6.3	3.4	2.4
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS7	13:27:38	1.0	Surface	1	2	25.13	8.09	22.39	88.8	6.3	3.2	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS7	13:27:30	2.3	Bottom	3	1	25.05	8.08	22.61	86.7	6.2	3.5	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS7	13:27:14	2.3	Bottom	3	2	25.04	8.10	22.67	86.7	6.2	3.4	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS8(N)	14:00:45	1.0	Surface	1	1	25.15	8.09	22.11	82.5	5.9	3.6	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS8(N)	14:01:02	1.0	Surface	1	2	25.16	8.09	22.26	84.5	6.0	3.7	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS8(N)	14:00:35	2.9	Bottom	3	1	24.92	8.08	22.89	80.6	5.8	4.0	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS8(N)	14:00:54	2.9	Bottom	3	2	25.06	8.08	22.76	83.4	6.0	4.0	2.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS(Mf)9	13:37:08	1.0	Surface	1	1	25.16	8.09	22.41	86.4	6.2	3.2	2.3
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS(Mf)9	13:36:51	1.0	Surface	1	2	25.14	8.09	22.42	85.3	6.1	3.1	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS(Mf)9	13:36:43	2.6	Bottom	3	1	25.01	8.08	22.75	84.4	6.0	3.8	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS(Mf)9	13:36:59	2.6	Bottom	3	2	25.11	8.09	22.60	84.2	6.0	3.7	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS10(N)	14:15:10	1.0	Surface	1	1	24.77	7.99	21.65	73.8	5.3	4.2	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS10(N)	14:14:34	1.0	Surface	1	2	24.74	7.99	21.73	73.8	5.3	4.2	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS10(N)	14:14:22	5.2	Middle	2	1	24.54	7.97	24.38	73.2	5.2	4.6	2.3
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS10(N)	14:14:58	5.2	Middle	2	2	24.54	7.97	24.37	72.9	5.2	4.7	2.0
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS10(N)	14:14:13	9.4	Bottom	3	1	24.54	7.96	24.49	73.8	5.2	5.2	2.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	IS10(N)	14:14:46	9.4	Bottom	3	2	24.58	7.96	24.72	73.5	5.2	5.4	2.3
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR3(N)	12:56:46	1.0	Surface	1	1	25.13	8.12	21.85	85.3	6.1	3.7	2.2
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR3(N)	12:57:02	1.0	Surface	1	2	25.14	8.11	21.85	86.4	6.2	3.8	2.4
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR3(N)	12:56:38	2.4	Bottom	3	1	25.11	8.13	22.16	84.3	6.0	4.0	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR3(N)	12:56:54	2.4	Bottom	3	2	25.12	8.11	22.04	85.3	6.1	3.9	1.4
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR4(N3)	13:51:55	1.0	Surface	1	1	25.13	8.09	22.32	83.2	5.9	3.6	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR4(N3)	13:52:11	1.0	Surface	1	2	25.07	8.08	22.37	84.2	6.0	3.6	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR4(N3)	13:52:02	2.8	Bottom	3	1	25.05	8.08	22.68	83.9	6.0	4.3	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR4(N3)	13:51:46	2.8	Bottom	3	2	25.00	8.08	22.85	80.9	5.8	4.2	1.6

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR5(N)	14:05:42	1.0	Surface	1	1	24.77	8.00	21.61	74.6	5.4	3.5	1.1
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR5(N)	14:05:04	1.0	Surface	1	2	24.78	8.00	21.60	74.8	5.4	3.5	1.3
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR5(N)	14:05:29	4.4	Middle	2	1	24.54	7.97	24.22	73.4	5.2	4.5	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR5(N)	14:04:49	4.4	Middle	2	2	24.53	7.99	24.24	73.1	5.2	4.4	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR5(N)	14:05:18	7.8	Bottom	3	1	24.55	7.96	25.78	74.1	5.2	5.3	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR5(N)	14:04:39	7.8	Bottom	3	2	24.50	7.97	25.83	73.7	5.2	5.1	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10A(N)	15:09:25	1.0	Surface	1	1	24.67	8.01	24.47	78.2	5.5	3.1	2.2
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10A(N)	15:08:46	1.0	Surface	1	2	24.71	8.01	24.41	77.5	5.5	3.1	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10A(N)	15:08:32	6.5	Middle	2	1	24.50	8.01	25.67	76.8	5.4	3.5	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10A(N)	15:09:11	6.5	Middle	2	2	24.47	7.99	26.02	75.5	5.3	3.5	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10A(N)	15:08:59	11.9	Bottom	3	1	24.53	7.99	25.94	76.4	5.4	3.7	1.4
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10A(N)	15:08:22	11.9	Bottom	3	2	24.50	8.01	25.98	76.2	5.4	3.8	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10B(N2)	15:19:42	1.0	Surface	1	1	24.65	8.00	24.59	76.7	5.4	2.9	1.3
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10B(N2)	15:19:04	1.0	Surface	1	2	24.68	8.00	24.54	76.7	5.4	3.0	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10B(N2)	15:18:54	3.4	Middle	2	1	24.55	8.00	25.25	76.1	5.4	3.3	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10B(N2)	15:19:29	3.4	Middle	2	2	24.56	7.99	25.19	75.7	5.3	3.3	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10B(N2)	15:19:16	5.8	Bottom	3	1	24.56	7.98	25.80	76.0	5.3	3.8	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	SR10B(N2)	15:18:46	5.8	Bottom	3	2	24.52	7.99	25.81	75.9	5.3	3.7	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS2(A)	13:11:26	1.0	Surface	1	1	24.69	8.03	21.86	79.3	5.6	3.8	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS2(A)	13:10:54	1.0	Surface	1	2	24.70	8.03	21.86	78.2	5.6	3.9	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS2(A)	13:10:42	3.2	Middle	2	1	24.57	8.01	23.95	76.7	5.5	4.1	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS2(A)	13:11:16	3.2	Middle	2	2	24.58	8.00	23.92	75.9	5.4	4.2	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS2(A)	13:11:07	5.4	Bottom	3	1	24.55	7.99	24.35	75.4	5.4	4.4	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS2(A)	13:10:30	5.4	Bottom	3	2	24.53	8.02	24.34	75.5	5.4	4.4	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS(Mf)5	14:40:57	1	Surface	1	1	25.07	8.14	22.45	78.4	5.6	3.9	2.2
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS(Mf)5	14:41:36	1	Surface	1	2	25.06	8.12	22.62	78.1	5.5	3.7	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS(Mf)5	14:41:22	6.1	Middle	2	1	24.50	8.08	25.54	75.0	5.3	4.0	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS(Mf)5	14:40:43	6.1	Middle	2	2	24.50	8.10	25.56	75.5	5.4	3.9	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS(Mf)5	14:40:32	11.1	Bottom	3	1	24.35	8.09	27.08	76.9	5.4	4.6	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Ebb	Fine	CS(Mf)5	14:41:11	11.1	Bottom	3	2	24.48	8.08	26.89	76.6	5.4	4.7	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS5	08:37:34	1	Surface	1	1	24.94	8.13	23.10	79.4	5.7	4.0	2.5
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS5	08:36:56	1	Surface	1	2	25.01	8.12	23.17	80.0	5.7	4.0	2.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS5	08:36:43	4.2	Middle	2	1	24.57	8.09	26.22	77.9	5.5	4.4	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS5	08:37:23	4.2	Middle	2	2	24.63	8.08	26.17	78.1	5.5	4.4	2.3
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS5	08:37:09	7.4	Bottom	3	1	24.57	8.05	27.61	78.2	5.5	4.7	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS5	08:36:33	7.4	Bottom	3	2	24.44	8.07	27.82	77.9	5.5	4.6	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS(Mf)6	08:27:38	1.0	Surface	1	1	24.94	8.07	22.44	79.2	5.7	3.7	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS(Mf)6	08:27:54	1.0	Surface	1	2	24.96	8.07	22.54	79.2	5.7	3.6	1.3
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS(Mf)6	08:27:46	2.3	Bottom	3	1	24.90	8.05	23.63	79.0	5.6	3.7	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS(Mf)6	08:27:29	2.3	Bottom	3	2	24.87	8.06	23.75	79.1	5.6	3.7	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS7	08:18:20	1.0	Surface	1	1	24.97	8.07	22.23	79.0	5.7	3.8	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS7	08:18:37	1.0	Surface	1	2	25.01	8.07	22.52	79.2	5.7	3.7	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS7	08:18:27	2.4	Bottom	3	1	24.93	8.06	23.57	78.8	5.6	3.9	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS7	08:18:12	2.4	Bottom	3	2	24.88	8.06	23.67	78.8	5.6	3.9	2.3
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS8(N)	07:44:53	1	Surface	1	1	24.97	8.07	21.87	78.4	5.6	3.5	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS8(N)	07:44:31	1	Surface	1	2	24.99	8.08	21.81	79.6	5.7	3.6	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS8(N)	07:44:41	2.9	Bottom	3	1	24.92	8.05	23.47	78.8	5.6	3.7	2.6
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS8(N)	07:44:20	2.9	Bottom	3	2	24.74	8.07	23.60	79.0	5.7	3.8	2.2
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS(Mf)9	08:08:38	1.0	Surface	1	1	24.98	8.11	21.82	79.7	5.7	3.6	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS(Mf)9	08:08:56	1.0	Surface	1	2	24.98	8.09	21.96	79.5	5.7	3.5	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS(Mf)9	08:08:47	2.6	Bottom	3	1	24.89	8.07	23.74	79.5	5.7	3.7	2.2
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS(Mf)9	08:08:30	2.6	Bottom	3	2	24.73	8.09	24.07	79.4	5.7	3.8	2.4
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS10(N)	08:20:27	1.0	Surface	1	1	24.69	8.05	22.83	77.6	5.5	4.1	2.0
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS10(N)	08:21:12	1.0	Surface	1	2	24.73	8.06	22.80	78.4	5.6	4.2	2.0
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS10(N)	08:20:12	5.3	Middle	2	1	24.45	8.03	26.68	75.0	5.3	4.1	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS10(N)	08:20:54	5.3	Middle	2	2	24.44	8.04	26.74	75.1	5.3	4.3	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS10(N)	08:20:43	9.6	Bottom	3	1	24.48	8.02	26.76	74.3	5.2	4.7	1.4
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	IS10(N)	08:20:01	9.6	Bottom	3	2	24.49	8.01	26.73	72.5	5.1	4.4	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR3(N)	08:48:47	1.0	Surface	1	1	25.05	8.11	22.73	81.8	5.8	3.7	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR3(N)	08:49:03	1.0	Surface	1	2	25.00	8.11	22.77	82.1	5.9	3.7	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR3(N)	08:48:56	2.3	Bottom	3	1	24.97	8.10	23.91	81.8	5.8	4.2	2.4
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR3(N)	08:48:37	2.3	Bottom	3	2	24.91	8.09	24.01	82.1	5.8	4.2	2.1

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR4(N3)	07:54:59	1.0	Surface	1	1	24.95	8.05	22.04	77.0	5.5	3.7	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR4(N3)	07:54:44	1.0	Surface	1	2	24.94	8.06	21.95	77.5	5.6	3.7	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR4(N3)	07:54:52	2.8	Bottom	3	1	24.93	8.03	23.38	76.8	5.5	3.8	2.3
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR4(N3)	07:54:34	2.8	Bottom	3	2	24.84	8.04	23.51	77.3	5.5	3.8	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR5(N)	08:29:13	1.0	Surface	1	1	24.72	8.06	23.19	77.2	5.5	3.5	2.2
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR5(N)	08:29:53	1.0	Surface	1	2	24.69	8.06	23.28	77.3	5.5	3.6	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR5(N)	08:29:00	4.4	Middle	2	1	24.48	8.04	26.37	76.2	5.3	4.6	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR5(N)	08:29:40	4.4	Middle	2	2	24.48	8.04	26.41	76.3	5.4	4.7	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR5(N)	08:29:30	7.8	Bottom	3	1	24.46	8.03	26.69	76.5	5.4	5.3	1.4
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR5(N)	08:28:49	7.8	Bottom	3	2	24.46	8.03	26.70	76.6	5.4	5.1	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10A(N)	07:26:50	1.0	Surface	1	1	24.74	8.05	23.14	77.0	5.5	2.2	1.4
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10A(N)	07:26:08	1.0	Surface	1	2	24.72	8.06	22.93	77.6	5.5	2.3	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10A(N)	07:25:53	6.4	Middle	2	1	24.43	8.03	26.29	75.4	5.3	2.9	1.5
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10A(N)	07:26:31	6.4	Middle	2	2	24.43	8.02	26.40	75.6	5.3	2.8	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10A(N)	07:25:40	11.8	Bottom	3	1	24.47	8.02	26.89	75.7	5.3	3.5	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10A(N)	07:26:23	11.8	Bottom	3	2	24.48	8.02	26.85	76.3	5.3	3.5	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10B(N2)	07:16:15	1.0	Surface	1	1	24.64	8.06	22.88	80.2	5.6	2.6	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10B(N2)	07:15:40	1.0	Surface	1	2	24.69	8.04	22.88	81.3	5.8	2.6	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10B(N2)	07:15:27	3.5	Middle	2	1	24.48	8.02	26.52	78.7	5.6	3.0	1.9
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10B(N2)	07:16:05	3.5	Middle	2	2	24.49	8.04	26.47	78.0	5.5	2.9	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10B(N2)	07:15:54	5.9	Bottom	3	1	24.49	8.03	26.79	77.7	5.4	3.5	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	SR10B(N2)	07:15:16	5.9	Bottom	3	2	24.47	8.01	26.83	77.6	5.5	3.1	2.0
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS2(A)	09:24:35	1.0	Surface	1	1	24.72	8.06	22.90	77.9	5.6	3.2	1.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS2(A)	09:24:01	1.0	Surface	1	2	24.71	8.06	22.82	78.0	5.6	3.0	1.6
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS2(A)	09:24:23	3.2	Middle	2	1	24.48	8.04	25.96	76.9	5.4	4.3	2.4
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS2(A)	09:23:47	3.2	Middle	2	2	24.49	8.04	26.06	76.6	5.4	4.6	2.2
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS2(A)	09:23:36	5.4	Bottom	3	1	24.44	8.04	26.67	76.9	5.4	4.8	2.4
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS2(A)	09:24:13	5.4	Bottom	3	2	24.50	8.02	26.60	77.3	5.4	4.7	2.6
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS(Mf)5	07:06:48	1.0	Surface	1	1	24.85	8.10	21.90	76.6	5.4	2.4	2.5
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS(Mf)5	07:06:07	1.0	Surface	1	2	24.92	8.08	21.97	75.1	5.4	2.4	2.7
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS(Mf)5	07:05:52	6.1	Middle	2	1	24.42	8.05	26.55	73.5	5.2	2.5	2.2
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS(Mf)5	07:06:34	6.1	Middle	2	2	24.39	8.06	27.48	73.7	5.2	2.5	2.1
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS(Mf)5	07:05:40	11.2	Bottom	3	1	24.36	8.02	28.33	73.0	5.2	2.9	1.8
HKLR	HY/2011/03	2024-04-26	Mid-Flood	Fine	CS(Mf)5	07:06:21	11.2	Bottom	3	2	24.41	8.04	27.94	73.2	5.1	3.0	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS5	15:09:27	1.0	Surface	1	1	24.93	8.12	23.19	79.5	5.6	3.5	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS5	15:10:01	1.0	Surface	1	2	24.99	8.11	23.10	79.4	5.6	3.5	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS5	15:09:50	4.3	Middle	2	1	24.74	8.10	24.36	78.5	5.6	4.1	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS5	15:09:18	4.3	Middle	2	2	24.71	8.10	24.96	78.7	5.6	4.2	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS5	15:09:42	7.6	Bottom	3	1	24.70	8.09	25.49	78.2	5.6	4.5	1.4
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS5	15:09:10	7.6	Bottom	3	2	24.62	8.09	25.62	78.9	5.6	4.4	1.2
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS(Mf)6	15:18:23	1.0	Surface	1	1	24.93	8.13	23.88	82.1	5.8	3.2	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS(Mf)6	15:18:38	1.0	Surface	1	2	24.92	8.11	23.97	82.8	5.9	3.1	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS(Mf)6	15:18:13	2.2	Bottom	3	1	24.87	8.12	24.17	82.0	5.8	3.2	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS(Mf)6	15:18:30	2.2	Bottom	3	2	24.89	8.12	24.14	82.4	5.8	3.2	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS7	15:29:08	1.0	Surface	1	1	24.99	8.11	23.88	83.3	5.9	2.9	2.3
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS7	15:28:53	1.0	Surface	1	2	24.92	8.12	24.00	82.6	5.9	3.0	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS7	15:29:00	2.3	Bottom	3	1	24.91	8.10	24.08	82.2	5.8	3.0	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS7	15:28:44	2.3	Bottom	3	2	24.89	8.12	24.16	82.3	5.8	2.9	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS8(N)	16:00:42	1.0	Surface	1	1	24.97	8.11	23.64	79.9	5.7	3.5	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS8(N)	16:00:59	1.0	Surface	1	2	24.98	8.11	23.74	80.9	5.7	3.6	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS8(N)	16:00:33	2.9	Bottom	3	1	24.73	8.10	24.37	79.0	5.6	3.8	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS8(N)	16:00:50	2.9	Bottom	3	2	24.90	8.10	24.26	80.3	5.7	3.8	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS(Mf)9	15:37:57	1.0	Surface	1	1	25.01	8.11	23.92	82.1	5.8	2.8	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS(Mf)9	15:37:41	1.0	Surface	1	2	25.00	8.11	23.92	81.4	5.8	2.7	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS(Mf)9	15:37:32	2.6	Bottom	3	1	24.87	8.10	24.20	81.1	5.7	3.3	2.3
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS(Mf)9	15:37:49	2.6	Bottom	3	2	24.98	8.11	24.07	80.9	5.7	3.2	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS10(N)	16:07:58	1.0	Surface	1	1	24.80	8.04	24.17	76.8	5.5	3.0	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS10(N)	16:07:23	1.0	Surface	1	2	24.78	8.04	24.18	76.8	5.5	3.0	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS10(N)	16:07:45	5.2	Middle	2	1	24.55	8.02	26.76	75.9	5.4	3.4	2.3
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS10(N)	16:07:11	5.2	Middle	2	2	24.55	8.02	26.78	76.0	5.4	3.3	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS10(N)	16:07:01	9.4	Bottom	3	1	24.55	8.01	26.94	76.4	5.4	3.9	2.5
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	IS10(N)	16:07:35	9.4	Bottom	3	2	24.60	8.01	27.02	76.4	5.4	4.2	2.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR3(N)	14:57:48	1.0	Surface	1	1	24.99	8.13	22.85	81.3	5.8	3.1	2.6
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR3(N)	14:58:04	1.0	Surface	1	2	25.00	8.12	22.90	82.0	5.8	3.2	3.0
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR3(N)	14:57:38	2.4	Bottom	3	1	24.98	8.14	23.23	80.8	5.7	3.4	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR3(N)	14:57:56	2.4	Bottom	3	2	24.98	8.12	23.08	81.4	5.8	3.3	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR4(N3)	15:52:16	1.0	Surface	1	1	24.89	8.10	23.81	80.7	5.7	3.3	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR4(N3)	15:51:58	1.0	Surface	1	2	24.97	8.11	23.81	80.2	5.7	3.4	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR4(N3)	15:52:06	2.8	Bottom	3	1	24.85	8.10	24.15	80.6	5.7	3.8	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR4(N3)	15:51:49	2.8	Bottom	3	2	24.86	8.10	24.36	79.2	5.6	3.8	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR5(N)	16:00:25	1.0	Surface	1	1	24.78	8.04	24.15	77.6	5.6	2.7	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR5(N)	15:59:45	1.0	Surface	1	2	24.79	8.04	24.28	77.6	5.6	2.7	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR5(N)	16:00:12	4.5	Middle	2	1	24.56	8.02	26.60	76.3	5.4	3.3	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR5(N)	15:59:30	4.5	Middle	2	2	24.55	8.03	26.62	76.2	5.4	3.2	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR5(N)	16:00:00	7.9	Bottom	3	1	24.55	8.01	27.73	76.7	5.4	4.3	2.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR5(N)	15:59:20	7.9	Bottom	3	2	24.52	8.02	27.74	76.6	5.4	4.0	2.5
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10A(N)	17:02:30	1.0	Surface	1	1	24.71	8.05	26.97	79.8	5.6	3.0	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10A(N)	17:01:49	1.0	Surface	1	2	24.75	8.05	26.89	79.6	5.6	3.0	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10A(N)	17:01:35	6.5	Middle	2	1	24.53	8.05	28.10	78.8	5.5	3.3	2.0
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10A(N)	17:02:15	6.5	Middle	2	2	24.49	8.03	28.42	77.7	5.5	3.2	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10A(N)	17:02:02	11.9	Bottom	3	1	24.55	8.03	28.28	78.4	5.5	3.5	2.5
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10A(N)	17:01:25	11.9	Bottom	3	2	24.53	8.05	28.30	78.6	5.5	3.6	2.3
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10B(N2)	17:11:37	1.0	Surface	1	1	24.68	8.04	27.16	78.7	5.5	2.8	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10B(N2)	17:11:03	1.0	Surface	1	2	24.72	8.04	27.08	78.8	5.6	2.9	2.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10B(N2)	17:10:52	3.5	Middle	2	1	24.58	8.04	27.76	78.1	5.5	3.2	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10B(N2)	17:11:26	3.5	Middle	2	2	24.58	8.03	27.73	77.9	5.5	3.1	2.0
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10B(N2)	17:11:13	5.9	Bottom	3	1	24.60	8.02	28.07	78.1	5.5	3.8	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	SR10B(N2)	17:10:44	5.9	Bottom	3	2	24.55	8.03	28.19	78.0	5.5	3.7	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS2(A)	15:07:29	1.0	Surface	1	1	24.70	8.07	24.67	82.0	5.8	2.8	2.0
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS2(A)	15:06:57	1.0	Surface	1	2	24.71	8.06	24.67	80.8	5.8	2.9	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS2(A)	15:06:44	3.2	Middle	2	1	24.58	8.06	26.31	79.2	5.7	3.0	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS2(A)	15:07:19	3.2	Middle	2	2	24.59	8.04	26.30	78.6	5.6	3.1	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS2(A)	15:07:11	5.4	Bottom	3	1	24.56	8.04	26.71	78.3	5.6	3.3	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS2(A)	15:06:32	5.4	Bottom	3	2	24.55	8.07	26.69	78.6	5.6	3.2	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS(Mf)5	16:42:29	1	Surface	1	1	24.92	8.15	23.57	77.4	5.5	3.3	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS(Mf)5	16:43:08	1	Surface	1	2	24.85	8.13	23.86	76.7	5.4	3.2	2.6
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS(Mf)5	16:42:53	6.1	Middle	2	1	24.33	8.07	26.92	74.7	5.3	3.4	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS(Mf)5	16:42:14	6.1	Middle	2	2	24.34	8.10	26.93	75.1	5.3	3.3	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS(Mf)5	16:42:01	11.2	Bottom	3	1	24.18	8.09	28.61	75.6	5.3	3.8	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Ebb	Fine	CS(Mf)5	16:42:42	11.2	Bottom	3	2	24.31	8.07	28.52	75.0	5.3	3.9	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS5	09:40:15	1	Surface	1	1	24.86	8.13	24.63	77.1	5.5	3.7	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS5	09:39:36	1	Surface	1	2	24.89	8.13	24.69	77.7	5.5	3.8	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS5	09:39:24	4.3	Middle	2	1	24.60	8.11	26.59	76.2	5.4	4.3	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS5	09:40:04	4.3	Middle	2	2	24.64	8.10	26.52	76.2	5.4	4.3	2.0
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS5	09:39:49	7.5	Bottom	3	1	24.57	8.07	27.68	75.8	5.3	4.7	2.5
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS5	09:39:14	7.5	Bottom	3	2	24.50	8.09	27.78	76.1	5.4	4.5	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS(Mf)6	09:30:53	1.0	Surface	1	1	24.82	8.08	23.50	78.3	5.6	3.3	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS(Mf)6	09:31:07	1.0	Surface	1	2	24.83	8.07	23.66	78.1	5.5	3.2	2.5
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS(Mf)6	09:31:00	2.2	Bottom	3	1	24.79	8.06	24.52	78.1	5.5	3.3	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS(Mf)6	09:30:43	2.2	Bottom	3	2	24.78	8.07	24.58	78.0	5.5	3.3	2.0
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS7	09:20:34	1.0	Surface	1	1	24.83	8.08	23.58	77.8	5.5	3.3	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS7	09:20:50	1.0	Surface	1	2	24.85	8.07	23.76	78.0	5.5	3.3	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS7	09:20:41	2.4	Bottom	3	1	24.81	8.07	24.47	77.7	5.5	3.5	2.5
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS7	09:20:26	2.4	Bottom	3	2	24.78	8.07	24.52	77.6	5.5	3.6	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS8(N)	08:49:47	1	Surface	1	1	24.85	8.07	23.01	77.5	5.5	3.1	2.7
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS8(N)	08:49:23	1	Surface	1	2	24.86	8.08	23.00	78.2	5.6	3.2	2.3
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS8(N)	08:49:33	3.0	Bottom	3	1	24.80	8.06	24.03	77.7	5.5	3.4	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS8(N)	08:49:12	3.0	Bottom	3	2	24.70	8.08	24.11	77.9	5.5	3.4	1.5
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS(Mf)9	09:12:00	1.0	Surface	1	1	24.84	8.12	23.02	77.8	5.5	3.1	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS(Mf)9	09:12:17	1.0	Surface	1	2	24.85	8.10	23.13	77.9	5.5	3.1	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS(Mf)9	09:12:09	2.6	Bottom	3	1	24.79	8.09	24.52	77.7	5.5	3.4	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS(Mf)9	09:11:53	2.6	Bottom	3	2	24.70	8.11	24.75	77.6	5.5	3.5	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS10(N)	09:21:01	1.0	Surface	1	1	24.83	8.08	25.50	79.9	5.7	3.1	2.6
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS10(N)	09:21:44	1.0	Surface	1	2	24.86	8.09	25.48	80.7	5.7	3.2	2.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS10(N)	09:20:44	5.3	Middle	2	1	24.56	8.07	28.56	76.8	5.4	2.8	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS10(N)	09:21:27	5.3	Middle	2	2	24.55	8.07	28.63	77.9	5.5	3.0	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS10(N)	09:21:18	9.6	Bottom	3	1	24.58	8.06	28.64	77.3	5.4	3.5	2.0
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	IS10(N)	09:20:34	9.6	Bottom	3	2	24.58	8.05	28.66	75.1	5.3	3.2	2.0
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR3(N)	09:50:40	1.0	Surface	1	1	24.94	8.13	24.20	79.1	5.6	3.2	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR3(N)	09:50:55	1.0	Surface	1	2	24.91	8.13	24.22	79.5	5.6	3.3	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR3(N)	09:50:48	2.3	Bottom	3	1	24.90	8.12	24.89	79.2	5.6	3.5	2.3
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR3(N)	09:50:30	2.3	Bottom	3	2	24.84	8.11	24.96	79.1	5.6	3.6	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR4(N3)	08:58:59	1.0	Surface	1	1	24.82	8.05	23.13	76.7	5.5	3.3	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR4(N3)	08:59:15	1.0	Surface	1	2	24.83	8.04	23.18	76.4	5.4	3.3	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR4(N3)	08:59:07	2.8	Bottom	3	1	24.81	8.03	23.96	76.2	5.4	3.4	2.8
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR4(N3)	08:58:49	2.8	Bottom	3	2	24.76	8.03	24.05	76.5	5.4	3.4	2.5
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR5(N)	09:30:06	1.0	Surface	1	1	24.85	8.09	25.70	80.0	5.7	2.2	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR5(N)	09:30:48	1.0	Surface	1	2	24.81	8.09	25.75	79.9	5.7	2.4	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR5(N)	09:29:52	4.5	Middle	2	1	24.59	8.07	28.30	79.0	5.6	3.2	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR5(N)	09:30:34	4.5	Middle	2	2	24.59	8.07	28.33	78.9	5.6	3.3	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR5(N)	09:30:25	7.9	Bottom	3	1	24.56	8.07	28.61	79.0	5.6	3.9	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR5(N)	09:29:42	7.9	Bottom	3	2	24.57	8.06	28.61	79.3	5.6	3.7	1.4
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10A(N)	08:28:25	1.0	Surface	1	1	24.85	8.08	25.97	79.7	5.7	2.1	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10A(N)	08:27:42	1.0	Surface	1	2	24.83	8.09	25.64	80.0	5.7	2.2	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10A(N)	08:27:27	6.5	Middle	2	1	24.53	8.06	28.50	78.0	5.5	2.5	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10A(N)	08:28:06	6.5	Middle	2	2	24.53	8.06	28.57	78.2	5.5	2.4	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10A(N)	08:27:15	11.9	Bottom	3	1	24.58	8.06	28.80	78.4	5.5	3.1	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10A(N)	08:27:58	11.9	Bottom	3	2	24.58	8.06	28.79	78.8	5.5	3.0	1.4
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10B(N2)	08:18:12	1.0	Surface	1	1	24.77	8.09	25.62	82.5	5.8	2.3	2.5
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10B(N2)	08:17:34	1.0	Surface	1	2	24.80	8.07	25.68	83.0	5.9	2.4	2.3
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10B(N2)	08:17:20	3.5	Middle	2	1	24.59	8.05	28.40	81.0	5.7	2.7	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10B(N2)	08:18:01	3.5	Middle	2	2	24.60	8.07	28.36	80.2	5.6	2.6	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10B(N2)	08:17:50	6.0	Bottom	3	1	24.58	8.06	28.71	80.1	5.6	3.1	1.9
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	SR10B(N2)	08:17:10	6.0	Bottom	3	2	24.57	8.05	28.73	80.2	5.7	2.8	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS2(A)	10:26:22	1.0	Surface	1	1	24.85	8.09	25.52	80.6	5.8	3.0	2.7
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS2(A)	10:25:48	1.0	Surface	1	2	24.84	8.09	25.52	80.6	5.8	3.0	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS2(A)	10:26:10	3.3	Middle	2	1	24.59	8.07	28.00	79.6	5.6	3.2	2.3
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS2(A)	10:25:34	3.3	Middle	2	2	24.59	8.07	28.07	79.3	5.6	3.4	2.1
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS2(A)	10:26:00	5.5	Bottom	3	1	24.62	8.06	28.55	79.9	5.6	3.4	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS2(A)	10:25:22	5.5	Bottom	3	2	24.55	8.07	28.59	79.6	5.6	3.5	1.7
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS(Mf)5	08:09:41	1.0	Surface	1	1	24.76	8.09	22.90	77.3	5.4	2.3	1.8
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS(Mf)5	08:08:57	1.0	Surface	1	2	24.80	8.08	22.91	76.3	5.4	2.2	1.6
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS(Mf)5	08:08:42	6.1	Middle	2	1	24.42	8.06	27.02	74.7	5.3	2.4	2.4
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS(Mf)5	08:09:25	6.1	Middle	2	2	24.42	8.07	27.44	74.8	5.3	2.3	2.2
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS(Mf)5	08:08:30	11.1	Bottom	3	1	24.36	8.04	28.52	74.2	5.3	2.7	2.6
HKLR	HY/2011/03	2024-04-29	Mid-Flood	Fine	CS(Mf)5	08:09:11	11.1	Bottom	3	2	24.40	8.05	27.97	73.7	5.2	2.8	2.9

