

Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2013-02-06	AMS5	09:23	1-hr TSP	31	ug/m3
HKLR	HY/2011/03	2013-02-06	AMS5	10:23	1-hr TSP	42	ug/m3
HKLR	HY/2011/03	2013-02-06	AMS5	11:23	1-hr TSP	40	ug/m3
HKLR	HY/2011/03	2013-02-14	AMS5	13:00	1-hr TSP	41	ug/m3
HKLR	HY/2011/03	2013-02-14	AMS5	14:00	1-hr TSP	50	ug/m3
HKLR	HY/2011/03	2013-02-14	AMS5	15:00	1-hr TSP	40	ug/m3
HKLR	HY/2011/03	2013-02-20	AMS5	09:24	1-hr TSP	51	ug/m3
HKLR	HY/2011/03	2013-02-20	AMS5	10:24	1-hr TSP	57	ug/m3
HKLR	HY/2011/03	2013-02-20	AMS5	11:24	1-hr TSP	58	ug/m3
HKLR	HY/2011/03	2013-02-26	AMS5	09:11	1-hr TSP	98	ug/m3
HKLR	HY/2011/03	2013-02-26	AMS5	10:11	1-hr TSP	79	ug/m3
HKLR	HY/2011/03	2013-02-26	AMS5	11:11	1-hr TSP	89	ug/m3
HKLR	HY/2011/03	2013-03-04	AMS5	09:35	1-hr TSP	33	ug/m3
HKLR	HY/2011/03	2013-03-04	AMS5	10:35	1-hr TSP	33	ug/m3
HKLR	HY/2011/03	2013-03-04	AMS5	11:35	1-hr TSP	31	ug/m3
HKLR	HY/2011/03	2013-03-08	AMS5	09:35	1-hr TSP	50	ug/m3
HKLR	HY/2011/03	2013-03-08	AMS5	10:35	1-hr TSP	43	ug/m3
HKLR	HY/2011/03	2013-03-08	AMS5	11:35	1-hr TSP	44	ug/m3
HKLR	HY/2011/03	2013-03-14	AMS5	09:10	1-hr TSP	83	ug/m3
HKLR	HY/2011/03	2013-03-14	AMS5	10:10	1-hr TSP	93	ug/m3
HKLR	HY/2011/03	2013-03-14	AMS5	11:10	1-hr TSP	98	ug/m3
HKLR	HY/2011/03	2013-03-20	AMS5	09:40	1-hr TSP	16	ug/m3
HKLR	HY/2011/03	2013-03-20	AMS5	10:40	1-hr TSP	15	ug/m3
HKLR	HY/2011/03	2013-03-20	AMS5	11:40	1-hr TSP	16	ug/m3
HKLR	HY/2011/03	2013-03-26	AMS5	09:20	1-hr TSP	82	ug/m3
HKLR	HY/2011/03	2013-03-26	AMS5	10:20	1-hr TSP	71	ug/m3
HKLR	HY/2011/03	2013-03-26	AMS5	11:20	1-hr TSP	86	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS5	09:30	1-hr TSP	115	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS5	10:30	1-hr TSP	100	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS5	11:30	1-hr TSP	98	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS5	13:40	1-hr TSP	55	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS5	14:40	1-hr TSP	67	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS5	15:40	1-hr TSP	105	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS5	09:30	1-hr TSP	185	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS5	10:30	1-hr TSP	215	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS5	11:30	1-hr TSP	186	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS5	09:30	1-hr TSP	71	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS5	10:30	1-hr TSP	46	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS5	11:30	1-hr TSP	35	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS5	09:25	1-hr TSP	41	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS5	10:25	1-hr TSP	37	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS5	11:25	1-hr TSP	36	ug/m3
HKLR	HY/2011/03	2013-05-02	AMS5	09:30	1-hr TSP	18	ug/m3
HKLR	HY/2011/03	2013-05-02	AMS5	10:30	1-hr TSP	16	ug/m3
HKLR	HY/2011/03	2013-05-02	AMS5	11:30	1-hr TSP	18	ug/m3
HKLR	HY/2011/03	2013-05-07	AMS5	13:15	1-hr TSP	34	ug/m3
HKLR	HY/2011/03	2013-05-07	AMS5	14:15	1-hr TSP	44	ug/m3
HKLR	HY/2011/03	2013-05-07	AMS5	15:15	1-hr TSP	65	ug/m3
HKLR	HY/2011/03	2013-05-13	AMS5	09:10	1-hr TSP	47	ug/m3
HKLR	HY/2011/03	2013-05-13	AMS5	10:10	1-hr TSP	47	ug/m3
HKLR	HY/2011/03	2013-05-13	AMS5	11:10	1-hr TSP	51	ug/m3
HKLR	HY/2011/03	2013-05-16	AMS5	09:25	1-hr TSP	19	ug/m3
HKLR	HY/2011/03	2013-05-16	AMS5	10:25	1-hr TSP	20	ug/m3
HKLR	HY/2011/03	2013-05-16	AMS5	11:25	1-hr TSP	21	ug/m3
HKLR	HY/2011/03	2013-05-22	AMS5	13:30	1-hr TSP	7	ug/m3
HKLR	HY/2011/03	2013-05-22	AMS5	14:30	1-hr TSP	7	ug/m3
HKLR	HY/2011/03	2013-05-22	AMS5	15:30	1-hr TSP	15	ug/m3
HKLR	HY/2011/03	2013-05-28	AMS5	09:25	1-hr TSP	16	ug/m3
HKLR	HY/2011/03	2013-05-28	AMS5	10:25	1-hr TSP	16	ug/m3

Air Quality Monitoring Data

HKLR	HY/2011/03	2013-05-28	AMS5	11:25	1-hr TSP	16	ug/m3
HKLR	HY/2011/03	2013-02-06	AMS5	13:00	24-hr TSP	30	ug/m3
HKLR	HY/2011/03	2013-02-14	AMS5	16:30	24-hr TSP	51	ug/m3
HKLR	HY/2011/03	2013-02-19	AMS5	08:00	24-hr TSP	64	ug/m3
HKLR	HY/2011/03	2013-02-25	AMS5	08:00	24-hr TSP	46	ug/m3
HKLR	HY/2011/03	2013-03-01	AMS5	08:00	24-hr TSP	36	ug/m3
HKLR	HY/2011/03	2013-03-07	AMS5	08:00	24-hr TSP	90	ug/m3
HKLR	HY/2011/03	2013-03-13	AMS5	08:00	24-hr TSP	63	ug/m3
HKLR	HY/2011/03	2013-03-19	AMS5	08:00	24-hr TSP	28	ug/m3
HKLR	HY/2011/03	2013-03-25	AMS5	08:00	24-hr TSP	56	ug/m3
HKLR	HY/2011/03	2013-04-02	AMS5	08:00	24-hr TSP	53	ug/m3
HKLR	HY/2011/03	2013-04-08	AMS5	08:00	24-hr TSP	103	ug/m3
HKLR	HY/2011/03	2013-04-12	AMS5	08:00	24-hr TSP	65	ug/m3
HKLR	HY/2011/03	2013-04-18	AMS5	08:00	24-hr TSP	22	ug/m3
HKLR	HY/2011/03	2013-04-24	AMS5	08:00	24-hr TSP	54	ug/m3
HKLR	HY/2011/03	2013-04-30	AMS5	08:00	24-hr TSP	46	ug/m3
HKLR	HY/2011/03	2013-05-06	AMS5	08:00	24-hr TSP	43	ug/m3
HKLR	HY/2011/03	2013-05-10	AMS5	08:00	24-hr TSP	26	ug/m3
HKLR	HY/2011/03	2013-05-15	AMS5	08:00	24-hr TSP	20	ug/m3
HKLR	HY/2011/03	2013-05-21	AMS5	08:00	24-hr TSP	N.A.	ug/m3
HKLR	HY/2011/03	2013-05-28	AMS5	12:42	24-hr TSP	15	ug/m3
HKLR	HY/2011/03	2013-05-31	AMS5	08:00	24-hr TSP	15	ug/m3
HKLR	HY/2011/03	2013-02-06	AMS6	13:36	1-hr TSP	27	ug/m3
HKLR	HY/2011/03	2013-02-06	AMS6	14:36	1-hr TSP	28	ug/m3
HKLR	HY/2011/03	2013-02-06	AMS6	15:36	1-hr TSP	30	ug/m3
HKLR	HY/2011/03	2013-02-14	AMS6	08:30	1-hr TSP	63	ug/m3
HKLR	HY/2011/03	2013-02-14	AMS6	09:30	1-hr TSP	64	ug/m3
HKLR	HY/2011/03	2013-02-14	AMS6	10:30	1-hr TSP	58	ug/m3
HKLR	HY/2011/03	2013-02-20	AMS6	13:30	1-hr TSP	75	ug/m3
HKLR	HY/2011/03	2013-02-20	AMS6	14:30	1-hr TSP	91	ug/m3
HKLR	HY/2011/03	2013-02-20	AMS6	15:30	1-hr TSP	98	ug/m3
HKLR	HY/2011/03	2013-02-26	AMS6	13:25	1-hr TSP	51	ug/m3
HKLR	HY/2011/03	2013-02-26	AMS6	14:25	1-hr TSP	56	ug/m3
HKLR	HY/2011/03	2013-02-26	AMS6	15:25	1-hr TSP	57	ug/m3
HKLR	HY/2011/03	2013-03-04	AMS6	13:20	1-hr TSP	40	ug/m3
HKLR	HY/2011/03	2013-03-04	AMS6	14:20	1-hr TSP	48	ug/m3
HKLR	HY/2011/03	2013-03-04	AMS6	15:20	1-hr TSP	50	ug/m3
HKLR	HY/2011/03	2013-03-08	AMS6	13:34	1-hr TSP	36	ug/m3
HKLR	HY/2011/03	2013-03-08	AMS6	14:34	1-hr TSP	45	ug/m3
HKLR	HY/2011/03	2013-03-08	AMS6	15:34	1-hr TSP	40	ug/m3
HKLR	HY/2011/03	2013-03-14	AMS6	13:10	1-hr TSP	73	ug/m3
HKLR	HY/2011/03	2013-03-14	AMS6	14:10	1-hr TSP	83	ug/m3
HKLR	HY/2011/03	2013-03-14	AMS6	15:10	1-hr TSP	97	ug/m3
HKLR	HY/2011/03	2013-03-20	AMS6	13:25	1-hr TSP	13	ug/m3
HKLR	HY/2011/03	2013-03-20	AMS6	14:25	1-hr TSP	16	ug/m3
HKLR	HY/2011/03	2013-03-20	AMS6	15:25	1-hr TSP	21	ug/m3
HKLR	HY/2011/03	2013-03-26	AMS6	13:45	1-hr TSP	107	ug/m3
HKLR	HY/2011/03	2013-03-26	AMS6	14:45	1-hr TSP	122	ug/m3
HKLR	HY/2011/03	2013-03-26	AMS6	15:45	1-hr TSP	133	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS6	13:20	1-hr TSP	141	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS6	14:20	1-hr TSP	154	ug/m3
HKLR	HY/2011/03	2013-04-03	AMS6	15:20	1-hr TSP	205	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS6	08:40	1-hr TSP	74	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS6	09:40	1-hr TSP	53	ug/m3
HKLR	HY/2011/03	2013-04-09	AMS6	10:40	1-hr TSP	90	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS6	14:20	1-hr TSP	147	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS6	15:20	1-hr TSP	134	ug/m3
HKLR	HY/2011/03	2013-04-15	AMS6	16:20	1-hr TSP	113	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS6	13:20	1-hr TSP	36	ug/m3
HKLR	HY/2011/03	2013-04-19	AMS6	14:20	1-hr TSP	25	ug/m3


Air Quality Monitoring Data

HKLR	HY/2011/03	2013-04-19	AMS6	15:20	1-hr TSP	25	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS6	13:20	1-hr TSP	34	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS6	14:20	1-hr TSP	20	ug/m3
HKLR	HY/2011/03	2013-04-25	AMS6	15:20	1-hr TSP	17	ug/m3
HKLR	HY/2011/03	2013-05-02	AMS6	13:30	1-hr TSP	14	ug/m3
HKLR	HY/2011/03	2013-05-02	AMS6	14:30	1-hr TSP	13	ug/m3
HKLR	HY/2011/03	2013-05-02	AMS6	15:30	1-hr TSP	15	ug/m3
HKLR	HY/2011/03	2013-05-07	AMS6	08:45	1-hr TSP	58	ug/m3
HKLR	HY/2011/03	2013-05-07	AMS6	09:45	1-hr TSP	50	ug/m3
HKLR	HY/2011/03	2013-05-07	AMS6	10:45	1-hr TSP	48	ug/m3
HKLR	HY/2011/03	2013-05-13	AMS6	13:20	1-hr TSP	41	ug/m3
HKLR	HY/2011/03	2013-05-13	AMS6	14:20	1-hr TSP	27	ug/m3
HKLR	HY/2011/03	2013-05-13	AMS6	15:20	1-hr TSP	23	ug/m3
HKLR	HY/2011/03	2013-05-16	AMS6	13:15	1-hr TSP	25	ug/m3
HKLR	HY/2011/03	2013-05-16	AMS6	14:15	1-hr TSP	11	ug/m3
HKLR	HY/2011/03	2013-05-16	AMS6	15:15	1-hr TSP	22	ug/m3
HKLR	HY/2011/03	2013-05-24	AMS6	13:05	1-hr TSP	10	ug/m3
HKLR	HY/2011/03	2013-05-24	AMS6	14:05	1-hr TSP	9	ug/m3
HKLR	HY/2011/03	2013-05-24	AMS6	15:05	1-hr TSP	9	ug/m3
HKLR	HY/2011/03	2013-05-28	AMS6	13:15	1-hr TSP	19	ug/m3
HKLR	HY/2011/03	2013-05-28	AMS6	14:15	1-hr TSP	14	ug/m3
HKLR	HY/2011/03	2013-05-28	AMS6	15:15	1-hr TSP	15	ug/m3
HKLR	HY/2011/03	2013-02-19	AMS6	08:00	24-hr TSP	70	ug/m3
HKLR	HY/2011/03	2013-02-25	AMS6	08:00	24-hr TSP	56	ug/m3
HKLR	HY/2011/03	2013-03-01	AMS6	08:00	24-hr TSP	34	ug/m3
HKLR	HY/2011/03	2013-03-07	AMS6	08:00	24-hr TSP	105	ug/m3
HKLR	HY/2011/03	2013-03-13	AMS6	08:00	24-hr TSP	70	ug/m3
HKLR	HY/2011/03	2013-03-19	AMS6	08:00	24-hr TSP	22	ug/m3
HKLR	HY/2011/03	2013-03-25	AMS6	08:00	24-hr TSP	60	ug/m3
HKLR	HY/2011/03	2013-04-02	AMS6	08:00	24-hr TSP	59	ug/m3
HKLR	HY/2011/03	2013-04-08	AMS6	08:00	24-hr TSP	108	ug/m3
HKLR	HY/2011/03	2013-04-12	AMS6	08:00	24-hr TSP	72	ug/m3
HKLR	HY/2011/03	2013-04-18	AMS6	08:00	24-hr TSP	25	ug/m3
HKLR	HY/2011/03	2013-04-24	AMS6	08:00	24-hr TSP	47	ug/m3
HKLR	HY/2011/03	2013-04-30	AMS6	08:00	24-hr TSP	51	ug/m3
HKLR	HY/2011/03	2013-05-06	AMS6	08:00	24-hr TSP	51	ug/m3
HKLR	HY/2011/03	2013-05-10	AMS6	08:00	24-hr TSP	27	ug/m3
HKLR	HY/2011/03	2013-05-15	AMS6	08:00	24-hr TSP	18	ug/m3
HKLR	HY/2011/03	2013-05-21	AMS6	08:00	24-hr TSP	24	ug/m3
HKLR	HY/2011/03	2013-05-27	AMS6	08:00	24-hr TSP	18	ug/m3
HKLR	HY/2011/03	2013-05-31	AMS6	08:00	24-hr TSP	17	ug/m3

Remark:

1. The high volume sampler (HVS) for AMS5 was out of order on 21 May 2013. Therefore, the 24-hr dust monitoring at AMS5 was cancelled on 21 May 2013. The HVS was repaired on 27 May 2013 and the 24-hr dust monitoring was postponed to 28 May 2013.
2. The Black Rain Storm Warning was hoisted in the morning of 22 May 2013. Therefore, the 1-hr dust monitoring at AMS6 was postponed to 24 May 2013.
3. The filter paper for the 24-hr dust monitoring at AMS5 undertaken on 27 May 2013 was void. The 24-hr dust monitoring was rescheduled to 28 May 2013.

Graphical Plot of 1-hour TSP at AMS5 and AMS6



Graphical Plot of 24-hour TSP at AMS5 and AMS6

