

## Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2013-12-02	AMS5	9:33	1-hr TSP	29	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-02	AMS5	10:33	1-hr TSP	28	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-02	AMS5	11:33	1-hr TSP	35	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-06	AMS5	9:25	1-hr TSP	68	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-06	AMS5	10:25	1-hr TSP	65	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-06	AMS5	11:25	1-hr TSP	60	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-12	AMS5	9:26	1-hr TSP	172	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-12	AMS5	10:26	1-hr TSP	165	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-12	AMS5	11:26	1-hr TSP	137	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-18	AMS5	13:50	1-hr TSP	23	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-18	AMS5	14:50	1-hr TSP	23	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-18	AMS5	15:50	1-hr TSP	22	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-24	AMS5	13:15	1-hr TSP	133	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-24	AMS5	14:15	1-hr TSP	139	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-24	AMS5	15:15	1-hr TSP	136	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-30	AMS5	9:26	1-hr TSP	91	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-30	AMS5	10:26	1-hr TSP	74	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-30	AMS5	11:26	1-hr TSP	85	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-03	AMS5	9:21	1-hr TSP	140	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-03	AMS5	10:21	1-hr TSP	111	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-03	AMS5	11:21	1-hr TSP	154	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-09	AMS5	9:31	1-hr TSP	70	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-09	AMS5	10:31	1-hr TSP	70	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-09	AMS5	11:31	1-hr TSP	70	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-15	AMS5	13:56	1-hr TSP	18	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-15	AMS5	14:56	1-hr TSP	20	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-15	AMS5	15:56	1-hr TSP	27	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-21	AMS5	9:35	1-hr TSP	73	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-21	AMS5	10:35	1-hr TSP	67	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-21	AMS5	11:35	1-hr TSP	66	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-27	AMS5	9:31	1-hr TSP	75	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-27	AMS5	10:31	1-hr TSP	63	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-27	AMS5	11:31	1-hr TSP	59	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-30	AMS5	9:35	1-hr TSP	72	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-30	AMS5	10:35	1-hr TSP	76	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-30	AMS5	11:35	1-hr TSP	88	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-05	AMS5	13:35	1-hr TSP	8	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-05	AMS5	14:35	1-hr TSP	5	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-05	AMS5	15:35	1-hr TSP	6	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-13	AMS5	9:31	1-hr TSP	77	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-13	AMS5	10:31	1-hr TSP	85	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-13	AMS5	11:31	1-hr TSP	88	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-17	AMS5	13:27	1-hr TSP	32	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-17	AMS5	14:27	1-hr TSP	58	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-17	AMS5	15:27	1-hr TSP	143	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-21	AMS5	13:16	1-hr TSP	39	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-21	AMS5	14:16	1-hr TSP	39	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-21	AMS5	15:16	1-hr TSP	51	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-27	AMS5	9:29	1-hr TSP	63	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-27	AMS5	10:29	1-hr TSP	50	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-27	AMS5	11:29	1-hr TSP	41	ug/m <sup>3</sup>

## Air Quality Monitoring Data

HKLR	HY/2011/03	2013-12-05	AMS5	8:00	24-hr TSP	143	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-11	AMS5(1)	8:00	24-hr TSP	-	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-20	AMS5(2)	14:45	24-hr TSP	154	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-23	AMS5	13:40	24-hr TSP	139	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-27	AMS5	8:00	24-hr TSP	195	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-02	AMS5	8:00	24-hr TSP	102	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-09	AMS5(3)	17:40	24-hr TSP	90	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-14	AMS5	8:00	24-hr TSP	70	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-20	AMS5	8:00	24-hr TSP	161	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-24	AMS5(4)	8:00	24-hr TSP	-	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-29	AMS5	14:00	24-hr TSP	42	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-04	AMS5	8:00	24-hr TSP	51	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-10	AMS5	8:00	24-hr TSP	54	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-14	AMS5	8:00	24-hr TSP	58	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-20	AMS5	8:00	24-hr TSP	88	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-26	AMS5	8:00	24-hr TSP	68	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-02	AMS6	13:32	1-hr TSP	58	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-02	AMS6	14:32	1-hr TSP	75	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-02	AMS6	15:32	1-hr TSP	73	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-06	AMS6	13:28	1-hr TSP	104	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-06	AMS6	14:28	1-hr TSP	69	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-06	AMS6	15:28	1-hr TSP	63	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-12	AMS6	13:05	1-hr TSP	121	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-12	AMS6	14:05	1-hr TSP	112	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-12	AMS6	15:05	1-hr TSP	118	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-18	AMS6	8:15	1-hr TSP	13	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-18	AMS6	9:15	1-hr TSP	17	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-18	AMS6	10:15	1-hr TSP	17	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-24	AMS6	8:15	1-hr TSP	94	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-24	AMS6	9:15	1-hr TSP	93	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-24	AMS6	10:15	1-hr TSP	98	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-30	AMS6	13:28	1-hr TSP	122	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-30	AMS6	14:28	1-hr TSP	107	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-30	AMS6	15:28	1-hr TSP	95	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-03	AMS6	13:01	1-hr TSP	130	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-03	AMS6	14:01	1-hr TSP	212	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-03	AMS6	15:01	1-hr TSP	284	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-09	AMS6	13:28	1-hr TSP	85	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-09	AMS6	14:28	1-hr TSP	89	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-09	AMS6	15:28	1-hr TSP	94	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-15	AMS6	7:55	1-hr TSP	73	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-15	AMS6	8:55	1-hr TSP	70	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-15	AMS6	9:55	1-hr TSP	65	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-21	AMS6	13:28	1-hr TSP	62	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-21	AMS6	14:28	1-hr TSP	63	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-21	AMS6	15:28	1-hr TSP	65	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-27	AMS6	13:35	1-hr TSP	63	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-27	AMS6	14:35	1-hr TSP	65	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-27	AMS6	15:35	1-hr TSP	64	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-30	AMS6	13:29	1-hr TSP	72	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-30	AMS6	14:29	1-hr TSP	53	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-30	AMS6	15:29	1-hr TSP	56	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-05	AMS6	8:15	1-hr TSP	36	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-05	AMS6	9:15	1-hr TSP	36	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-05	AMS6	10:15	1-hr TSP	30	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-13	AMS6	13:22	1-hr TSP	54	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-13	AMS6	14:22	1-hr TSP	60	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-13	AMS6	15:22	1-hr TSP	73	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-17	AMS6	9:06	1-hr TSP	167	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-17	AMS6	10:06	1-hr TSP	78	ug/m <sup>3</sup>


## Air Quality Monitoring Data

HKLR	HY/2011/03	2014-02-17	AMS6	11:06	1-hr TSP	71	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-21	AMS6	9:12	1-hr TSP	66	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-21	AMS6	10:12	1-hr TSP	60	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-21	AMS6	11:12	1-hr TSP	56	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-27	AMS6	13:14	1-hr TSP	46	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-27	AMS6	14:14	1-hr TSP	64	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-27	AMS6	15:14	1-hr TSP	54	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-05	AMS6	8:00	24-hr TSP	99	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-11	AMS6	8:00	24-hr TSP	224	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-17	AMS6	8:00	24-hr TSP	31	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-23	AMS6	8:00	24-hr TSP	229	ug/m <sup>3</sup>
HKLR	HY/2011/03	2013-12-27	AMS6	8:00	24-hr TSP	262	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-02	AMS6	8:00	24-hr TSP	151	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-08	AMS6	8:00	24-hr TSP	187	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-14	AMS6	8:00	24-hr TSP	120	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-20	AMS6	8:00	24-hr TSP	213	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-24	AMS6	8:00	24-hr TSP	91	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-01-29	AMS6	8:00	24-hr TSP	86	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-04	AMS6	8:00	24-hr TSP	73	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-10	AMS6	8:00	24-hr TSP	73	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-14	AMS6	8:00	24-hr TSP	83	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-20	AMS6	8:00	24-hr TSP	110	ug/m <sup>3</sup>
HKLR	HY/2011/03	2014-02-26	AMS6	8:00	24-hr TSP	112	ug/m <sup>3</sup>


## Remark:

- 1)Due to interruption of electricity supply during sampling period , the 24hr- dust monitoring result on 11 Dec 2013 at AMS5 was considered invalid.
- 2)The HVS at AMS5 was found out of function since 11 Dec 2013. It resumed normal on 20 Dec 2013. Therefore, the 24hr- dust monitoring was rescheduled from 17 Dec 2013 to 20 Dec 2013.
- 3)Due to interruption of electricity supply to high volume sampler (HVS) at AMS5 during the sampling period, the 24hr-dust monitoring result on 8 Jan 2014 was considered invalid. 24 hrs dust monitoring was rescheduled on 9 Jan 2014.
- 4) Due to malfunction of high volume sampler on 24 Jan 2014, the 24 hrs dust monitoring was cancelled on 24 Jan 2014. After repairing the HVS, it resumed normal on 29 Jan 2014.

Graphical Plot of 1-hour TSP at AMS5 and AMS6



Graphical Plot of 24-hour TSP at AMS5 and AMS6



Remark:

- 1) Due to the electricity supply problem to high volume sampler, the 24-hr dust monitoring at AMS5 was rescheduled from 19 Nov 2013 to 21 Nov 2013.
- 2) Due to interruption of electricity supply during sampling period, the 24hr- dust monitoring result on 11 Dec 2013 at AMS5 was considered invalid.
- 3) The HVS at AMS5 was found out of function since 11 Dec 2013. It resumed normal on 20 Dec 2013. Therefore, the 24hr- dust monitoring was rescheduled from 17 Dec 2013 to 20 Dec 2013.
- 4) Due to interruption of electricity supply to high volume sampler (HVS) at AMS5 during the sampling period, the 24hr-dust monitoring result on 8 Jan 2014 was considered invalid. 24 hrs dust monitoring was rescheduled on 9 Jan 2014.
- 5) Due to malfunction of high volume sampler on 24 Jan 2014, the 24 hrs dust monitoring was cancelled on 24 Jan 2014. After repairing the HVS, it resumed normal on 29 Jan 2014.