

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2014-09-04	AMS5	09:30	1-hr TSP	41	ug/m ³
HKLR	HY/2011/03	2014-09-04	AMS5	10:30	1-hr TSP	60	ug/m ³
HKLR	HY/2011/03	2014-09-04	AMS5	11:30	1-hr TSP	86	ug/m ³
HKLR	HY/2011/03	2014-09-10	AMS5	08:05	1-hr TSP	11	ug/m ³
HKLR	HY/2011/03	2014-09-10	AMS5	09:05	1-hr TSP	10	ug/m ³
HKLR	HY/2011/03	2014-09-10	AMS5	10:05	1-hr TSP	8	ug/m ³
HKLR	HY/2011/03	2014-09-18	AMS5	08:58	1-hr TSP	24	ug/m ³
HKLR	HY/2011/03	2014-09-18	AMS5	09:58	1-hr TSP	29	ug/m ³
HKLR	HY/2011/03	2014-09-18	AMS5	10:58	1-hr TSP	26	ug/m ³
HKLR	HY/2011/03	2014-09-22	AMS5	13:01	1-hr TSP	57	ug/m ³
HKLR	HY/2011/03	2014-09-22	AMS5	14:01	1-hr TSP	50	ug/m ³
HKLR	HY/2011/03	2014-09-22	AMS5	15:01	1-hr TSP	54	ug/m ³
HKLR	HY/2011/03	2014-09-26	AMS5	09:12	1-hr TSP	47	ug/m ³
HKLR	HY/2011/03	2014-09-26	AMS5	10:12	1-hr TSP	44	ug/m ³
HKLR	HY/2011/03	2014-09-26	AMS5	11:12	1-hr TSP	42	ug/m ³
HKLR	HY/2011/03	2014-09-30	AMS5	13:00	1-hr TSP	117	ug/m ³
HKLR	HY/2011/03	2014-09-30	AMS5	14:00	1-hr TSP	109	ug/m ³
HKLR	HY/2011/03	2014-09-30	AMS5	15:00	1-hr TSP	87	ug/m ³
HKLR	HY/2011/03	2014-10-06	AMS5	08:59	1-hr TSP	92	ug/m ³
HKLR	HY/2011/03	2014-10-06	AMS5	09:59	1-hr TSP	93	ug/m ³
HKLR	HY/2011/03	2014-10-06	AMS5	10:59	1-hr TSP	73	ug/m ³
HKLR	HY/2011/03	2014-10-10	AMS5	08:53	1-hr TSP	104	ug/m ³
HKLR	HY/2011/03	2014-10-10	AMS5	09:53	1-hr TSP	118	ug/m ³
HKLR	HY/2011/03	2014-10-10	AMS5	10:53	1-hr TSP	109	ug/m ³
HKLR	HY/2011/03	2014-10-16	AMS5	08:50	1-hr TSP	224	ug/m ³
HKLR	HY/2011/03	2014-10-16	AMS5	09:50	1-hr TSP	245	ug/m ³
HKLR	HY/2011/03	2014-10-16	AMS5	10:50	1-hr TSP	274	ug/m ³
HKLR	HY/2011/03	2014-10-22	AMS5	13:50	1-hr TSP	155	ug/m ³
HKLR	HY/2011/03	2014-10-22	AMS5	14:50	1-hr TSP	148	ug/m ³
HKLR	HY/2011/03	2014-10-22	AMS5	15:50	1-hr TSP	134	ug/m ³
HKLR	HY/2011/03	2014-10-28	AMS5	13:26	1-hr TSP	136	ug/m ³
HKLR	HY/2011/03	2014-10-28	AMS5	14:26	1-hr TSP	128	ug/m ³
HKLR	HY/2011/03	2014-10-28	AMS5	15:26	1-hr TSP	159	ug/m ³
HKLR	HY/2011/03	2014-11-03	AMS5	13:21	1-hr TSP	149	ug/m ³
HKLR	HY/2011/03	2014-11-03	AMS5	14:21	1-hr TSP	152	ug/m ³
HKLR	HY/2011/03	2014-11-03	AMS5	15:21	1-hr TSP	148	ug/m ³
HKLR	HY/2011/03	2014-11-07	AMS5	13:05	1-hr TSP	146	ug/m ³
HKLR	HY/2011/03	2014-11-07	AMS5	14:05	1-hr TSP	142	ug/m ³
HKLR	HY/2011/03	2014-11-07	AMS5	15:05	1-hr TSP	134	ug/m ³
HKLR	HY/2011/03	2014-11-13	AMS5	13:12	1-hr TSP	160	ug/m ³
HKLR	HY/2011/03	2014-11-13	AMS5	14:12	1-hr TSP	166	ug/m ³
HKLR	HY/2011/03	2014-11-13	AMS5	15:12	1-hr TSP	175	ug/m ³
HKLR	HY/2011/03	2014-11-19	AMS5	13:01	1-hr TSP	264	ug/m ³
HKLR	HY/2011/03	2014-11-19	AMS5	14:01	1-hr TSP	305	ug/m ³
HKLR	HY/2011/03	2014-11-19	AMS5	15:01	1-hr TSP	290	ug/m ³
HKLR	HY/2011/03	2014-11-25	AMS5	13:07	1-hr TSP	95	ug/m ³
HKLR	HY/2011/03	2014-11-25	AMS5	14:07	1-hr TSP	70	ug/m ³
HKLR	HY/2011/03	2014-11-25	AMS5	15:07	1-hr TSP	70	ug/m ³
HKLR	HY/2011/03	2014-09-02	AMS5	08:00	24-hr TSP	15	ug/m ³
HKLR	HY/2011/03	2014-09-10	AMS5	16:30	24-hr TSP	17	ug/m ³
HKLR	HY/2011/03	2014-09-12	AMS5	08:00	24-hr TSP	17	ug/m ³
HKLR	HY/2011/03	2014-09-18	AMS5	08:00	24-hr TSP	39	ug/m ³
HKLR	HY/2011/03	2014-09-24	AMS5	08:00	24-hr TSP	93	ug/m ³
HKLR	HY/2011/03	2014-09-30	AMS5	08:00	24-hr TSP	85	ug/m ³

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2014-10-03	AMS5	08:00	24-hr TSP	36	ug/m ³
HKLR	HY/2011/03	2014-10-09	AMS5	09:57	24-hr TSP	84	ug/m ³
HKLR	HY/2011/03	2014-10-15	AMS5	08:00	24-hr TSP	116	ug/m ³
HKLR	HY/2011/03	2014-10-21	AMS5	08:00	24-hr TSP	84	ug/m ³
HKLR	HY/2011/03	2014-10-27	AMS5	08:00	24-hr TSP	72	ug/m ³
HKLR	HY/2011/03	2014-10-31	AMS5	08:00	24-hr TSP	57	ug/m ³
HKLR	HY/2011/03	2014-11-06	AMS5	08:00	24-hr TSP	108	ug/m ³
HKLR	HY/2011/03	2014-11-12	AMS5	08:00	24-hr TSP	55	ug/m ³
HKLR	HY/2011/03	2014-11-18	AMS5	08:00	24-hr TSP	123	ug/m ³
HKLR	HY/2011/03	2014-11-24	AMS5	08:00	24-hr TSP	35	ug/m ³
HKLR	HY/2011/03	2014-11-28	AMS5	08:00	24-hr TSP	See Remark 4	ug/m ³
HKLR	HY/2011/03	2014-09-04	AMS6	13:21	1-hr TSP	77	ug/m ³
HKLR	HY/2011/03	2014-09-04	AMS6	14:21	1-hr TSP	54	ug/m ³
HKLR	HY/2011/03	2014-09-04	AMS6	15:51	1-hr TSP	47	ug/m ³
HKLR	HY/2011/03	2014-09-10	AMS6	13:29	1-hr TSP	20	ug/m ³
HKLR	HY/2011/03	2014-09-10	AMS6	14:29	1-hr TSP	16	ug/m ³
HKLR	HY/2011/03	2014-09-10	AMS6	15:29	1-hr TSP	16	ug/m ³
HKLR	HY/2011/03	2014-09-16	AMS6	14:21	1-hr TSP	34	ug/m ³
HKLR	HY/2011/03	2014-09-16	AMS6	15:21	1-hr TSP	33	ug/m ³
HKLR	HY/2011/03	2014-09-16	AMS6	16:21	1-hr TSP	24	ug/m ³
HKLR	HY/2011/03	2014-09-22	AMS6	09:15	1-hr TSP	56	ug/m ³
HKLR	HY/2011/03	2014-09-22	AMS6	10:15	1-hr TSP	62	ug/m ³
HKLR	HY/2011/03	2014-09-22	AMS6	11:15	1-hr TSP	63	ug/m ³
HKLR	HY/2011/03	2014-09-26	AMS6	13:40	1-hr TSP	22	ug/m ³
HKLR	HY/2011/03	2014-09-26	AMS6	14:40	1-hr TSP	21	ug/m ³
HKLR	HY/2011/03	2014-09-26	AMS6	15:40	1-hr TSP	21	ug/m ³
HKLR	HY/2011/03	2014-09-30	AMS6	09:18	1-hr TSP	35	ug/m ³
HKLR	HY/2011/03	2014-09-30	AMS6	10:18	1-hr TSP	52	ug/m ³
HKLR	HY/2011/03	2014-09-30	AMS6	11:18	1-hr TSP	50	ug/m ³
HKLR	HY/2011/03	2014-10-06	AMS6	13:00	1-hr TSP	93	ug/m ³
HKLR	HY/2011/03	2014-10-06	AMS6	14:00	1-hr TSP	92	ug/m ³
HKLR	HY/2011/03	2014-10-06	AMS6	15:00	1-hr TSP	93	ug/m ³
HKLR	HY/2011/03	2014-10-10	AMS6	13:11	1-hr TSP	111	ug/m ³
HKLR	HY/2011/03	2014-10-10	AMS6	14:11	1-hr TSP	148	ug/m ³
HKLR	HY/2011/03	2014-10-10	AMS6	15:11	1-hr TSP	102	ug/m ³
HKLR	HY/2011/03	2014-10-16	AMS6	14:30	1-hr TSP	176	ug/m ³
HKLR	HY/2011/03	2014-10-16	AMS6	15:30	1-hr TSP	150	ug/m ³
HKLR	HY/2011/03	2014-10-16	AMS6	16:30	1-hr TSP	141	ug/m ³
HKLR	HY/2011/03	2014-10-22	AMS6	08:15	1-hr TSP	160	ug/m ³
HKLR	HY/2011/03	2014-10-22	AMS6	09:15	1-hr TSP	155	ug/m ³
HKLR	HY/2011/03	2014-10-22	AMS6	10:15	1-hr TSP	154	ug/m ³
HKLR	HY/2011/03	2014-10-28	AMS6	09:05	1-hr TSP	188	ug/m ³
HKLR	HY/2011/03	2014-10-28	AMS6	10:05	1-hr TSP	171	ug/m ³
HKLR	HY/2011/03	2014-10-28	AMS6	11:05	1-hr TSP	134	ug/m ³
HKLR	HY/2011/03	2014-11-03	AMS6	09:24	1-hr TSP	172	ug/m ³
HKLR	HY/2011/03	2014-11-03	AMS6	10:24	1-hr TSP	175	ug/m ³
HKLR	HY/2011/03	2014-11-03	AMS6	11:24	1-hr TSP	173	ug/m ³
HKLR	HY/2011/03	2014-11-07	AMS6	09:17	1-hr TSP	152	ug/m ³
HKLR	HY/2011/03	2014-11-07	AMS6	10:17	1-hr TSP	166	ug/m ³
HKLR	HY/2011/03	2014-11-07	AMS6	11:17	1-hr TSP	176	ug/m ³
HKLR	HY/2011/03	2014-11-13	AMS6	09:22	1-hr TSP	152	ug/m ³
HKLR	HY/2011/03	2014-11-13	AMS6	10:22	1-hr TSP	157	ug/m ³
HKLR	HY/2011/03	2014-11-13	AMS6	11:22	1-hr TSP	181	ug/m ³
HKLR	HY/2011/03	2014-11-19	AMS6	08:43	1-hr TSP	142	ug/m ³

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2014-11-19	AMS6	09:43	1-hr TSP	142	ug/m ³
HKLR	HY/2011/03	2014-11-19	AMS6	10:43	1-hr TSP	144	ug/m ³
HKLR	HY/2011/03	2014-11-25	AMS6	09:19	1-hr TSP	88	ug/m ³
HKLR	HY/2011/03	2014-11-25	AMS6	10:19	1-hr TSP	81	ug/m ³
HKLR	HY/2011/03	2014-11-25	AMS6	11:19	1-hr TSP	83	ug/m ³
HKLR	HY/2011/03	2014-09-02	AMS6	08:00	24-hr TSP	110	ug/m ³
HKLR	HY/2011/03	2014-09-08	AMS6	08:00	24-hr TSP	40	ug/m ³
HKLR	HY/2011/03	2014-09-17	AMS6	12:55	24-hr TSP	46	ug/m ³
HKLR	HY/2011/03	2014-09-18	AMS6	13:03	24-hr TSP	100	ug/m ³
HKLR	HY/2011/03	2014-09-24	AMS6	08:00	24-hr TSP	132	ug/m ³
HKLR	HY/2011/03	2014-09-30	AMS6	08:00	24-hr TSP	124	ug/m ³
HKLR	HY/2011/03	2014-10-03	AMS6	08:00	24-hr TSP	72	ug/m ³
HKLR	HY/2011/03	2014-10-09	AMS6	08:00	24-hr TSP	128	ug/m ³
HKLR	HY/2011/03	2014-10-15	AMS6	08:00	24-hr TSP	186	ug/m ³
HKLR	HY/2011/03	2014-10-21	AMS6	08:00	24-hr TSP	144	ug/m ³
HKLR	HY/2011/03	2014-10-27	AMS6	08:00	24-hr TSP	233	ug/m ³
HKLR	HY/2011/03	2014-10-31	AMS6	08:00	24-hr TSP	110	ug/m ³
HKLR	HY/2011/03	2014-11-06	AMS6	08:00	24-hr TSP	142	ug/m ³
HKLR	HY/2011/03	2014-11-12	AMS6	08:00	24-hr TSP	74	ug/m ³
HKLR	HY/2011/03	2014-11-18	AMS6	08:00	24-hr TSP	151	ug/m ³
HKLR	HY/2011/03	2014-11-24	AMS6	08:00	24-hr TSP	84	ug/m ³

Remark:

1) Due to the power interruption on 8 Sep 2014, the 24-hr air monitoring undertaken at AMS5 was less than 24 hours. Therefore, the 24-hr TSP monitoring result on 8 Sep 2014 was considered invalid and the 24 hrs dust monitoring was rescheduled from 8 Sep 2014 to 10 Sep 2014.


2) Due to the motor failure of HVS, the 24 hrs air monitoring result at AMS6 on 12 Sep 2014 was considered invalid. The 24 hrs dust monitoring was rescheduled from 12 Sep 2014 to 17 Sep 2014.

3) As Tropical Cyclone Warning Signals No. 8 was hoisted on 16 Sep 2014, the 1 hour TSP monitoring at AMS5 were rescheduled from 16 Sep to 18 Sep 2014.

4) Due to malfunction of HVS at AMS5 on 28 November 2014, the 24-hr air monitoring undertaken at AMS5 was less than 24hrs. Therefore, the 24-hr TSP monitoring result on 28 November 2014 was considered invalid.

Graphical Plot of 1-hour TSP at AMS5 and AMS6


Air Quality Monitoring Data (1-hour)



Remark:

- 1) As Tropical Cyclone Warning Signals No. 8 was hoisted on 16 Sep 2014, the 1 hour TSP monitoring at AMS5 were rescheduled from 16 Sep to 18 Sep 2014.

Graphical Plot of 24-hour TSP at AMS5 and AMS6



Remarks:

- 1) Due to the power interruption on 8 Sep 2014, the 24-hr air monitoring undertaken at AMS5 was less than 24 hours. Therefore, the 24-hr TSP monitoring result on 8 Sep 2014 was considered invalid and the 24 hrs dust monitoring was rescheduled from 8 Sep 2014 to 10 Sep 2014.
- 2) Due to the motor failure of HVS, the 24 hrs air monitoring result at AMS6 on 12 Sep 2014 was considered invalid. The 24 hrs dust monitoring was rescheduled from 12 Sep 2014 to 17 Sep 2014.
- 3) Due to malfunction of HVS at AMS5 on 28 November 2014, the 24-hr air monitoring undertaken at AMS5 was less than 24hrs. The 24-hr TSP monitoring result obtained on 28 November 2014 was considered invalid.