

Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2015-12-04	AMS5	09:34	1-hr TSP	107	ug/m ³
HKLR	HY/2011/03	2015-12-04	AMS5	10:34	1-hr TSP	107	ug/m ³
HKLR	HY/2011/03	2015-12-04	AMS5	11:34	1-hr TSP	113	ug/m ³
HKLR	HY/2011/03	2015-12-10	AMS5	09:32	1-hr TSP	209	ug/m ³
HKLR	HY/2011/03	2015-12-10	AMS5	10:32	1-hr TSP	323	ug/m ³
HKLR	HY/2011/03	2015-12-10	AMS5	11:32	1-hr TSP	390	ug/m ³
HKLR	HY/2011/03	2015-12-15	AMS5	09:12	1-hr TSP	122	ug/m ³
HKLR	HY/2011/03	2015-12-15	AMS5	10:12	1-hr TSP	179	ug/m ³
HKLR	HY/2011/03	2015-12-15	AMS5	11:12	1-hr TSP	190	ug/m ³
HKLR	HY/2011/03	2015-12-21	AMS5	09:36	1-hr TSP	193	ug/m ³
HKLR	HY/2011/03	2015-12-21	AMS5	10:36	1-hr TSP	135	ug/m ³
HKLR	HY/2011/03	2015-12-21	AMS5	11:36	1-hr TSP	103	ug/m ³
HKLR	HY/2011/03	2015-12-24	AMS5	09:12	1-hr TSP	122	ug/m ³
HKLR	HY/2011/03	2015-12-24	AMS5	10:12	1-hr TSP	122	ug/m ³
HKLR	HY/2011/03	2015-12-24	AMS5	11:12	1-hr TSP	136	ug/m ³
HKLR	HY/2011/03	2015-12-30	AMS5	09:14	1-hr TSP	279	ug/m ³
HKLR	HY/2011/03	2015-12-30	AMS5	10:14	1-hr TSP	278	ug/m ³
HKLR	HY/2011/03	2015-12-30	AMS5	11:14	1-hr TSP	271	ug/m ³
HKLR	HY/2011/03	2016-01-05	AMS5	13:32	1-hr TSP	101	ug/m ³
HKLR	HY/2011/03	2016-01-05	AMS5	14:32	1-hr TSP	87	ug/m ³
HKLR	HY/2011/03	2016-01-05	AMS5	15:32	1-hr TSP	81	ug/m ³
HKLR	HY/2011/03	2016-01-11	AMS5	13:04	1-hr TSP	81	ug/m ³
HKLR	HY/2011/03	2016-01-11	AMS5	14:04	1-hr TSP	148	ug/m ³
HKLR	HY/2011/03	2016-01-11	AMS5	15:04	1-hr TSP	157	ug/m ³
HKLR	HY/2011/03	2016-01-15	AMS5	13:08	1-hr TSP	152	ug/m ³
HKLR	HY/2011/03	2016-01-15	AMS5	14:08	1-hr TSP	144	ug/m ³
HKLR	HY/2011/03	2016-01-15	AMS5	15:08	1-hr TSP	128	ug/m ³
HKLR	HY/2011/03	2016-01-21	AMS5	13:40	1-hr TSP	333	ug/m ³
HKLR	HY/2011/03	2016-01-21	AMS5	14:40	1-hr TSP	445	ug/m ³
HKLR	HY/2011/03	2016-01-21	AMS5	15:40	1-hr TSP	441	ug/m ³
HKLR	HY/2011/03	2016-01-27	AMS5	13:00	1-hr TSP	90	ug/m ³
HKLR	HY/2011/03	2016-01-27	AMS5	14:00	1-hr TSP	108	ug/m ³
HKLR	HY/2011/03	2016-01-27	AMS5	15:00	1-hr TSP	113	ug/m ³
HKLR	HY/2011/03	2016-02-02	AMS5	13:12	1-hr TSP	113	ug/m ³
HKLR	HY/2011/03	2016-02-02	AMS5	14:12	1-hr TSP	145	ug/m ³
HKLR	HY/2011/03	2016-02-02	AMS5	15:12	1-hr TSP	158	ug/m ³
HKLR	HY/2011/03	2016-02-06	AMS5	13:51	1-hr TSP	126	ug/m ³
HKLR	HY/2011/03	2016-02-06	AMS5	14:51	1-hr TSP	123	ug/m ³
HKLR	HY/2011/03	2016-02-06	AMS5	15:51	1-hr TSP	127	ug/m ³
HKLR	HY/2011/03	2016-02-12	AMS5	13:02	1-hr TSP	134	ug/m ³
HKLR	HY/2011/03	2016-02-12	AMS5	14:02	1-hr TSP	134	ug/m ³
HKLR	HY/2011/03	2016-02-12	AMS5	15:02	1-hr TSP	137	ug/m ³
HKLR	HY/2011/03	2016-02-18	AMS5	13:00	1-hr TSP	194	ug/m ³
HKLR	HY/2011/03	2016-02-18	AMS5	14:00	1-hr TSP	201	ug/m ³
HKLR	HY/2011/03	2016-02-18	AMS5	15:00	1-hr TSP	213	ug/m ³
HKLR	HY/2011/03	2016-02-24	AMS5	13:01	1-hr TSP	88	ug/m ³
HKLR	HY/2011/03	2016-02-24	AMS5	14:01	1-hr TSP	90	ug/m ³
HKLR	HY/2011/03	2016-02-24	AMS5	15:01	1-hr TSP	91	ug/m ³
HKLR	HY/2011/03	2015-12-03	AMS5	08:00	24-hr TSP	49	ug/m ³
HKLR	HY/2011/03	2015-12-09	AMS5	08:00	24-hr TSP	25	ug/m ³
HKLR	HY/2011/03	2015-12-14	AMS5	08:00	24-hr TSP	45	ug/m ³
HKLR	HY/2011/03	2015-12-18	AMS5	08:00	24-hr TSP	76	ug/m ³
HKLR	HY/2011/03	2015-12-23	AMS5	08:00	24-hr TSP	50	ug/m ³
HKLR	HY/2011/03	2015-12-29	AMS5	08:00	24-hr TSP	79	ug/m ³
HKLR	HY/2011/03	2016-01-04	AMS5	08:00	24-hr TSP	19	ug/m ³
HKLR	HY/2011/03	2016-01-08	AMS5	08:00	24-hr TSP	65	ug/m ³
HKLR	HY/2011/03	2016-01-14	AMS5	08:00	24-hr TSP	44	ug/m ³
HKLR	HY/2011/03	2016-01-20	AMS5	08:00	24-hr TSP	26	ug/m ³


Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2016-01-26	AMS5	08:00	24-hr TSP	60	ug/m ³
HKLR	HY/2011/03	2016-02-01	AMS5	08:00	24-hr TSP	18	ug/m ³
HKLR	HY/2011/03	2016-02-05	AMS5	08:00	24-hr TSP	47	ug/m ³
HKLR	HY/2011/03	2016-02-17	AMS5	11:06	24-hr TSP	55	ug/m ³
HKLR	HY/2011/03	2016-02-18	AMS5	13:30	24-hr TSP	39	ug/m ³
HKLR	HY/2011/03	2016-02-23	AMS5	08:00	24-hr TSP	44	ug/m ³
HKLR	HY/2011/03	2016-02-29	AMS5	08:00	24-hr TSP	102	ug/m ³
HKLR	HY/2011/03	2015-12-04	AMS6	13:04	1-hr TSP	111	ug/m ³
HKLR	HY/2011/03	2015-12-04	AMS6	14:04	1-hr TSP	109	ug/m ³
HKLR	HY/2011/03	2015-12-04	AMS6	15:04	1-hr TSP	112	ug/m ³
HKLR	HY/2011/03	2015-12-10	AMS6	13:01	1-hr TSP	330	ug/m ³
HKLR	HY/2011/03	2015-12-10	AMS6	14:01	1-hr TSP	375	ug/m ³
HKLR	HY/2011/03	2015-12-10	AMS6	15:01	1-hr TSP	385	ug/m ³
HKLR	HY/2011/03	2015-12-15	AMS6	13:30	1-hr TSP	205	ug/m ³
HKLR	HY/2011/03	2015-12-15	AMS6	14:30	1-hr TSP	213	ug/m ³
HKLR	HY/2011/03	2015-12-15	AMS6	15:30	1-hr TSP	204	ug/m ³
HKLR	HY/2011/03	2015-12-21	AMS6	13:17	1-hr TSP	87	ug/m ³
HKLR	HY/2011/03	2015-12-21	AMS6	14:17	1-hr TSP	86	ug/m ³
HKLR	HY/2011/03	2015-12-21	AMS6	15:17	1-hr TSP	83	ug/m ³
HKLR	HY/2011/03	2015-12-24	AMS6	13:10	1-hr TSP	101	ug/m ³
HKLR	HY/2011/03	2015-12-24	AMS6	14:10	1-hr TSP	99	ug/m ³
HKLR	HY/2011/03	2015-12-24	AMS6	15:10	1-hr TSP	104	ug/m ³
HKLR	HY/2011/03	2015-12-30	AMS6	12:58	1-hr TSP	232	ug/m ³
HKLR	HY/2011/03	2015-12-30	AMS6	13:58	1-hr TSP	284	ug/m ³
HKLR	HY/2011/03	2015-12-30	AMS6	15:58	1-hr TSP	311	ug/m ³
HKLR	HY/2011/03	2016-01-05	AMS6	08:30	1-hr TSP	162	ug/m ³
HKLR	HY/2011/03	2016-01-05	AMS6	09:30	1-hr TSP	176	ug/m ³
HKLR	HY/2011/03	2016-01-05	AMS6	10:30	1-hr TSP	167	ug/m ³
HKLR	HY/2011/03	2016-01-11	AMS6	08:39	1-hr TSP	77	ug/m ³
HKLR	HY/2011/03	2016-01-11	AMS6	09:39	1-hr TSP	76	ug/m ³
HKLR	HY/2011/03	2016-01-11	AMS6	10:39	1-hr TSP	83	ug/m ³
HKLR	HY/2011/03	2016-01-15	AMS6	08:52	1-hr TSP	189	ug/m ³
HKLR	HY/2011/03	2016-01-15	AMS6	09:52	1-hr TSP	221	ug/m ³
HKLR	HY/2011/03	2016-01-15	AMS6	10:52	1-hr TSP	172	ug/m ³
HKLR	HY/2011/03	2016-01-21	AMS6	08:45	1-hr TSP	220	ug/m ³
HKLR	HY/2011/03	2016-01-21	AMS6	09:45	1-hr TSP	261	ug/m ³
HKLR	HY/2011/03	2016-01-21	AMS6	10:45	1-hr TSP	291	ug/m ³
HKLR	HY/2011/03	2016-01-27	AMS6	09:06	1-hr TSP	96	ug/m ³
HKLR	HY/2011/03	2016-01-27	AMS6	10:06	1-hr TSP	96	ug/m ³
HKLR	HY/2011/03	2016-01-27	AMS6	11:06	1-hr TSP	85	ug/m ³
HKLR	HY/2011/03	2016-02-02	AMS6	08:59	1-hr TSP	129	ug/m ³
HKLR	HY/2011/03	2016-02-02	AMS6	09:59	1-hr TSP	147	ug/m ³
HKLR	HY/2011/03	2016-02-02	AMS6	10:59	1-hr TSP	157	ug/m ³
HKLR	HY/2011/03	2016-02-06	AMS6	09:04	1-hr TSP	129	ug/m ³
HKLR	HY/2011/03	2016-02-06	AMS6	10:04	1-hr TSP	128	ug/m ³
HKLR	HY/2011/03	2016-02-06	AMS6	11:04	1-hr TSP	129	ug/m ³
HKLR	HY/2011/03	2016-02-12	AMS6	09:00	1-hr TSP	164	ug/m ³
HKLR	HY/2011/03	2016-02-12	AMS6	10:00	1-hr TSP	133	ug/m ³
HKLR	HY/2011/03	2016-02-12	AMS6	11:00	1-hr TSP	118	ug/m ³
HKLR	HY/2011/03	2016-02-18	AMS6	09:04	1-hr TSP	181	ug/m ³
HKLR	HY/2011/03	2016-02-18	AMS6	10:04	1-hr TSP	177	ug/m ³
HKLR	HY/2011/03	2016-02-18	AMS6	11:04	1-hr TSP	172	ug/m ³
HKLR	HY/2011/03	2016-02-24	AMS6	09:01	1-hr TSP	82	ug/m ³
HKLR	HY/2011/03	2016-02-24	AMS6	10:01	1-hr TSP	84	ug/m ³
HKLR	HY/2011/03	2016-02-24	AMS6	11:01	1-hr TSP	88	ug/m ³
HKLR	HY/2011/03	2015-12-03	AMS6	08:00	24-hr TSP	65	ug/m ³
HKLR	HY/2011/03	2015-12-09	AMS6	08:00	24-hr TSP	88	ug/m ³
HKLR	HY/2011/03	2015-12-14	AMS6	08:00	24-hr TSP	72	ug/m ³
HKLR	HY/2011/03	2015-12-18	AMS6	08:00	24-hr TSP	114	ug/m ³

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2015-12-23	AMS6	See Remark 1	24-hr TSP	See Remark 1	ug/m ³
HKLR	HY/2011/03	2015-12-29	AMS6	08:00	24-hr TSP	99	ug/m ³
HKLR	HY/2011/03	2016-01-05	AMS6	13:00	24-hr TSP	40	ug/m ³
HKLR	HY/2011/03	2016-01-08	AMS6	08:00	24-hr TSP	94	ug/m ³
HKLR	HY/2011/03	2016-01-14	AMS6	08:00	24-hr TSP	62	ug/m ³
HKLR	HY/2011/03	2016-01-20	AMS6	08:00	24-hr TSP	28	ug/m ³
HKLR	HY/2011/03	2016-01-26	AMS6	08:00	24-hr TSP	71	ug/m ³
HKLR	HY/2011/03	2016-02-01	AMS6	08:00	24-hr TSP	27	ug/m ³
HKLR	HY/2011/03	2016-02-05	AMS6	08:00	24-hr TSP	72	ug/m ³
HKLR	HY/2011/03	2016-02-11	AMS6	08:00	24-hr TSP	70	ug/m ³
HKLR	HY/2011/03	2016-02-17	AMS6	08:00	24-hr TSP	72	ug/m ³
HKLR	HY/2011/03	2016-02-23	AMS6	08:00	24-hr TSP	67	ug/m ³
HKLR	HY/2011/03	2016-02-29	AMS6	08:00	24-hr TSP	134	ug/m ³


Remarks:

- 1) Due to power interruption of HVS at AMS6 on 23 December 2015, the 24-hr TSP monitoring result obtained at AMS6 on 23 December 2015 was considered invalid.
- 2) Due to malfunctioning of timer of HVS at AMS6 on 4 January 2016, the 24-hr TSP monitoring at AMS6 on 4 January 2016 was cancelled. The timer was replaced and was used for 24-hr TSP monitoring on 5 January 2016.
- 3) The monitoring period of the 24-hr TSP monitoring on 11 February 2016 was less than 24 hours due to malfunction of HVS at AMS5. Therefore, the 24-hr TSP monitoring on 11 February 2016 was rescheduled to 18 February 2016.

Graphical Plot of 1-hour TSP at AMS5 and AMS6



Air Quality Monitoring Data (24-hour)



Remarks:

- 1) Due to power interruption of HVS at AMS6 on 23 November 2015, the 24-hr TSP monitoring result obtained at AMS6 on 23 November 2015 was considered invalid.
- 2) Due to power interruption of HVS at AMS6 on 23 December 2015, the 24-hr TSP monitoring result obtained at AMS6 on 23 December 2015 was considered invalid.
- 3) Due to malfunctioning of timer for HVS at AMS6 on 4 January 2016, the 24-hr TSP monitoring at AMS6 on 4 January 2016 was cancelled. The timer was replaced and was used for 24hr TSP monitoring on 5 January 2016.
- 4) The monitoring period of the 24-hr TSP monitoring on 11 February 2016 was less than 24 hours due to malfunction of HVS at AMS5. Therefore, the 24-hr TSP monitoring on 11 February 2016 was rescheduled to 18 February 2016.