

Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2018-09-04	AMS5	08:57	1-hr TSP	11	µg/m ³
HKLR	HY/2011/03	2018-09-04	AMS5	09:57	1-hr TSP	13	µg/m ³
HKLR	HY/2011/03	2018-09-04	AMS5	10:57	1-hr TSP	17	µg/m ³
HKLR	HY/2011/03	2018-09-10	AMS5	08:58	1-hr TSP	33	µg/m ³
HKLR	HY/2011/03	2018-09-10	AMS5	09:58	1-hr TSP	33	µg/m ³
HKLR	HY/2011/03	2018-09-10	AMS5	10:58	1-hr TSP	35	µg/m ³
HKLR	HY/2011/03	2018-09-14	AMS5	09:02	1-hr TSP	44	µg/m ³
HKLR	HY/2011/03	2018-09-14	AMS5	10:02	1-hr TSP	43	µg/m ³
HKLR	HY/2011/03	2018-09-14	AMS5	11:02	1-hr TSP	46	µg/m ³
HKLR	HY/2011/03	2018-09-20	AMS5	13:56	1-hr TSP	53	µg/m ³
HKLR	HY/2011/03	2018-09-20	AMS5	14:56	1-hr TSP	83	µg/m ³
HKLR	HY/2011/03	2018-09-20	AMS5	15:56	1-hr TSP	62	µg/m ³
HKLR	HY/2011/03	2018-09-26	AMS5	09:15	1-hr TSP	64	µg/m ³
HKLR	HY/2011/03	2018-09-26	AMS5	10:15	1-hr TSP	68	µg/m ³
HKLR	HY/2011/03	2018-09-26	AMS5	11:15	1-hr TSP	70	µg/m ³
HKLR	HY/2011/03	2018-09-03	AMS5	08:00	24-hr TSP	22	µg/m ³
HKLR	HY/2011/03	2018-09-07	AMS5	08:00	24-hr TSP	50	µg/m ³
HKLR	HY/2011/03	2018-09-13	AMS5	08:00	24-hr TSP	25	µg/m ³
HKLR	HY/2011/03	2018-09-19	AMS5	16:00	24-hr TSP	50	µg/m ³
HKLR	HY/2011/03	2018-09-26 (see remark 1)	AMS5	12:55	24-hr TSP	49	µg/m ³
HKLR	HY/2011/03	2018-09-29	AMS5	08:00	24-hr TSP	69	µg/m ³
HKLR	HY/2011/03	2018-09-04	AMS6	13:11	1-hr TSP	14	µg/m ³
HKLR	HY/2011/03	2018-09-04	AMS6	14:11	1-hr TSP	15	µg/m ³
HKLR	HY/2011/03	2018-09-04	AMS6	15:11	1-hr TSP	15	µg/m ³
HKLR	HY/2011/03	2018-09-10	AMS6	13:00	1-hr TSP	40	µg/m ³
HKLR	HY/2011/03	2018-09-10	AMS6	14:00	1-hr TSP	44	µg/m ³
HKLR	HY/2011/03	2018-09-10	AMS6	15:00	1-hr TSP	50	µg/m ³
HKLR	HY/2011/03	2018-09-14	AMS6	13:28	1-hr TSP	71	µg/m ³
HKLR	HY/2011/03	2018-09-14	AMS6	14:28	1-hr TSP	92	µg/m ³
HKLR	HY/2011/03	2018-09-14	AMS6	15:28	1-hr TSP	83	µg/m ³
HKLR	HY/2011/03	2018-09-20	AMS6	08:58	1-hr TSP	61	µg/m ³
HKLR	HY/2011/03	2018-09-20	AMS6	09:58	1-hr TSP	58	µg/m ³
HKLR	HY/2011/03	2018-09-20	AMS6	10:58	1-hr TSP	49	µg/m ³
HKLR	HY/2011/03	2018-09-26	AMS6	13:21	1-hr TSP	57	µg/m ³
HKLR	HY/2011/03	2018-09-26	AMS6	14:21	1-hr TSP	59	µg/m ³
HKLR	HY/2011/03	2018-09-26	AMS6	15:21	1-hr TSP	62	µg/m ³
HKLR	HY/2011/03	2018-09-03	AMS6	08:00	24-hr TSP	23	µg/m ³
HKLR	HY/2011/03	2018-09-07	AMS6	08:00	24-hr TSP	84	µg/m ³
HKLR	HY/2011/03	2018-09-13	AMS6	08:00	24-hr TSP	53	µg/m ³
HKLR	HY/2011/03	2018-09-19	AMS6	08:00	24-hr TSP	148	µg/m ³
HKLR	HY/2011/03	2018-09-24	AMS6	08:00	24-hr TSP	33	µg/m ³
HKLR	HY/2011/03	2018-09-29	AMS6	08:00	24-hr TSP	71	µg/m ³

Remark: (*)

1) The monitoring time for TSP monitoring on 24 Sept 2018 at AMS5 (Ma Wan Chung Village) was less than 24-hr due to power interruption of the high volume sampler (HVS). The 24-hr TSP monitoring was rescheduled from 24 Sept 2018 to 26 Sept 2018.


Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2018-10-02	AMS5	09:12	1-hr TSP	65	µg/m ³
HKLR	HY/2011/03	2018-10-02	AMS5	10:12	1-hr TSP	65	µg/m ³
HKLR	HY/2011/03	2018-10-02	AMS5	11:12	1-hr TSP	65	µg/m ³
HKLR	HY/2011/03	2018-10-05	AMS5	08:46	1-hr TSP	57	µg/m ³
HKLR	HY/2011/03	2018-10-05	AMS5	09:46	1-hr TSP	57	µg/m ³
HKLR	HY/2011/03	2018-10-05	AMS5	10:46	1-hr TSP	58	µg/m ³
HKLR	HY/2011/03	2018-10-11	AMS5	08:56	1-hr TSP	54	µg/m ³
HKLR	HY/2011/03	2018-10-11	AMS5	09:56	1-hr TSP	54	µg/m ³
HKLR	HY/2011/03	2018-10-11	AMS5	10:56	1-hr TSP	57	µg/m ³
HKLR	HY/2011/03	2018-10-16	AMS5	14:49	1-hr TSP	362	µg/m ³
HKLR	HY/2011/03	2018-10-16	AMS5	15:49	1-hr TSP	354	µg/m ³
HKLR	HY/2011/03	2018-10-16	AMS5	16:49	1-hr TSP	370	µg/m ³
HKLR	HY/2011/03	2018-10-22	AMS5	13:01	1-hr TSP	45	µg/m ³
HKLR	HY/2011/03	2018-10-22	AMS5	14:01	1-hr TSP	48	µg/m ³
HKLR	HY/2011/03	2018-10-22	AMS5	15:01	1-hr TSP	71	µg/m ³
HKLR	HY/2011/03	2018-10-26	AMS5	09:00	1-hr TSP	100	µg/m ³
HKLR	HY/2011/03	2018-10-26	AMS5	10:00	1-hr TSP	96	µg/m ³
HKLR	HY/2011/03	2018-10-26	AMS5	11:00	1-hr TSP	101	µg/m ³
HKLR	HY/2011/03	2018-10-04	AMS5	11:49	24-hr TSP	77	µg/m ³
HKLR	HY/2011/03	2018-10-10	AMS5	08:00	24-hr TSP	84	µg/m ³
HKLR	HY/2011/03	2018-10-15	AMS5	08:00	24-hr TSP	45	µg/m ³
HKLR	HY/2011/03	2018-10-19	AMS5	08:00	24-hr TSP	52	µg/m ³
HKLR	HY/2011/03	2018-10-25	AMS5	08:00	24-hr TSP	48	µg/m ³
HKLR	HY/2011/03	2018-10-31	AMS5	08:00	24-hr TSP	92	µg/m ³
HKLR	HY/2011/03	2018-10-02	AMS6	13:00	1-hr TSP	62	µg/m ³
HKLR	HY/2011/03	2018-10-02	AMS6	14:00	1-hr TSP	62	µg/m ³
HKLR	HY/2011/03	2018-10-02	AMS6	15:00	1-hr TSP	64	µg/m ³
HKLR	HY/2011/03	2018-10-05	AMS6	13:16	1-hr TSP	51	µg/m ³
HKLR	HY/2011/03	2018-10-05	AMS6	14:16	1-hr TSP	51	µg/m ³
HKLR	HY/2011/03	2018-10-05	AMS6	15:16	1-hr TSP	48	µg/m ³
HKLR	HY/2011/03	2018-10-11	AMS6	13:07	1-hr TSP	49	µg/m ³
HKLR	HY/2011/03	2018-10-11	AMS6	14:07	1-hr TSP	54	µg/m ³
HKLR	HY/2011/03	2018-10-11	AMS6	15:07	1-hr TSP	55	µg/m ³
HKLR	HY/2011/03	2018-10-16	AMS6	10:00	1-hr TSP	158	µg/m ³
HKLR	HY/2011/03	2018-10-16	AMS6	11:00	1-hr TSP	151	µg/m ³
HKLR	HY/2011/03	2018-10-16	AMS6	13:00	1-hr TSP	193	µg/m ³
HKLR	HY/2011/03	2018-10-22	AMS6	09:00	1-hr TSP	54	µg/m ³
HKLR	HY/2011/03	2018-10-22	AMS6	10:00	1-hr TSP	52	µg/m ³
HKLR	HY/2011/03	2018-10-22	AMS6	11:00	1-hr TSP	51	µg/m ³
HKLR	HY/2011/03	2018-10-26	AMS6	13:11	1-hr TSP	96	µg/m ³
HKLR	HY/2011/03	2018-10-26	AMS6	14:11	1-hr TSP	116	µg/m ³
HKLR	HY/2011/03	2018-10-26	AMS6	15:11	1-hr TSP	123	µg/m ³
HKLR	HY/2011/03	2018-10-04	AMS6	08:00	24-hr TSP	90	µg/m ³
HKLR	HY/2011/03	2018-10-10	AMS6	08:00	24-hr TSP	85	µg/m ³
HKLR	HY/2011/03	2018-10-15	AMS6	08:00	24-hr TSP	44	µg/m ³
HKLR	HY/2011/03	2018-10-19	AMS6	08:00	24-hr TSP	52	µg/m ³
HKLR	HY/2011/03	2018-10-25	AMS6	08:00	24-hr TSP	55	µg/m ³
HKLR	HY/2011/03	2018-10-31	AMS6	08:00	24-hr TSP	102	µg/m ³


Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2018-11-01	AMS5	09:06	1-hr TSP	43	µg/m ³
HKLR	HY/2011/03	2018-11-01	AMS5	10:06	1-hr TSP	45	µg/m ³
HKLR	HY/2011/03	2018-11-01	AMS5	11:06	1-hr TSP	47	µg/m ³
HKLR	HY/2011/03	2018-11-07	AMS5	09:01	1-hr TSP	54	µg/m ³
HKLR	HY/2011/03	2018-11-07	AMS5	10:01	1-hr TSP	50	µg/m ³
HKLR	HY/2011/03	2018-11-07	AMS5	11:01	1-hr TSP	44	µg/m ³
HKLR	HY/2011/03	2018-11-13	AMS5	09:01	1-hr TSP	83	µg/m ³
HKLR	HY/2011/03	2018-11-13	AMS5	10:01	1-hr TSP	86	µg/m ³
HKLR	HY/2011/03	2018-11-13	AMS5	11:01	1-hr TSP	87	µg/m ³
HKLR	HY/2011/03	2018-11-19	AMS5	09:01	1-hr TSP	34	µg/m ³
HKLR	HY/2011/03	2018-11-19	AMS5	13:00	1-hr TSP	67	µg/m ³
HKLR	HY/2011/03	2018-11-19	AMS5	14:00	1-hr TSP	87	µg/m ³
HKLR	HY/2011/03	2018-11-23	AMS5	09:02	1-hr TSP	69	µg/m ³
HKLR	HY/2011/03	2018-11-23	AMS5	10:02	1-hr TSP	71	µg/m ³
HKLR	HY/2011/03	2018-11-23	AMS5	11:02	1-hr TSP	76	µg/m ³
HKLR	HY/2011/03	2018-11-29	AMS5	08:55	1-hr TSP	109	µg/m ³
HKLR	HY/2011/03	2018-11-29	AMS5	09:55	1-hr TSP	92	µg/m ³
HKLR	HY/2011/03	2018-11-29	AMS5	10:55	1-hr TSP	62	µg/m ³
HKLR	HY/2011/03	2018-11-06	AMS5	08:00	24-hr TSP	41	µg/m ³
HKLR	HY/2011/03	2018-11-12	AMS5	08:00	24-hr TSP	128	µg/m ³
HKLR	HY/2011/03	2018-11-16	AMS5	08:00	24-hr TSP	68	µg/m ³
HKLR	HY/2011/03	2018-11-22	AMS5	08:00	24-hr TSP	57	µg/m ³
HKLR	HY/2011/03	2018-11-28	AMS5	08:00	24-hr TSP	36	µg/m ³
HKLR	HY/2011/03	2018-11-01	AMS6	13:01	1-hr TSP	51	µg/m ³
HKLR	HY/2011/03	2018-11-01	AMS6	14:01	1-hr TSP	48	µg/m ³
HKLR	HY/2011/03	2018-11-01	AMS6	15:01	1-hr TSP	46	µg/m ³
HKLR	HY/2011/03	2018-11-07	AMS6	13:00	1-hr TSP	37	µg/m ³
HKLR	HY/2011/03	2018-11-07	AMS6	14:00	1-hr TSP	37	µg/m ³
HKLR	HY/2011/03	2018-11-07	AMS6	15:00	1-hr TSP	37	µg/m ³
HKLR	HY/2011/03	2018-11-13	AMS6	13:04	1-hr TSP	97	µg/m ³
HKLR	HY/2011/03	2018-11-13	AMS6	14:04	1-hr TSP	89	µg/m ³
HKLR	HY/2011/03	2018-11-13	AMS6	15:04	1-hr TSP	71	µg/m ³
HKLR	HY/2011/03	2018-11-19	AMS6	15:36	1-hr TSP	81	µg/m ³
HKLR	HY/2011/03	2018-11-19	AMS6	16:36	1-hr TSP	78	µg/m ³
HKLR	HY/2011/03	2018-11-19	AMS6	17:36	1-hr TSP	78	µg/m ³
HKLR	HY/2011/03	2018-11-23	AMS6	13:00	1-hr TSP	113	µg/m ³
HKLR	HY/2011/03	2018-11-23	AMS6	14:00	1-hr TSP	127	µg/m ³
HKLR	HY/2011/03	2018-11-23	AMS6	15:00	1-hr TSP	125	µg/m ³
HKLR	HY/2011/03	2018-11-29	AMS6	13:07	1-hr TSP	44	µg/m ³
HKLR	HY/2011/03	2018-11-29	AMS6	14:07	1-hr TSP	42	µg/m ³
HKLR	HY/2011/03	2018-11-29	AMS6	15:07	1-hr TSP	43	µg/m ³
HKLR	HY/2011/03	2018-11-06	AMS6	08:00	24-hr TSP	42	µg/m ³
HKLR	HY/2011/03	2018-11-12	AMS6	08:00	24-hr TSP	139	µg/m ³
HKLR	HY/2011/03	2018-11-16	AMS6	08:00	24-hr TSP	67	µg/m ³
HKLR	HY/2011/03	2018-11-22	AMS6	08:00	24-hr TSP	77	µg/m ³
HKLR	HY/2011/03	2018-11-28	AMS6	08:00	24-hr TSP	43	µg/m ³

Graphical Plot of 1-hour TSP at AMS5 and AMS6



Graphical Plot of 24-hour TSP at AMS5 and AMS6



Remarks:

- 1) Due to power interruption of the High Volume Sampler, the 24-hr TSP monitoring on 31 July 2018 at Ma Wan Chung Village (AMS5) was rescheduled from 31 July 2018 to 1 August 2018.
- 2) The monitoring time for TSP monitoring on 6 August 2018 at AMS5 (Ma Wan Chung Village) was less than 24-hr due to malfunction of HVS. The 24-hr TSP monitoring was rescheduled from 6 August 2018 to 8 August 2018.
- 3) Due to power interruption of the High Volume Sampler, the 24-hr TSP monitoring on 24 Sept 2018 at Ma Wan Chung Village (AMS5) was rescheduled from 24 Sept 2018 to 26 Sept 2018.