

Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2020-06-02	AMS5	10:04	1-hr TSP	10	µg/m ³
HKLR	HY/2011/03	2020-06-02	AMS5	11:04	1-hr TSP	4	µg/m ³
HKLR	HY/2011/03	2020-06-02	AMS5	13:04	1-hr TSP	3	µg/m ³
HKLR	HY/2011/03	2020-06-08	AMS5	10:03	1-hr TSP	56	µg/m ³
HKLR	HY/2011/03	2020-06-08	AMS5	11:03	1-hr TSP	47	µg/m ³
HKLR	HY/2011/03	2020-06-08	AMS5	13:03	1-hr TSP	32	µg/m ³
HKLR	HY/2011/03	2020-06-12	AMS5	13:39	1-hr TSP	20	µg/m ³
HKLR	HY/2011/03	2020-06-12	AMS5	14:39	1-hr TSP	9	µg/m ³
HKLR	HY/2011/03	2020-06-12	AMS5	16:39	1-hr TSP	11	µg/m ³
HKLR	HY/2011/03	2020-06-18	AMS5	10:20	1-hr TSP	2	µg/m ³
HKLR	HY/2011/03	2020-06-18	AMS5	11:20	1-hr TSP	2	µg/m ³
HKLR	HY/2011/03	2020-06-18	AMS5	14:03	1-hr TSP	2	µg/m ³
HKLR	HY/2011/03	2020-06-24	AMS5	10:12	1-hr TSP	14	µg/m ³
HKLR	HY/2011/03	2020-06-24	AMS5	11:12	1-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-06-24	AMS5	13:17	1-hr TSP	17	µg/m ³
HKLR	HY/2011/03	2020-06-30	AMS5	11:05	24-hr TSP	1	µg/m ³
HKLR	HY/2011/03	2020-06-30	AMS5	13:06	24-hr TSP	1	µg/m ³
HKLR	HY/2011/03	2020-06-30	AMS5	14:09	24-hr TSP	1	µg/m ³
HKLR	HY/2011/03	2020-06-01	AMS5	08:00	24-hr TSP	18	µg/m ³
HKLR	HY/2011/03	2020-06-05	AMS5	08:00	24-hr TSP	23	µg/m ³
HKLR	HY/2011/03	2020-06-11	AMS5	08:00	24-hr TSP	21	µg/m ³
HKLR	HY/2011/03	2020-06-18 (See Remark 1)	AMS5	15:27	24-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-06-23	AMS5	See Remark 2	24-hr TSP	See Remark 2	µg/m ³
HKLR	HY/2011/03	2020-06-30	AMS5	15:47	24-hr TSP	11	µg/m ³
HKLR	HY/2011/03	2020-06-02	AMS6	09:09	1-hr TSP	13	µg/m ³
HKLR	HY/2011/03	2020-06-02	AMS6	10:09	1-hr TSP	11	µg/m ³
HKLR	HY/2011/03	2020-06-02	AMS6	11:09	1-hr TSP	9	µg/m ³
HKLR	HY/2011/03	2020-06-08	AMS6	09:02	1-hr TSP	38	µg/m ³
HKLR	HY/2011/03	2020-06-08	AMS6	10:02	1-hr TSP	27	µg/m ³
HKLR	HY/2011/03	2020-06-08	AMS6	11:02	1-hr TSP	32	µg/m ³
HKLR	HY/2011/03	2020-06-12	AMS6	13:26	1-hr TSP	3	µg/m ³
HKLR	HY/2011/03	2020-06-12	AMS6	14:26	1-hr TSP	4	µg/m ³
HKLR	HY/2011/03	2020-06-12	AMS6	15:26	1-hr TSP	3	µg/m ³
HKLR	HY/2011/03	2020-06-18	AMS6	09:03	1-hr TSP	4	µg/m ³
HKLR	HY/2011/03	2020-06-18	AMS6	10:03	1-hr TSP	3	µg/m ³
HKLR	HY/2011/03	2020-06-18	AMS6	11:03	1-hr TSP	3	µg/m ³
HKLR	HY/2011/03	2020-06-24	AMS6	08:59	1-hr TSP	14	µg/m ³
HKLR	HY/2011/03	2020-06-24	AMS6	09:59	1-hr TSP	12	µg/m ³
HKLR	HY/2011/03	2020-06-24	AMS6	10:59	1-hr TSP	13	µg/m ³
HKLR	HY/2011/03	2020-06-30	AMS6	09:14	1-hr TSP	6	µg/m ³
HKLR	HY/2011/03	2020-06-30	AMS6	10:14	1-hr TSP	5	µg/m ³
HKLR	HY/2011/03	2020-06-30	AMS6	11:14	1-hr TSP	9	µg/m ³
HKLR	HY/2011/03	2020-06-01	AMS6	08:00	24-hr TSP	18	µg/m ³
HKLR	HY/2011/03	2020-06-05	AMS6	08:00	24-hr TSP	24	µg/m ³
HKLR	HY/2011/03	2020-06-11	AMS6	08:00	24-hr TSP	17	µg/m ³
HKLR	HY/2011/03	2020-06-17	AMS6	08:00	24-hr TSP	14	µg/m ³
HKLR	HY/2011/03	2020-06-23	AMS6	08:00	24-hr TSP	19	µg/m ³
HKLR	HY/2011/03	2020-06-30	AMS6	08:00	24-hr TSP	15	µg/m ³

Remarks:

- 1) Due to power failure, 24-hr TSP monitoring on 17 June 2020 at AMS5 was rescheduled to 18 June 2020.
- 2) Due to malfunction of high volume sampler (HVS) at AMS5, the 24-hr TSP monitoring on 23 June 2020 was cancelled. Competent person repaired the HVS on 30 June 2020. The 24-hr TSP monitoring on 29 June 2020 at AMS5 was rescheduled to 30 June 2020.

Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2020-07-06	AMS5	09:51	1-hr TSP	5	µg/m ³
HKLR	HY/2011/03	2020-07-06	AMS5	10:53	1-hr TSP	5	µg/m ³
HKLR	HY/2011/03	2020-07-06	AMS5	13:11	1-hr TSP	10	µg/m ³
HKLR	HY/2011/03	2020-07-10	AMS5	10:01	1-hr TSP	15	µg/m ³
HKLR	HY/2011/03	2020-07-10	AMS5	11:04	1-hr TSP	21	µg/m ³
HKLR	HY/2011/03	2020-07-10	AMS5	13:04	1-hr TSP	27	µg/m ³
HKLR	HY/2011/03	2020-07-16	AMS5	10:03	1-hr TSP	2	µg/m ³
HKLR	HY/2011/03	2020-07-16	AMS5	11:04	1-hr TSP	2	µg/m ³
HKLR	HY/2011/03	2020-07-16	AMS5	13:04	1-hr TSP	2	µg/m ³
HKLR	HY/2011/03	2020-07-22	AMS5	13:20	1-hr TSP	6	µg/m ³
HKLR	HY/2011/03	2020-07-22	AMS5	14:20	1-hr TSP	7	µg/m ³
HKLR	HY/2011/03	2020-07-22	AMS5	15:20	1-hr TSP	52	µg/m ³
HKLR	HY/2011/03	2020-07-28	AMS5	09:56	1-hr TSP	2	µg/m ³
HKLR	HY/2011/03	2020-07-28	AMS5	10:58	1-hr TSP	2	µg/m ³
HKLR	HY/2011/03	2020-07-28	AMS5	13:29	1-hr TSP	2	µg/m ³
HKLR	HY/2011/03	2020-07-03	AMS5	08:00	24-hr TSP	17	µg/m ³
HKLR	HY/2011/03	2020-07-09	AMS5	08:00	24-hr TSP	42	µg/m ³
HKLR	HY/2011/03	2020-07-15	AMS5	08:00	24-hr TSP	19	µg/m ³
HKLR	HY/2011/03	2020-07-21	AMS5	08:00	24-hr TSP	18	µg/m ³
HKLR	HY/2011/03	2020-07-27	AMS5	08:00	24-hr TSP	29	µg/m ³
HKLR	HY/2011/03	2020-07-31	AMS5	08:00	24-hr TSP	19	µg/m ³
HKLR	HY/2011/03	2020-07-06	AMS6	09:00	1-hr TSP	11	µg/m ³
HKLR	HY/2011/03	2020-07-06	AMS6	10:00	1-hr TSP	9	µg/m ³
HKLR	HY/2011/03	2020-07-06	AMS6	11:00	1-hr TSP	8	µg/m ³
HKLR	HY/2011/03	2020-07-10	AMS6	08:49	1-hr TSP	20	µg/m ³
HKLR	HY/2011/03	2020-07-10	AMS6	09:49	1-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-07-10	AMS6	10:49	1-hr TSP	13	µg/m ³
HKLR	HY/2011/03	2020-07-16	AMS6	09:24	1-hr TSP	8	µg/m ³
HKLR	HY/2011/03	2020-07-16	AMS6	10:24	1-hr TSP	7	µg/m ³
HKLR	HY/2011/03	2020-07-16	AMS6	11:24	1-hr TSP	4	µg/m ³
HKLR	HY/2011/03	2020-07-22	AMS6	08:25	1-hr TSP	42	µg/m ³
HKLR	HY/2011/03	2020-07-22	AMS6	09:25	1-hr TSP	24	µg/m ³
HKLR	HY/2011/03	2020-07-22	AMS6	10:25	1-hr TSP	10	µg/m ³
HKLR	HY/2011/03	2020-07-28	AMS6	09:03	1-hr TSP	8	µg/m ³
HKLR	HY/2011/03	2020-07-28	AMS6	10:03	1-hr TSP	6	µg/m ³
HKLR	HY/2011/03	2020-07-28	AMS6	11:03	1-hr TSP	5	µg/m ³
HKLR	HY/2011/03	2020-07-03	AMS6	08:00	24-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-07-09	AMS6	08:00	24-hr TSP	26	µg/m ³
HKLR	HY/2011/03	2020-07-15	AMS6	08:00	24-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-07-21	AMS6	08:00	24-hr TSP	20	µg/m ³
HKLR	HY/2011/03	2020-07-27	AMS6	08:00	24-hr TSP	12	µg/m ³
HKLR	HY/2011/03	2020-07-31	AMS6	08:00	24-hr TSP	21	µg/m ³


Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2020-08-03	AMS5	10:16	1-hr TSP	24	µg/m ³
HKLR	HY/2011/03	2020-08-03	AMS5	11:18	1-hr TSP	20	µg/m ³
HKLR	HY/2011/03	2020-08-03	AMS5	13:02	1-hr TSP	47	µg/m ³
HKLR	HY/2011/03	2020-08-07	AMS5	10:00	1-hr TSP	30	µg/m ³
HKLR	HY/2011/03	2020-08-07	AMS5	11:01	1-hr TSP	17	µg/m ³
HKLR	HY/2011/03	2020-08-07	AMS5	13:11	1-hr TSP	33	µg/m ³
HKLR	HY/2011/03	2020-08-13	AMS5	10:00	1-hr TSP	33	µg/m ³
HKLR	HY/2011/03	2020-08-13	AMS5	11:04	1-hr TSP	44	µg/m ³
HKLR	HY/2011/03	2020-08-13	AMS5	13:01	1-hr TSP	23	µg/m ³
HKLR	HY/2011/03	2020-08-20 (See Remark 1)	AMS5	09:01	1-hr TSP	17	µg/m ³
HKLR	HY/2011/03	2020-08-20 (See Remark 1)	AMS5	10:02	1-hr TSP	15	µg/m ³
HKLR	HY/2011/03	2020-08-20 (See Remark 1)	AMS5	11:03	1-hr TSP	15	µg/m ³
HKLR	HY/2011/03	2020-08-25	AMS5	09:50	1-hr TSP	22	µg/m ³
HKLR	HY/2011/03	2020-08-25	AMS5	10:51	1-hr TSP	19	µg/m ³
HKLR	HY/2011/03	2020-08-25	AMS5	13:03	1-hr TSP	23	µg/m ³
HKLR	HY/2011/03	2020-08-31	AMS5	09:56	1-hr TSP	20	µg/m ³
HKLR	HY/2011/03	2020-08-31	AMS5	10:57	1-hr TSP	36	µg/m ³
HKLR	HY/2011/03	2020-08-31	AMS5	13:00	1-hr TSP	75	µg/m ³
HKLR	HY/2011/03	2020-08-06	AMS5	08:00	24-hr TSP	35	µg/m ³
HKLR	HY/2011/03	2020-08-12	AMS5	08:00	24-hr TSP	14	µg/m ³
HKLR	HY/2011/03	2020-08-18	AMS5	08:00	24-hr TSP	20	µg/m ³
HKLR	HY/2011/03	2020-08-24	AMS5	08:00	24-hr TSP	38	µg/m ³
HKLR	HY/2011/03	2020-08-28	AMS5	08:00	24-hr TSP	46	µg/m ³
HKLR	HY/2011/03	2020-08-03	AMS6	09:03	1-hr TSP	11	µg/m ³
HKLR	HY/2011/03	2020-08-03	AMS6	10:03	1-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-08-03	AMS6	11:03	1-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-08-07	AMS6	09:07	1-hr TSP	27	µg/m ³
HKLR	HY/2011/03	2020-08-07	AMS6	10:07	1-hr TSP	24	µg/m ³
HKLR	HY/2011/03	2020-08-07	AMS6	11:07	1-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-08-13	AMS6	09:00	1-hr TSP	25	µg/m ³
HKLR	HY/2011/03	2020-08-13	AMS6	10:00	1-hr TSP	28	µg/m ³
HKLR	HY/2011/03	2020-08-13	AMS6	11:00	1-hr TSP	30	µg/m ³
HKLR	HY/2011/03	2020-08-20 (See Remark 1)	AMS6	07:58	1-hr TSP	28	µg/m ³
HKLR	HY/2011/03	2020-08-20 (See Remark 1)	AMS6	08:58	1-hr TSP	25	µg/m ³
HKLR	HY/2011/03	2020-08-20 (See Remark 1)	AMS6	09:58	1-hr TSP	25	µg/m ³
HKLR	HY/2011/03	2020-08-25	AMS6	08:55	1-hr TSP	22	µg/m ³
HKLR	HY/2011/03	2020-08-25	AMS6	09:55	1-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-08-25	AMS6	10:55	1-hr TSP	16	µg/m ³
HKLR	HY/2011/03	2020-08-31	AMS6	08:53	1-hr TSP	28	µg/m ³
HKLR	HY/2011/03	2020-08-31	AMS6	09:53	1-hr TSP	21	µg/m ³
HKLR	HY/2011/03	2020-08-31	AMS6	10:53	1-hr TSP	30	µg/m ³
HKLR	HY/2011/03	2020-08-06	AMS6	08:00	24-hr TSP	18	µg/m ³
HKLR	HY/2011/03	2020-08-12	AMS6	08:00	24-hr TSP	13	µg/m ³
HKLR	HY/2011/03	2020-08-18	AMS6	08:00	24-hr TSP	21	µg/m ³
HKLR	HY/2011/03	2020-08-24	AMS6	08:00	24-hr TSP	29	µg/m ³
HKLR	HY/2011/03	2020-08-28	AMS6	08:00	24-hr TSP	49	µg/m ³

Remark:

1) Due to adverse weather condition on 19 August 2020 (Tropical Cyclone Warning Signal No.3 or above was hoisted by HKO), 1-hr TSP monitoring at AMS5 - Ma Wan Chung Village and AMS6 - Dragonair / CNAC (Group) Building (HKIA) on 19 August 2020 were rescheduled to 20 August 2020.

Graphical Plot of 1-hour TSP at AMS5 and AMS6




Remark:

1) Due to adverse weather condition on 19 August 2020 (Tropical Cyclone Warning Signal No.3 or above was hoisted by HKO), 1-hr TSP monitoring at AMS5 – Ma Wan Chung Village and AMS6 - Dragonair / CNAC (Group) Building (HKIA) on 19 August 2020 were rescheduled to 20 August 2020.

Graphical Plot of 24-hour TSP at AMS5 and AMS6

Air Quality Monitoring Data (24-hour)



Remarks:

- 1) Due to power failure, 24-hr TSP monitoring on 26 May 2020 at AMS5 (Ma Wan Chung Village) was rescheduled to 27 May 2020.
- 2) Due to power failure, 24-hr TSP monitoring on 17 June 2020 at AMS5 was rescheduled to 18 June 2020.
- 3) Due to malfunction of HVS at AMS5, the 24-hr TSP monitoring on 23 June 2020 was cancelled. Competent person repaired the HVS on 30 June 2020. The 24-hr TSP monitoring on 29 June 2020 at AMS5 was rescheduled to 30 June 2020.