

Appendix G

Post-Construction
Water Quality
Monitoring Results and
Graphical Presentation

Project	Works	Date (yyyy-mm-dd)	Tide	Station	Start Time	Level	Level Code	Replicate	Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average DO	Turbidity (NTU)	Depth-Averaged Turbidity	SS (mg/L)	Depth-Averaged SS
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)5	14:13	Surface	1	1	24.4	8.1	31.9	6.9	6.6	3.7	6.6	8.5	7.2
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)5	14:13	Surface	1	2	24.5	8.0	32.8	6.9		3.5		8.9	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)5	14:13	Middle	2	1	24.2	8.0	32.2	6.3		7.1		6.8	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)5	14:13	Middle	2	2	24.2	8.0	33.1	6.2		7.1		6.9	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)5	14:13	Bottom	3	1	24.2	8.0	32.3	6.3	6.3	9.1	6.3	6.0	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)5	14:13	Bottom	3	2	24.3	8.0	33.3	6.3		9.0		5.9	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)3(N)	13:26	Surface	1	1	24.4	8.0	31.7	7.0	6.9	3.8	9.6	5.9	6.7
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)3(N)	13:26	Surface	1	2	24.4	8.1	30.9	7.0		3.9		5.6	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)3(N)	13:26	Middle	2	1	24.0	8.0	32.7	6.8		9.8		5.9	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)3(N)	13:26	Middle	2	2	24.0	8.1	31.8	6.8		9.9		5.5	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)3(N)	13:26	Bottom	3	1	24.0	8.0	32.9	6.8	6.9	15.2	6.9	8.2	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	CS(Mf)3(N)	13:26	Bottom	3	2	24.0	8.1	31.9	6.9		15.2		9.1	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)16	12:35	Surface	1	1	24.2	8.1	32.0	7.0	7.0	4.7	5.9	7.0	7.0
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)16	12:35	Surface	1	2	24.4	8.0	32.9	7.0		4.6		6.4	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)16	12:35	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)16	12:35	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)16	12:35	Bottom	3	1	24.0	8.1	32.0	6.6	6.6	7.1	6.6	7.4	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)16	12:35	Bottom	3	2	24.0	8.0	33.0	6.6		7.0		7.3	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4a	12:23	Surface	1	1	24.1	8.1	31.9	6.8	6.8	5.7	6.0	10.6	13.5
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4a	12:23	Surface	1	2	24.2	8.0	32.9	6.7		5.4		12.1	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4a	12:23	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4a	12:23	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4a	12:23	Bottom	3	1	24.1	8.1	31.9	6.8	6.8	6.5	6.8	14.7	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4a	12:23	Bottom	3	2	24.1	8.0	32.9	6.7		6.3		16.7	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4(N2)	12:15	Surface	1	1	24.1	8.1	31.9	6.5	6.5	8.4	8.9	18.7	14.3
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4(N2)	12:15	Surface	1	2	24.1	8.0	32.8	6.4		8.3		16.5	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4(N2)	12:15	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4(N2)	12:15	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4(N2)	12:15	Bottom	3	1	24.0	8.1	31.9	6.4	6.4	9.4	8.0	10.2	12.1
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	SR4(N2)	12:15	Bottom	3	2	24.0	8.0	32.8	6.4		9.3		11.6	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS8(N)	12:08	Surface	1	1	23.9	8.1	31.8	6.8	6.8	7.6	6.8	13.7	12.1
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS8(N)	12:08	Surface	1	2	24.0	8.0	32.8	6.7		7.6		12.7	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS8(N)	12:08	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS8(N)	12:08	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS8(N)	12:08	Bottom	3	1	23.9	8.1	31.8	6.8	6.8	8.8	8.0	11.4	11.1
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS8(N)	12:08	Bottom	3	2	24.0	8.0	32.8	6.7		7.8		10.4	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)9	11:58	Surface	1	1	24.1	8.1	31.9	6.7	6.7	7.5	7.8	12.0	11.1
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)9	11:58	Surface	1	2	24.2	8.0	32.9	6.7		7.4		10.9	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)9	11:58	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)9	11:58	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)9	11:58	Bottom	3	1	24.0	8.1	31.9	6.7	6.7	8.0	6.7	10.3	
TMCLKL	HY/2012/07	2019-11-27	Mid-Ebb	IS(Mf)9	11:58	Bottom	3	2	24.0	8.0	32.9	6.7		8.1		11.2	

Project	Works	Date (yyyy-mm-dd)	Tide	Station	Start Time	Level	Level Code	Replicate	Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average DO	Turbidity (NTU)	Depth-Averaged Turbidity	SS (mg/L)	Depth-Averaged SS
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)5	7:43	Surface	1	1	24.2	8.0	32.0	6.6	6.6	5.0	9.3	10.8	9.8
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)5	7:43	Surface	1	2	24.1	8.0	31.9	6.6		5.2		11.2	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)5	7:43	Middle	2	1	24.2	8.0	32.1	6.5		9.2		9.8	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)5	7:43	Middle	2	2	24.1	8.0	32.0	6.5		9.1		10.1	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)5	7:43	Bottom	3	1	24.2	7.8	32.1	6.6	6.6	13.7	9.3	9.0	9.8
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)5	7:43	Bottom	3	2	24.1	7.8	32.0	6.6		13.6		8.0	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)3(N)	8:31	Surface	1	1	23.9	8.0	31.2	6.7	6.7	5.7	6.3	12.4	10.7
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)3(N)	8:31	Surface	1	2	23.9	8.0	32.2	6.7		5.6		11.5	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)3(N)	8:31	Middle	2	1	23.9	8.0	31.3	6.7		6.4		10.6	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)3(N)	8:31	Middle	2	2	23.9	8.0	32.3	6.7		6.4		11.2	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)3(N)	8:31	Bottom	3	1	23.9	8.0	31.3	6.7	6.7	6.9	9.9	9.4	18.8
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	CS(Mf)3(N)	8:31	Bottom	3	2	24.0	8.0	32.3	6.7		6.8		9.0	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)16	9:19	Surface	1	1	23.9	8.0	31.9	6.7	6.7	9.9	9.9	18.5	18.8
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)16	9:19	Surface	1	2	24.0	8.0	32.9	6.7		9.8		18.9	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)16	9:19	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)16	9:19	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)16	9:19	Bottom	3	1	23.9	8.0	31.9	6.6	6.6	9.9	8.1	18.8	16.9
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)16	9:19	Bottom	3	2	23.9	8.0	32.9	6.6		10.0		18.8	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4a	9:27	Surface	1	1	23.9	8.1	32.0	6.6	6.6	7.9	8.1	14.7	16.9
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4a	9:27	Surface	1	2	23.9	8.0	32.9	6.6		7.9		15.3	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4a	9:27	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4a	9:27	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4a	9:27	Bottom	3	1	23.8	8.1	32.0	6.6	6.6	8.1	8.6	17.4	15.2
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4a	9:27	Bottom	3	2	23.8	8.0	32.9	6.6		8.3		20.2	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4(N2)	9:32	Surface	1	1	23.8	8.1	32.0	6.6	6.6	8.6	8.6	16.9	15.2
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4(N2)	9:32	Surface	1	2	23.9	8.0	32.9	6.6		8.9		15.5	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4(N2)	9:32	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4(N2)	9:32	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4(N2)	9:32	Bottom	3	1	23.9	8.1	32.0	6.6	6.6	8.5	8.9	15.0	13.7
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	SR4(N2)	9:32	Bottom	3	2	23.9	8.0	32.9	6.6		8.3		13.3	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS8(N)	9:36	Surface	1	1	23.8	8.0	32.0	6.5	6.5	8.5	8.9	12.3	13.7
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS8(N)	9:36	Surface	1	2	23.9	8.0	32.9	6.5		8.5		13.5	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS8(N)	9:36	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS8(N)	9:36	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS8(N)	9:36	Bottom	3	1	23.8	8.0	32.0	6.5	6.5	9.4	7.7	13.6	14.0
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS8(N)	9:36	Bottom	3	2	23.8	8.0	32.9	6.5		9.2		15.3	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)9	9:40	Surface	1	1	23.9	8.0	32.0	6.6	6.6	7.7	7.7	11.7	14.0
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)9	9:40	Surface	1	2	23.9	8.0	32.9	6.6		7.5		11.4	
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)9	9:40	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)9	9:40	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)9	9:40	Bottom	3	1	23.9	8.0	32.0	6.6	6.6	7.8	7.7	15.5	14.0
TMCLKL	HY/2012/07	2019-11-27	Mid-Flood	IS(Mf)9	9:40	Bottom	3	2	23.9	8.0	32.9	6.6		7.9		17.2	

Project	Works	Date (yyyy-mm-dd)	Tide	Station	Start Time	Level	Level Code	Replicate	Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average DO	Turbidity (NTU)	Depth-Averaged Turbidity	SS (mg/L)	Depth-Averaged SS
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)5	15:30	Surface	1	1	24.1	8.0	32.8	6.8	6.5	3.0	3.5	5.6	5.1
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)5	15:30	Surface	1	2	24.1	8.0	32.8	6.8		2.9		4.6	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)5	15:30	Middle	2	1	23.9	8.0	33.6	6.2		3.4		5.5	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)5	15:30	Middle	2	2	23.9	8.0	33.6	6.2		3.4		5.8	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)5	15:30	Bottom	3	1	23.9	8.0	33.6	6.2	6.2	4.2	3.5	5.1	5.1
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)5	15:30	Bottom	3	2	23.9	8.0	33.6	6.2		4.2		4.1	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)3(N)	14:45	Surface	1	1	23.6	8.0	32.1	7.0	7.0	6.1	5.4	8.0	10.5
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)3(N)	14:45	Surface	1	2	23.6	8.0	32.1	7.0		6.1		9.0	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)3(N)	14:45	Middle	2	1	23.5	8.0	32.1	6.9		3.7		9.8	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)3(N)	14:45	Middle	2	2	23.5	8.0	32.1	6.9		3.7		10.6	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)3(N)	14:45	Bottom	3	1	23.5	8.0	32.2	6.9	6.9	6.5	7.7	12.4	7.6
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	CS(Mf)3(N)	14:45	Bottom	3	2	23.4	8.0	32.2	6.9		6.5		13.4	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)16	13:50	Surface	1	1	23.7	8.0	32.5	6.9	6.9	5.5	7.7	7.2	7.6
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)16	13:50	Surface	1	2	23.7	8.0	32.5	6.9		5.4		7.6	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)16	13:50	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)16	13:50	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)16	13:50	Bottom	3	1	23.6	8.0	32.5	6.8	6.8	9.9	7.7	7.3	7.6
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)16	13:50	Bottom	3	2	23.6	8.0	32.5	6.8		9.9		8.2	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4a	13:38	Surface	1	1	24.0	8.0	32.5	7.1	7.1	4.8	5.4	7.0	7.5
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4a	13:38	Surface	1	2	24.0	8.0	32.5	7.1		4.8		7.9	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4a	13:38	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4a	13:38	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4a	13:38	Bottom	3	1	23.5	8.0	32.5	6.9	6.9	6.1	11.3	7.3	13.2
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4a	13:38	Bottom	3	2	23.5	8.0	32.5	6.9		6.0		7.8	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4(N2)	13:32	Surface	1	1	23.8	8.0	32.5	6.7	6.7	8.3	11.3	11.8	13.2
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4(N2)	13:32	Surface	1	2	23.8	8.0	32.5	6.7		8.3		13.0	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4(N2)	13:32	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4(N2)	13:32	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4(N2)	13:32	Bottom	3	1	23.8	8.0	32.5	6.8	6.8	14.3	6.5	13.2	8.7
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	SR4(N2)	13:32	Bottom	3	2	23.7	8.0	32.5	6.8		14.3		14.7	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS8(N)	13:26	Surface	1	1	23.9	8.0	32.5	6.9	7.0	5.8	6.5	7.6	8.7
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS8(N)	13:26	Surface	1	2	24.0	8.0	32.5	7.0		5.8		8.0	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS8(N)	13:26	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS8(N)	13:26	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS8(N)	13:26	Bottom	3	1	23.7	8.0	32.6	6.9	6.9	7.1	6.0	9.0	10.2
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS8(N)	13:26	Bottom	3	2	23.7	8.0	32.6	6.9		7.1		10.3	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)9	13:12	Surface	1	1	23.8	8.0	32.6	6.9	6.9	5.2	6.0	9.3	10.2
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)9	13:12	Surface	1	2	23.8	8.0	32.5	6.9		5.2		8.6	
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)9	13:12	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)9	13:12	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)9	13:12	Bottom	3	1	23.9	8.0	32.5	7.0	7.0	6.9	6.0	11.3	10.2
TMCLKL	HY/2012/07	2019-11-29	Mid-Ebb	IS(Mf)9	13:12	Bottom	3	2	23.8	8.0	32.5	7.0		6.8		11.4	

Project	Works	Date (yyyy-mm-dd)	Tide	Station	Start Time	Level	Level Code	Replicate	Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average DO	Turbidity (NTU)	Depth-Averaged Turbidity	SS (mg/L)	Depth-Averaged SS
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)5	9:03	Surface	1	1	23.7	8.0	32.8	6.5	6.5	4.6	4.6	7.3	7.3
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)5	9:03	Surface	1	2	23.7	8.0	32.8	6.5		4.5		6.4	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)5	9:03	Middle	2	1	23.7	8.0	32.8	6.4		3.9		7.5	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)5	9:03	Middle	2	2	23.7	8.0	32.8	6.4		3.9		6.5	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)5	9:03	Bottom	3	1	23.7	8.0	32.8	6.4	6.4	5.2	4.6	8.2	7.3
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)5	9:03	Bottom	3	2	23.7	8.0	32.8	6.4		5.2		7.7	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)3(N)	9:52	Surface	1	1	23.3	8.0	32.2	6.9	6.9	4.8	5.0	14.0	12.3
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)3(N)	9:52	Surface	1	2	23.3	8.0	32.2	6.9		4.8		12.8	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)3(N)	9:52	Middle	2	1	23.3	8.1	32.2	6.9		6.5		11.9	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)3(N)	9:52	Middle	2	2	23.3	8.1	32.2	6.9		6.5		12.4	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)3(N)	9:52	Bottom	3	1	23.3	8.1	32.2	6.8	6.8	3.7	5.0	10.8	16.6
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	CS(Mf)3(N)	9:52	Bottom	3	2	23.3	8.1	32.2	6.8		3.6		11.8	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)16	10:42	Surface	1	1	23.6	8.0	32.5	6.7	6.7	5.2	5.5	17.7	16.6
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)16	10:42	Surface	1	2	23.6	8.0	32.5	6.7		5.2		19.9	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)16	10:42	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)16	10:42	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)16	10:42	Bottom	3	1	23.4	8.0	32.6	6.7	6.7	5.7	5.5	13.4	16.6
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)16	10:42	Bottom	3	2	23.4	8.0	32.6	6.7		5.7		15.3	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4a	10:55	Surface	1	1	23.4	8.0	32.6	6.5	6.6	6.8	7.7	12.8	12.4
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4a	10:55	Surface	1	2	23.4	8.0	32.6	6.6		6.7		13.8	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4a	10:55	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4a	10:55	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4a	10:55	Bottom	3	1	23.3	8.0	32.6	6.5	6.5	8.6	7.7	10.9	12.4
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4a	10:55	Bottom	3	2	23.3	8.0	32.6	6.5		8.5		12.1	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4(N2)	11:01	Surface	1	1	23.5	8.0	32.5	6.7	6.7	7.3	8.2	11.3	10.7
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4(N2)	11:01	Surface	1	2	23.5	8.0	32.5	6.7		7.2		10.5	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4(N2)	11:01	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4(N2)	11:01	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4(N2)	11:01	Bottom	3	1	23.3	8.0	32.5	6.6	6.6	9.1	8.2	11.0	12.8
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	SR4(N2)	11:01	Bottom	3	2	23.3	8.0	32.5	6.6		9.1		9.8	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS8(N)	11:09	Surface	1	1	23.5	8.0	32.4	6.7	6.7	7.9	8.1	11.4	12.8
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS8(N)	11:09	Surface	1	2	23.5	8.0	32.4	6.7		7.8		12.6	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS8(N)	11:09	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS8(N)	11:09	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS8(N)	11:09	Bottom	3	1	23.5	8.0	32.5	6.8	6.8	8.3	8.2	13.4	15.6
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS8(N)	11:09	Bottom	3	2	23.5	8.0	32.5	6.8		8.2		13.9	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)9	11:18	Surface	1	1	23.5	8.0	32.5	6.7	6.7	11.1	10.7	16.2	15.6
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)9	11:18	Surface	1	2	23.5	8.0	32.5	6.7		11.0		15.9	
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)9	11:18	Middle	2	1									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)9	11:18	Middle	2	2									
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)9	11:18	Bottom	3	1	23.5	8.0	32.6	6.6	6.6	10.3	10.7	14.6	15.6
TMCLKL	HY/2012/07	2019-11-29	Mid-Flood	IS(Mf)9	11:18	Bottom	3	2	23.5	8.0	32.6	6.6		10.2		15.8	





Figure G1 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(Mf)5.

*(Weather condition varied between sunny to rainy within the reporting period.)
 In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
 Resources
 Management**







Figure G2 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 November 2019 and 30 November 2019 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

Environmental Resources Management







Figure G3 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 November 2019 and 30 November 2019 at IS8(N) and SR4(N2).

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**






Figure G4 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 November 2019 and 30 November 2019 at SR4a.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G5 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(Mf)5.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G6 Post-Construction Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 November 2019 and 30 November 2019 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

Environmental Resources Management







Figure G7 Post-Construction Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 November 2019 and 30 November 2019 at IS8(N) and SR4(N2).

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**






Figure G8 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 November 2019 and 30 November 2019 at SR4a.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G9 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-ebb tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(Mf)5.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G10 Post-Construction Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-flood tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(Mf)5.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G11 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(Mf)5.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G12 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 November 2019 and 30 November 2019 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

Environmental Resources Management







Figure G13 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 November 2019 and 30 November 2019 at IS8(N) and SR4(N2).

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**






Figure G14 Post-Construction Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 November 2019 and 30 November 2019 at SR4a.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G15 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(Mf)5.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G16 Post-Construction Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 November 2019 and 30 November 2019 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G17 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 November 2019 and 30 November 2019 at IS8(N) and SR4(N2).

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**






Figure G18 Post-Construction Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 November 2019 and 30 November 2019 at SR4a.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G19 Post-Construction Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(Mf)5.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G20 Post-Construction Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 November 2019 and 30 November 2019 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G21 Post-Construction Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 November 2019 and 30 November 2019 at IS8(N) and SR4(N2).

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

Environmental Resources Management






Figure G22 Post-Construction Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 November 2019 and 30 November 2019 at SR4a.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G23 Post-Construction Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(MF)5.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G24 Post-Construction Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 November 2019 and 30 November 2019 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G25 Post-Construction Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 November 2019 and 30 November 2019 at IS8(N) and SR4(N2).

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**






Figure G26 Post-Construction Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 November 2019 and 30 November 2019 at SR4a.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G27 Post-Construction Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(Mf)5.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G28 Post-Construction Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 November 2019 and 30 November 2019 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G29 Post-Construction Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 November 2019 and 30 November 2019 at IS8(N) and SR4(N2).

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**






Figure G30 Post-Construction Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 November 2019 and 30 November 2019 at SR4a.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G31 Post-Construction Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 November 2019 and 30 November 2019 at CS(Mf)3(N) and CS(Mf)5.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G32 Post-Construction Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 November 2019 and 30 November 2019 at IS(Mf)16 and IS(Mf)9.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**







Figure G33 Post-Construction Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 November 2019 and 30 November 2019 at IS8(N) and SR4(N2).

(Weather condition varied between sunny to rainy within the reporting period.) In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**






Figure G34 Post-Construction Monitoring – Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 November 2019 and 30 November 2019 at SR4a.

*(Weather condition varied between sunny to rainy within the reporting period.)
In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.*

No marine works was carried out in the reporting period.

**Environmental
Resources
Management**

