

Figure H1 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 May and 31 August 2014 at CS(Mf)3 and CS(Mf)5.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H2 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 May and 31 August 2014 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H3 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 May and 31 August 2014 at IS8 and SR4.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H4 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 May and 31 August 2014 at SR4a.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H5 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 May and 31 August 2014 at CS(Mf)3 and CS(Mf)5.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H6 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 May and 31 August 2014 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H7 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 May and 31 August 2014 at IS8 and SR4.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H8 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 May and 31 August 2014 at SR4a.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H9 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-ebb tide between 1 May and 31 August 2014 at CS(Mf)3 and CS(Mf)5.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H10 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-ebb tide between 1 May and 31 August 2014 at IS(Mf)16.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H11 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-flood tide between 1 May and 31 August 2014 at CS(Mf)3 and CS(Mf)5.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H12 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-flood tide between 1 May and 31 August 2014 at IS(Mf)16.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H14 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 May and 31 August 2014 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H15 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 May and 31 August 2014 at IS8 and SR4.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H16 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 May and 31 August 2014 at SR4a.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H17 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 May and 31 August 2014 at CS(Mf)3 and CS(Mf)5.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H18 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 May and 31 August 2014 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H19 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 May and 31 August 2014 at IS8 and SR4.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H20 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 May and 31 August 2014 at SR4a.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H21 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 May and 31 August 2014 at CS(Mf)3 and CS(Mf)5.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

Environmental Resources Management







Figure H22 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 May and 31 August 2014 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H23 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 May and 31 August 2014 at IS8 and SR4.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H24 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 May and 31 August 2014 at SR4a.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H25 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 May and 31 August 2014 at CS(Mf)3 and CS(MF)5.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

Environmental Resources Management







Figure H26 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 May and 31 August 2014 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H27 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 May and 31 August 2014 at IS8 and SR4.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H28 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 May and 31 August 2014 at SR4a.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H29 Impact Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 May and 31 August 2014 at CS(Mf)3 and CS(Mf)5.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H30 Impact Monitoring – Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 May and 31 August 2014 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H31 Impact Monitoring – Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 May and 31 August 2014 at IS8 and SR4.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H32 Impact Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 May and 31 August 2014 at SR4a.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**







Figure H33 Impact Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 May and 31 August 2014 at CS(Mf)3 and CS(Mf)5.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

Environmental Resources Management







Figure H34 Impact Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 May and 31 August 2014 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

Environmental Resources Management







Figure H35 Impact Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 May and 31 August 2014 at IS8 and SR4.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**






Figure H36 Impact Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 May and 31 August 2014 at SR4a.

(Weather condition varied between sunny to rainy within June to August. Marine works within June to August include marine piling platform installation and marine piling.)

**Environmental
Resources
Management**

