


Figure H1 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(Mf)5.









Figure H2 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at IS(Mf)16 and IS(Mf)9.








Figure H3 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at IS8 and SR4.







Figure H4 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at SR4a.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.









Figure H5 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(Mf)5.









Figure H6 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 December 2017 and 28 February 2018 at IS(Mf)16 and IS(Mf)9.

(Weather condition varied between sunny to rainy within the reporting period.)

WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.








Figure H7 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 December 2017 and 28 February 2018 at IS8 and SR4.







Figure H8 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 1 December 2017 and 28 February 2018 at SR4a.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.








Figure H9 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(Mf)5.







Figure H10 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at IS(Mf)16.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.








Figure H11 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-flood tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(Mf)5.







Figure H12 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-flood tide between 1 December 2017 and 28 February 2018 at IS(Mf)9.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.









Figure H13 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(Mf)5.








Figure H14 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at IS(Mf)16 and IS(Mf)9.








Figure H15 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at IS8 and SR4.







Figure H16 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 1 December 2017 and 28 February 2018 at SR4a.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.









Figure H17 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(Mf)5.









Figure H18 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 December 2017 and 28 February 2018 at IS(Mf)16 and IS(Mf)9.








Figure H19 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 December 2017 and 28 February 2018 at IS8 and SR4.







Figure H20 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 1 December 2017 and 28 February 2018 at SR4a.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.








Figure H21 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(Mf)5.







Figure H22 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 December 2017 and 28 February 2018 at IS(Mf)16 and IS(Mf)9.








Figure H23 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 December 2017 and 28 February 2018 at IS8 and SR4.







Figure H24 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 1 December 2017 and 28 February 2018 at SR4a.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.








Figure H25 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(MF)5.








Figure H26 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 December 2017 and 28 February 2018 at IS(Mf)16 and IS(Mf)9.







`Figure H27 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 December 2017 and 28 February 2018 at IS8 and SR4.







Figure H28 Impact Monitoring - Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 1 December 2017 and 28 February 2018 at SR4a.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.









Figure H29 Impact Monitoring – Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(Mf)5.









Figure H30 Impact Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 December 2017 and 28 February 2018 at IS(Mf)16 and IS(Mf)9.








Figure H31 Impact Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 December 2017 and 28 February 2018 at IS8 and SR4.







Figure H32 Impact Monitoring - Mean depth-averaged level of Suspended Solids (mg/L) during mid-ebb tide between 1 December 2017 and 28 February 2018 at SR4a.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.









Figure H33 Impact Monitoring – Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 December 2017 and 28 February 2018 at CS(Mf)3(N) and CS(Mf)5.









Figure H34 Impact Monitoring – Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 December 2017 and 28 February 2018 at IS(Mf)16 and IS(Mf)9.








Figure H35 Impact Monitoring – Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 December 2017 and 28 February 2018 at IS8 and SR4.






Figure H36 Impact Monitoring – Mean depth-averaged level of Suspended Solids (mg/L) during mid-flood tide between 1 December 2017 and 28 February 2018 at SR4a.

(Weather condition varied between sunny to rainy within the reporting period.) WQM at monitoring stations, IS(Mf)9 and CS(Mf)3(N), at mid-flood tide and all monitoring stations at mid-ebb tide on 8 January 2018 was cancelled due to adverse weather. WQM on 17 and 19 February 2018 were cancelled due to suspension of marine works during holidays. In-situ monitoring is taken according to the requirement specified in the EM&A Manual, i.e. 3 water depth namely 1m below sea surface, mid-depth and 1m above sea bed. If the water depth is less than 3m, mid-depth sampling only. If water depth less than 6m, mid-depth may be omitted.

