

Figure G.1 Impact Monitoring – 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 July 2015 and 31 October 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area – Portion N-C (1/8/2015 – 30/9/2015), Excavation for Ventilation Shaft at Works Area – Portion N-C (1/7/2015 – 31/7/2015) and Setting up of Slurry Treatment Plant (1/6/2015 – 31/7/2015). Ref: 0212330_Impact AQM graphs_October 2015_REV a.xlsx






Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 July 2015 and 31 October 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/9/2015), Excavation for Ventilation Shaft at Works Area - Portion N-C (1/7/2015 - 31/7/2015) and Setting up of Slurry Treatment Plant (1/6/2015 - 31/7/2015). Ref: 0212330_Impact AQM graphs_October 2015_REV a.xlsx






Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 July 2015 and 31 October 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/9/2015), Excavation for Ventilation Shaft at Works Area - Portion N-C (1/7/2015 - 31/7/2015) and Setting up of Slurry Treatment Plant (1/6/2015 - 31/7/2015). Ref: 0212330_Impact AQM graphs_October 2015_REV a.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 July 2015 and 31 October 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/9/2015), Excavation for Ventilation Shaft at Works Area - Portion N-C (1/7/2015 - 31/7/2015) and Setting up of Slurry Treatment Plant (1/6/2015 - 31/7/2015). Ref: 0212330_Impact AQM graphs_October 2015_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 July 2015 and 31 October 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/9/2015), Excavation for Ventilation Shaft at Works Area - Portion N-C (1/7/2015 - 31/7/2015) and Setting up of Slurry Treatment Plant (1/6/2015 - 31/7/2015). Ref: 0212330_Impact AQM graphs_October 2015_REV a.xlsx






Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 July 2015 and 31 October 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/9/2015), Excavation for Ventilation Shaft at Works Area - Portion N-C (1/7/2015 - 31/7/2015) and Setting up of Slurry Treatment Plant (1/6/2015 - 31/7/2015). Ref: 0212330_Impact AQM graphs_October 2015_REV a.xlsx






Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 July 2015 and 31 October 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/9/2015), Excavation for Ventilation Shaft at Works Area - Portion N-C (1/7/2015 - 31/7/2015) and Setting up of Slurry Treatment Plant (1/6/2015 - 31/7/2015). Ref: 0212330_Impact AQM graphs_October 2015_REV a.xlsx






Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 July 2015 and 31 October 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/9/2015), Excavation for Ventilation Shaft at Works Area - Portion N-C (1/7/2015 - 31/7/2015) and Setting up of Slurry Treatment Plant (1/6/2015 - 31/7/2015). Ref: 0212330_Impact AQM graphs_October 2015_REV a.xlsx






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 July 2015 and 31 October 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/9/2015), Excavation for Ventilation Shaft at Works Area - Portion N-C (1/7/2015 - 31/7/2015) and Setting up of Slurry Treatment Plant (1/6/2015 - 31/7/2015). Ref: 0212330_Impact AQM graphs_October 2015_REV a.xlsx



Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-10-02	ASR10	Sunny	09:10	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR10	Sunny	10:12	1-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR10	Sunny	11:14	1-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR6	Sunny	09:20	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR6	Sunny	10:22	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR6	Sunny	11:24	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR5	Sunny	09:30	1-hour TSP	198	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR5	Sunny	10:32	1-hour TSP	155	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR5	Sunny	11:34	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR1	Sunny	09:42	1-hour TSP	179	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR1	Sunny	10:44	1-hour TSP	204	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR1	Sunny	11:46	1-hour TSP	195	ug/m3
TMCLKL	HY/2012/08	2015-10-02	AQMS1	Sunny	09:53	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2015-10-02	AQMS1	Sunny	10:55	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2015-10-02	AQMS1	Sunny	11:57	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR10	Cloudy	14:30	1-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR10	Cloudy	15:32	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR10	Cloudy	16:34	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR6	Cloudy	14:41	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR6	Cloudy	15:43	1-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR6	Cloudy	16:45	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR5	Cloudy	14:51	1-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR5	Cloudy	15:53	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR5	Cloudy	16:55	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR1	Cloudy	15:03	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR1	Cloudy	16:05	1-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR1	Cloudy	17:07	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2015-10-05	AQMS1	Cloudy	15:15	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2015-10-05	AQMS1	Cloudy	16:17	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2015-10-05	AQMS1	Cloudy	17:19	1-hour TSP	77	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-10-08	ASR10	Sunny	14:06	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR10	Sunny	15:08	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR10	Sunny	16:10	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR6	Sunny	14:16	1-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR6	Sunny	15:18	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR6	Sunny	16:20	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR5	Sunny	14:26	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR5	Sunny	15:28	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR5	Sunny	16:30	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR1	Sunny	14:38	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR1	Sunny	15:40	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR1	Sunny	16:42	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2015-10-08	AQMS1	Sunny	14:50	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2015-10-08	AQMS1	Sunny	15:52	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2015-10-08	AQMS1	Sunny	16:54	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR10	Sunny	13:05	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR10	Sunny	14:07	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR10	Sunny	15:09	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR6	Sunny	13:15	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR6	Sunny	14:17	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR6	Sunny	15:19	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR5	Sunny	13:26	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR5	Sunny	14:28	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR5	Sunny	15:30	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR1	Sunny	13:38	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR1	Sunny	14:40	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR1	Sunny	15:42	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2015-10-11	AQMS1	Sunny	13:50	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2015-10-11	AQMS1	Sunny	14:52	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2015-10-11	AQMS1	Sunny	15:54	1-hour TSP	63	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-10-14	ASR10	Sunny	13:39	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR10	Sunny	14:41	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR10	Sunny	15:43	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR6	Sunny	13:49	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR6	Sunny	14:51	1-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR6	Sunny	15:53	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR5	Sunny	14:00	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR5	Sunny	15:02	1-hour TSP	155	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR5	Sunny	16:04	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR1	Sunny	14:11	1-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR1	Sunny	15:13	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR1	Sunny	16:15	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2015-10-14	AQMS1	Sunny	14:22	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2015-10-14	AQMS1	Sunny	15:24	1-hour TSP	155	ug/m3
TMCLKL	HY/2012/08	2015-10-14	AQMS1	Sunny	16:26	1-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR10	Sunny	13:55	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR10	Sunny	14:57	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR10	Sunny	15:59	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR6	Sunny	14:06	1-hour TSP	228	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR6	Sunny	15:08	1-hour TSP	213	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR6	Sunny	16:10	1-hour TSP	171	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR5	Sunny	14:17	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR5	Sunny	15:19	1-hour TSP	207	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR5	Sunny	16:21	1-hour TSP	216	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR1	Sunny	14:28	1-hour TSP	249	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR1	Sunny	15:30	1-hour TSP	272	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR1	Sunny	16:32	1-hour TSP	261	ug/m3
TMCLKL	HY/2012/08	2015-10-17	AQMS1	Sunny	14:40	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2015-10-17	AQMS1	Sunny	15:42	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2015-10-17	AQMS1	Sunny	16:44	1-hour TSP	103	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-10-20	ASR10	Sunny	13:26	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR10	Sunny	14:28	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR10	Sunny	15:30	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR6	Sunny	13:36	1-hour TSP	179	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR6	Sunny	14:38	1-hour TSP	156	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR6	Sunny	15:40	1-hour TSP	145	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR5	Sunny	13:47	1-hour TSP	208	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR5	Sunny	14:49	1-hour TSP	185	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR5	Sunny	15:51	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR1	Sunny	13:58	1-hour TSP	198	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR1	Sunny	15:00	1-hour TSP	185	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR1	Sunny	16:02	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2015-10-20	AQMS1	Sunny	14:10	1-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2015-10-20	AQMS1	Sunny	15:12	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2015-10-20	AQMS1	Sunny	16:14	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR10	Sunny	14:00	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR10	Sunny	15:02	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR10	Sunny	16:04	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR6	Sunny	14:10	1-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR6	Sunny	15:12	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR6	Sunny	16:14	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR5	Sunny	14:22	1-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR5	Sunny	15:24	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR5	Sunny	16:26	1-hour TSP	163	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR1	Sunny	14:33	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR1	Sunny	15:35	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR1	Sunny	16:37	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2015-10-23	AQMS1	Sunny	14:44	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2015-10-23	AQMS1	Sunny	15:46	1-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2015-10-23	AQMS1	Sunny	16:48	1-hour TSP	94	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-10-26	ASR10	Cloudy	13:26	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR10	Cloudy	14:28	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR10	Cloudy	15:30	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR6	Cloudy	13:37	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR6	Cloudy	14:39	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR6	Cloudy	15:41	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR5	Cloudy	13:48	1-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR5	Cloudy	14:50	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR5	Cloudy	15:52	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR1	Cloudy	13:58	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR1	Cloudy	15:00	1-hour TSP	192	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR1	Cloudy	16:02	1-hour TSP	181	ug/m3
TMCLKL	HY/2012/08	2015-10-26	AQMS1	Cloudy	14:10	1-hour TSP	170	ug/m3
TMCLKL	HY/2012/08	2015-10-26	AQMS1	Cloudy	15:12	1-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2015-10-26	AQMS1	Cloudy	16:14	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR10	Sunny	13:54	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR10	Sunny	14:56	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR10	Sunny	15:58	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR6	Sunny	14:05	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR6	Sunny	15:07	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR6	Sunny	16:09	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR5	Sunny	14:16	1-hour TSP	177	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR5	Sunny	15:18	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR5	Sunny	16:20	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR1	Sunny	14:26	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR1	Sunny	15:28	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR1	Sunny	16:30	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2015-10-29	AQMS1	Sunny	14:37	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2015-10-29	AQMS1	Sunny	15:39	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2015-10-29	AQMS1	Sunny	16:41	1-hour TSP	65	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-10-02	ASR10	Sunny	12:16	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR6	Sunny	12:26	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR5	Sunny	12:36	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2015-10-02	ASR1	Sunny	12:48	24-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2015-10-02	AQMS1	Sunny	12:59	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR10	Cloudy	17:36	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR6	Cloudy	17:47	24-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR5	Cloudy	17:57	24-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2015-10-05	ASR1	Cloudy	18:09	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2015-10-05	AQMS1	Cloudy	18:21	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR10	Sunny	17:12	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR6	Sunny	17:22	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR5	Sunny	17:32	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2015-10-08	ASR1	Sunny	17:44	24-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2015-10-08	AQMS1	Sunny	17:56	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR10	Sunny	16:11	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR6	Sunny	16:21	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR5	Sunny	16:32	24-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2015-10-11	ASR1	Sunny	16:44	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2015-10-11	AQMS1	Sunny	16:56	24-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR10	Sunny	16:45	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR6	Sunny	16:55	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR5	Sunny	17:06	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2015-10-14	ASR1	Sunny	17:17	24-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2015-10-14	AQMS1	Sunny	17:28	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR10	Sunny	17:01	24-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR6	Sunny	17:12	24-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR5	Sunny	17:23	24-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2015-10-17	ASR1	Sunny	17:34	24-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2015-10-17	AQMS1	Sunny	17:46	24-hour TSP	77	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-10-20	ASR10	Sunny	16:32	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR6	Sunny	16:42	24-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR5	Sunny	16:53	24-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2015-10-20	ASR1	Sunny	17:04	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2015-10-20	AQMS1	Sunny	17:16	24-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR10	Sunny	17:06	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR6	Sunny	17:16	24-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR5	Sunny	17:28	24-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2015-10-23	ASR1	Sunny	17:39	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2015-10-23	AQMS1	Sunny	17:50	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR10	Cloudy	16:32	24-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR6	Cloudy	16:43	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR5	Cloudy	16:54	24-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2015-10-26	ASR1	Cloudy	17:04	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2015-10-26	AQMS1	Cloudy	17:16	24-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR10	Sunny	17:00	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR6	Sunny	17:11	24-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR5	Sunny	17:22	24-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2015-10-29	ASR1	Sunny	17:32	24-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2015-10-29	AQMS1	Sunny	17:43	24-hour TSP	72	ug/m3