

Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 October 2015 and 31 January 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/10/2015 - 31/1/2016) and Box Culvert Extension (1/10/2015 - 31/1/2016). Ref: 0212330_Impact AQM graphs_ January 2016_REV a.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 October 2015 and 31 January 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/10/2015 - 31/1/2016) and Box Culvert Extension (1/10/2015 - 31/1/2016). Ref: 0212330_Impact AQM graphs_ January 2016_REV a.xlsx






Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 October 2015 and 31 January 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/10/2015 - 31/1/2016) and Box Culvert Extension (1/10/2015 - 31/1/2016). Ref: 0212330_Impact AQM graphs_ January 2016_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 October 2015 and 31 January 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/10/2015 - 31/1/2016) and Box Culvert Extension (1/10/2015 - 31/1/2016). Ref: 0212330_Impact AQM graphs_ January 2016_REV a.xlsx






Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 October 2015 and 31 January 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/10/2015 - 31/1/2016) and Box Culvert Extension (1/10/2015 - 31/1/2016). Ref: 0212330_Impact AQM graphs_ January 2016_REV a.xlsx






Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 October 2015 and 31 January 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/10/2015 - 31/1/2016) and Box Culvert Extension (1/10/2015 - 31/1/2016). Ref: 0212330_Impact AQM graphs_ January 2016_REV a.xlsx






Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 October 2015 and 31 January 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/10/2015 - 31/1/2016) and Box Culvert Extension (1/10/2015 - 31/1/2016). Ref: 0212330_Impact AQM graphs_ January 2016_REV a.xlsx






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 October 2015 and 31 January 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/10/2015 - 31/1/2016) and Box Culvert Extension (1/10/2015 - 31/1/2016). Ref: 0212330_Impact AQM graphs_ January 2016_REV a.xlsx



Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-01-03	AQMS1	Rainy	08:47	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2016-01-03	AQMS1	Rainy	09:49	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2016-01-03	AQMS1	Rainy	10:51	1-hour TSP	156	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR1	Rainy	08:36	1-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR1	Rainy	09:38	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR1	Rainy	10:40	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR10	Rainy	08:05	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR10	Rainy	09:07	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR10	Rainy	11:09	1-hour TSP	146	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR5	Rainy	08:26	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR5	Rainy	09:28	1-hour TSP	190	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR5	Rainy	10:30	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR6	Rainy	08:15	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR6	Rainy	09:17	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR6	Rainy	10:19	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2016-01-06	AQMS1	Sunny	13:37	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2016-01-06	AQMS1	Sunny	14:39	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2016-01-06	AQMS1	Sunny	15:41	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR1	Sunny	13:26	1-hour TSP	171	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR1	Sunny	14:28	1-hour TSP	215	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR1	Sunny	15:30	1-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR10	Sunny	12:54	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR10	Sunny	13:56	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR10	Sunny	14:58	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR5	Sunny	13:15	1-hour TSP	211	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR5	Sunny	14:17	1-hour TSP	271	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR5	Sunny	15:19	1-hour TSP	260	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR6	Sunny	13:05	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR6	Sunny	14:07	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR6	Sunny	15:09	1-hour TSP	133	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-01-09	AQMS1	Sunny	14:10	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2016-01-09	AQMS1	Sunny	15:12	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2016-01-09	AQMS1	Sunny	16:14	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR1	Sunny	13:59	1-hour TSP	196	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR1	Sunny	15:01	1-hour TSP	164	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR1	Sunny	16:03	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR10	Sunny	13:27	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR10	Sunny	14:29	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR10	Sunny	15:31	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR5	Sunny	13:47	1-hour TSP	207	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR5	Sunny	14:49	1-hour TSP	183	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR5	Sunny	15:51	1-hour TSP	194	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR6	Sunny	13:37	1-hour TSP	155	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR6	Sunny	14:39	1-hour TSP	206	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR6	Sunny	15:41	1-hour TSP	185	ug/m3
TMCLKL	HY/2012/08	2016-01-12	AQMS1	Sunny	13:39	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-01-12	AQMS1	Sunny	14:41	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-01-12	AQMS1	Sunny	15:43	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR1	Sunny	13:28	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR1	Sunny	14:30	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR1	Sunny	15:32	1-hour TSP	164	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR10	Sunny	12:57	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR10	Sunny	13:59	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR10	Sunny	15:01	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR5	Sunny	13:18	1-hour TSP	240	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR5	Sunny	14:20	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR5	Sunny	15:22	1-hour TSP	260	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR6	Sunny	13:07	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR6	Sunny	14:09	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR6	Sunny	15:11	1-hour TSP	96	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-01-15	AQMS1	Rainy	09:03	1-hour TSP	176	ug/m3
TMCLKL	HY/2012/08	2016-01-15	AQMS1	Rainy	10:05	1-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2016-01-15	AQMS1	Rainy	11:07	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR1	Rainy	08:52	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR1	Rainy	09:54	1-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR1	Rainy	10:56	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR10	Rainy	08:20	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR10	Rainy	09:22	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR10	Rainy	10:24	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR5	Rainy	08:41	1-hour TSP	184	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR5	Rainy	09:43	1-hour TSP	211	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR5	Rainy	10:45	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR6	Rainy	08:30	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR6	Rainy	09:32	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR6	Rainy	10:34	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2016-01-18	AQMS1	Cloudy	14:12	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2016-01-18	AQMS1	Cloudy	15:14	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2016-01-18	AQMS1	Cloudy	16:16	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR1	Cloudy	14:01	1-hour TSP	255	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR1	Cloudy	15:03	1-hour TSP	269	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR1	Cloudy	16:05	1-hour TSP	283	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR10	Cloudy	13:29	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR10	Cloudy	14:31	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR10	Cloudy	15:33	1-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR5	Cloudy	13:50	1-hour TSP	232	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR5	Cloudy	14:52	1-hour TSP	211	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR5	Cloudy	15:54	1-hour TSP	228	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR6	Cloudy	13:39	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR6	Cloudy	14:41	1-hour TSP	156	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR6	Cloudy	15:43	1-hour TSP	219	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-01-21	AQMS1	Cloudy	13:58	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2016-01-21	AQMS1	Cloudy	15:00	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2016-01-21	AQMS1	Cloudy	16:02	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR1	Cloudy	13:46	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR1	Cloudy	14:48	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR1	Cloudy	15:50	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR10	Cloudy	13:15	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR10	Cloudy	14:17	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR10	Cloudy	15:19	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR5	Cloudy	13:35	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR5	Cloudy	14:37	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR5	Cloudy	15:41	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR6	Cloudy	13:25	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR6	Cloudy	14:27	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR6	Cloudy	15:29	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-01-24	AQMS1	Rainy	14:24	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2016-01-24	AQMS1	Rainy	15:26	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2016-01-24	AQMS1	Rainy	16:28	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR1	Rainy	14:13	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR1	Rainy	15:15	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR1	Rainy	16:17	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR10	Rainy	13:41	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR10	Rainy	14:43	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR10	Rainy	15:45	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR5	Rainy	14:03	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR5	Rainy	15:05	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR5	Rainy	16:07	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR6	Rainy	13:52	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR6	Rainy	14:54	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR6	Rainy	15:56	1-hour TSP	59	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-01-27	AQMS1	Cloudy	14:36	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2016-01-27	AQMS1	Cloudy	15:38	1-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2016-01-27	AQMS1	Cloudy	16:40	1-hour TSP	156	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR1	Cloudy	14:25	1-hour TSP	163	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR1	Cloudy	15:27	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR1	Cloudy	16:29	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR10	Cloudy	13:53	1-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR10	Cloudy	14:55	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR10	Cloudy	15:57	1-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR5	Cloudy	14:15	1-hour TSP	213	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR5	Cloudy	15:17	1-hour TSP	178	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR5	Cloudy	16:19	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR6	Cloudy	14:04	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR6	Cloudy	15:06	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR6	Cloudy	16:08	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2016-01-30	AQMS1	Cloudy	09:33	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2016-01-30	AQMS1	Cloudy	10:35	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2016-01-30	AQMS1	Cloudy	11:37	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR1	Cloudy	09:22	1-hour TSP	135	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR1	Cloudy	10:24	1-hour TSP	175	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR1	Cloudy	11:26	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR10	Cloudy	08:50	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR10	Cloudy	09:52	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR10	Cloudy	10:54	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR5	Cloudy	09:10	1-hour TSP	196	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR5	Cloudy	10:12	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR5	Cloudy	11:14	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR6	Cloudy	09:00	1-hour TSP	174	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR6	Cloudy	10:02	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR6	Cloudy	11:04	1-hour TSP	174	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-01-03	AQMS1	Rainy	11:53	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR1	Rainy	11:42	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR10	Rainy	11:11	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR5	Rainy	11:32	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2016-01-03	ASR6	Rainy	11:21	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2016-01-06	AQMS1	Sunny	16:43	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR1	Sunny	16:32	24-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR10	Sunny	16:00	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR5	Sunny	16:21	24-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2016-01-06	ASR6	Sunny	16:11	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2016-01-09	AQMS1	Sunny	17:16	24-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR1	Sunny	17:05	24-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR10	Sunny	16:33	24-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR5	Sunny	16:53	24-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2016-01-09	ASR6	Sunny	16:43	24-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2016-01-12	AQMS1	Sunny	16:45	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR1	Sunny	16:34	24-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR10	Sunny	16:03	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR5	Sunny	16:24	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2016-01-12	ASR6	Sunny	16:13	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2016-01-15	AQMS1	Rainy	12:09	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR1	Rainy	11:58	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR10	Rainy	11:26	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR5	Rainy	11:47	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2016-01-15	ASR6	Rainy	11:36	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2016-01-18	AQMS1	Cloudy	17:18	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR1	Cloudy	17:07	24-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR10	Cloudy	16:35	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR5	Cloudy	16:56	24-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2016-01-18	ASR6	Cloudy	16:45	24-hour TSP	109	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-01-21	AQMS1	Cloudy	17:04	24-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR1	Cloudy	16:52	24-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR10	Cloudy	16:21	24-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR5	Cloudy	16:53	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2016-01-21	ASR6	Cloudy	16:31	24-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2016-01-24	AQMS1	Rainy	17:30	24-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR1	Rainy	17:19	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR10	Rainy	16:47	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR5	Rainy	17:09	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2016-01-24	ASR6	Rainy	16:58	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2016-01-27	AQMS1	Cloudy	17:42	24-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR1	Cloudy	17:31	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR10	Cloudy	16:59	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR5	Cloudy	17:21	24-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2016-01-27	ASR6	Cloudy	17:10	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2016-01-30	AQMS1	Cloudy	12:39	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR1	Cloudy	12:28	24-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR10	Cloudy	11:56	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR5	Cloudy	12:16	24-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2016-01-30	ASR6	Cloudy	12:06	24-hour TSP	69	ug/m3