

Figure G.1 Impact Monitoring – 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 August 2016 and 30 November 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/8/2016 – 30/11/2016) and Box Culvert Extension (1/8/2016 – 30/11/2016). Ref: 0212330_Impact AQM graphs_ November 2016_REV a.xlsx






Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 August 2016 and 30 November 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/8/2016 - 30/11/2016) and Box Culvert Extension (1/8/2016 - 30/11/2016). Ref: 0212330_Impact AQM graphs_ November 2016_REV a.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 August 2016 and 30 November 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/8/2016 - 30/11/2016) and Box Culvert Extension (1/8/2016 - 30/11/2016). Ref: 0212330_Impact AQM graphs_ November 2016_REV a.xlsx






Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 August 2016 and 30 November 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/8/2016 - 30/11/2016) and Box Culvert Extension (1/8/2016 - 30/11/2016). Ref: 0212330_Impact AQM graphs_ November 2016_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 August 2016 and 30 November 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/8/2016 - 30/11/2016) and Box Culvert Extension (1/8/2016 - 30/11/2016). Ref: 0212330_Impact AQM graphs_ November 2016_REV a.xlsx






Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 August 2016 and 30 November 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/8/2016 - 30/11/2016) and Box Culvert Extension (1/8/2016 - 30/11/2016). Ref: 0212330_Impact AQM graphs_ November 2016_REV a.xlsx






Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 August 2016 and 30 November 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/8/2016 - 30/11/2016) and Box Culvert Extension (1/8/2016 - 30/11/2016). Ref: 0212330_Impact AQM graphs_ November 2016_REV a.xlsx






Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 August 2016 and 30 November 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/8/2016 - 30/11/2016) and Box Culvert Extension (1/8/2016 - 30/11/2016). Ref: 0212330_Impact AQM graphs_ November 2016_REV a.xlsx






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 August 2016 and 30 November 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/8/2016 - 30/11/2016) and Box Culvert Extension (1/8/2016 - 30/11/2016). Ref: 0212330_Impact AQM graphs_ November 2016_REV a.xlsx



Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-11-01	AQMS1	Sunny	13:25	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2016-11-01	AQMS1	Sunny	14:27	1-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2016-11-01	AQMS1	Sunny	15:29	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR1	Sunny	13:15	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR1	Sunny	14:17	1-hour TSP	157	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR1	Sunny	15:19	1-hour TSP	158	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR10	Sunny	12:42	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR10	Sunny	13:44	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR10	Sunny	14:46	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR5	Sunny	13:04	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR5	Sunny	14:06	1-hour TSP	174	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR5	Sunny	15:08	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR6	Sunny	12:53	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR6	Sunny	13:35	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR6	Sunny	14:57	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2016-11-04	AQMS1	Sunny	09:13	1-hour TSP	196	ug/m3
TMCLKL	HY/2012/08	2016-11-04	AQMS1	Sunny	10:15	1-hour TSP	164	ug/m3
TMCLKL	HY/2012/08	2016-11-04	AQMS1	Sunny	11:17	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR1	Sunny	09:03	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR1	Sunny	10:05	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR1	Sunny	11:07	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR10	Sunny	08:30	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR10	Sunny	09:32	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR10	Sunny	10:34	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR5	Sunny	08:52	1-hour TSP	223	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR5	Sunny	09:54	1-hour TSP	195	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR5	Sunny	10:56	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR6	Sunny	08:40	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR6	Sunny	09:42	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR6	Sunny	10:44	1-hour TSP	83	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-11-07	AQMS1	Sunny	13:13	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2016-11-07	AQMS1	Sunny	14:15	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2016-11-07	AQMS1	Sunny	15:17	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR1	Sunny	13:03	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR1	Sunny	14:05	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR1	Sunny	15:07	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR10	Sunny	12:30	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR10	Sunny	13:22	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR10	Sunny	14:26	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR5	Sunny	12:52	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR5	Sunny	13:54	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR5	Sunny	14:56	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR6	Sunny	12:41	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR6	Sunny	13:43	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR6	Sunny	14:45	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2016-11-10	AQMS1	Sunny	13:25	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2016-11-10	AQMS1	Sunny	14:27	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-11-10	AQMS1	Sunny	15:29	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR1	Sunny	13:14	1-hour TSP	159	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR1	Sunny	14:16	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR1	Sunny	15:18	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR10	Sunny	12:42	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR10	Sunny	13:44	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR10	Sunny	14:46	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR5	Sunny	13:04	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR5	Sunny	14:06	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR5	Sunny	15:08	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR6	Sunny	12:53	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR6	Sunny	13:55	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR6	Sunny	14:57	1-hour TSP	119	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-11-13	AQMS1	Sunny	08:42	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-11-13	AQMS1	Sunny	09:44	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2016-11-13	AQMS1	Sunny	10:46	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR1	Sunny	08:32	1-hour TSP	128	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR1	Sunny	09:34	1-hour TSP	149	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR1	Sunny	10:36	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR10	Sunny	08:00	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR10	Sunny	09:02	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR10	Sunny	10:04	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR5	Sunny	08:21	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR5	Sunny	09:23	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR5	Sunny	10:25	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR6	Sunny	08:10	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR6	Sunny	09:12	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR6	Sunny	10:14	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2016-11-16	AQMS1	Sunny	15:11	1-hour TSP	34	ug/m3
TMCLKL	HY/2012/08	2016-11-16	AQMS1	Sunny	16:13	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2016-11-16	AQMS1	Sunny	17:15	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR1	Sunny	15:00	1-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR1	Sunny	16:02	1-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR1	Sunny	17:04	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR10	Sunny	14:30	1-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR10	Sunny	15:32	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR10	Sunny	16:34	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR5	Sunny	14:50	1-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR5	Sunny	15:52	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR5	Sunny	16:54	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR6	Sunny	14:40	1-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR6	Sunny	15:42	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR6	Sunny	16:44	1-hour TSP	116	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-11-19	AQMS1	Sunny	14:39	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2016-11-19	AQMS1	Sunny	15:41	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2016-11-19	AQMS1	Sunny	16:43	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR1	Sunny	14:28	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR1	Sunny	15:30	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR1	Sunny	16:32	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR10	Sunny	13:56	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR10	Sunny	14:58	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR10	Sunny	16:00	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR5	Sunny	14:17	1-hour TSP	163	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR5	Sunny	15:19	1-hour TSP	177	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR5	Sunny	16:21	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR6	Sunny	14:07	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR6	Sunny	15:09	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR6	Sunny	16:11	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2016-11-22	AQMS1	Sunny	14:21	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2016-11-22	AQMS1	Sunny	15:23	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2016-11-22	AQMS1	Sunny	16:25	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR1	Sunny	14:10	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR1	Sunny	15:12	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR1	Sunny	16:14	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR10	Sunny	13:38	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR10	Sunny	14:40	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR10	Sunny	15:42	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR5	Sunny	14:00	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR5	Sunny	15:02	1-hour TSP	192	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR5	Sunny	16:04	1-hour TSP	158	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR6	Sunny	13:49	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR6	Sunny	14:51	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR6	Sunny	15:53	1-hour TSP	91	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-11-25	AQMS1	Cloudy	09:43	1-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2016-11-25	AQMS1	Cloudy	10:45	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2016-11-25	AQMS1	Cloudy	11:47	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR1	Cloudy	09:32	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR1	Cloudy	10:34	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR1	Cloudy	11:36	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR10	Cloudy	09:00	1-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR10	Cloudy	10:02	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR10	Cloudy	11:04	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR5	Cloudy	09:22	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR5	Cloudy	10:24	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR5	Cloudy	11:26	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR6	Cloudy	09:11	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR6	Cloudy	10:13	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR6	Cloudy	11:15	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2016-11-28	AQMS1	Sunny	13:32	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2016-11-28	AQMS1	Sunny	14:34	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2016-11-28	AQMS1	Sunny	15:36	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR1	Sunny	13:21	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR1	Sunny	14:23	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR1	Sunny	15:25	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR10	Sunny	12:49	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR10	Sunny	13:51	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR10	Sunny	14:53	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR5	Sunny	13:10	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR5	Sunny	14:12	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR5	Sunny	15:14	1-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR6	Sunny	13:00	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR6	Sunny	14:02	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR6	Sunny	15:04	1-hour TSP	89	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-11-01	AQMS1	Sunny	16:31	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR1	Sunny	16:21	24-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR10	Sunny	15:48	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR5	Sunny	16:10	24-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2016-11-01	ASR6	Sunny	15:59	24-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2016-11-04	AQMS1	Sunny	12:19	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR1	Sunny	12:09	24-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR10	Sunny	11:36	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR5	Sunny	11:58	24-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2016-11-04	ASR6	Sunny	11:46	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2016-11-07	AQMS1	Sunny	16:19	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR1	Sunny	16:09	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR10	Sunny	15:28	24-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR5	Sunny	15:58	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2016-11-07	ASR6	Sunny	15:47	24-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2016-11-10	AQMS1	Sunny	16:31	24-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR1	Sunny	16:20	24-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR10	Sunny	15:48	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR5	Sunny	16:10	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2016-11-10	ASR6	Sunny	14:59	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2016-11-13	AQMS1	Sunny	11:48	24-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR1	Sunny	11:38	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR10	Sunny	11:06	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR5	Sunny	11:27	24-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2016-11-13	ASR6	Sunny	11:16	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2016-11-16	AQMS1	Sunny	18:17	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR1	Sunny	18:06	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR10	Sunny	17:36	24-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR5	Sunny	17:56	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2016-11-16	ASR6	Sunny	17:46	24-hour TSP	64	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-11-19	AQMS1	Sunny	17:45	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR1	Sunny	17:34	24-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR10	Sunny	17:02	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR5	Sunny	17:23	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2016-11-19	ASR6	Sunny	17:13	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2016-11-22	AQMS1	Sunny	17:27	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR1	Sunny	17:16	24-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR10	Sunny	16:44	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR5	Sunny	17:06	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2016-11-22	ASR6	Sunny	16:55	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2016-11-25	AQMS1	Cloudy	12:49	24-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR1	Cloudy	12:38	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR10	Cloudy	12:06	24-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR5	Cloudy	12:28	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2016-11-25	ASR6	Cloudy	12:17	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2016-11-28	AQMS1	Sunny	16:38	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR1	Sunny	16:27	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR10	Sunny	15:55	24-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR5	Sunny	16:16	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2016-11-28	ASR6	Sunny	16:06	24-hour TSP	72	ug/m3