

Figure G.1 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 September 2016 and 31 December 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/9/2016 – 31/12/2016) and Box Culvert Extension (1/9/2016 – 31/12/2016). Ref: 0212330_Impact AQM graphs_ December 2016_REV a.xlsx




Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 September 2016 and 31 December 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/9/2016 – 31/12/2016) and Box Culvert Extension (1/9/2016 – 31/12/2016). Ref: 0212330_Impact AQM graphs_ December 2016_REV a.xlsx





Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 September 2016 and 31 December 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/9/2016 – 31/12/2016) and Box Culvert Extension (1/9/2016 – 31/12/2016). Ref: 0212330_Impact AQM graphs_ December 2016_REV a.xlsx






Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 September 2016 and 31 December 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/9/2016 – 31/12/2016) and Box Culvert Extension (1/9/2016 – 31/12/2016). Ref: 0212330_Impact AQM graphs_ December 2016_REV a.xlsx




Figure G.6 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 September 2016 and 31 December 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/9/2016 – 31/12/2016) and Box Culvert Extension (1/9/2016 – 31/12/2016). Ref: 0212330_Impact AQM graphs_December 2016_REV a.xlsx




Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 September 2016 and 31 December 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/9/2016 – 31/12/2016) and Box Culvert Extension (1/9/2016 – 31/12/2016). Ref: 0212330_Impact AQM graphs_ December 2016_REV a.xlsx




Figure G.8 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 September 2016 and 31 December 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/9/2016 – 31/12/2016) and Box Culvert Extension (1/9/2016 – 31/12/2016). Ref: 0212330_Impact AQM graphs_ December 2016_REV a.xlsx




Figure G.9 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 September 2016 and 31 December 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/9/2016 – 31/12/2016) and Box Culvert Extension (1/9/2016 – 31/12/2016). Ref: 0212330_Impact AQM graphs – December 2016_REV a.xlsx




Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 September 2016 and 31 December 2016 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Jet Grouting, CSM Ground Treatment and Diaphragm Wall Construction (1/9/2016 – 31/12/2016) and Box Culvert Extension (1/9/2016 – 31/12/2016). Ref: 0212330_Impact AQM graphs_ December 2016_REV a.xlsx

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-12-01	AQMS1	Sunny	13:55	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2016-12-01	AQMS1	Sunny	14:57	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2016-12-01	AQMS1	Sunny	15:59	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR1	Sunny	13:45	1-hour TSP	212	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR1	Sunny	14:47	1-hour TSP	205	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR1	Sunny	15:49	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR10	Sunny	13:13	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR10	Sunny	14:15	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR10	Sunny	15:17	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR5	Sunny	13:34	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR5	Sunny	14:36	1-hour TSP	158	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR5	Sunny	15:38	1-hour TSP	212	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR6	Sunny	13:24	1-hour TSP	222	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR6	Sunny	14:26	1-hour TSP	173	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR6	Sunny	15:28	1-hour TSP	222	ug/m3
TMCLKL	HY/2012/08	2016-12-04	AQMS1	Sunny	09:34	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2016-12-04	AQMS1	Sunny	10:36	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2016-12-04	AQMS1	Sunny	11:38	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR1	Sunny	09:32	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR1	Sunny	10:34	1-hour TSP	194	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR1	Sunny	11:36	1-hour TSP	220	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR10	Sunny	09:00	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR10	Sunny	10:02	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR10	Sunny	11:04	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR5	Sunny	09:22	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR5	Sunny	10:24	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR5	Sunny	11:26	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR6	Sunny	09:11	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR6	Sunny	10:13	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR6	Sunny	11:15	1-hour TSP	164	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-12-07	AQMS1	Sunny	08:49	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2016-12-07	AQMS1	Sunny	09:51	1-hour TSP	178	ug/m3
TMCLKL	HY/2012/08	2016-12-07	AQMS1	Sunny	10:53	1-hour TSP	164	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR1	Sunny	09:38	1-hour TSP	277	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR1	Sunny	09:40	1-hour TSP	245	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR1	Sunny	10:42	1-hour TSP	206	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR10	Sunny	08:05	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR10	Sunny	09:07	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR10	Sunny	10:09	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR5	Sunny	08:26	1-hour TSP	276	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR5	Sunny	09:28	1-hour TSP	278	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR5	Sunny	10:30	1-hour TSP	203	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR6	Sunny	08:16	1-hour TSP	174	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR6	Sunny	09:18	1-hour TSP	223	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR6	Sunny	10:20	1-hour TSP	205	ug/m3
TMCLKL	HY/2012/08	2016-12-10	AQMS1	Sunny	09:07	1-hour TSP	190	ug/m3
TMCLKL	HY/2012/08	2016-12-10	AQMS1	Sunny	10:09	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2016-12-10	AQMS1	Sunny	11:11	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR1	Sunny	08:56	1-hour TSP	227	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR1	Sunny	09:58	1-hour TSP	206	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR1	Sunny	11:00	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR10	Sunny	08:24	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR10	Sunny	09:26	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR10	Sunny	10:28	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR5	Sunny	08:45	1-hour TSP	302	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR5	Sunny	09:47	1-hour TSP	318	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR5	Sunny	10:49	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR6	Sunny	08:35	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR6	Sunny	09:57	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR6	Sunny	10:39	1-hour TSP	141	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-12-13	AQMS1	Sunny	13:31	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2016-12-13	AQMS1	Sunny	14:33	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2016-12-13	AQMS1	Sunny	15:35	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR1	Sunny	13:20	1-hour TSP	301	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR1	Sunny	14:22	1-hour TSP	293	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR1	Sunny	15:24	1-hour TSP	246	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR10	Sunny	12:47	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR10	Sunny	13:49	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR10	Sunny	14:51	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR5	Sunny	13:10	1-hour TSP	240	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR5	Sunny	14:12	1-hour TSP	254	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR5	Sunny	15:14	1-hour TSP	265	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR6	Sunny	12:59	1-hour TSP	220	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR6	Sunny	14:01	1-hour TSP	181	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR6	Sunny	15:03	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2016-12-16	AQMS1	Sunny	10:05	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2016-12-16	AQMS1	Sunny	11:07	1-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2016-12-16	AQMS1	Sunny	12:09	1-hour TSP	135	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR1	Sunny	09:54	1-hour TSP	200	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR1	Sunny	10:56	1-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR1	Sunny	11:58	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR10	Sunny	09:30	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR10	Sunny	10:22	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR10	Sunny	11:24	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR5	Sunny	09:43	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR5	Sunny	10:45	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR5	Sunny	11:47	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR6	Sunny	09:31	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR6	Sunny	10:33	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR6	Sunny	11:35	1-hour TSP	90	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-12-19	AQMS1	Sunny	13:48	1-hour TSP	194	ug/m3
TMCLKL	HY/2012/08	2016-12-19	AQMS1	Sunny	14:50	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2016-12-19	AQMS1	Sunny	15:22	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR1	Sunny	13:58	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR1	Sunny	14:40	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR1	Sunny	15:42	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR10	Sunny	13:06	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR10	Sunny	14:08	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR10	Sunny	15:10	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR5	Sunny	13:27	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR5	Sunny	14:29	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR5	Sunny	15:31	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR6	Sunny	13:17	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR6	Sunny	14:19	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR6	Sunny	15:21	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2016-12-22	AQMS1	Sunny	13:50	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2016-12-22	AQMS1	Sunny	14:52	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2016-12-22	AQMS1	Sunny	15:54	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR1	Sunny	13:59	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR1	Sunny	14:41	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR1	Sunny	15:43	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR10	Sunny	13:07	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR10	Sunny	14:09	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR10	Sunny	15:11	1-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR5	Sunny	13:29	1-hour TSP	145	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR5	Sunny	14:31	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR5	Sunny	15:33	1-hour TSP	188	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR6	Sunny	13:18	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR6	Sunny	14:20	1-hour TSP	231	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR6	Sunny	15:22	1-hour TSP	85	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-12-25	AQMS1	Sunny	09:03	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2016-12-25	AQMS1	Sunny	10:05	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2016-12-25	AQMS1	Sunny	11:07	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR1	Sunny	08:52	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR1	Sunny	09:54	1-hour TSP	195	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR1	Sunny	10:56	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR10	Sunny	08:20	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR10	Sunny	09:22	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR10	Sunny	10:24	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR5	Sunny	08:41	1-hour TSP	151	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR5	Sunny	09:43	1-hour TSP	162	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR5	Sunny	10:45	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR6	Sunny	08:30	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR6	Sunny	09:32	1-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR6	Sunny	10:34	1-hour TSP	181	ug/m3
TMCLKL	HY/2012/08	2016-12-28	AQMS1	Cloudy	14:22	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2016-12-28	AQMS1	Cloudy	15:24	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2016-12-28	AQMS1	Cloudy	16:26	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR1	Cloudy	14:12	1-hour TSP	173	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR1	Cloudy	15:14	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR1	Cloudy	16:16	1-hour TSP	233	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR10	Cloudy	13:40	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR10	Cloudy	14:42	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR10	Cloudy	15:44	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR5	Cloudy	14:01	1-hour TSP	192	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR5	Cloudy	15:03	1-hour TSP	181	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR5	Cloudy	16:05	1-hour TSP	206	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR6	Cloudy	13:50	1-hour TSP	175	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR6	Cloudy	14:52	1-hour TSP	200	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR6	Cloudy	15:54	1-hour TSP	234	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-12-31	AQMS1	Sunny	09:58	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-12-31	AQMS1	Sunny	11:00	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2016-12-31	AQMS1	Sunny	12:02	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR1	Sunny	09:46	1-hour TSP	276	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR1	Sunny	10:48	1-hour TSP	200	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR1	Sunny	11:50	1-hour TSP	199	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR10	Sunny	09:14	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR10	Sunny	10:16	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR10	Sunny	11:18	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR5	Sunny	09:35	1-hour TSP	226	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR5	Sunny	10:37	1-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR5	Sunny	11:39	1-hour TSP	231	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR6	Sunny	09:25	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR6	Sunny	10:27	1-hour TSP	206	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR6	Sunny	11:29	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2016-12-01	AQMS1	Sunny	17:01	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR1	Sunny	16:51	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR10	Sunny	16:19	24-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR5	Sunny	16:40	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2016-12-01	ASR6	Sunny	16:30	24-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-12-04	AQMS1	Sunny	12:40	24-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR1	Sunny	12:38	24-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR10	Sunny	12:06	24-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR5	Sunny	12:28	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2016-12-04	ASR6	Sunny	12:17	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2016-12-07	AQMS1	Sunny	11:55	24-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR1	Sunny	11:44	24-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR10	Sunny	11:11	24-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR5	Sunny	11:32	24-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2016-12-07	ASR6	Sunny	11:22	24-hour TSP	112	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-12-10	AQMS1	Sunny	12:13	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR1	Sunny	12:02	24-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR10	Sunny	11:30	24-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR5	Sunny	11:51	24-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2016-12-10	ASR6	Sunny	11:41	24-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2016-12-13	AQMS1	Sunny	16:37	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR1	Sunny	16:26	24-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR10	Sunny	15:53	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR5	Sunny	16:16	24-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2016-12-13	ASR6	Sunny	16:05	24-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2016-12-16	AQMS1	Sunny	13:11	24-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR1	Sunny	13:00	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR10	Sunny	12:26	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR5	Sunny	12:49	24-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2016-12-16	ASR6	Sunny	12:37	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2016-12-19	AQMS1	Sunny	16:54	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR1	Sunny	16:44	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR10	Sunny	16:12	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR5	Sunny	16:33	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-12-19	ASR6	Sunny	16:23	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2016-12-22	AQMS1	Sunny	16:56	24-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR1	Sunny	16:45	24-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR10	Sunny	16:13	24-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR5	Sunny	16:35	24-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2016-12-22	ASR6	Sunny	16:24	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-12-25	AQMS1	Sunny	12:09	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR1	Sunny	11:58	24-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR10	Sunny	11:26	24-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR5	Sunny	11:47	24-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2016-12-25	ASR6	Sunny	11:36	24-hour TSP	69	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2016-12-28	AQMS1	Cloudy	17:28	24-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR1	Cloudy	16:18	24-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR10	Cloudy	16:46	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR5	Cloudy	17:07	24-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2016-12-28	ASR6	Cloudy	16:56	24-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2016-12-31	AQMS1	Sunny	13:04	24-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR1	Sunny	12:52	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR10	Sunny	12:20	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR5	Sunny	12:41	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2016-12-31	ASR6	Sunny	12:31	24-hour TSP	54	ug/m3