

Figure G.1 Impact Monitoring – 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 June 2017 and 30 September 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building and Bulk Excavation (1/6/2017 – 30/9/2017) Ref: 0212330_Impact AQM graphs_September 2017_REV a.xlsx






Figure G.4 Impact Monitoring – 1-hour Total Suspended Particulates (µg/m³) at ASR5 between 1 June 2017 and 30 September 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building and Bulk Excavation (1/6/2017 – 30/9/2017) Ref: 0212330_Impact AQM graphs_September 2017_REV a.xlsx






Figure G.5 Impact Monitoring – 1-hour Total Suspended Particulates (µg/m³) at ASR10 between 1 June 2017 and 30 September 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building and Bulk Excavation (1/6/2017 – 30/9/2017) Ref: 0212330_Impact AQM graphs_September 2017_REV a.xlsx






Figure G.6 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 June 2017 and 30 September 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building and Bulk Excavation (1/6/2017 – 30/9/2017) Ref: 0212330_Impact AQM graphs_September 2017_REV a.xlsx

Remarks: 24-hour TSP monitoring was cancelled on 22 August 2017 due to adverse weather.






Figure G.7 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 June 2017 and 30 September 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building and Bulk Excavation (1/6/2017 – 30/9/2017) Ref: 0212330_Impact AQM graphs_September 2017_REV a.xlsx

Remarks: 24-hour TSP monitoring was cancelled on 22 August 2017 due to adverse weather.






Figure G.8 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 June 2017 and 30 September 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building and Bulk Excavation (1/6/2017 – 30/9/2017) Ref: 0212330_Impact AQM graphs_September 2017_REV a.xlsx

Remarks: 24-hour TSP monitoring was cancelled on 22 August 2017 due to adverse weather.






Figure G.9 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 June 2017 and 30 September 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building and Bulk Excavation (1/6/2017 – 30/9/2017) Ref: 0212330_Impact AQM graphs_September 2017_REV a.xlsx

Remarks: 24-hour TSP monitoring was cancelled on 22 August 2017 due to adverse weather.






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 June 2017 and 30 September 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building and Bulk Excavation (1/6/2017 - 30/9/2017) Ref: 0212330_Impact AQM graphs_September 2017_REV a.xlsx

Remarks: 24-hour TSP monitoring was cancelled on 22 August 2017 due to adverse weather.



Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-09-03	AQMS1	Cloudy	13:56	1-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2017-09-03	AQMS1	Cloudy	14:58	1-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2017-09-03	AQMS1	Cloudy	16:00	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR1	Cloudy	13:45	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR1	Cloudy	14:47	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR1	Cloudy	15:49	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR10	Cloudy	13:12	1-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR10	Cloudy	14:14	1-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR10	Cloudy	15:16	1-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR5	Cloudy	13:33	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR5	Cloudy	14:35	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR5	Cloudy	15:37	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR6	Cloudy	13:23	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR6	Cloudy	14:25	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR6	Cloudy	15:27	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2017-09-06	AQMS1	Sunny	13:49	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2017-09-06	AQMS1	Sunny	14:51	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2017-09-06	AQMS1	Sunny	15:53	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR1	Sunny	13:38	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR1	Sunny	14:40	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR1	Sunny	15:42	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR10	Sunny	13:07	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR10	Sunny	14:09	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR10	Sunny	15:11	1-hour TSP	38	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR5	Sunny	13:28	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR5	Sunny	14:30	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR5	Sunny	15:32	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR6	Sunny	13:18	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR6	Sunny	14:20	1-hour TSP	188	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR6	Sunny	15:22	1-hour TSP	72	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-09-09	AQMS1	Sunny	09:47	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2017-09-09	AQMS1	Sunny	10:49	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2017-09-09	AQMS1	Sunny	11:51	1-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR1	Sunny	09:35	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR1	Sunny	10:37	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR1	Sunny	11:39	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR10	Sunny	09:00	1-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR10	Sunny	10:02	1-hour TSP	31	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR10	Sunny	11:04	1-hour TSP	18	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR5	Sunny	09:23	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR5	Sunny	10:25	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR5	Sunny	11:27	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR6	Sunny	09:12	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR6	Sunny	10:14	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR6	Sunny	11:16	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2017-09-12	AQMS1	Sunny	13:49	1-hour TSP	277	ug/m3
TMCLKL	HY/2012/08	2017-09-12	AQMS1	Sunny	14:51	1-hour TSP	209	ug/m3
TMCLKL	HY/2012/08	2017-09-12	AQMS1	Sunny	15:53	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR1	Sunny	13:38	1-hour TSP	332	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR1	Sunny	14:40	1-hour TSP	545	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR1	Sunny	15:42	1-hour TSP	413	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR10	Sunny	13:02	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR10	Sunny	14:04	1-hour TSP	240	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR10	Sunny	15:06	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR5	Sunny	13:27	1-hour TSP	367	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR5	Sunny	14:29	1-hour TSP	308	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR5	Sunny	15:31	1-hour TSP	253	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR6	Sunny	13:15	1-hour TSP	285	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR6	Sunny	14:17	1-hour TSP	299	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR6	Sunny	15:19	1-hour TSP	262	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-09-15	AQMS1	Sunny	13:08	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2017-09-15	AQMS1	Sunny	14:10	1-hour TSP	193	ug/m3
TMCLKL	HY/2012/08	2017-09-15	AQMS1	Sunny	15:12	1-hour TSP	151	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR1	Sunny	12:56	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR1	Sunny	13:58	1-hour TSP	207	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR1	Sunny	15:00	1-hour TSP	171	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR10	Sunny	12:22	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR10	Sunny	13:24	1-hour TSP	145	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR10	Sunny	14:26	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR5	Sunny	12:45	1-hour TSP	227	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR5	Sunny	13:47	1-hour TSP	298	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR5	Sunny	14:49	1-hour TSP	237	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR6	Sunny	12:33	1-hour TSP	193	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR6	Sunny	13:35	1-hour TSP	219	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR6	Sunny	14:37	1-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2017-09-18	AQMS1	Sunny	13:52	1-hour TSP	473	ug/m3
TMCLKL	HY/2012/08	2017-09-18	AQMS1	Sunny	14:54	1-hour TSP	312	ug/m3
TMCLKL	HY/2012/08	2017-09-18	AQMS1	Sunny	15:56	1-hour TSP	170	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR1	Sunny	13:40	1-hour TSP	204	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR1	Sunny	14:42	1-hour TSP	196	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR1	Sunny	15:44	1-hour TSP	171	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR10	Sunny	13:06	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR10	Sunny	14:08	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR10	Sunny	15:10	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR5	Sunny	13:29	1-hour TSP	237	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR5	Sunny	14:31	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR5	Sunny	15:33	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR6	Sunny	13:17	1-hour TSP	194	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR6	Sunny	14:19	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR6	Sunny	15:21	1-hour TSP	134	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-09-21	AQMS1	Sunny	13:54	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2017-09-21	AQMS1	Sunny	14:56	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2017-09-21	AQMS1	Sunny	15:58	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR1	Sunny	13:42	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR1	Sunny	14:44	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR1	Sunny	15:46	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR10	Sunny	13:08	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR10	Sunny	14:10	1-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR10	Sunny	15:12	1-hour TSP	26	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR5	Sunny	13:31	1-hour TSP	151	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR5	Sunny	14:33	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR5	Sunny	15:35	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR6	Sunny	13:19	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR6	Sunny	14:21	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR6	Sunny	15:23	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2017-09-24	AQMS1	Sunny	10:08	1-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2017-09-24	AQMS1	Sunny	11:10	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2017-09-24	AQMS1	Rainy	12:12	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR1	Sunny	09:57	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR1	Sunny	10:59	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR1	Rainy	12:01	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR10	Sunny	09:22	1-hour TSP	27	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR10	Sunny	10:24	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR10	Rainy	11:26	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR5	Sunny	09:45	1-hour TSP	183	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR5	Sunny	10:47	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR5	Rainy	11:47	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR6	Sunny	09:33	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR6	Sunny	10:35	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR6	Rainy	11:37	1-hour TSP	76	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-09-27	AQMS1	Sunny	13:50	1-hour TSP	230	ug/m3
TMCLKL	HY/2012/08	2017-09-27	AQMS1	Sunny	14:52	1-hour TSP	233	ug/m3
TMCLKL	HY/2012/08	2017-09-27	AQMS1	Sunny	15:54	1-hour TSP	221	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR1	Sunny	13:40	1-hour TSP	275	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR1	Sunny	14:42	1-hour TSP	252	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR1	Sunny	15:44	1-hour TSP	259	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR10	Sunny	13:15	1-hour TSP	159	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR10	Sunny	14:17	1-hour TSP	183	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR10	Sunny	15:19	1-hour TSP	196	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR5	Sunny	13:28	1-hour TSP	321	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR5	Sunny	14:30	1-hour TSP	355	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR5	Sunny	15:32	1-hour TSP	456	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR6	Sunny	13:27	1-hour TSP	297	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR6	Sunny	14:29	1-hour TSP	302	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR6	Sunny	15:31	1-hour TSP	310	ug/m3
TMCLKL	HY/2012/08	2017-09-30	AQMS1	Sunny	14:09	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2017-09-30	AQMS1	Sunny	15:11	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2017-09-30	AQMS1	Sunny	16:13	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR1	Sunny	13:58	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR1	Sunny	15:00	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR1	Sunny	16:02	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR10	Sunny	13:24	1-hour TSP	31	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR10	Sunny	14:26	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR10	Sunny	15:28	1-hour TSP	37	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR5	Sunny	13:46	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR5	Sunny	14:48	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR5	Sunny	15:50	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR6	Sunny	13:35	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR6	Sunny	14:37	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR6	Sunny	15:39	1-hour TSP	80	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-09-03	AQMS1	Cloudy	17:02	24-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR1	Cloudy	16:51	24-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR10	Cloudy	16:18	24-hour TSP	26	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR5	Cloudy	16:39	24-hour TSP	30	ug/m3
TMCLKL	HY/2012/08	2017-09-03	ASR6	Cloudy	16:29	24-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2017-09-06	AQMS1	Cloudy	16:55	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR1	Cloudy	16:44	24-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR10	Cloudy	16:13	24-hour TSP	38	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR5	Cloudy	16:34	24-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2017-09-06	ASR6	Cloudy	16:25	24-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2017-09-09	AQMS1	Sunny	12:53	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR1	Sunny	12:41	24-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR10	Sunny	12:06	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR5	Sunny	12:29	24-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2017-09-09	ASR6	Sunny	12:18	24-hour TSP	33	ug/m3
TMCLKL	HY/2012/08	2017-09-12	AQMS1	Sunny	16:55	24-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR1	Sunny	16:44	24-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR10	Sunny	16:08	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR5	Sunny	16:33	24-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2017-09-12	ASR6	Sunny	16:21	24-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2017-09-15	AQMS1	Sunny	16:14	24-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR1	Sunny	16:02	24-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR10	Sunny	15:28	24-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR5	Sunny	15:51	24-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2017-09-15	ASR6	Sunny	15:39	24-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2017-09-18	AQMS1	Sunny	16:58	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR1	Sunny	16:46	24-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR10	Sunny	16:12	24-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR5	Sunny	16:35	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2017-09-18	ASR6	Sunny	16:23	24-hour TSP	56	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-09-21	AQMS1	Sunny	17:00	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR1	Sunny	16:48	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR10	Sunny	16:14	24-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR5	Sunny	16:37	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2017-09-21	ASR6	Sunny	16:25	24-hour TSP	38	ug/m3
TMCLKL	HY/2012/08	2017-09-24	AQMS1	Sunny	13:14	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR1	Sunny	13:03	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR10	Sunny	12:28	24-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR5	Sunny	12:51	24-hour TSP	38	ug/m3
TMCLKL	HY/2012/08	2017-09-24	ASR6	Sunny	12:39	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2017-09-27	AQMS1	Sunny	16:56	24-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR1	Sunny	16:46	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR10	Sunny	16:21	24-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR5	Sunny	16:34	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2017-09-27	ASR6	Sunny	16:33	24-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2017-09-30	AQMS1	Sunny	17:15	24-hour TSP	31	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR1	Sunny	17:04	24-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR10	Sunny	16:30	24-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR5	Sunny	16:52	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2017-09-30	ASR6	Sunny	16:41	24-hour TSP	41	ug/m3