


Figure G.1 Impact Monitoring – 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 – 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx



ERM




Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 - 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx






Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 - 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 - 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx






Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 - 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 - 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx







Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 - 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx



ERM





Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 - 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx



ERM




Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 - 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 December 2017 and 31 March 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/12/2017 - 31/3/2018)

Ref: 0212330_Impact AQM graphs_March 2018_REV a.xlsx



Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-03-02	AQMS1	Sunny	09:07	1-hour TSP	156	ug/m3
TMCLKL	HY/2012/08	2018-03-02	AQMS1	Sunny	10:09	1-hour TSP	172	ug/m3
TMCLKL	HY/2012/08	2018-03-02	AQMS1	Sunny	11:11	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR1	Sunny	08:55	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR1	Sunny	09:57	1-hour TSP	460	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR1	Sunny	10:59	1-hour TSP	157	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR10	Sunny	08:22	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR10	Sunny	09:24	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR10	Sunny	10:26	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR5	Sunny	08:44	1-hour TSP	222	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR5	Sunny	09:46	1-hour TSP	183	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR5	Sunny	10:48	1-hour TSP	219	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR6	Sunny	08:32	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR6	Sunny	09:34	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR6	Sunny	10:36	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018-03-05	AQMS1	Sunny	14:00	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-03-05	AQMS1	Sunny	15:02	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-03-05	AQMS1	Sunny	16:04	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR1	Sunny	13:47	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR1	Sunny	14:49	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR1	Sunny	15:55	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR10	Sunny	13:14	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR10	Sunny	14:16	1-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR10	Sunny	15:18	1-hour TSP	33	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR5	Sunny	13:36	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR5	Sunny	14:38	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR5	Sunny	15:40	1-hour TSP	211	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR6	Sunny	13:25	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR6	Sunny	14:27	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR6	Sunny	15:29	1-hour TSP	47	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-03-08	AQMS1	Cloudy	13:55	1-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2018-03-08	AQMS1	Cloudy	14:57	1-hour TSP	22	ug/m3
TMCLKL	HY/2012/08	2018-03-08	AQMS1	Cloudy	15:59	1-hour TSP	29	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR1	Cloudy	13:44	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR1	Cloudy	14:46	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR1	Cloudy	15:48	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR10	Cloudy	13:10	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR10	Cloudy	14:12	1-hour TSP	30	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR10	Cloudy	15:14	1-hour TSP	34	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR5	Cloudy	13:32	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR5	Cloudy	14:34	1-hour TSP	156	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR5	Cloudy	15:36	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR6	Cloudy	13:21	1-hour TSP	33	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR6	Cloudy	14:23	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR6	Cloudy	15:25	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2018-03-11	AQMS1	Sunny	14:02	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-03-11	AQMS1	Sunny	15:04	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-03-11	AQMS1	Sunny	16:06	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR1	Sunny	13:50	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR1	Sunny	14:52	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR1	Sunny	15:54	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR10	Sunny	13:17	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR10	Sunny	14:19	1-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR10	Sunny	15:21	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR5	Sunny	13:39	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR5	Sunny	14:41	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR5	Sunny	15:43	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR6	Sunny	13:27	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR6	Sunny	14:29	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR6	Sunny	15:31	1-hour TSP	69	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-03-14	AQMS1	Sunny	13:50	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2018-03-14	AQMS1	Sunny	14:52	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018-03-14	AQMS1	Sunny	15:54	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR1	Sunny	13:39	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR1	Sunny	14:41	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR1	Sunny	15:43	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR10	Sunny	13:05	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR10	Sunny	14:07	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR10	Sunny	15:09	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR5	Sunny	13:27	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR5	Sunny	14:29	1-hour TSP	218	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR5	Sunny	15:31	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR6	Sunny	13:16	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR6	Sunny	14:18	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR6	Sunny	15:20	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-03-17	AQMS1	Sunny	09:03	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2018-03-17	AQMS1	Sunny	10:05	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2018-03-17	AQMS1	Sunny	11:07	1-hour TSP	135	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR1	Sunny	08:52	1-hour TSP	184	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR1	Sunny	09:54	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR1	Sunny	10:56	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR10	Sunny	08:18	1-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR10	Sunny	09:20	1-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR10	Sunny	10:22	1-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR5	Sunny	08:40	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR5	Sunny	09:42	1-hour TSP	184	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR5	Sunny	10:44	1-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR6	Sunny	08:29	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR6	Sunny	09:31	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR6	Sunny	10:33	1-hour TSP	92	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-03-20	AQMS1	Sunny	14:00	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-03-20	AQMS1	Sunny	15:02	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2018-03-20	AQMS1	Sunny	16:04	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR1	Sunny	13:48	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR1	Sunny	14:50	1-hour TSP	233	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR1	Sunny	15:52	1-hour TSP	446	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR10	Sunny	13:16	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR10	Sunny	14:18	1-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR10	Sunny	15:20	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR5	Sunny	13:37	1-hour TSP	234	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR5	Sunny	14:39	1-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR5	Sunny	15:41	1-hour TSP	250	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR6	Sunny	13:27	1-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR6	Sunny	14:29	1-hour TSP	201	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR6	Sunny	15:31	1-hour TSP	163	ug/m3
TMCLKL	HY/2012/08	2018-03-23	AQMS1	Sunny	09:00	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2018-03-23	AQMS1	Sunny	10:02	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2018-03-23	AQMS1	Sunny	11:04	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR1	Sunny	08:50	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR1	Sunny	09:52	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR1	Sunny	10:54	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR10	Sunny	08:17	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR10	Sunny	09:19	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR10	Sunny	10:21	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR5	Sunny	08:39	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR5	Sunny	09:41	1-hour TSP	215	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR5	Sunny	10:43	1-hour TSP	188	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR6	Sunny	08:28	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR6	Sunny	09:30	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR6	Sunny	10:32	1-hour TSP	117	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-03-26	AQMS1	Sunny	13:49	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2018-03-26	AQMS1	Sunny	14:51	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2018-03-26	AQMS1	Sunny	15:53	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR1	Sunny	13:38	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR1	Sunny	14:40	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR1	Sunny	15:42	1-hour TSP	172	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR10	Sunny	13:05	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR10	Sunny	14:07	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR10	Sunny	15:09	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR5	Sunny	13:26	1-hour TSP	289	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR5	Sunny	14:28	1-hour TSP	242	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR5	Sunny	15:30	1-hour TSP	224	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR6	Sunny	13:15	1-hour TSP	240	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR6	Sunny	14:17	1-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR6	Sunny	15:19	1-hour TSP	185	ug/m3
TMCLKL	HY/2012/08	2018-03-29	AQMS1	Sunny	14:12	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2018-03-29	AQMS1	Sunny	15:14	1-hour TSP	128	ug/m3
TMCLKL	HY/2012/08	2018-03-29	AQMS1	Sunny	16:16	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR1	Sunny	14:00	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR1	Sunny	15:02	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR1	Sunny	16:04	1-hour TSP	285	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR10	Sunny	13:28	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR10	Sunny	14:30	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR10	Sunny	15:32	1-hour TSP	190	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR5	Sunny	13:50	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR5	Sunny	14:52	1-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR5	Sunny	15:54	1-hour TSP	242	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR6	Sunny	13:38	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR6	Sunny	14:40	1-hour TSP	295	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR6	Sunny	15:42	1-hour TSP	73	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-03-02	AQMS1	Sunny	12:13	24-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR1	Sunny	12:01	24-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR10	Sunny	11:28	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR5	Sunny	11:50	24-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2018-03-02	ASR6	Sunny	11:38	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2018-03-05	AQMS1	Sunny	17:06	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR1	Sunny	16:53	24-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR10	Sunny	16:20	24-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR5	Sunny	16:42	24-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2018-03-05	ASR6	Sunny	16:31	24-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-03-08	AQMS1	Cloudy	17:01	24-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR1	Cloudy	16:50	24-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR10	Cloudy	16:16	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR5	Cloudy	16:38	24-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-03-08	ASR6	Cloudy	16:27	24-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-03-11	AQMS1	Sunny	17:08	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR1	Sunny	16:56	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR10	Sunny	16:23	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR5	Sunny	16:45	24-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2018-03-11	ASR6	Sunny	16:33	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-03-14	AQMS1	Sunny	16:56	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR1	Sunny	16:45	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR10	Sunny	16:11	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR5	Sunny	16:33	24-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2018-03-14	ASR6	Sunny	16:22	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-03-17	AQMS1	Sunny	12:09	24-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR1	Sunny	11:58	24-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR10	Sunny	11:24	24-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR5	Sunny	11:46	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2018-03-17	ASR6	Sunny	11:35	24-hour TSP	56	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-03-20	AQMS1	Sunny	17:06	24-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR1	Sunny	16:54	24-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR10	Sunny	16:22	24-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR5	Sunny	16:43	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-03-20	ASR6	Sunny	16:33	24-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2018-03-23	AQMS1	Sunny	12:06	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR1	Sunny	11:56	24-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR10	Sunny	11:23	24-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR5	Sunny	11:45	24-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2018-03-23	ASR6	Sunny	11:34	24-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2018-03-26	AQMS1	Sunny	16:55	24-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR1	Sunny	16:44	24-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR10	Sunny	16:11	24-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR5	Sunny	16:32	24-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2018-03-26	ASR6	Sunny	16:21	24-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2018-03-29	AQMS1	Sunny	17:18	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR1	Sunny	17:06	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR10	Sunny	16:34	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR5	Sunny	16:56	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-03-29	ASR6	Sunny	16:44	24-hour TSP	64	ug/m3