

Figure G.1 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx







Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx



ERM




Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx






Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx






Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx






Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx






Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 January 2018 and 30 April 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/1/2018 - 30/4/2018)

Ref: 0212330_Impact AQM graphs_April 2018_REV a.xlsx



Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-04-01	AQMS1	Sunny	09:03	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018-04-01	AQMS1	Sunny	10:05	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-04-01	AQMS1	Sunny	11:07	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR1	Sunny	08:52	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR1	Sunny	09:54	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR1	Sunny	10:56	1-hour TSP	200	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR10	Sunny	08:20	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR10	Sunny	09:22	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR10	Sunny	10:24	1-hour TSP	164	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR5	Sunny	08:40	1-hour TSP	128	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR5	Sunny	09:42	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR5	Sunny	10:44	1-hour TSP	305	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR6	Sunny	08:30	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR6	Sunny	09:32	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR6	Sunny	10:34	1-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2018-04-04	AQMS1	Sunny	13:46	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2018-04-04	AQMS1	Sunny	14:48	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2018-04-04	AQMS1	Sunny	15:50	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR1	Sunny	13:35	1-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR1	Sunny	14:37	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR1	Sunny	15:39	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR10	Sunny	13:01	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR10	Sunny	14:03	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR10	Sunny	15:05	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR5	Sunny	13:23	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR5	Sunny	14:25	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR5	Sunny	15:27	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR6	Sunny	13:12	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR6	Sunny	14:14	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR6	Sunny	15:16	1-hour TSP	59	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-04-07	AQMS1	Sunny	14:09	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2018-04-07	AQMS1	Sunny	15:11	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2018-04-07	AQMS1	Sunny	16:13	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR1	Sunny	13:58	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR1	Sunny	15:00	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR1	Sunny	16:02	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR10	Sunny	13:26	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR10	Sunny	14:28	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR10	Sunny	15:30	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR5	Sunny	13:47	1-hour TSP	234	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR5	Sunny	14:49	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR5	Sunny	15:51	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR6	Sunny	13:36	1-hour TSP	173	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR6	Sunny	14:40	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR6	Sunny	15:42	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018--04-10	AQMS1	Sunny	14:01	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018--04-10	AQMS1	Sunny	15:03	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018--04-10	AQMS1	Sunny	16:05	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR1	Sunny	13:50	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR1	Sunny	14:52	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR1	Sunny	15:54	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR10	Sunny	13:17	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR10	Sunny	14:19	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR10	Sunny	15:21	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR5	Sunny	13:38	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR5	Sunny	14:40	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR5	Sunny	15:42	1-hour TSP	146	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR6	Sunny	13:28	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR6	Sunny	14:30	1-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR6	Sunny	15:32	1-hour TSP	83	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-04-13	AQMS1	Sunny	13:59	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2018-04-13	AQMS1	Sunny	15:01	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-04-13	AQMS1	Sunny	16:03	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR1	Sunny	13:48	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR1	Sunny	14:50	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR1	Sunny	15:52	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR10	Sunny	13:14	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR10	Sunny	14:16	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR10	Sunny	15:18	1-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR5	Sunny	13:36	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR5	Sunny	14:38	1-hour TSP	389	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR5	Sunny	15:40	1-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR6	Sunny	13:25	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR6	Sunny	14:27	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR6	Sunny	15:29	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-04-16	AQMS1	Sunny	13:42	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018-04-16	AQMS1	Sunny	14:44	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2018-04-16	AQMS1	Sunny	15:46	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR1	Sunny	13:31	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR1	Sunny	14:33	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR1	Sunny	15:35	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR10	Sunny	13:00	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR10	Sunny	14:02	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR10	Sunny	15:04	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR5	Sunny	13:20	1-hour TSP	229	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR5	Sunny	14:22	1-hour TSP	155	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR5	Sunny	15:24	1-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR6	Sunny	13:10	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR6	Sunny	14:12	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR6	Sunny	15:14	1-hour TSP	134	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-04-19	AQMS1	Sunny	13:44	1-hour TSP	155	ug/m3
TMCLKL	HY/2012/08	2018-04-19	AQMS1	Sunny	14:46	1-hour TSP	197	ug/m3
TMCLKL	HY/2012/08	2018-04-19	AQMS1	Sunny	15:48	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR1	Sunny	13:32	1-hour TSP	234	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR1	Sunny	14:34	1-hour TSP	240	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR1	Sunny	15:36	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR10	Sunny	13:00	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR10	Sunny	14:02	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR10	Sunny	15:04	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR5	Sunny	13:21	1-hour TSP	247	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR5	Sunny	14:23	1-hour TSP	220	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR5	Sunny	15:25	1-hour TSP	157	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR6	Sunny	13:10	1-hour TSP	179	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR6	Sunny	14:12	1-hour TSP	171	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR6	Sunny	15:14	1-hour TSP	158	ug/m3
TMCLKL	HY/2012/08	2018-04-22	AQMS1	Sunny	08:53	1-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2018-04-22	AQMS1	Sunny	09:55	1-hour TSP	156	ug/m3
TMCLKL	HY/2012/08	2018-04-22	AQMS1	Sunny	10:57	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR1	Sunny	08:42	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR1	Sunny	09:44	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR1	Sunny	10:46	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR10	Sunny	08:09	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR10	Sunny	09:11	1-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR10	Sunny	10:13	1-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR5	Sunny	08:30	1-hour TSP	157	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR5	Sunny	09:32	1-hour TSP	229	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR5	Sunny	10:34	1-hour TSP	192	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR6	Sunny	08:20	1-hour TSP	128	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR6	Sunny	09:22	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR6	Sunny	10:24	1-hour TSP	116	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-04-25	AQMS1	Sunny	08:55	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2018-04-25	AQMS1	Sunny	09:57	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-04-25	AQMS1	Sunny	10:59	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR1	Sunny	08:44	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR1	Sunny	09:46	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR1	Sunny	10:48	1-hour TSP	214	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR10	Sunny	08:10	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR10	Sunny	09:12	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR10	Sunny	10:14	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR5	Sunny	08:31	1-hour TSP	220	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR5	Sunny	09:33	1-hour TSP	156	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR5	Sunny	10:35	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR6	Sunny	08:20	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR6	Sunny	09:22	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR6	Sunny	10:24	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-04-28	AQMS1	Sunny	14:10	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-04-28	AQMS1	Sunny	15:12	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2018-04-28	AQMS1	Sunny	16:14	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR1	Sunny	13:58	1-hour TSP	310	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR1	Sunny	15:00	1-hour TSP	159	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR1	Sunny	16:02	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR10	Sunny	13:26	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR10	Sunny	14:28	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR10	Sunny	15:30	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR5	Sunny	13:47	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR5	Sunny	14:49	1-hour TSP	187	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR5	Sunny	15:51	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR6	Sunny	13:37	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR6	Sunny	14:39	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR6	Sunny	15:41	1-hour TSP	100	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-04-01	AQMS1	Sunny	12:09	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR1	Sunny	11:58	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR10	Sunny	11:26	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR5	Sunny	11:46	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2018-04-01	ASR6	Sunny	11:36	24-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2018-04-04	AQMS1	Sunny	16:52	24-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR1	Sunny	16:41	24-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR10	Sunny	16:07	24-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR5	Sunny	16:29	24-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2018-04-04	ASR6	Sunny	16:18	24-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2018-04-07	AQMS1	Cloudy	17:15	24-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR1	Cloudy	17:04	24-hour TSP	176	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR10	Cloudy	16:32	24-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR5	Cloudy	16:53	24-hour TSP	179	ug/m3
TMCLKL	HY/2012/08	2018-04-07	ASR6	Cloudy	16:44	24-hour TSP	164	ug/m3
TMCLKL	HY/2012/08	2018--04-10	AQMS1	Sunny	17:07	24-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR1	Sunny	16:56	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR10	Sunny	16:23	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR5	Sunny	16:14	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2018--04-10	ASR6	Sunny	16:34	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2018-04-13	AQMS1	Sunny	17:05	24-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR1	Sunny	16:54	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR10	Sunny	15:18	24-hour TSP	29	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR5	Sunny	16:42	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2018-04-13	ASR6	Sunny	16:31	24-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2018-04-16	AQMS1	Sunny	16:48	24-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR1	Sunny	16:37	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR10	Sunny	16:16	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR5	Sunny	16:26	24-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-04-16	ASR6	Sunny	16:16	24-hour TSP	75	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-04-19	AQMS1	Sunny	16:50	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR1	Sunny	16:38	24-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR10	Sunny	16:06	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR5	Sunny	16:27	24-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2018-04-19	ASR6	Sunny	16:16	24-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2018-04-22	AQMS1	Sunny	11:59	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR1	Sunny	11:48	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR10	Sunny	11:15	24-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR5	Sunny	11:36	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2018-04-22	ASR6	Sunny	11:26	24-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2018-04-25	AQMS1	Sunny	12:01	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR1	Sunny	11:50	24-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR10	Sunny	11:16	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR5	Sunny	11:37	24-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2018-04-25	ASR6	Sunny	11:26	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2018-04-28	AQMS1	Sunny	17:16	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR1	Sunny	17:04	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR10	Sunny	16:32	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR5	Sunny	16:53	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2018-04-28	ASR6	Sunny	16:43	24-hour TSP	59	ug/m3