

Figure G.1 Impact Monitoring – 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 February 2018 and 31 May 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/2/2018 – 31/5/2018)

Ref: 0212330_Impact AQM graphs_May 2018_REV a.xlsx






Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 February 2018 and 31 May 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/2/2018 - 31/5/2018)

Ref: 0212330_Impact AQM graphs_May 2018_REV a.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 February 2018 and 31 May 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/2/2018 - 31/5/2018)

Ref: 0212330_Impact AQM graphs_May 2018_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 February 2018 and 31 May 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/2/2018 - 31/5/2018)

Ref: 0212330_Impact AQM graphs_May 2018_REV a.xlsx






Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 February 2018 and 31 May 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/2/2018 - 31/5/2018)

Ref: 0212330_Impact AQM graphs_May 2018_REV a.xlsx






Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 February 2018 and 31 May 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/2/2018 - 31/5/2018)

Ref: 0212330_Impact AQM graphs_May 2018_REV a.xlsx






Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 February 2018 and 31 May 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/2/2018 - 31/5/2018)

Ref: 0212330_Impact AQM graphs_May 2018_REV a.xlsx






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 February 2018 and 31 May 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/2/2018 - 31/5/2018)

Ref: 0212330_Impact AQM graphs_May 2018_REV a.xlsx



Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-05-01	AQMS1	Sunny	08:53	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2018-05-01	AQMS1	Sunny	09:55	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-05-01	AQMS1	Sunny	10:57	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR1	Sunny	08:42	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR1	Sunny	09:44	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR1	Sunny	10:46	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR10	Sunny	08:08	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR10	Sunny	09:10	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR10	Sunny	10:12	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR5	Sunny	08:30	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR5	Sunny	09:32	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR5	Sunny	10:34	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR6	Sunny	08:19	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR6	Sunny	09:21	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR6	Sunny	10:23	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2018-05-04	AQMS1	Sunny	13:59	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2018-05-04	AQMS1	Sunny	15:01	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-05-04	AQMS1	Sunny	16:03	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR1	Sunny	13:48	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR1	Sunny	14:50	1-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR1	Sunny	15:52	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR10	Sunny	13:15	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR10	Sunny	14:17	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR10	Sunny	15:19	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR5	Sunny	13:37	1-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR5	Sunny	14:39	1-hour TSP	329	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR5	Sunny	15:41	1-hour TSP	198	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR6	Sunny	13:26	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR6	Sunny	14:28	1-hour TSP	239	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR6	Sunny	15:30	1-hour TSP	168	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-05-07	AQMS1	Sunny	09:00	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2018-05-07	AQMS1	Sunny	10:02	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2018-05-07	AQMS1	Sunny	10:04	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR1	Sunny	08:48	1-hour TSP	213	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR1	Sunny	09:50	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR1	Sunny	10:52	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR10	Sunny	08:14	1-hour TSP	196	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR10	Sunny	09:16	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR10	Sunny	10:18	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR5	Sunny	08:35	1-hour TSP	212	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR5	Sunny	09:37	1-hour TSP	253	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR5	Sunny	10:39	1-hour TSP	335	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR6	Sunny	08:25	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR6	Sunny	09:27	1-hour TSP	204	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR6	Sunny	10:29	1-hour TSP	265	ug/m3
TMCLKL	HY/2012/08	2018-05-10	AQMS1	Sunny	13:48	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2018-05-10	AQMS1	Sunny	14:50	1-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2018-05-10	AQMS1	Sunny	15:52	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR1	Sunny	13:37	1-hour TSP	280	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR1	Sunny	14:39	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR1	Sunny	15:41	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR10	Sunny	13:03	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR10	Sunny	14:05	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR10	Sunny	15:07	1-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR5	Sunny	13:26	1-hour TSP	179	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR5	Sunny	14:28	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR5	Sunny	15:30	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR6	Sunny	13:15	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR6	Sunny	14:19	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR6	Sunny	15:21	1-hour TSP	102	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-05-13	AQMS1	Sunny	13:54	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2018-05-13	AQMS1	Sunny	14:56	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-05-13	AQMS1	Sunny	15:58	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR1	Sunny	13:43	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR1	Sunny	14:45	1-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR1	Sunny	15:47	1-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR10	Sunny	13:10	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR10	Sunny	14:12	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR10	Sunny	15:14	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR5	Sunny	13:32	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR5	Sunny	14:34	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR5	Sunny	15:36	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR6	Sunny	13:20	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR6	Sunny	14:22	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR6	Sunny	15:24	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2018-05-16	AQMS1	Sunny	13:45	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018-05-16	AQMS1	Sunny	14:47	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-05-16	AQMS1	Sunny	15:49	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR1	Sunny	13:34	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR1	Sunny	14:36	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR1	Sunny	15:38	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR10	Sunny	13:00	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR10	Sunny	14:02	1-hour TSP	31	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR10	Sunny	15:04	1-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR5	Sunny	13:22	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR5	Sunny	14:24	1-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR5	Sunny	15:26	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR6	Sunny	13:10	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR6	Sunny	14:12	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR6	Sunny	15:14	1-hour TSP	81	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-05-19	AQMS1	Sunny	14:03	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-05-19	AQMS1	Sunny	15:05	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2018-05-19	AQMS1	Sunny	16:07	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR1	Sunny	13:52	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR1	Sunny	14:54	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR1	Sunny	15:56	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR10	Sunny	13:16	1-hour TSP	30	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR10	Sunny	14:18	1-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR10	Sunny	15:20	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR5	Sunny	13:40	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR5	Sunny	14:42	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR5	Sunny	15:44	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR6	Sunny	13:29	1-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR6	Sunny	14:31	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR6	Sunny	15:33	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2018-05-22	AQMS1	Sunny	09:03	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-05-22	AQMS1	Sunny	10:05	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018-05-22	AQMS1	Sunny	11:07	1-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR1	Sunny	09:52	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR1	Sunny	09:54	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR1	Sunny	10:56	1-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR10	Sunny	08:18	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR10	Sunny	09:20	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR10	Sunny	10:22	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR5	Sunny	08:40	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR5	Sunny	09:42	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR5	Sunny	10:44	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR6	Sunny	08:29	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR6	Sunny	09:31	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR6	Sunny	10:33	1-hour TSP	87	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-05-25	AQMS1	Sunny	13:56	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-05-25	AQMS1	Sunny	14:58	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-05-25	AQMS1	Sunny	16:00	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR1	Sunny	13:45	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR1	Sunny	14:47	1-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR1	Sunny	15:49	1-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR10	Sunny	13:11	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR10	Sunny	14:13	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR10	Sunny	15:15	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR5	Sunny	13:33	1-hour TSP	206	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR5	Sunny	14:35	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR5	Sunny	15:37	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR6	Sunny	13:22	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR6	Sunny	14:24	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR6	Sunny	15:26	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2018-05-28	AQMS1	Sunny	09:06	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2018-05-28	AQMS1	Sunny	10:08	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-05-28	AQMS1	Sunny	11:10	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR1	Sunny	08:55	1-hour TSP	172	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR1	Sunny	09:57	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR1	Sunny	10:59	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR10	Sunny	08:23	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR10	Sunny	09:25	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR10	Sunny	10:27	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR5	Sunny	08:44	1-hour TSP	183	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR5	Sunny	09:46	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR5	Sunny	10:48	1-hour TSP	208	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR6	Sunny	08:33	1-hour TSP	175	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR6	Sunny	09:35	1-hour TSP	93	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-05-28	ASR6	Sunny	10:37	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2018-05-31	AQMS1	Rainy	13:47	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2018-05-31	AQMS1	Rainy	14:49	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2018-05-31	AQMS1	Rainy	15:51	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR1	Rainy	13:35	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR1	Rainy	14:37	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR1	Rainy	15:39	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR10	Rainy	13:00	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR10	Rainy	14:02	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR10	Rainy	15:04	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR5	Rainy	13:23	1-hour TSP	149	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR5	Rainy	14:25	1-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR5	Rainy	15:27	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR6	Rainy	13:12	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR6	Rainy	14:14	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR6	Rainy	15:16	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2018-05-01	AQMS1	Sunny	11:59	24-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR1	Sunny	11:48	24-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR10	Sunny	11:14	24-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR5	Sunny	11:36	24-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2018-05-01	ASR6	Sunny	11:25	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2018-05-04	AQMS1	Sunny	17:05	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR1	Sunny	16:54	24-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR10	Sunny	16:21	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR5	Sunny	16:43	24-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2018-05-04	ASR6	Sunny	16:32	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018-05-07	AQMS1	Sunny	12:06	24-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR1	Sunny	11:54	24-hour TSP	38	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR10	Sunny	11:20	24-hour TSP	36	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-05-07	ASR5	Sunny	11:41	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2018-05-07	ASR6	Sunny	11:31	24-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-05-10	AQMS1	Sunny	16:54	24-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR1	Sunny	16:43	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR10	Sunny	16:09	24-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR5	Sunny	16:32	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2018-05-10	ASR6	Sunny	16:23	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-05-13	AQMS1	Sunny	17:00	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR1	Sunny	16:49	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR10	Sunny	16:16	24-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR5	Sunny	16:38	24-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2018-05-13	ASR6	Sunny	16:26	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2018-05-16	AQMS1	Sunny	16:51	24-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR1	Sunny	16:40	24-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR10	Sunny	16:06	24-hour TSP	24	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR5	Sunny	16:28	24-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2018-05-16	ASR6	Sunny	16:16	24-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2018-05-19	AQMS1	Sunny	17:09	24-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR1	Sunny	16:58	24-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR10	Sunny	16:22	24-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR5	Sunny	16:46	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-05-19	ASR6	Sunny	16:35	24-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2018-05-22	AQMS1	Sunny	12:09	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR1	Sunny	11:58	24-hour TSP	30	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR10	Sunny	11:24	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR5	Sunny	11:46	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-05-22	ASR6	Sunny	11:35	24-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2018-05-25	AQMS1	Sunny	17:02	24-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR1	Sunny	16:51	24-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR10	Sunny	16:07	24-hour TSP	34	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-05-25	ASR5	Sunny	16:39	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-05-25	ASR6	Sunny	16:28	24-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2018-05-28	AQMS1	Sunny	12:12	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR1	Sunny	12:01	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR10	Sunny	11:29	24-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR5	Sunny	11:50	24-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2018-05-28	ASR6	Sunny	11:39	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-05-31	AQMS1	Sunny	16:53	24-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR1	Sunny	16:41	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR10	Sunny	16:06	24-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR5	Sunny	16:29	24-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2018-05-31	ASR6	Sunny	16:18	24-hour TSP	56	ug/m3