

Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 March 2018 and 30 June 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/3/2018 - 30/6/2018)

Ref: 0212330_Impact AQM graphs_June 2018_REV a.xlsx






Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 March 2018 and 30 June 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/3/2018 - 30/6/2018)

Ref: 0212330_Impact AQM graphs_June 2018_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 March 2018 and 30 June 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/3/2018 - 30/6/2018)

Ref: 0212330_Impact AQM graphs_June 2018_REV a.xlsx







Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 March 2018 and 30 June 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/3/2018 - 30/6/2018)

Ref: 0212330_Impact AQM graphs_June 2018_REV a.xlsx



ERM




Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 March 2018 and 30 June 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/3/2018 - 30/6/2018)

Ref: 0212330_Impact AQM graphs_June 2018_REV a.xlsx






Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 March 2018 and 30 June 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/3/2018 - 30/6/2018)

Ref: 0212330_Impact AQM graphs_June 2018_REV a.xlsx






Figure G.10 Impact Monitoring – 24-hour Total Suspended Particulates (µg/m³) at ASR10 between 1 March 2018 and 30 June 2018 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/3/2018 – 30/6/2018)

Ref: 0212330_Impact AQM graphs_June 2018_REV a.xlsx



Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-06-03	AQMS1	Sunny	09:03	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-06-03	AQMS1	Sunny	10:05	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2018-06-03	AQMS1	Sunny	11:07	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR1	Sunny	08:52	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR1	Sunny	09:54	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR1	Sunny	10:56	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR10	Sunny	08:18	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR10	Sunny	09:20	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR10	Sunny	10:22	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR5	Sunny	08:40	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR5	Sunny	09:42	1-hour TSP	128	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR5	Sunny	10:44	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR6	Sunny	08:30	1-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR6	Sunny	09:32	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR6	Sunny	10:34	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2018-06-06	AQMS1	Rainy	13:49	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-06-06	AQMS1	Rainy	14:51	1-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2018-06-06	AQMS1	Rainy	15:53	1-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR1	Rainy	13:38	1-hour TSP	13	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR1	Rainy	14:40	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR1	Rainy	15:42	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR10	Rainy	13:04	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR10	Rainy	14:06	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR10	Rainy	15:08	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR5	Rainy	13:26	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR5	Rainy	14:28	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR5	Rainy	15:30	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR6	Rainy	13:15	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR6	Rainy	14:17	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR6	Rainy	15:19	1-hour TSP	46	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-06-09	AQMS1	Sunny	14:20	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-06-09	AQMS1	Sunny	15:22	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2018-06-09	AQMS1	Sunny	16:24	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR1	Sunny	14:08	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR1	Sunny	15:10	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR1	Sunny	16:12	1-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR10	Sunny	13:34	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR10	Sunny	14:36	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR10	Sunny	15:38	1-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR5	Sunny	13:57	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR5	Sunny	14:59	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR5	Sunny	16:01	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR6	Sunny	13:45	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR6	Sunny	14:47	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR6	Sunny	15:49	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2018-06-12	AQMS1	Sunny	13:53	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2018-06-12	AQMS1	Sunny	14:55	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-06-12	AQMS1	Sunny	15:57	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR1	Sunny	13:42	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR1	Sunny	14:44	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR1	Sunny	15:46	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR10	Sunny	13:08	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR10	Sunny	14:10	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR10	Sunny	15:12	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR5	Sunny	13:31	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR5	Sunny	14:33	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR5	Sunny	15:35	1-hour TSP	230	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR6	Sunny	13:19	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR6	Sunny	14:21	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR6	Sunny	15:23	1-hour TSP	186	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-06-15	AQMS1	Sunny	13:47	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2018-06-15	AQMS1	Sunny	14:49	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2018-06-15	AQMS1	Sunny	15:51	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR1	Sunny	13:35	1-hour TSP	272	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR1	Sunny	14:37	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR1	Sunny	15:39	1-hour TSP	171	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR10	Sunny	13:00	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR10	Sunny	14:02	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR10	Sunny	15:04	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR5	Sunny	13:23	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR5	Sunny	14:25	1-hour TSP	179	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR5	Sunny	15:27	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR6	Sunny	13:12	1-hour TSP	163	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR6	Sunny	14:14	1-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR6	Sunny	15:16	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2018-06-18	AQMS1	Sunny	14:13	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-06-18	AQMS1	Sunny	15:15	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2018-06-18	AQMS1	Sunny	16:17	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR1	Sunny	14:01	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR1	Sunny	15:03	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR1	Sunny	16:05	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR10	Sunny	13:27	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR10	Sunny	14:29	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR10	Sunny	15:31	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR5	Sunny	13:50	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR5	Sunny	14:52	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR5	Sunny	15:54	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR6	Sunny	13:38	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR6	Sunny	14:40	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR6	Sunny	15:42	1-hour TSP	87	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-06-21	AQMS1	Sunny	13:58	1-hour TSP	149	ug/m3
TMCLKL	HY/2012/08	2018-06-21	AQMS1	Sunny	15:00	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2018-06-21	AQMS1	Sunny	16:02	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR1	Sunny	13:47	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR1	Sunny	14:49	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR1	Sunny	15:51	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR10	Sunny	13:13	1-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR10	Sunny	14:15	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR10	Sunny	15:17	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR5	Sunny	13:35	1-hour TSP	229	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR5	Sunny	14:37	1-hour TSP	209	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR5	Sunny	15:39	1-hour TSP	173	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR6	Sunny	13:24	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR6	Sunny	14:26	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR6	Sunny	15:28	1-hour TSP	146	ug/m3
TMCLKL	HY/2012/08	2018-06-24	AQMS1	Sunny	09:06	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2018-06-24	AQMS1	Sunny	10:08	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-06-24	AQMS1	Sunny	11:10	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR1	Sunny	08:55	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR1	Sunny	09:57	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR1	Sunny	10:59	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR10	Sunny	08:20	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR10	Sunny	09:22	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR10	Sunny	10:24	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR5	Sunny	08:44	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR5	Sunny	09:46	1-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR5	Sunny	10:48	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR6	Sunny	08:32	1-hour TSP	187	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR6	Sunny	09:34	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR6	Sunny	10:36	1-hour TSP	126	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-06-27	AQMS1	Sunny	13:00	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2018-06-27	AQMS1	Sunny	14:02	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-06-27	AQMS1	Sunny	15:04	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR1	Sunny	13:48	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR1	Sunny	14:50	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR1	Sunny	15:52	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR10	Sunny	13:11	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR10	Sunny	14:13	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR10	Sunny	15:15	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR5	Sunny	13:36	1-hour TSP	175	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR5	Sunny	14:38	1-hour TSP	164	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR5	Sunny	15:40	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR6	Sunny	13:24	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR6	Sunny	14:26	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR6	Sunny	15:28	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-06-30	AQMS1	Sunny	14:30	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2018-06-30	AQMS1	Sunny	15:32	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2018-06-30	AQMS1	Sunny	16:34	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR1	Sunny	14:18	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR1	Sunny	15:20	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR1	Sunny	16:22	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR10	Sunny	13:45	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR10	Sunny	14:47	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR10	Sunny	15:49	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR5	Sunny	14:07	1-hour TSP	195	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR5	Sunny	15:09	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR5	Sunny	16:11	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR6	Sunny	13:56	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR6	Sunny	14:58	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR6	Sunny	16:00	1-hour TSP	61	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-06-03	AQMS1	Sunny	12:09	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR1	Sunny	11:58	24-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR10	Sunny	11:24	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR5	Sunny	11:46	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2018-06-03	ASR6	Sunny	11:36	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2018-06-06	AQMS1	Rainy	16:55	24-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR1	Rainy	16:44	24-hour TSP	37	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR10	Rainy	16:10	24-hour TSP	27	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR5	Rainy	16:32	24-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2018-06-06	ASR6	Rainy	16:21	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2018-06-09	AQMS1	Sunny	17:26	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR1	Sunny	17:14	24-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR10	Sunny	16:40	24-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR5	Sunny	17:03	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2018-06-09	ASR6	Sunny	16:51	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2018-06-12	AQMS1	Sunny	16:59	24-hour TSP	34	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR1	Sunny	16:48	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR10	Sunny	16:14	24-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR5	Sunny	16:37	24-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018-06-12	ASR6	Sunny	16:25	24-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2018-06-15	AQMS1	Sunny	16:53	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR1	Sunny	16:41	24-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR10	Sunny	16:06	24-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR5	Sunny	16:29	24-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2018-06-15	ASR6	Sunny	16:18	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2018-06-18	AQMS1	Sunny	17:19	24-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR1	Sunny	17:07	24-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR10	Sunny	16:33	24-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR5	Sunny	16:56	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2018-06-18	ASR6	Sunny	16:44	24-hour TSP	59	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2018-06-21	AQMS1	Sunny	17:04	24-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR1	Sunny	16:53	24-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR10	Sunny	16:16	24-hour TSP	29	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR5	Sunny	16:44	24-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2018-06-21	ASR6	Sunny	16:30	24-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2018-06-24	AQMS1	Sunny	12:12	24-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR1	Sunny	12:01	24-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR10	Sunny	11:26	24-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR5	Sunny	11:50	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2018-06-24	ASR6	Sunny	11:38	24-hour TSP	18	ug/m3
TMCLKL	HY/2012/08	2018-06-27	AQMS1	Sunny	16:06	24-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR1	Sunny	11:54	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR10	Sunny	16:17	24-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR5	Sunny	16:42	24-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2018-06-27	ASR6	Sunny	16:30	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2018-06-30	AQMS1	Sunny	17:36	24-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR1	Sunny	17:24	24-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR10	Sunny	16:51	24-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR5	Sunny	17:13	24-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2018-06-30	ASR6	Sunny	17:02	24-hour TSP	58	ug/m3