

Appendix G

Impact Air Quality Monitoring Results




Figure G.1 Impact Monitoring – 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 – 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx






Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 - 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx






Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 - 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates (µg/m³) at ASR5 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 - 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx






Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 - 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 - 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx






Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 - 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx






Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 - 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx






Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 - 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 June 2019 and 30 September 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/6/2019 - 30/9/2019)

Ref: 0212330_Impact AQM graphs_September 2019_REV a.xlsx



Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-09-02	AQMS1	Cloudy	13:48	1-hour TSP	38	ug/m3
TMCLKL	HY/2012/08	2019-09-02	AQMS1	Cloudy	14:50	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-09-02	AQMS1	Cloudy	15:52	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR1	Cloudy	13:37	1-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR1	Cloudy	14:39	1-hour TSP	23	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR1	Cloudy	15:41	1-hour TSP	23	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR10	Cloudy	13:03	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR10	Cloudy	14:05	1-hour TSP	25	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR10	Cloudy	15:07	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR5	Cloudy	13:25	1-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR5	Cloudy	14:27	1-hour TSP	25	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR5	Cloudy	15:29	1-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR6	Cloudy	13:14	1-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR6	Cloudy	14:16	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR6	Cloudy	15:18	1-hour TSP	22	ug/m3
TMCLKL	HY/2012/08	2019-09-05	AQMS1	Sunny	09:00	1-hour TSP	17	ug/m3
TMCLKL	HY/2012/08	2019-09-05	AQMS1	Sunny	10:02	1-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2019-09-05	AQMS1	Sunny	11:04	1-hour TSP	34	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR1	Sunny	08:48	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR1	Sunny	09:50	1-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR1	Sunny	10:52	1-hour TSP	23	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR10	Sunny	08:14	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR10	Sunny	09:16	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR10	Sunny	10:18	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR5	Sunny	08:37	1-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR5	Sunny	09:39	1-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR5	Sunny	10:41	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR6	Sunny	08:26	1-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR6	Sunny	09:28	1-hour TSP	30	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR6	Sunny	10:30	1-hour TSP	23	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-09-08	AQMS1	Sunny	08:50	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2019-09-08	AQMS1	Sunny	09:52	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-09-08	AQMS1	Sunny	10:54	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR1	Sunny	08:39	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR1	Sunny	09:41	1-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR1	Sunny	10:43	1-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR10	Sunny	08:05	1-hour TSP	26	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR10	Sunny	09:07	1-hour TSP	25	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR10	Sunny	10:09	1-hour TSP	26	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR5	Sunny	08:27	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR5	Sunny	09:29	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR5	Sunny	10:31	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR6	Sunny	08:16	1-hour TSP	33	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR6	Sunny	09:18	1-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR6	Sunny	10:20	1-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2019-09-11	AQMS1	Sunny	09:09	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2019-09-11	AQMS1	Sunny	10:11	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2019-09-11	AQMS1	Sunny	11:13	1-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR1	Sunny	08:57	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR1	Sunny	09:59	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR1	Sunny	11:01	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR10	Sunny	08:25	1-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR10	Sunny	09:27	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR10	Sunny	10:29	1-hour TSP	22	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR5	Sunny	08:47	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR5	Sunny	09:49	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR5	Sunny	10:51	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR6	Sunny	08:36	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR6	Sunny	09:38	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR6	Sunny	10:40	1-hour TSP	58	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-09-14	AQMS1	Sunny	08:48	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2019-09-14	AQMS1	Sunny	09:50	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2019-09-14	AQMS1	Sunny	10:52	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR1	Sunny	08:37	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR1	Sunny	09:39	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR1	Sunny	10:41	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR10	Sunny	08:02	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR10	Sunny	09:04	1-hour TSP	22	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR10	Sunny	10:06	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR5	Sunny	08:25	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR5	Sunny	09:27	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR5	Sunny	10:29	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR6	Sunny	08:14	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR6	Sunny	09:16	1-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR6	Sunny	10:18	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2019-09-17	AQMS1	Sunny	08:47	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2019-09-17	AQMS1	Sunny	09:49	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-09-17	AQMS1	Sunny	10:51	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR1	Sunny	08:35	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR1	Sunny	09:37	1-hour TSP	146	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR1	Sunny	10:39	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR10	Sunny	08:00	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR10	Sunny	09:02	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR10	Sunny	10:04	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR5	Sunny	08:23	1-hour TSP	146	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR5	Sunny	09:25	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR5	Sunny	10:27	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR6	Sunny	09:12	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR6	Sunny	09:14	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR6	Sunny	10:16	1-hour TSP	120	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-09-20	AQMS1	Sunny	08:56	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2019-09-20	AQMS1	Sunny	09:58	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2019-09-20	AQMS1	Sunny	11:00	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR1	Sunny	08:45	1-hour TSP	220	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR1	Sunny	09:47	1-hour TSP	214	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR1	Sunny	10:49	1-hour TSP	539	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR10	Sunny	08:11	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR10	Sunny	09:13	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR10	Sunny	10:15	1-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR5	Sunny	08:33	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR5	Sunny	09:35	1-hour TSP	188	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR5	Sunny	10:37	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR6	Sunny	08:23	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR6	Sunny	09:25	1-hour TSP	163	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR6	Sunny	10:27	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2019-09-23	AQMS1	Sunny	09:03	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2019-09-23	AQMS1	Sunny	10:05	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2019-09-23	AQMS1	Sunny	11:07	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR1	Sunny	08:52	1-hour TSP	286	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR1	Sunny	09:54	1-hour TSP	177	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR1	Sunny	10:56	1-hour TSP	145	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR10	Sunny	08:20	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR10	Sunny	09:22	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR10	Sunny	10:24	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR5	Sunny	08:41	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR5	Sunny	09:43	1-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR5	Sunny	10:45	1-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR6	Sunny	08:30	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR6	Sunny	09:32	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR6	Sunny	10:34	1-hour TSP	84	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-09-26	AQMS1	Sunny	08:55	1-hour TSP	162	ug/m3
TMCLKL	HY/2012/08	2019-09-26	AQMS1	Sunny	09:57	1-hour TSP	192	ug/m3
TMCLKL	HY/2012/08	2019-09-26	AQMS1	Sunny	10:59	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR1	Sunny	08:44	1-hour TSP	187	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR1	Sunny	09:46	1-hour TSP	195	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR1	Sunny	10:48	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR10	Sunny	08:08	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR10	Sunny	09:10	1-hour TSP	135	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR10	Sunny	10:12	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR5	Sunny	08:31	1-hour TSP	234	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR5	Sunny	09:33	1-hour TSP	256	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR5	Sunny	10:35	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR6	Sunny	08:20	1-hour TSP	172	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR6	Sunny	09:22	1-hour TSP	179	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR6	Sunny	10:24	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-09-29	AQMS1	Sunny	14:06	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2019-09-29	AQMS1	Sunny	15:08	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-09-29	AQMS1	Sunny	16:10	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR1	Sunny	13:55	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR1	Sunny	14:57	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR1	Sunny	15:59	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR10	Sunny	13:20	1-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR10	Sunny	14:22	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR10	Sunny	15:24	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR5	Sunny	13:44	1-hour TSP	157	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR5	Sunny	14:46	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR5	Sunny	15:48	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR6	Sunny	13:32	1-hour TSP	201	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR6	Sunny	14:34	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR6	Sunny	15:36	1-hour TSP	92	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-09-02	AQMS1	Cloudy	16:54	24-hour TSP	25	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR1	Cloudy	16:43	24-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR10	Cloudy	16:09	24-hour TSP	22	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR5	Cloudy	16:31	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2019-09-02	ASR6	Cloudy	16:20	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2019-09-05	AQMS1	Sunny	12:06	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR1	Sunny	11:54	24-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR10	Sunny	11:20	24-hour TSP	23	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR5	Sunny	11:43	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2019-09-05	ASR6	Sunny	11:32	24-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-09-08	AQMS1	Sunny	11:56	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR1	Sunny	11:45	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR10	Sunny	11:11	24-hour TSP	25	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR5	Sunny	11:53	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2019-09-08	ASR6	Sunny	11:22	24-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2019-09-11	AQMS1	Sunny	12:15	24-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR1	Sunny	12:03	24-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR10	Sunny	11:31	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR5	Sunny	11:53	24-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-09-11	ASR6	Sunny	11:42	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2019-09-14	AQMS1	Sunny	11:54	24-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR1	Sunny	11:43	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR10	Sunny	11:08	24-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR5	Sunny	11:31	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2019-09-14	ASR6	Sunny	11:20	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2019-09-17	AQMS1	Sunny	11:53	24-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR1	Sunny	11:41	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR10	Sunny	11:06	24-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR5	Sunny	11:29	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2019-09-17	ASR6	Sunny	11:18	24-hour TSP	64	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-09-20	AQMS1	Sunny	12:02	24-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR1	Sunny	11:51	24-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR10	Sunny	11:17	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR5	Sunny	11:39	24-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2019-09-20	ASR6	Sunny	11:29	24-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2019-09-23	AQMS1	Sunny	12:09	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR1	Sunny	11:58	24-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR10	Sunny	11:26	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR5	Sunny	11:47	24-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2019-09-23	ASR6	Sunny	11:36	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2019-09-26	AQMS1	Sunny	12:01	24-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR1	Sunny	11:50	24-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR10	Sunny	11:14	24-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR5	Sunny	11:37	24-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2019-09-26	ASR6	Sunny	11:26	24-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2019-09-29	AQMS1	Sunny	17:12	24-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR1	Sunny	17:01	24-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR10	Sunny	16:26	24-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR5	Sunny	16:50	24-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2019-09-29	ASR6	Sunny	16:38	24-hour TSP	145	ug/m3