

Appendix G

Impact Air Quality Monitoring Results




Figure G.1 Impact Monitoring – 1-hour Total Suspended Particulates (µg/m³) at AQMS1 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 – 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx






Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 - 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx






Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 - 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 - 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx






Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 - 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 - 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx






Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 - 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx






Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 - 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx






Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 - 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 July 2019 and 31 October 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Backfilling, Road & Drainage Works (1/7/2019 - 31/10/2019)

Ref: 0212330_Impact AQM graphs_October 2019_REV a.xlsx



Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-10-02	AQMS1	Sunny	14:12	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2019-10-02	AQMS1	Sunny	15:14	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2019-10-02	AQMS1	Sunny	16:16	1-hour TSP	178	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR1	Sunny	14:00	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR1	Sunny	15:02	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR1	Sunny	16:04	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR10	Sunny	13:26	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR10	Sunny	14:28	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR10	Sunny	15:30	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR5	Sunny	13:48	1-hour TSP	162	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR5	Sunny	14:50	1-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR5	Sunny	15:52	1-hour TSP	268	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR6	Sunny	13:37	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR6	Sunny	14:39	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR6	Sunny	15:41	1-hour TSP	176	ug/m3
TMCLKL	HY/2012/08	2019-10-05	AQMS1	Sunny	14:11	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2019-10-05	AQMS1	Sunny	15:13	1-hour TSP	204	ug/m3
TMCLKL	HY/2012/08	2019-10-05	AQMS1	Sunny	16:15	1-hour TSP	178	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR1	Sunny	14:01	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR1	Sunny	15:03	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR1	Sunny	16:05	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR10	Sunny	13:27	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR10	Sunny	14:29	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR10	Sunny	15:31	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR5	Sunny	13:49	1-hour TSP	240	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR5	Sunny	14:51	1-hour TSP	236	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR5	Sunny	15:53	1-hour TSP	282	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR6	Sunny	13:38	1-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR6	Sunny	14:40	1-hour TSP	198	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR6	Sunny	15:42	1-hour TSP	185	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-10-08	AQMS1	Sunny	14:16	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2019-10-08	AQMS1	Sunny	15:18	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2019-10-08	AQMS1	Sunny	16:20	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR1	Sunny	14:04	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR1	Sunny	15:06	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR1	Sunny	16:08	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR10	Sunny	13:30	1-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR10	Sunny	14:32	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR10	Sunny	15:34	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR5	Sunny	13:53	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR5	Sunny	14:55	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR5	Sunny	15:57	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR6	Sunny	13:42	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR6	Sunny	14:44	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR6	Sunny	15:46	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2019-10-11	AQMS1	Sunny	09:09	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2019-10-11	AQMS1	Sunny	10:11	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2019-10-11	AQMS1	Sunny	11:13	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR1	Sunny	08:58	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR1	Sunny	10:00	1-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR1	Sunny	11:02	1-hour TSP	128	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR10	Sunny	08:25	1-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR10	Sunny	09:27	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR10	Sunny	10:29	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR5	Sunny	08:47	1-hour TSP	198	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR5	Sunny	09:49	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR5	Sunny	10:51	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR6	Sunny	08:36	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR6	Sunny	09:38	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR6	Sunny	10:40	1-hour TSP	99	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-10-14	AQMS1	Sunny	09:00	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-10-14	AQMS1	Sunny	10:02	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2019-10-14	AQMS1	Sunny	11:04	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR1	Sunny	08:48	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR1	Sunny	09:50	1-hour TSP	363	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR1	Sunny	10:52	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR10	Sunny	08:15	1-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR10	Sunny	09:17	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR10	Sunny	10:19	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR5	Sunny	08:37	1-hour TSP	278	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR5	Sunny	09:39	1-hour TSP	135	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR5	Sunny	10:41	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR6	Sunny	08:25	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR6	Sunny	09:27	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR6	Sunny	10:29	1-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2019-10-17	AQMS1	Sunny	08:50	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2019-10-17	AQMS1	Sunny	09:52	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2019-10-17	AQMS1	Sunny	10:54	1-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR1	Sunny	08:39	1-hour TSP	331	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR1	Sunny	09:41	1-hour TSP	354	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR1	Sunny	10:43	1-hour TSP	385	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR10	Sunny	08:04	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR10	Sunny	09:06	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR10	Sunny	10:08	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR5	Sunny	08:27	1-hour TSP	288	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR5	Sunny	09:29	1-hour TSP	230	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR5	Sunny	10:31	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR6	Sunny	08:15	1-hour TSP	128	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR6	Sunny	09:17	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR6	Sunny	10:19	1-hour TSP	96	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-10-20	AQMS1	Sunny	08:49	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2019-10-20	AQMS1	Sunny	09:51	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2019-10-20	AQMS1	Sunny	10:53	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR1	Sunny	08:37	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR1	Sunny	09:39	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR1	Sunny	10:41	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR10	Sunny	08:00	1-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR10	Sunny	09:02	1-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR10	Sunny	10:04	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR5	Sunny	08:25	1-hour TSP	223	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR5	Sunny	09:27	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR5	Sunny	10:29	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR6	Sunny	08:12	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR6	Sunny	09:14	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR6	Sunny	10:16	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2019-10-23	AQMS1	Sunny	08:48	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-10-23	AQMS1	Sunny	09:50	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2019-10-23	AQMS1	Sunny	10:52	1-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR1	Sunny	08:37	1-hour TSP	133	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR1	Sunny	09:39	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR1	Sunny	10:41	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR10	Sunny	08:02	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR10	Sunny	09:04	1-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR10	Sunny	10:06	1-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR5	Sunny	08:25	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR5	Sunny	09:27	1-hour TSP	267	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR5	Sunny	10:29	1-hour TSP	223	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR6	Sunny	08:13	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR6	Sunny	09:15	1-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR6	Sunny	10:17	1-hour TSP	86	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-10-26	AQMS1	Sunny	13:48	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2019-10-26	AQMS1	Sunny	14:50	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-10-26	AQMS1	Sunny	15:52	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR1	Sunny	13:36	1-hour TSP	184	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR1	Sunny	14:38	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR1	Sunny	15:40	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR10	Sunny	13:02	1-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR10	Sunny	14:04	1-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR10	Sunny	15:06	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR5	Sunny	13:24	1-hour TSP	244	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR5	Sunny	14:26	1-hour TSP	225	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR5	Sunny	15:28	1-hour TSP	187	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR6	Sunny	13:13	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR6	Sunny	14:15	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR6	Sunny	15:17	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2019-10-29	AQMS1	Sunny	08:49	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-10-29	AQMS1	Sunny	09:51	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2019-10-29	AQMS1	Sunny	10:53	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR1	Sunny	08:37	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR1	Sunny	09:39	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR1	Sunny	10:41	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR10	Sunny	08:03	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR10	Sunny	09:05	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR10	Sunny	10:07	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR5	Sunny	08:25	1-hour TSP	245	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR5	Sunny	09:27	1-hour TSP	187	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR5	Sunny	10:29	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR6	Sunny	08:14	1-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR6	Sunny	09:16	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR6	Sunny	10:18	1-hour TSP	81	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-10-02	AQMS1	Sunny	17:18	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR1	Sunny	17:06	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR10	Sunny	16:32	24-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR5	Sunny	16:54	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2019-10-02	ASR6	Sunny	16:43	24-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2019-10-05	AQMS1	Sunny	17:17	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR1	Sunny	17:07	24-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR10	Sunny	16:33	24-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR5	Sunny	16:55	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-10-05	ASR6	Sunny	16:44	24-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2019-10-08	AQMS1	Sunny	17:22	24-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR1	Sunny	17:10	24-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR10	Sunny	16:36	24-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR5	Sunny	16:59	24-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-10-08	ASR6	Sunny	16:48	24-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2019-10-11	AQMS1	Sunny	12:15	24-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR1	Sunny	12:04	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR10	Sunny	11:31	24-hour TSP	34	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR5	Sunny	11:53	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2019-10-11	ASR6	Sunny	11:42	24-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-10-14	AQMS1	Sunny	12:06	24-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR1	Sunny	11:54	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR10	Sunny	11:21	24-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR5	Sunny	11:43	24-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2019-10-14	ASR6	Sunny	11:31	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2019-10-17	AQMS1	Sunny	11:56	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR1	Sunny	11:45	24-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR10	Sunny	11:10	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR5	Sunny	11:33	24-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2019-10-17	ASR6	Sunny	11:21	24-hour TSP	81	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-10-20	AQMS1	Sunny	11:55	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR1	Sunny	11:43	24-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR10	Sunny	11:06	24-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR5	Sunny	11:31	24-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2019-10-20	ASR6	Sunny	11:18	24-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2019-10-23	AQMS1	Sunny	11:54	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR1	Sunny	11:43	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR10	Sunny	11:08	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR5	Sunny	11:31	24-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2019-10-23	ASR6	Sunny	11:19	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-10-26	AQMS1	Sunny	16:54	24-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR1	Sunny	16:42	24-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR10	Sunny	16:08	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR5	Sunny	16:30	24-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2019-10-26	ASR6	Sunny	16:19	24-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2019-10-29	AQMS1	Sunny	11:55	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR1	Sunny	11:43	24-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR10	Sunny	11:09	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR5	Sunny	11:31	24-hour TSP	145	ug/m3
TMCLKL	HY/2012/08	2019-10-29	ASR6	Sunny	11:20	24-hour TSP	94	ug/m3