

Appendix G

## Impact Air Quality Monitoring Results




Figure G.1 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at AQMS1 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx






Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR6 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx






Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR1 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR5 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx






Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR10 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx






Figure G.6 Impact Monitoring - 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR1 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx






Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR5 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx








Figure G.8 Impact Monitoring - 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at AQMS1 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx






Figure G.9 Impact Monitoring - 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR6 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx






Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR10 between 1 August 2019 and 30 November 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/8/2019 - 30/11/2019)

Ref: 0212330\_Impact AQM graphs\_November 2019\_REV a.xlsx



Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-11-01	AQMS1	Sunny	08:50	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2019-11-01	AQMS1	Sunny	09:52	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2019-11-01	AQMS1	Sunny	10:54	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR1	Sunny	08:37	1-hour TSP	255	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR1	Sunny	09:39	1-hour TSP	191	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR1	Sunny	10:41	1-hour TSP	228	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR10	Sunny	08:00	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR10	Sunny	09:02	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR10	Sunny	10:04	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR5	Sunny	08:24	1-hour TSP	213	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR5	Sunny	09:26	1-hour TSP	198	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR5	Sunny	10:28	1-hour TSP	190	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR6	Sunny	08:11	1-hour TSP	182	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR6	Sunny	09:13	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR6	Sunny	10:15	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2019-11-04	AQMS1	Sunny	08:50	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2019-11-04	AQMS1	Sunny	09:52	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2019-11-04	AQMS1	Sunny	10:54	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR1	Sunny	08:39	1-hour TSP	626	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR1	Sunny	09:41	1-hour TSP	264	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR1	Sunny	10:43	1-hour TSP	251	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR10	Sunny	08:02	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR10	Sunny	09:04	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR10	Sunny	10:06	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR5	Sunny	08:26	1-hour TSP	398	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR5	Sunny	09:28	1-hour TSP	251	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR5	Sunny	10:30	1-hour TSP	242	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR6	Sunny	08:14	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR6	Sunny	09:16	1-hour TSP	174	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR6	Sunny	10:18	1-hour TSP	169	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-11-07	AQMS1	Sunny	13:46	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2019-11-07	AQMS1	Sunny	14:48	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2019-11-07	AQMS1	Sunny	15:50	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR1	Sunny	13:35	1-hour TSP	239	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR1	Sunny	14:37	1-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR1	Sunny	15:39	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR10	Sunny	13:01	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR10	Sunny	14:03	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR10	Sunny	15:05	1-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR5	Sunny	13:24	1-hour TSP	479	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR5	Sunny	14:26	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR5	Sunny	15:28	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR6	Sunny	13:13	1-hour TSP	212	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR6	Sunny	14:15	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR6	Sunny	15:17	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2019-11-10	AQMS1	Sunny	08:52	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2019-11-10	AQMS1	Sunny	09:54	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2019-11-10	AQMS1	Sunny	10:56	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR1	Sunny	08:40	1-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR1	Sunny	09:42	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR1	Sunny	10:44	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR10	Sunny	08:06	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR10	Sunny	09:08	1-hour TSP	19	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR10	Sunny	10:10	1-hour TSP	13	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR5	Sunny	08:29	1-hour TSP	241	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR5	Sunny	09:31	1-hour TSP	190	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR5	Sunny	10:33	1-hour TSP	219	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR6	Sunny	08:17	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR6	Sunny	09:19	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR6	Sunny	10:21	1-hour TSP	47	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-11-13	AQMS1	Sunny	09:10	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2019-11-13	AQMS1	Sunny	10:12	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2019-11-13	AQMS1	Sunny	11:14	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR1	Sunny	08:57	1-hour TSP	205	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR1	Sunny	09:59	1-hour TSP	175	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR1	Sunny	11:01	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR10	Sunny	08:21	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR10	Sunny	09:23	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR10	Sunny	10:25	1-hour TSP	37	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR5	Sunny	08:45	1-hour TSP	252	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR5	Sunny	09:47	1-hour TSP	194	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR5	Sunny	10:49	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR6	Sunny	08:33	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR6	Sunny	09:35	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR6	Sunny	10:37	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2019-11-16	AQMS1	Sunny	08:50	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2019-11-16	AQMS1	Sunny	09:52	1-hour TSP	135	ug/m3
TMCLKL	HY/2012/08	2019-11-16	AQMS1	Sunny	10:54	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR1	Sunny	08:37	1-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR1	Sunny	09:39	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR1	Sunny	10:41	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR10	Sunny	08:04	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR10	Sunny	09:06	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR10	Sunny	10:08	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR5	Sunny	08:25	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR5	Sunny	09:27	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR5	Sunny	10:29	1-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR6	Sunny	08:15	1-hour TSP	200	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR6	Sunny	09:17	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR6	Sunny	10:19	1-hour TSP	131	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-11-19	AQMS1	Sunny	08:58	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2019-11-19	AQMS1	Sunny	10:00	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2019-11-19	AQMS1	Sunny	11:02	1-hour TSP	145	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR1	Sunny	08:47	1-hour TSP	287	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR1	Sunny	09:49	1-hour TSP	324	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR1	Sunny	10:51	1-hour TSP	199	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR10	Sunny	08:10	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR10	Sunny	09:12	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR10	Sunny	10:14	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR5	Sunny	08:35	1-hour TSP	247	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR5	Sunny	09:37	1-hour TSP	171	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR5	Sunny	10:39	1-hour TSP	204	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR6	Sunny	08:23	1-hour TSP	183	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR6	Sunny	09:25	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR6	Sunny	10:27	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2019-11-22	AQMS1	Sunny	08:54	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2019-11-22	AQMS1	Sunny	09:56	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2019-11-22	AQMS1	Sunny	10:58	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR1	Sunny	08:42	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR1	Sunny	09:44	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR1	Sunny	10:46	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR10	Sunny	08:07	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR10	Sunny	09:09	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR10	Sunny	10:11	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR5	Sunny	08:30	1-hour TSP	258	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR5	Sunny	09:32	1-hour TSP	247	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR5	Sunny	10:34	1-hour TSP	281	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR6	Sunny	08:18	1-hour TSP	200	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR6	Sunny	09:20	1-hour TSP	182	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR6	Sunny	10:22	1-hour TSP	186	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-11-25	AQMS1	Sunny	09:56	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-11-25	AQMS1	Sunny	09:58	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-11-25	AQMS1	Sunny	11:00	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR1	Sunny	08:45	1-hour TSP	128	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR1	Sunny	09:47	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR1	Sunny	10:49	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR10	Sunny	08:10	1-hour TSP	24	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR10	Sunny	09:12	1-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR10	Sunny	10:14	1-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR5	Sunny	08:33	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR5	Sunny	09:35	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR5	Sunny	10:37	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR6	Sunny	08:21	1-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR6	Sunny	09:23	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR6	Sunny	10:25	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2019-11-28	AQMS1	Sunny	08:49	1-hour TSP	187	ug/m3
TMCLKL	HY/2012/08	2019-11-28	AQMS1	Sunny	09:51	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2019-11-28	AQMS1	Sunny	10:53	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR1	Sunny	08:38	1-hour TSP	577	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR1	Sunny	09:40	1-hour TSP	452	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR1	Sunny	10:42	1-hour TSP	385	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR10	Sunny	08:00	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR10	Sunny	09:02	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR10	Sunny	10:04	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR5	Sunny	08:02	1-hour TSP	534	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR5	Sunny	09:27	1-hour TSP	500	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR5	Sunny	10:29	1-hour TSP	299	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR6	Sunny	08:13	1-hour TSP	216	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR6	Sunny	09:15	1-hour TSP	183	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR6	Sunny	10:17	1-hour TSP	175	ug/m3



Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-11-01	AQMS1	Sunny	11:56	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR1	Sunny	11:43	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR10	Sunny	11:06	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR5	Sunny	11:30	24-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2019-11-01	ASR6	Sunny	11:17	24-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2019-11-04	AQMS1	Sunny	11:56	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR1	Sunny	11:45	24-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR10	Sunny	11:08	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR5	Sunny	11:32	24-hour TSP	146	ug/m3
TMCLKL	HY/2012/08	2019-11-04	ASR6	Sunny	11:20	24-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2019-11-07	AQMS1	Sunny	16:52	24-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR1	Sunny	16:41	24-hour TSP	158	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR10	Sunny	16:07	24-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR5	Sunny	16:30	24-hour TSP	196	ug/m3
TMCLKL	HY/2012/08	2019-11-07	ASR6	Sunny	16:19	24-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-11-10	AQMS1	Sunny	11:58	24-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR1	Sunny	11:46	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR10	Sunny	11:12	24-hour TSP	33	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR5	Sunny	11:35	24-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2019-11-10	ASR6	Sunny	11:23	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-11-13	AQMS1	Sunny	12:16	24-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR1	Sunny	12:03	24-hour TSP	201	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR10	Sunny	11:27	24-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR5	Sunny	11:51	24-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2019-11-13	ASR6	Sunny	11:39	24-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2019-11-16	AQMS1	Sunny	11:56	24-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR1	Sunny	11:43	24-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR10	Sunny	11:10	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR5	Sunny	11:31	24-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2019-11-16	ASR6	Sunny	11:21	24-hour TSP	109	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-11-19	AQMS1	Sunny	12:04	24-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR1	Sunny	11:53	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR10	Sunny	11:16	24-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR5	Sunny	11:41	24-hour TSP	178	ug/m3
TMCLKL	HY/2012/08	2019-11-19	ASR6	Sunny	11:29	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2019-11-22	AQMS1	Sunny	12:00	24-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR1	Sunny	11:48	24-hour TSP	157	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR10	Sunny	11:13	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR5	Sunny	11:36	24-hour TSP	192	ug/m3
TMCLKL	HY/2012/08	2019-11-22	ASR6	Sunny	11:24	24-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2019-11-25	AQMS1	Sunny	12:02	24-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR1	Sunny	11:51	24-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR10	Sunny	11:16	24-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR5	Sunny	11:39	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2019-11-25	ASR6	Sunny	11:27	24-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2019-11-28	AQMS1	Sunny	11:55	24-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR1	Sunny	11:44	24-hour TSP	207	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR10	Sunny	11:06	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR5	Sunny	11:31	24-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2019-11-28	ASR6	Sunny	11:19	24-hour TSP	109	ug/m3