

Appendix G

Impact Air Quality Monitoring Results




Figure G.1 Impact Monitoring – 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/1/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx




Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/11/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx






Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/1/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx






Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/1/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx




Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/1/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx






Figure G.6 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/1/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx






Figure G.7 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/1/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx




Figure G.8 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/1/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx




Figure G.9 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/1/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx






Figure G.10 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 October 2019 and 31 January 2020 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Road & Drainage Works (1/10/2019 – 31/1/2020)

Ref: 0212330_Impact AQM graphs_January 2020.xlsx

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2020-01-03	AQMS1	Sunny	13:49	1-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2020-01-03	AQMS1	Sunny	14:51	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2020-01-03	AQMS1	Sunny	15:53	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR1	Sunny	13:38	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR1	Sunny	14:40	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR1	Sunny	15:42	1-hour TSP	246	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR10	Sunny	13:01	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR10	Sunny	14:03	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR10	Sunny	15:05	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR5	Sunny	13:25	1-hour TSP	249	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR5	Sunny	14:27	1-hour TSP	198	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR5	Sunny	15:29	1-hour TSP	189	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR6	Sunny	13:13	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR6	Sunny	14:15	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR6	Sunny	15:17	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2020-01-06	AQMS1	Sunny	13:51	1-hour TSP	50	ug/m3
TMCLKL	HY/2012/08	2020-01-06	AQMS1	Sunny	14:53	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2020-01-06	AQMS1	Sunny	15:55	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR1	Sunny	13:39	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR1	Sunny	14:41	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR1	Sunny	15:43	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR10	Sunny	13:05	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR10	Sunny	14:07	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR10	Sunny	15:09	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR5	Sunny	13:28	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR5	Sunny	14:30	1-hour TSP	204	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR5	Sunny	15:32	1-hour TSP	313	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR6	Sunny	13:16	1-hour TSP	231	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR6	Sunny	14:18	1-hour TSP	200	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR6	Sunny	15:20	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2020-01-09	AQMS1	Sunny	08:56	1-hour TSP	109	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2020-01-09	AQMS1	Sunny	09:58	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2020-01-09	AQMS1	Sunny	11:00	1-hour TSP	303	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR1	Sunny	08:45	1-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR1	Sunny	09:47	1-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR1	Sunny	10:49	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR10	Sunny	08:08	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR10	Sunny	09:10	1-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR10	Sunny	10:12	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR5	Sunny	08:33	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR5	Sunny	09:35	1-hour TSP	172	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR5	Sunny	10:37	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR6	Sunny	08:20	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR6	Sunny	09:22	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR6	Sunny	10:24	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2020-01-12	AQMS1	Sunny	08:47	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2020-01-12	AQMS1	Sunny	09:49	1-hour TSP	143	ug/m3
TMCLKL	HY/2012/08	2020-01-12	AQMS1	Sunny	10:51	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR1	Sunny	08:36	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR1	Sunny	09:38	1-hour TSP	158	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR1	Sunny	10:40	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR10	Sunny	08:00	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR10	Sunny	09:02	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR10	Sunny	10:04	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR5	Sunny	08:24	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR5	Sunny	09:26	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR5	Sunny	10:28	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR6	Sunny	08:12	1-hour TSP	117	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR6	Sunny	09:14	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR6	Sunny	10:16	1-hour TSP	276	ug/m3
TMCLKL	HY/2012/08	2020-01-15	AQMS1	Sunny	08:51	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2020-01-15	AQMS1	Sunny	09:53	1-hour TSP	145	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2020-01-15	AQMS1	Sunny	10:55	1-hour TSP	211	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR1	Sunny	08:39	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR1	Sunny	09:41	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR1	Sunny	10:43	1-hour TSP	217	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR10	Sunny	08:04	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR10	Sunny	09:06	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR10	Sunny	10:08	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR5	Sunny	08:27	1-hour TSP	337	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR5	Sunny	09:29	1-hour TSP	264	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR5	Sunny	10:31	1-hour TSP	304	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR6	Sunny	08:16	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR6	Sunny	09:18	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR6	Sunny	10:20	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2020-01-18	AQMS1	Sunny	08:53	1-hour TSP	218	ug/m3
TMCLKL	HY/2012/08	2020-01-18	AQMS1	Sunny	09:55	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2020-01-18	AQMS1	Sunny	10:57	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR1	Sunny	08:41	1-hour TSP	183	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR1	Sunny	09:43	1-hour TSP	300	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR1	Sunny	10:45	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR10	Sunny	08:06	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR10	Sunny	09:08	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR10	Sunny	10:10	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR5	Sunny	08:29	1-hour TSP	208	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR5	Sunny	09:31	1-hour TSP	220	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR5	Sunny	10:33	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR6	Sunny	08:18	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR6	Sunny	09:20	1-hour TSP	135	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR6	Sunny	10:22	1-hour TSP	179	ug/m3
TMCLKL	HY/2012/08	2020-01-21	AQMS1	Sunny	09:05	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2020-01-21	AQMS1	Sunny	10:07	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2020-01-21	AQMS1	Sunny	11:09	1-hour TSP	123	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2020-01-21	ASR1	Sunny	08:53	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR1	Sunny	09:55	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR1	Sunny	10:57	1-hour TSP	206	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR10	Sunny	08:20	1-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR10	Sunny	09:22	1-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR10	Sunny	10:24	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR5	Sunny	08:42	1-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR5	Sunny	09:44	1-hour TSP	331	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR5	Sunny	10:46	1-hour TSP	218	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR6	Sunny	08:30	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR6	Sunny	09:32	1-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR6	Sunny	10:34	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2020-01-24	AQMS1	Sunny	13:46	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2020-01-24	AQMS1	Sunny	14:48	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2020-01-24	AQMS1	Sunny	15:50	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR1	Sunny	13:35	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR1	Sunny	14:37	1-hour TSP	175	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR1	Sunny	15:39	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR10	Sunny	13:00	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR10	Sunny	14:02	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR10	Sunny	15:04	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR5	Sunny	13:23	1-hour TSP	191	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR5	Sunny	14:25	1-hour TSP	248	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR5	Sunny	15:27	1-hour TSP	233	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR6	Sunny	13:11	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR6	Sunny	14:13	1-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR6	Sunny	15:15	1-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2020-01-30	AQMS1	Sunny	13:59	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2020-01-30	AQMS1	Sunny	15:01	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2020-01-30	AQMS1	Sunny	16:03	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR1	Sunny	13:48	1-hour TSP	77	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2020-01-30	ASR1	Sunny	14:50	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR1	Sunny	15:52	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR10	Sunny	13:14	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR10	Sunny	14:16	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR10	Sunny	15:18	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR5	Sunny	13:37	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR5	Sunny	14:39	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR5	Sunny	15:41	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR6	Sunny	13:25	1-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR6	Sunny	14:27	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR6	Sunny	15:29	1-hour TSP	100	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2020-01-03	AQMS1	Sunny	16:55	24-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR1	Sunny	16:44	24-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR10	Sunny	16:07	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR5	Sunny	16:31	24-hour TSP	181	ug/m3
TMCLKL	HY/2012/08	2020-01-03	ASR6	Sunny	16:19	24-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2020-01-06	AQMS1	Sunny	16:57	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR1	Sunny	16:45	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR10	Sunny	16:11	24-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR5	Sunny	16:34	24-hour TSP	145	ug/m3
TMCLKL	HY/2012/08	2020-01-06	ASR6	Sunny	16:22	24-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2020-01-09	AQMS1	Sunny	12:02	24-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR1	Sunny	11:51	24-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR10	Sunny	11:14	24-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR5	Sunny	11:39	24-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2020-01-09	ASR6	Sunny	11:26	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2020-01-12	AQMS1	Sunny	11:53	24-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR1	Sunny	11:42	24-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR10	Sunny	11:06	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR5	Sunny	11:30	24-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2020-01-12	ASR6	Sunny	11:18	24-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2020-01-15	AQMS1	Sunny	11:57	24-hour TSP	95	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR1	Sunny	11:45	24-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR10	Sunny	11:10	24-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR5	Sunny	11:33	24-hour TSP	145	ug/m3
TMCLKL	HY/2012/08	2020-01-15	ASR6	Sunny	11:22	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2020-01-18	AQMS1	Sunny	11:59	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR1	Sunny	11:47	24-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR10	Sunny	11:12	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR5	Sunny	11:35	24-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2020-01-18	ASR6	Sunny	11:24	24-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2020-01-21	AQMS1	Sunny	12:11	24-hour TSP	64	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2020-01-21	ASR1	Sunny	11:59	24-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR10	Sunny	11:26	24-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR5	Sunny	11:48	24-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2020-01-21	ASR6	Sunny	11:36	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2020-01-24	AQMS1	Sunny	16:52	24-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR1	Sunny	16:41	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR10	Sunny	16:06	24-hour TSP	38	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR5	Sunny	08:16	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2020-01-24	ASR6	Sunny	16:17	24-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2020-01-30	AQMS1	Sunny	17:05	24-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR1	Sunny	16:54	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR10	Sunny	16:20	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR5	Sunny	16:43	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2020-01-30	ASR6	Sunny	16:31	24-hour TSP	56	ug/m3