


Figure E1 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS4. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E2 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS6. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E3 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS12. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E4 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS13. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E5 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS14. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E6 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS15. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E7 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR10A. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E8 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR8. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E9 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR9. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E10 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS4. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E11 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS6. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E12 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS12. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E13 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS13. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E14 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS14. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E15 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS15. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E16 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR10A. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E17 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS4. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E18 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS6. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E19 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS12. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E20 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS13. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E21 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS14. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E22 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS15. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E23 Baseline & Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom water between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR10A. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E24 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR8. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E25 Baseline & Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR9. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E26 Baseline & Impact Monitoring – Mean Depth-averaged Level of Turbidity (NTU) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS4. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E27 Baseline & Impact Monitoring – Mean Depth-averaged Level of Turbidity (NTU) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS6. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E28 Baseline & Impact Monitoring – Mean Depth-averaged Level of Turbidity (NTU) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS12. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E29 Baseline & Impact Monitoring – Mean Depth-averaged Level of Turbidity (NTU) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS13. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E30 Baseline & Impact Monitoring – Mean Depth-averaged Level of Turbidity (NTU) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS14. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E31 Baseline & Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS15. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E32 Baseline & Impact Monitoring – Mean Depth-averaged Level of Turbidity (NTU) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR10A. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E33 Baseline & Impact Monitoring – Mean Depth-averaged Level of Turbidity (NTU) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR8. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E34 Baseline & Impact Monitoring – Mean Depth-averaged Level of Turbidity (NTU) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR9. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E35 Baseline & Impact Monitoring - Mean Depth-averaged Level of Suspended Solids (mg/L) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS4. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall









Figure E36 Baseline & Impact Monitoring - Mean Depth-averaged Level of Suspended Solids (mg/L) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at CS6. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall








Figure E37 Baseline & Impact Monitoring - Mean Depth-averaged Level of Suspended Solids (mg/L) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS12. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall






Figure E38 Baseline & Impact Monitoring - Mean Depth-averaged Level of Suspended Solids (mg/L) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS13. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall



Baseline


Monitoring Period

Ref: 0212330_Impact-WQM_4th annual.xlsx

10.00

5.00

0.00







Figure E39 Baseline & Impact Monitoring - Mean Depth-averaged Level of Suspended Solids (mg/L) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS14. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall








Figure E40 Baseline & Impact Monitoring - Mean Depth-averaged Level of Suspended Solids (mg/L) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at IS15. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall






Figure E41 Baseline & Impact Monitoring – Mean Depth-averaged Level of Suspended Solids (mg/L) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR10A. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall







Figure E42 Baseline & Impact Monitoring - Mean Depth-averaged Level of Suspended Solids (mg/L) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR8. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall








Figure E43 Baseline & Impact Monitoring - Mean Depth-averaged Level of Suspended Solids (mg/L) between Baseline monitoring period: 6/10/2011 to 31/10/2011 and Impact monitoring period: 3/1/2017 to 30/5/2017 at SR9. Weather condition within the reporting period varied between sunny to rainy. The overall monitoring results were not affected by weather conditions. Major marine construction activities included: Dredging, Reclamation filling and Construction of Vertical Seawall

