

**Contract No. HY/2012/08  
Tuen Mun – Chek Lap Kok Link –  
Northern Connection Sub-sea Tunnel  
Section**

***Fourth Quarterly Post-Translocation Coral  
Monitoring Report***

10 November 2014

**Environmental Resources Management**  
16/F, Berkshire House  
25 Westlands Road  
Quarry Bay, Hong Kong  
Telephone 2271 3000  
Facsimile 2723 5660

[www.erm.com](http://www.erm.com)

# Contract No. HY/2012/08





## Tuen Mun – Chek Lap Kok Link – Northern Connection Sub-sea Tunnel Section

**Environmental Resources Management**

16/F, Berkshire House  
25 Westlands Road  
Quarry Bay, Hong Kong  
Telephone: (852) 2271 3000  
Facsimile: (852) 2723 5660  
E-mail: post.hk@erm.com  
http://www.erm.com

*Fourth Quarterly Post-Translocation Coral Monitoring Report*

**Document Code:**  
*0212330\_4th Quarterly Coral Translocation Report\_Northern\_20141105.doc*

Client: DBJV		Project No: 0212330			
Summary:  This document presents the <i>Fourth Quarterly Post-Translocation Coral Monitoring Report</i> for Tuen Mun – Chek Lap Kok Link Northern Connection Sub-sea Tunnel Section.		Date: 10 November 2014			
		Approved by: 			
		Mr Craig Reid Partner			
		Certified by: 			
		Mr Jovy Tam ET Leader			
	Fourth Quarterly Post-Translocation Coral Monitoring Report	RC/JY	JT	CAR	10/11/14
Revision	Description	By	Checked	Approved	Date
<p>This report has been prepared by Environmental Resources Management the trading name of 'ERM Hong-Kong, Limited', with all reasonable skill, care and diligence within the terms of the Contract with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.</p> <p>We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.</p>		<p>Distribution</p> <p><input type="checkbox"/> Internal</p> <p><input checked="" type="checkbox"/> Public</p> <p><input type="checkbox"/> Confidential</p>			
		 			

Ref.: HYDZHMBEEM00\_0\_2431L.14

12 November 2014

AECOM  
Supervising Officer Representative's Office  
No.8 Mong Fat Street, Tuen Mun,  
New Territories, Hong Kong

By Fax (2293 6300) and By Post

Attention: Messrs. Edwin Ching / Andy Westmoreland

Dear Sirs,

**Re: Agreement No. CE 48/2011 (EP)  
Environmental Project Office for the  
HZMB Hong Kong Link Road, HZMB Hong Kong Boundary Crossing Facilities,  
and Tuen Mun-Chek Lap Kok Link – Investigation**

**Contract No. HY/2012/08 TM-CLKL Northern Connection Sub-sea Tunnel Section  
Fourth Quarterly Post-Translocation Coral Monitoring Report for October 2014  
(EP-354/2009/B)**

Reference is made to the Fourth Quarterly Post-Translocation Coral Monitoring Report certified by the ET Leader (ET's ref.: "0212330\_4th Quarterly Coral Translocation Report Northern\_20141105.doc" dated 10 November 2014) and provided to us via e-mail on 12 November 2014.

We are pleased to inform you that we have no adverse comments on the captioned.

Thank you for your kind attention. Please do not hesitate to contact the undersigned or the ENPO Leader Mr. Y. H. Hui should you have any query.

Yours sincerely,



F. C. Tsang  
Independent Environmental Checker  
Tuen Mun – Chek Lap Kok Link

c.c. HyD – Mr. Stephen Chan (By Fax: 3188 6614)  
HyD – Mr. Matthew Fung (By Fax: 3188 6614)  
AECOM – Mr. Conrad Ng (By Fax: 3922 9797)  
ERM – Mr. Jovy Tam (By Fax: 2723 5660)  
Dragages – Bouygues JV – Mr. C. F. Kwong (By Fax: 2293 7499)

Internal: DY, YH, ENPO Site

Q:\Projects\HYDZHMBEEM00\02\_Proj\_Mgt\02\_Corr\HYDZHMBEEM00\_0\_2431L.14.doc

## *CONTENTS*

<i>1</i>	<i>INTRODUCTION</i>	<i>1</i>
<i>1.1</i>	<i>BACKGROUND</i>	<i>1</i>
<i>1.2</i>	<i>PURPOSE OF THIS REPORT</i>	<i>1</i>
<i>1.3</i>	<i>STRUCTURE OF THIS REPORT</i>	<i>2</i>
<i>2</i>	<i>FOURTH QUARTERLY POST-TRANSLOCATION CORAL MONITORING</i>	<i>3</i>
<i>2.1</i>	<i>POST-TRANSLOCATION MONITORING METHODOLOGY</i>	<i>3</i>
<i>2.2</i>	<i>FOURTH QUARTERLY POST-TRANSLOCATION CORAL MONITORING RESULTS</i>	<i>6</i>
<i>3</i>	<i>SCHEDULE OF QUARTERLY POST-TRANSLOCATION CORAL MONITORING</i>	<i>16</i>
<i>4</i>	<i>CONCLUSION</i>	<i>17</i>
	<i>ANNEX A</i>	
	<i>PHOTOGRAPHIC RECORDS OF TAGGED TRANSLOCATED CORAL COLONIES &amp; TAGGED NATURAL CORAL COLONIES</i>	

# 1 INTRODUCTION

## 1.1 BACKGROUND

According to findings of the Northwest New Territories (NWNT) Traffic and Infrastructure Review conducted by the Transport Department, Tuen Mun Road, Ting Kau Bridge, Lantau Link and North Lantau Highway would be operating beyond capacity after 2016. This forecast has been based on the estimated increase in cross boundary traffic, developments in the NWNT, and possible developments in North Lantau, including the Airport developments, the Lantau Logistics Park (LLP) and the Hong Kong – Zhuhai – Macao Bridge (HZMB). In order to cope with the anticipated traffic demand, two new road sections between NWNT and North Lantau – Tuen Mun – Chek Lap Kok Link (TM-CLKL) and Tuen Mun Western Bypass (TMWB) are proposed.

An Environmental Impact Assessment (EIA) of TM-CLKL was prepared in accordance with the EIA Study Brief (No. ESB-175/2007) and the *Technical Memorandum of the Environmental Impact Assessment Process (EIAO-TM)*. The EIA Report was submitted under the Environmental Impact Assessment Ordinance (EIAO) in August 2009. Subsequent to the approval of the EIA Report (EIAO Register Number AEIAR-146/2009), an Environmental Permit (EP-354/2009) for TM-CLKL was granted by the Director of Environmental Protection (DEP) on 4 November 2009, and two applications of EP variation, EP-354/2009/A and EP-354/2009/B, were granted on 8 December 2010 and 28 January 2014, respectively.

Pursuant to Condition 2.6 of the EP, the Detailed Coral Translocation Methodology <sup>(1)</sup> has been submitted on 17 October 2013 and was subsequently approved by the DEP for this Contract. Coral translocation was undertaken for the coral colonies at Pillar Point from 21-23 October 2013 prior to commencement of the Northern Landfall on 1 November 2013 in order to reduce the potential marine ecological impacts by translocating movable coral colonies to the receptor site at Yam Tsai Wan. In accordance with the Detailed Coral Translocation Methodology, the translocated coral colonies as well as the tagged natural coral colonies at the receptor site will be monitored once every three (3) months for a period of 12 months after the coral translocation exercise.

## 1.2 PURPOSE OF THIS REPORT

The purpose of this *Fourth Quarterly Post-Translocation Coral Monitoring Report* is to report findings of the Fourth Quarterly Post-translocation Coral Monitoring which is undertaken at the receptor site, Yam Tsai, Wan, to monitor the updated status of translocated corals from the donor site at Pillar Point. The results of the post-translocation monitoring are reviewed with reference to findings of the pre-translocation survey in order to assess any

(1) ERM (October 2013) Detailed Coral Translocation Methodology. Prepared under Contract No. HY/2012/08 – TM-CLKL Northern Connection Submarine Tunnel Section

observable changes in status of the translocated coral colonies. Post-translocation monitoring results are also evaluated against Action and Limit Levels which are based on recorded changes in percentage of partial mortality of the corals.

### 1.3 *STRUCTURE OF THIS REPORT*

The remainder of the report is structured as follows:

***Section 2: Fourth Quarterly Post-Translocation Coral Monitoring*** - Details the methodology and results of the Fourth Quarterly Post-translocation Coral Monitoring.

***Section 3: Schedule of Quarterly Post-translocation Coral Monitoring*** - Details the schedule of the First to Fourth Quarterly Post-translocation Coral Monitoring.

***Section 4: Conclusion*** - Concludes the First to Fourth Quarterly Post-translocation Coral Monitoring results for the Contract.

## 2.1

## POST-TRANSLOCATION MONITORING METHODOLOGY

Pre-translocation surveys were undertaken at the donor site of Pillar Point and receptor site of Yam Tsai Wan to collect baseline data on translocated coral colonies from Pillar Point and natural coral colonies at Yam Tsai Wan during the coral translocation exercise in October 2013. During the pre-translocation survey, twenty-three (23) colonies of *Guaiaorgia* sp., twenty-four (24) colonies of *Oulastrea crispate* and nine (9) colonies of *Balanophyllia* sp, which were successfully translocated from Pillar Point to Yam Tsai Wan, were tagged for monitoring. In addition to the translocated coral colonies, ten (10) colonies of *Guaiaorgia* sp., ten (10) colonies of *Oulastrea crispata* and six (6) colonies of *Balanophyllia* sp. were tagged at the receptor site. Each of the tagged coral colonies was identified at least to genus levels and photographed. The following data were recorded for each tagged coral colonies during the pre-translocation survey:

- Genus/ Species;
- Size (Maximum diameter/ height);
- Mortality (%);
- Bleaching (%); and,
- Sediment (%).

During the Post-translocation Coral Monitoring, the tagged coral colonies were re-visited for monitoring using the same methodology as the pre-translocation survey. Photographic records of the translocated and natural coral colonies were taken by maintaining the same aspect and orientation as photographs taken for the pre-translocation surveys as far as possible. The adoption of the same monitoring method would allow for direct comparison of baseline pre-location data with the post-translocation monitoring data in order to determine any changes in conditions of corals. The general environmental conditions including weather, sea and tidal conditions of the coral receptor site were also monitored.

The results of the post-translocation monitoring were reviewed with reference to findings of the pre-translocation surveys undertaken at the donor and receptor sites. If observations of any die-off / abnormal conditions of the translocated corals are made during the post-translocation monitoring, the ET should inform the Contractor, Independent Environmental Checker (IEC) / Environmental Project Office (ENPO), and AFCD, and liaise with AFCD to investigate any mitigation measures needed.

Post-translocation Coral Monitoring results were evaluated against Action and Limit Levels which is based on the recorded changes in the percentage of partial mortality of the corals (*Table 2.1*). If the defined Action Level or Limit

Level for coral monitoring is exceeded, the actions set out in *Table 2.2* will be implemented.



**Table 2.1** *Action and Limit Levels for Post-Translocation Coral Monitoring*

<b>Parameter</b>	<b>Action Level Definition</b>	<b>Limit Level Definition</b>
Mortality	If during Impact Monitoring a 15% increase in the percentage of partial mortality on the corals occurs at more than 20% of the translocated coral colonies that is not recorded on the original corals at the receptor site, then the Action Level is exceeded.	If during Impact Monitoring a 25% increase in the percentage of partial mortality on the corals occurs at more than 20% of the translocated coral colonies that is not recorded on the original corals at the receptor site, then the Limit Level is exceeded.

**Table 2.2** *Event and Action Plan for Post-Translocation Coral Monitoring*

<b>Event</b>	<b>Action</b>			
	<b>ET Leader</b>	<b>IEC</b>	<b>SOR</b>	<b>Contractor</b>
Action Level Exceedance	<ol style="list-style-type: none"> <li>1. Check monitoring data</li> <li>2. Inform the IEC, SOR and Contractor of the findings;</li> <li>3. Increase the monitoring to at least once a month to confirm findings;</li> <li>4. Propose mitigation measures for consideration</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss monitoring with the ET and the Contractor;</li> <li>2. Review proposals for additional monitoring and any other measures submitted by the Contractor and advise the SOR accordingly.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with the IEC additional monitoring requirements and any other measures proposed by the ET;</li> <li>2. Make agreement on the measures to be implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the SOR and confirm notification of the non-compliance in writing;</li> <li>2. Discuss with the ET and the IEC and propose measures to the IEC and the SOR;</li> <li>3. Implement the agreed measures.</li> </ol>
Limit Level Exceedance	<ol style="list-style-type: none"> <li>1. Undertake Steps 1-4 as in the Action Level Exceedance. If further exceedance of Limit Level, propose enhancement measures for consideration.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss monitoring with the ET and the Contractor;</li> <li>2. Review proposals for additional monitoring and any other measures submitted by the Contractor and advise the SOR accordingly.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with the IEC additional monitoring requirements and any other measures proposed by the ET;</li> <li>2. Make agreement on the measures to be implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the SOR and confirm notification of the non-compliance in writing;</li> <li>2. Discuss with the ET and the IEC and propose measures to the IEC and the SOR;</li> <li>3. Implement the agreed measures.</li> </ol>

The Fourth Quarterly Post-translocation Coral Monitoring was carried out at the receptor site, Yam Tsai Wan, on 23 October 2014. The weather conditions during the survey date are summarized in *Table 2.3*. Location of the survey area at the receptor site is presented in *Figure 2.1*.

**Table 2.3** *Weather Conditions during the Fourth Quarterly Post-Translocation Coral Monitoring Survey*

Date	Location	Condition	Average Underwater Visibility
23 October 2014	Receptor site: Yam Tsai Wan	East force 5 to 6 Cloudy	Less than 0.5 m

The species, size, mortality percentage, bleaching percentage and percentage of sediment cover of the translocated coral colonies and natural coral colonies recorded during the Fourth Quarterly Post-translocation Coral Monitoring surveys are summarized in *Tables 2.4 & 2.5*. Photographic records taken during the Fourth Quarterly Post-translocation Coral Monitoring are shown in *Annex A*.

Findings of the Fourth Quarterly Post-translocation Monitoring indicated that the Action or Limit Levels for coral monitoring were not exceeded as increase in percentage of partial mortality was not detected for both the tagged translocated and natural coral colonies when comparing to the pre-translocation dataset (*Tables 2.4 & 2.5*). As such, it is considered not necessary to undertake any action in accordance with the Event and Action Plan.

Overall, findings of the Fourth Quarterly Post-translocation Monitoring did not appear to indicate any deterioration in the general health conditions of the translocated and natural coral colonies at the receptor site during this quarterly period.




Figure 2.1

Post-translocation Coral Monitoring Survey Area under both  
Contract No. HY/2012/07 and HY/2012/08

Environmental  
Resources  
Management



**Table 2.4** *Sizes, Partial Mortality, Bleaching and Sediment Cover of Tagged Translocated Coral Colonies from Donor Site, Pillar Point, recorded during the Pre-translocation, First, Second, Third and Fourth Quarterly Post-translocation Coral Monitoring Surveys*

Coral #	Species <sup>(1)</sup>	Size (cm) -		Percentage		Bleaching (%)	Sediment (%)
		Max. Diameter/ Height	Partial Mortality (%)	Increase in Partial Mortality (%) <sup>(2)</sup>			
<b>Pre-translocation Survey on 23 October 2013 at the donor site, Pillar Point</b>							
1	<i>Oulastrea crispata</i>	2	0	N/A	0	0	
2	<i>Oulastrea crispata</i>	9	0	N/A	0	2	
3	<i>Oulastrea crispata</i>	1.5	0	N/A	0	0	
4	<i>Oulastrea crispata</i>	2	0	N/A	0	0	
5	<i>Oulastrea crispata</i>	11	0	N/A	0	0	
6	<i>Oulastrea crispata</i>	8	0	N/A	0	0	
7	<i>Oulastrea crispata</i>	13	0	N/A	0	0	
8	<i>Oulastrea crispata</i>	4.5	0	N/A	0	0	
9	<i>Oulastrea crispata</i>	8	0	N/A	0	0	
10	<i>Oulastrea crispata</i>	1.5	0	N/A	0	0	
11	<i>Oulastrea crispata</i>	7.5	0	N/A	0	2	
12	<i>Oulastrea crispata</i>	1.5	0	N/A	0	0	
13	<i>Oulastrea crispata</i>	1.5	0	N/A	0	0	
14	<i>Oulastrea crispata</i>	10	0	N/A	0	0	
15	<i>Oulastrea crispata</i>	4	0	N/A	0	0	
16	<i>Oulastrea crispata</i>	5	0	N/A	0	0	
17	<i>Oulastrea crispata</i>	7	0	N/A	0	0	
18	<i>Oulastrea crispata</i>	6	0	N/A	0	1	
19	<i>Oulastrea crispata</i>	10	0	N/A	0	0	
20	<i>Oulastrea crispata</i>	2.5	0	N/A	0	0	
21	<i>Oulastrea crispata</i>	5.5	0	N/A	0	20	
22	<i>Oulastrea crispata</i>	4	0	N/A	0	0	
23	<i>Oulastrea crispata</i>	2	0	N/A	0	0	
24	<i>Oulastrea crispata</i>	4	0	N/A	0	0	
25	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0	
26	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0	
27	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0	
28	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0	
29	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0	
30	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0	
31	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0	
32	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0	
33	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0	
34	<i>Guaiagorgia</i> sp.	23	0	N/A	N/A	0	
35	<i>Guaiagorgia</i> sp.	15	0	N/A	N/A	0	
36	<i>Guaiagorgia</i> sp.	28	0	N/A	N/A	0	
37	<i>Guaiagorgia</i> sp.	18	0	N/A	N/A	0	
38	<i>Guaiagorgia</i> sp.	24	40	N/A	N/A	0	
39	<i>Guaiagorgia</i> sp.	26	10	N/A	N/A	0	
40	<i>Guaiagorgia</i> sp.	17	10	N/A	N/A	0	
41	<i>Guaiagorgia</i> sp.	18	25	N/A	N/A	0	
42	<i>Guaiagorgia</i> sp.	15	45	N/A	N/A	0	
43	<i>Guaiagorgia</i> sp.	16	35	N/A	N/A	0	
44	<i>Guaiagorgia</i> sp.	21	40	N/A	N/A	0	
45	<i>Guaiagorgia</i> sp.	26	15	N/A	N/A	0	

Coral #	Species <sup>(1)</sup>	Size (cm) - Max. Diameter/ Height	Partial Mortality (%)	Percentage Increase in Partial Mortality (%) <sup>(2)</sup>	Bleaching (%)	Sediment (%)
46	<i>Guaiagorgia</i> sp.	23	25	N/A	N/A	0
47	<i>Guaiagorgia</i> sp.	19	5	N/A	N/A	0
48	<i>Guaiagorgia</i> sp.	17	5	N/A	N/A	0
49	<i>Guaiagorgia</i> sp.	25	15	N/A	N/A	0
50	<i>Guaiagorgia</i> sp.	27	5	N/A	N/A	0
51	<i>Guaiagorgia</i> sp.	24	65	N/A	N/A	0
52	<i>Guaiagorgia</i> sp.	18	15	N/A	N/A	0
53	<i>Guaiagorgia</i> sp.	29	20	N/A	N/A	0
54	<i>Guaiagorgia</i> sp.	22	10	N/A	N/A	0
55	<i>Guaiagorgia</i> sp.	20	35	N/A	N/A	0
56	<i>Guaiagorgia</i> sp.	21	5	N/A	N/A	0

**1<sup>st</sup> Quarterly Post-Translocation Coral Monitoring Survey on 17 January 2014 at the Receptor Site, Yam Tsai Wan**

1	<i>Oulastrea crispata</i>	2	0	0	0	0
2	<i>Oulastrea crispata</i>	9	0	0	0	0
3	<i>Oulastrea crispata</i>	1.5	0	0	0	0
4	<i>Oulastrea crispata</i>	2	0	0	0	0
5	<i>Oulastrea crispata</i>	11	0	0	0	0
6	<i>Oulastrea crispata</i>	8	0	0	0	0
7	<i>Oulastrea crispata</i>	13	0	0	0	0
8	<i>Oulastrea crispata</i>	4.5	0	0	0	0
9	<i>Oulastrea crispata</i>	8	0	0	0	0
10	<i>Oulastrea crispata</i>	1.5	0	0	0	0
11	<i>Oulastrea crispata</i>	7.5	0	0	0	0
12	<i>Oulastrea crispata</i>	1.5	0	0	0	0
13	<i>Oulastrea crispata</i>	1.5	0	0	0	0
14	<i>Oulastrea crispata</i>	10	0	0	0	0
15	<i>Oulastrea crispata</i>	4	0	0	0	0
16	<i>Oulastrea crispata</i>	5	0	0	0	0
17	<i>Oulastrea crispata</i>	7	0	0	0	0
18	<i>Oulastrea crispata</i>	6	0	0	0	0
19	<i>Oulastrea crispata</i>	10	0	0	0	2
20	<i>Oulastrea crispata</i>	2.5	0	0	0	0
21	<i>Oulastrea crispata</i>	5.5	0	0	0	0
22	<i>Oulastrea crispata</i>	4	0	0	0	0
23	<i>Oulastrea crispata</i>	2	0	0	0	0
24	<i>Oulastrea crispata</i>	4	0	0	0	0
25	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
26	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
27	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
28	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
29	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
30	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
31	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
32	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
33	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
34	<i>Guaiagorgia</i> sp.	23	0	0	N/A	0
35	<i>Guaiagorgia</i> sp.	15	0	0	N/A	0
36	<i>Guaiagorgia</i> sp.	28	0	0	N/A	0
37	<i>Guaiagorgia</i> sp.	18	0	0	N/A	0
38	<i>Guaiagorgia</i> sp.	24	40	0	N/A	0
39	<i>Guaiagorgia</i> sp.	26	10	0	N/A	0
40	<i>Guaiagorgia</i> sp.	17	10	0	N/A	0
41	<i>Guaiagorgia</i> sp.	18	25	0	N/A	0
42	<i>Guaiagorgia</i> sp.	15	45	0	N/A	0
43	<i>Guaiagorgia</i> sp.	16	35	0	N/A	0
44	<i>Guaiagorgia</i> sp.	21	40	0	N/A	0

Coral #	Species <sup>(1)</sup>	Size (cm) - Max. Diameter/ Height	Partial Mortality (%)	Percentage Increase in Partial Mortality (%) <sup>(2)</sup>	Bleaching (%)	Sediment (%)
45	<i>Guaiagorgia</i> sp.	26	15	0	N/A	0
46	<i>Guaiagorgia</i> sp.	23	25	0	N/A	0
47	<i>Guaiagorgia</i> sp.	19	5	0	N/A	0
48	<i>Guaiagorgia</i> sp.	17	5	0	N/A	0
49	<i>Guaiagorgia</i> sp.	25	15	0	N/A	0
50	<i>Guaiagorgia</i> sp.	27	5	0	N/A	0
51	<i>Guaiagorgia</i> sp.	24	65	0	N/A	0
52	<i>Guaiagorgia</i> sp.	18	15	0	N/A	0
53	<i>Guaiagorgia</i> sp.	29	20	0	N/A	0
54	<i>Guaiagorgia</i> sp.	22	10	0	N/A	0
55	<i>Guaiagorgia</i> sp.	20	35	0	N/A	0
56	<i>Guaiagorgia</i> sp.	21	5	0	N/A	0

**2<sup>nd</sup> Quarterly Post-Translocation Coral Monitoring Survey on 16 April 2014 at the Receptor Site, Yam Tsai Wan**

1	<i>Oulastrea crispata</i>	2	0	0	0	0
2	<i>Oulastrea crispata</i>	9	0	0	0	1
3	<i>Oulastrea crispata</i>	1.5	0	0	0	0
4	<i>Oulastrea crispata</i>	2	0	0	0	0
5	<i>Oulastrea crispata</i>	11	0	0	0	0
6	<i>Oulastrea crispata</i>	8	0	0	0	0
7	<i>Oulastrea crispata</i>	13	0	0	0	0
8	<i>Oulastrea crispata</i>	4.5	0	0	0	0
9	<i>Oulastrea crispata</i>	8	0	0	0	0
10	<i>Oulastrea crispata</i>	1.5	0	0	0	0
11	<i>Oulastrea crispata</i>	7.5	0	0	0	0
12	<i>Oulastrea crispata</i>	1.5	0	0	0	0
13	<i>Oulastrea crispata</i>	1.5	0	0	0	0
14	<i>Oulastrea crispata</i>	10	0	0	0	0
15	<i>Oulastrea crispata</i>	4	0	0	0	0
16	<i>Oulastrea crispata</i>	5	0	0	0	0
17	<i>Oulastrea crispata</i>	7	0	0	0	0
18	<i>Oulastrea crispata</i>	6	0	0	0	0
19	<i>Oulastrea crispata</i>	10	0	0	0	1
20	<i>Oulastrea crispata</i>	2.5	0	0	0	0
21	<i>Oulastrea crispata</i>	5.5	0	0	0	0
22	<i>Oulastrea crispata</i>	4	0	0	0	0
23	<i>Oulastrea crispata</i>	2	0	0	0	0
24	<i>Oulastrea crispata</i>	4	0	0	0	0
25	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
26	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
27	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
28	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
29	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
30	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
31	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
32	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
33	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
34	<i>Guaiagorgia</i> sp.	23	0	0	N/A	0
35	<i>Guaiagorgia</i> sp.	15	0	0	N/A	0
36	<i>Guaiagorgia</i> sp.	28	0	0	N/A	0
37	<i>Guaiagorgia</i> sp.	18	0	0	N/A	0
38	<i>Guaiagorgia</i> sp.	24	40	0	N/A	0
39	<i>Guaiagorgia</i> sp.	26	10	0	N/A	0
40	<i>Guaiagorgia</i> sp.	17	10	0	N/A	0
41	<i>Guaiagorgia</i> sp.	18	25	0	N/A	0
42	<i>Guaiagorgia</i> sp.	15	45	0	N/A	0
43	<i>Guaiagorgia</i> sp.	16	35	0	N/A	0

Coral #	Species <sup>(1)</sup>	Size (cm) - Max. Diameter/ Height	Partial Mortality (%)	Percentage Increase in Partial Mortality (%) <sup>(2)</sup>	Bleaching (%)	Sediment (%)
44	<i>Guaiagorgia</i> sp.	21	40	0	N/A	0
45	<i>Guaiagorgia</i> sp.	26	15	0	N/A	0
46	<i>Guaiagorgia</i> sp.	23	25	0	N/A	0
47	<i>Guaiagorgia</i> sp.	19	5	0	N/A	0
48	<i>Guaiagorgia</i> sp.	17	5	0	N/A	0
49	<i>Guaiagorgia</i> sp.	25	15	0	N/A	0
50	<i>Guaiagorgia</i> sp.	27	5	0	N/A	0
51	<i>Guaiagorgia</i> sp.	24	65	0	N/A	0
52	<i>Guaiagorgia</i> sp.	18	15	0	N/A	0
53	<i>Guaiagorgia</i> sp.	29	20	0	N/A	0
54	<i>Guaiagorgia</i> sp.	22	10	0	N/A	0
55	<i>Guaiagorgia</i> sp.	20	35	0	N/A	0
56	<i>Guaiagorgia</i> sp.	21	5	0	N/A	0

**3<sup>rd</sup> Quarterly Post-Translocation Coral Monitoring Survey on 24 July 2014 at the Receptor Site, Yam Tsai Wan**

1	<i>Oulastrea crispata</i>	2	0	0	0	0
2	<i>Oulastrea crispata</i>	9	0	0	0	0
3	<i>Oulastrea crispata</i>	1.5	0	0	0	0
4	<i>Oulastrea crispata</i>	2	0	0	0	0
5	<i>Oulastrea crispata</i>	11	0	0	0	0
6	<i>Oulastrea crispata</i>	8	0	0	0	0
7	<i>Oulastrea crispata</i>	13	0	0	0	0
8	<i>Oulastrea crispata</i>	4.5	0	0	0	0
9	<i>Oulastrea crispata</i>	8	0	0	0	0
10	<i>Oulastrea crispata</i>	1.5	0	0	0	0
11	<i>Oulastrea crispata</i>	7.5	0	0	0	0
12	<i>Oulastrea crispata</i>	1.5	0	0	0	0
13	<i>Oulastrea crispata</i>	1.5	0	0	0	0
14	<i>Oulastrea crispata</i>	10	0	0	0	0
15	<i>Oulastrea crispata</i>	4	0	0	0	0
16	<i>Oulastrea crispata</i>	5	0	0	0	0
17	<i>Oulastrea crispata</i>	7	0	0	0	0
18	<i>Oulastrea crispata</i>	6	0	0	0	1
19	<i>Oulastrea crispata</i>	10	0	0	0	1
20	<i>Oulastrea crispata</i>	2.5	0	0	0	0
21	<i>Oulastrea crispata</i>	5.5	0	0	0	0
22	<i>Oulastrea crispata</i>	4	0	0	0	0
23	<i>Oulastrea crispata</i>	2	0	0	0	0
24	<i>Oulastrea crispata</i>	4	0	0	0	0
25	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
26	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
27	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
28	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
29	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
30	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
31	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
32	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
33	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
34	<i>Guaiagorgia</i> sp.	23	0	0	N/A	0
35	<i>Guaiagorgia</i> sp.	15	0	0	N/A	0
36	<i>Guaiagorgia</i> sp.	28	0	0	N/A	0
37	<i>Guaiagorgia</i> sp.	18	0	0	N/A	0
38	<i>Guaiagorgia</i> sp.	24	40	0	N/A	0
39	<i>Guaiagorgia</i> sp.	26	10	0	N/A	0
40	<i>Guaiagorgia</i> sp.	17	10	0	N/A	0
41	<i>Guaiagorgia</i> sp.	18	25	0	N/A	0
42	<i>Guaiagorgia</i> sp.	15	45	0	N/A	0

Coral #	Species <sup>(1)</sup>	Size (cm) - Max. Diameter/ Height	Partial Mortality (%)	Percentage Increase in Partial Mortality (%) <sup>(2)</sup>	Bleaching (%)	Sediment (%)
43	<i>Guaiagorgia</i> sp.	16	35	0	N/A	0
44	<i>Guaiagorgia</i> sp.	21	40	0	N/A	0
45	<i>Guaiagorgia</i> sp.	26	15	0	N/A	0
46	<i>Guaiagorgia</i> sp.	23	25	0	N/A	0
47	<i>Guaiagorgia</i> sp.	19	5	0	N/A	0
48	<i>Guaiagorgia</i> sp.	17	5	0	N/A	0
49	<i>Guaiagorgia</i> sp.	25	15	0	N/A	0
50	<i>Guaiagorgia</i> sp.	27	5	0	N/A	0
51	<i>Guaiagorgia</i> sp.	24	65	0	N/A	0
52	<i>Guaiagorgia</i> sp.	18	15	0	N/A	0
53	<i>Guaiagorgia</i> sp.	29	20	0	N/A	0
54	<i>Guaiagorgia</i> sp.	22	10	0	N/A	0
55	<i>Guaiagorgia</i> sp.	20	35	0	N/A	0
56	<i>Guaiagorgia</i> sp.	21	5	0	N/A	0

**4<sup>th</sup> Quarterly Post-Translocation Coral Monitoring Survey on 23 October 2014 at the Receptor Site, Yam Tsai Wan**

1	<i>Oulastrea crispata</i>	2	0	0	0	0
2	<i>Oulastrea crispata</i>	9	0	0	0	0
3	<i>Oulastrea crispata</i>	1.5	0	0	0	0
4	<i>Oulastrea crispata</i>	2	0	0	0	0
5	<i>Oulastrea crispata</i>	11	0	0	0	0
6	<i>Oulastrea crispata</i>	8	0	0	0	0
7	<i>Oulastrea crispata</i>	13	0	0	0	0
8	<i>Oulastrea crispata</i>	4.5	0	0	0	0
9	<i>Oulastrea crispata</i>	8	0	0	0	0
10	<i>Oulastrea crispata</i>	1.5	0	0	0	0
11	<i>Oulastrea crispata</i>	7.5	0	0	0	0
12	<i>Oulastrea crispata</i>	1.5	0	0	0	0
13	<i>Oulastrea crispata</i>	1.5	0	0	0	0
14	<i>Oulastrea crispata</i>	10	0	0	0	0
15	<i>Oulastrea crispata</i>	4	0	0	0	0
16	<i>Oulastrea crispata</i>	5	0	0	0	0
17	<i>Oulastrea crispata</i>	7	0	0	0	0
18	<i>Oulastrea crispata</i>	6	0	0	0	1
19	<i>Oulastrea crispata</i>	10	0	0	0	0
20	<i>Oulastrea crispata</i>	2.5	0	0	0	0
21	<i>Oulastrea crispata</i>	5.5	0	0	0	0
22	<i>Oulastrea crispata</i>	4	0	0	0	0
23	<i>Oulastrea crispata</i>	2	0	0	0	0
24	<i>Oulastrea crispata</i>	4	0	0	0	0
25	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
26	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
27	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
28	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
29	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
30	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
31	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
32	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
33	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
34	<i>Guaiagorgia</i> sp.	23	0	0	N/A	0
35	<i>Guaiagorgia</i> sp.	15	0	0	N/A	0
36	<i>Guaiagorgia</i> sp.	28	0	0	N/A	0
37	<i>Guaiagorgia</i> sp.	18	0	0	N/A	0
38	<i>Guaiagorgia</i> sp.	24	40	0	N/A	0
39	<i>Guaiagorgia</i> sp.	26	10	0	N/A	0
40	<i>Guaiagorgia</i> sp.	17	10	0	N/A	0
41	<i>Guaiagorgia</i> sp.	18	25	0	N/A	0



Coral #	Species <sup>(1)</sup>	Size (cm) - Max. Diameter/ Height	Partial Mortality (%)	Percentage Increase in Partial Mortality (%) <sup>(2)</sup>	Bleaching (%)	Sediment (%)
42	<i>Guaiagorgia</i> sp.	15	45	0	N/A	0
43	<i>Guaiagorgia</i> sp.	16	35	0	N/A	0
44	<i>Guaiagorgia</i> sp.	21	40	0	N/A	0
45	<i>Guaiagorgia</i> sp.	26	15	0	N/A	0
46	<i>Guaiagorgia</i> sp.	23	25	0	N/A	0
47	<i>Guaiagorgia</i> sp.	19	5	0	N/A	0
48	<i>Guaiagorgia</i> sp.	17	5	0	N/A	0
49	<i>Guaiagorgia</i> sp.	25	15	0	N/A	0
50	<i>Guaiagorgia</i> sp.	27	5	0	N/A	0
51	<i>Guaiagorgia</i> sp.	24	65	0	N/A	0
52	<i>Guaiagorgia</i> sp.	18	15	0	N/A	0
53	<i>Guaiagorgia</i> sp.	29	20	0	N/A	0
54	<i>Guaiagorgia</i> sp.	22	10	0	N/A	0
55	<i>Guaiagorgia</i> sp.	20	35	0	N/A	0
56	<i>Guaiagorgia</i> sp.	21	5	0	N/A	0

(1) Data present for *Balanophyllia* sp. are representing all *Balanophyllia* sp. colonies found on the boulder.

(2) Represents percentage increase in partial mortality from the Pre-translocation to the Post-translocation Coral Monitoring Surveys.

(3) N/A = Not Applicable

**Table 2.5** *Sizes, Partial Mortality, Bleaching and Sediment Cover of Tagged Natural Coral Colonies at the Receptor Site, Yam Tsai Wan, recorded during the Pre-translocation, First, Second, Third and Fourth Quarterly Post-translocation Coral Monitoring Surveys*

Coral #	Species <sup>(1)</sup>	Size (cm) - Max. Diameter/ Height	Partial Mortality (%)	Percentage Increase in Partial Mortality <sup>(%)</sup> (2)	Bleaching (%)	Sediment (%)
<b>Pre-translocation Survey on 23 October 2013 at the Receptor Site, Yam Tsai Wan</b>						
1	<i>Guaiagorgia</i> sp.	25	5	N/A	N/A	0
2	<i>Guaiagorgia</i> sp.	32	35	N/A	N/A	0
3	<i>Guaiagorgia</i> sp.	28	15	N/A	N/A	0
4	<i>Guaiagorgia</i> sp.	38	25	N/A	N/A	0
5	<i>Guaiagorgia</i> sp.	27	40	N/A	N/A	0
6	<i>Guaiagorgia</i> sp.	28	25	N/A	N/A	0
7	<i>Guaiagorgia</i> sp.	21	10	N/A	N/A	0
8	<i>Guaiagorgia</i> sp.	26	30	N/A	N/A	0
9	<i>Guaiagorgia</i> sp.	19	50	N/A	N/A	0
10	<i>Guaiagorgia</i> sp.	35	35	N/A	N/A	0
11	<i>Oulastrea crispata</i>	22	0	N/A	0	20
12	<i>Oulastrea crispata</i>	14	0	N/A	0	10
13	<i>Oulastrea crispata</i>	16	0	N/A	0	5
14	<i>Oulastrea crispata</i>	19	0	N/A	0	0
15	<i>Oulastrea crispata</i>	14	0	N/A	0	5
16	<i>Oulastrea crispata</i>	6	0	N/A	0	0
17	<i>Oulastrea crispata</i>	18	0	N/A	0	20
18	<i>Oulastrea crispata</i>	5.5	0	N/A	0	5
19	<i>Oulastrea crispata</i>	20	0	N/A	0	30
20	<i>Oulastrea crispata</i>	23	0	N/A	0	5
21	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0
22	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0
23	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0
24	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0
25	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0
26	<i>Balanophyllia</i> sp.	<0.5	0	N/A	0	0
<b>1<sup>st</sup> Quarterly Post-Translocation Coral Monitoring Survey on 17 January 2014 at the Receptor Site, Yam Tsai Wan</b>						
1	<i>Guaiagorgia</i> sp.	25	5	0	N/A	0
2	<i>Guaiagorgia</i> sp.	32	35	0	N/A	0
3	<i>Guaiagorgia</i> sp.	28	15	0	N/A	0
4	<i>Guaiagorgia</i> sp.	38	25	0	N/A	0
5	<i>Guaiagorgia</i> sp.	27	40	0	N/A	0
6	<i>Guaiagorgia</i> sp.	28	25	0	N/A	0
7	<i>Guaiagorgia</i> sp.	21	10	0	N/A	0
8	<i>Guaiagorgia</i> sp.	26	30	0	N/A	0
9	<i>Guaiagorgia</i> sp.	19	50	0	N/A	0
10	<i>Guaiagorgia</i> sp.	35	35	0	N/A	0
11	<i>Oulastrea crispata</i>	22	0	0	0	15
12	<i>Oulastrea crispata</i>	14	0	0	0	10
13	<i>Oulastrea crispata</i>	16	0	0	0	0
14	<i>Oulastrea crispata</i>	19	0	0	0	0
15	<i>Oulastrea crispata</i>	14	0	0	0	5
16	<i>Oulastrea crispata</i>	6	0	0	0	0
17	<i>Oulastrea crispata</i>	18	0	0	0	15

Coral #	Species <sup>(1)</sup>	Size (cm) - Max. Diameter/ Height	Partial Mortality (%)	Percentage Increase in Partial Mortality (%) <sup>(2)</sup>	Bleaching (%)	Sediment (%)
18	<i>Oulastrea crispata</i>	5.5	0	0	0	5
19	<i>Oulastrea crispata</i>	20	0	0	0	20
20	<i>Oulastrea crispata</i>	23	0	0	0	5
21	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
22	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
23	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
24	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
25	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
26	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0

**2<sup>nd</sup> Quarterly Post-Translocation Coral Monitoring Survey on 16 April 2014 at the Receptor Site, Yam Tsai Wan**

1	<i>Guaiagorgia</i> sp.	25	5	0	N/A	0
2	<i>Guaiagorgia</i> sp.	32	35	0	N/A	0
3	<i>Guaiagorgia</i> sp.	28	15	0	N/A	0
4	<i>Guaiagorgia</i> sp.	38	25	0	N/A	0
5	<i>Guaiagorgia</i> sp.	27	40	0	N/A	0
6	<i>Guaiagorgia</i> sp.	28	25	0	N/A	0
7	<i>Guaiagorgia</i> sp.	21	10	0	N/A	0
8	<i>Guaiagorgia</i> sp.	26	30	0	N/A	0
9	<i>Guaiagorgia</i> sp.	19	50	0	N/A	0
10	<i>Guaiagorgia</i> sp.	35	35	0	N/A	0
11	<i>Oulastrea crispata</i>	22	0	0	0	20
12	<i>Oulastrea crispata</i>	14	0	0	0	15
13	<i>Oulastrea crispata</i>	16	0	0	0	0
14	<i>Oulastrea crispata</i>	19	0	0	0	0
15	<i>Oulastrea crispata</i>	14	0	0	0	5
16	<i>Oulastrea crispata</i>	6	0	0	0	0
17	<i>Oulastrea crispata</i>	18	0	0	0	15
18	<i>Oulastrea crispata</i>	5.5	0	0	0	5
19	<i>Oulastrea crispata</i>	20	0	0	0	20
20	<i>Oulastrea crispata</i>	23	0	0	0	5
21	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
22	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
23	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
24	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
25	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
26	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0

**3<sup>rd</sup> Quarterly Post-Translocation Coral Monitoring Survey on 24 July 2014 at the Receptor Site, Yam Tsai Wan**

1	<i>Guaiagorgia</i> sp.	25	5	0	N/A	0
2	<i>Guaiagorgia</i> sp.	32	35	0	N/A	0
3	<i>Guaiagorgia</i> sp.	28	15	0	N/A	0
4	<i>Guaiagorgia</i> sp.	38	25	0	N/A	0
5	<i>Guaiagorgia</i> sp.	27	40	0	N/A	0
6	<i>Guaiagorgia</i> sp.	28	25	0	N/A	0
7	<i>Guaiagorgia</i> sp.	21	10	0	N/A	0
8	<i>Guaiagorgia</i> sp.	26	30	0	N/A	0
9	<i>Guaiagorgia</i> sp.	19	50	0	N/A	0
10	<i>Guaiagorgia</i> sp.	35	35	0	N/A	0
11	<i>Oulastrea crispata</i>	22	0	0	0	15
12	<i>Oulastrea crispata</i>	14	0	0	0	10
13	<i>Oulastrea crispata</i>	16	0	0	0	0
14	<i>Oulastrea crispata</i>	19	0	0	0	0
15	<i>Oulastrea crispata</i>	14	0	0	0	5
16	<i>Oulastrea crispata</i>	6	0	0	0	0
17	<i>Oulastrea crispata</i>	18	0	0	0	10
18	<i>Oulastrea crispata</i>	5.5	0	0	0	5
19	<i>Oulastrea crispata</i>	20	0	0	0	25

Coral #	Species <sup>(1)</sup>	Size (cm) - Max. Diameter/ Height	Partial Mortality (%)	Percentage Increase in Partial Mortality (%) <sup>(2)</sup>	Bleaching (%)	Sediment (%)
20	<i>Oulastrea crispata</i>	23	0	0	0	5
21	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
22	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
23	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
24	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
25	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
26	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
<b>4<sup>th</sup> Quarterly Post-Translocation Coral Monitoring Survey on 23 October 2014 at the Receptor Site, Yam Tsai Wan</b>						
1	<i>Guaiagorgia</i> sp.	25	5	0	N/A	0
2	<i>Guaiagorgia</i> sp.	32	35	0	N/A	0
3	<i>Guaiagorgia</i> sp.	28	15	0	N/A	0
4	<i>Guaiagorgia</i> sp.	38	25	0	N/A	0
5	<i>Guaiagorgia</i> sp.	27	40	0	N/A	0
6	<i>Guaiagorgia</i> sp.	28	25	0	N/A	0
7	<i>Guaiagorgia</i> sp.	21	10	0	N/A	0
8	<i>Guaiagorgia</i> sp.	26	30	0	N/A	0
9	<i>Guaiagorgia</i> sp.	19	50	0	N/A	0
10	<i>Guaiagorgia</i> sp.	35	35	0	N/A	0
11	<i>Oulastrea crispata</i>	22	0	0	0	10
12	<i>Oulastrea crispata</i>	14	0	0	0	10
13	<i>Oulastrea crispata</i>	16	0	0	0	0
14	<i>Oulastrea crispata</i>	19	0	0	0	0
15	<i>Oulastrea crispata</i>	14	0	0	0	5
16	<i>Oulastrea crispata</i>	6	0	0	0	0
17	<i>Oulastrea crispata</i>	18	0	0	0	15
18	<i>Oulastrea crispata</i>	5.5	0	0	0	5
19	<i>Oulastrea crispata</i>	20	0	0	0	20
20	<i>Oulastrea crispata</i>	23	0	0	0	5
21	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
22	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
23	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
24	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
25	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0
26	<i>Balanophyllia</i> sp.	<0.5	0	0	0	0

(1) Data present for *Balanophyllia* sp. are representing all *Balanophyllia* sp. colonies found on the boulder.

(2) Represents percentage increase in partial mortality from the Pre-translocation Surveys to the Post-translocation Coral Monitoring Surveys.

(3) N/A = Not Applicable

### ***SCHEDULE OF QUARTERLY POST-TRANSLOCATION CORAL MONITORING***

Post-Translocation Coral Monitoring has been conducted every three (3) months for a period of 12 months. The First to Fourth Quarterly Post-translocation Coral Monitoring are completed and the monitoring dates are listed in *Table 3.1* below.

***Table 3.1 Schedule of First to Fourth Quarterly Post-Translocation Coral Monitoring***

<b>Post-Translocation Monitoring Survey</b>	<b>Timing</b>
1 <sup>st</sup> Quarterly Monitoring	3 months after the translocation works - conducted on 17 January 2014
2 <sup>nd</sup> Quarterly Monitoring	6 months after the translocation works - conducted on 16 April 2014
3 <sup>rd</sup> Quarterly Monitoring	9 months after the translocation works - conducted on 24 July 2014
4 <sup>th</sup> Quarterly Monitoring	12 months after the translocation works - conducted on 23 October 2014

Note:

Shaded cell indicates completed quarterly monitoring.

The Fourth Quarterly Post-Translocation Coral Monitoring has been carried out on 23 October 2014 at the receptor site, Yam Tsai Wan, as per the requirements stipulated in the *Detailed Coral Translocation Methodology*. During the monitoring, 56 translocated coral colonies and 26 natural coral colonies were re-visited and monitored at the receptor site, Yam Tsai Wan. The conditions of the translocated and natural coral colonies during the Fourth Quarterly Post-Translocation Coral Monitoring are compared with the pre-translocation conditions which were recorded during the coral translocation exercise in October 2013.











Action and Limit Levels for the partial mortality of tagged corals were established based on the Pre-translocation Coral Monitoring results. By evaluating against the derived Action and Limit Levels, no exceedances of the Action and Limit Levels were identified during the Fourth Quarterly Post-Translocation Coral Monitoring on 23 October 2014. It is thus did not appear to be any deterioration in the general conditions of the translocated and natural coral colonies at the receptor site, Yam Tsai Wan.

Overall, the coral translocation exercise is considered to be undertaken successfully as the translocated corals did not show any sign of deterioration in condition at the receptor site during the First to Forth Quarterly Post-translocation Coral Monitoring survey.











Annex A











Photographic Records of  
Tagged Translocated Coral  
Colonies & Tagged Natural  
Coral Colonies











*Photographic Records of Tagged Translocated Coral Colonies from the Donor Site, Pillar Point*











Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
1		
2		
3		
4		
5		























Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
6		
7		
8		
9		
10		



Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
11	 <p>Underwater photograph of coral site PP11 before translocation. A white label with 'PP11' in red is held over a dark, circular coral patch on a sandy seabed.</p>	 <p>Underwater photograph of coral site PP11 four quarters after translocation. The coral patch is still present, and the 'PP11' label is held in the same position for comparison.</p>
12	 <p>Underwater photograph of coral site PP12 before translocation. A white label with 'PP12' in red is held over a coral patch on a greenish seabed.</p>	 <p>Underwater photograph of coral site PP12 four quarters after translocation. The coral patch is visible, and the 'PP12' label is held in the same position.</p>
13	 <p>Underwater photograph of coral site PP13 before translocation. A white label with 'PP13' in red is held over a coral patch on a greenish seabed.</p>	 <p>Underwater photograph of coral site PP13 four quarters after translocation. The coral patch is visible, and the 'PP13' label is held in the same position.</p>
14	 <p>Underwater photograph of coral site PP14 before translocation. A white label with 'PP14' in red is held over a coral patch on a greenish seabed.</p>	 <p>Underwater photograph of coral site PP14 four quarters after translocation. The coral patch is visible, and the 'PP14' label is held in the same position.</p>
15	 <p>Underwater photograph of coral site PP15 before translocation. A white label with 'PP15' in red is held over a coral patch on a greenish seabed.</p>	 <p>Underwater photograph of coral site PP15 four quarters after translocation. The coral patch is visible, and the 'PP15' label is held in the same position.</p>











Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
16		
17		
18		
19		
20		

Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
21		
22		
23		
24		
25		











Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
26		
27		
28		
29		
30		











Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
31		
32		
33		
34		
35		



Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
36		
37		
38		
39		
40		











Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
41	 <p>Underwater photograph of coral P41. A white tag with the red text 'P41' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>	 <p>Underwater photograph of coral PP41. A white tag with the red text 'PP41' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>
42	 <p>Underwater photograph of coral PP42. A white tag with the red text 'PP42' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>	 <p>Underwater photograph of coral P42. A white tag with the red text 'P42' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>
43	 <p>Underwater photograph of coral P43. A white tag with the red text 'P43' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>	 <p>Underwater photograph of coral PP43. A white tag with the red text 'PP43' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>
44	 <p>Underwater photograph of coral PP44. A white tag with the red text 'PP44' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>	 <p>Underwater photograph of coral PP44. A white tag with the red text 'PP44' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>
45	 <p>Underwater photograph of coral PP45. A white tag with the red text 'PP45' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>	 <p>Underwater photograph of coral PP45. A white tag with the red text 'PP45' is attached to the coral. The coral appears healthy and is situated on a dark, sandy seabed.</p>























Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
46		
47		
48		
49		
50		











Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
51		
52		
53		
54		
55		











Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
56		

Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
1		
2		
3		
4		
5		

Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
6		
7		
8		
9		
10		

Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
11		
12		
13		
14		
15		

Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
16		
17		
18		
19		
20		

Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
21		
22		
23		
24		
25		



Coral #	Pre-translocation Coral Monitoring	4 <sup>th</sup> Quarterly Post-Translocation Coral Monitoring
26	