Appendix J

Cumulative Statistics on Exceedances, Complaints, Notifications of Summons and Successful Prosecutions

Appendix J1 Cumulative Statistics on Exceedances

		Total No. recorded in this reporting month	Total No. recorded since contract commencement
1-Hr TSP	Action	2	27
	Limit	1	3
24-Hr TSP	Action	0	2
	Limit	0	0

Appendix J2 Cumulative Statistics on Complaints, Notifications of Summons and Successful Prosecutions

Reporting Period	Cumulative Statistics				
	Complaints	Notifications of	Successful		
		Summons	Prosecutions		
This Reporting Month (July 2019)	0	0	0		
Total No. received since contract commencement	1	0	0		

Email message

Environmental Resources Management

To Ramboll Hong Kong Limited (ENPO)

2507, 25/F One Harbourfront, 18 Tak Fung Street, Hung Hom, Hong Kong

From ERM- Hong Kong, Limited

Hung Hom, Hong Kong Telephone: (852) 2271 3113 Facsimile: (852) 2723 5660 E-mail: jasmine.ng@erm.com

Ref/Project number Contract No. HY/2017/10

Tuen Mun – Chek Lap Kok Link – Northern Connection Tunnel Buildings, Electrical and

Mechanical Works

Subject Notification of Exceedance for Air Quality

Impact Monitoring

Date 24 July 2019



Dear Sir/ Madam,

Please find attached the Notification of Exceedance (NOE) of the following Log no.:

Action Level Exceedance 0463091_10July2019_1hrTSP_Station ASR6

One (1) exceedance was recorded on 10 July 2019.

Regards,

Dr Jasmine Ng

Environmental Team Leader

CONFIDENTIALITY NOTICE

This facsimile transmission is intended only for the use of the addressee and is confidential. If you are not the addressee it may be unlawful for you to read, copy, distribute, disclose or otherwise use the information in this facsimile. If you are not the intended recipient, please telephone or fax us immediately.



ERM-Hong Kong, Limited

CONTRACT NO. HY/2017/10 TUEN MUN - CHEK LAP KOK LINK NORTHERN CONNECTION TUNNEL BUILDINGS, ELECTRICAL AND MECHANICAL WORKS

Air Quality Impact Monitoring

Notification of Exceedance

Log No.	Action Level Exceedance			
	0463091_10July2019_1hrTSP_Station ASR6			
	[Total No. of Exceedances = 1]			
Date		10 July 2019 (Measured)		
	19 Ju	ly 2019 (Results obtained from ENPO Website)		
Monitoring Station		ASR1, ASR5, ASR6, ASR10, AQMS1		
Parameter(s) with		4 1 TCD		
Exceedance(s)		1- hr TSP		
Action Levels	1-hr TSP (μg/m³)	ASR1 = 331		
		ASR5 = 340		
		ASR6 = 338		
		ASR10 = 335 AQMS1 = 337		
	24-hr TSP (μg/m³)	ASR1 = 213		
	24-11 131 (μg/ 110)	ASR5 = 238		
		ASR6 = 238		
		ASR10 = 214		
		AQMS1 = 213		
Limit Levels	1-hr TSP (μ g/m³)	500		
	24-hr TSP (μg/m³)	260		
Measured Levels	Refer to the attached data she	eet u 2 12		
Works Undertaken (at	Works undertaken under this Contract on 10 July included:			
the time of monitoring	Building structure at Administration Building, Maintenance Depot, Customs and Excise			
event)	Building and Fire Services Building (refer to Contractor's photo)			
Possible Reason for	The exceedances are unlikely to be due to the Contract, in view of the following:			
Action or Limit Level	Apart from exceedance of 1-hr TSP at ASR6 during 14:15-15:15 on 10 July 2019, all 1-hr TSP			
Exceedance(s)	levels and 24-hr TSP levels at all monitoring stations were in compliance with the Action and			
()	Limit Levels on the same day.			
	With reference to the recorded wind direction (ranged between 198° and 272° when 1-hr TSP)			
	exceedance was recorded blowing from a southerly to westerly direction) during the works			
	, , , ,			
	period, ASR6 is located downstream of the Toll Control Building, Administration Building			
	and Maintenance Depot. However, building structure was conducted at the Administration			
	Building and Maintenance Depot which are not major dust generating works.			
	There are no major unpaved road in the site area of Northern Landfall under this Contract.			
	In addition, all road are paved at Toll Control Building.			
	Based on the above, the exceedances are unlikely to be due to the Contract.			
Actions Taken / To Be	The Contractor has been reminded to ensure all dust suppression measures are implemented at the			
Taken		or for future trends in exceedances.		
Remarks	Ü	July and locations of air quality monitoring stations are attached. The		
	location of the works area und	der this Contract is attached. The attached wind data on 10 July 2019		
	is sourced from Contract No. F	HY/2012/08 for reference.		
Remarks	location of the works area und	der this Contract is attached. The attached wind data on 10 July 2019		

Results of Air Quality Monitoring

		Date (yyyy-mm-		Time (hh:mm,			
Project	Contract	dd)	Station	24hour)	Parameter	Results	Unit
TMCLKL	HY/2012/08	2019-07-10	AQMS1	13:49	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2019-07-10	AQMS1	14:51	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2019-07-10	AQMS1	15:53	1-hour TSP	29	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR1	13:37	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR1	14:39	1-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR1	15:41	1-hour TSP	21	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR10	13:02	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR10	14:04	1-hour TSP	151	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR10	15:06	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR5	13:25	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR5	14:27	1-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR5	15:29	1-hour TSP	19	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR6	13:13	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR6	14:15	1-hour TSP	372	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR6	15:17	1-hour TSP	30	ug/m3
TMCLKL	HY/2012/08	2019-07-10	AQMS1	16:55	24-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR1	16:43	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR10	16:08	24-hour TSP	27	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR5	16:31	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR6	16:19	24-hour TSP	40	ug/m3

Note: Indicates Exceedance of Action Level
Indicates Exceedance of Limit Level

PHOTO BY CONTRACTOR ON 10 JULY 2019

Photo 1- Paved road at works area of Toll Control Building (10 July 2019)





Photo 2 - Building structure was conducted at works area of Maintenance Depot (10 July 2019)



Meteorological Data for Impact Monitoring in the reporting period*					
Date (yy-mm-dd)	Time (24hrs)	Average of Wind Speed (m/s)	Average of Wind Director (degree)		
19/07/10	0:00	0.9	195		
19/07/10	1:00	0.9	235		
19/07/10	2:00	1.8	197		
19/07/10	3:00	2.2	194		
19/07/10	4:00	1.3	223		
19/07/10	5:00	0.4	203		
19/07/10	6:00	1.8	200		
19/07/10	7:00	1.8	192		
19/07/10	8:00	1.8	195		
19/07/10	9:00	1.3	223		
19/07/10	10:00	2.7	193		
19/07/10	11:00	1.8	203		
19/07/10	12:00	3.6	203		
19/07/10	13:00	1.3	268		
19/07/10	14:00	3.1	198		
19/07/10	15:00	0.9	272		
19/07/10	16:00	0	274		
19/07/10	17:00	0	265		
19/07/10	18:00	0	304		
19/07/10	19:00	0	126		
19/07/10	20:00	0.9	63		
19/07/10	21:00	0.9	96		
19/07/10	22:00	0.9	59		
19/07/10	23:00	0.4	62		

^{*}Wind data is sourced from Contract No. HY/2012/08 Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section





Email message

Environmental Resources Management

To Ramboll Hong Kong Limited (ENPO)

2507, 25/F One Harbourfront, 18 Tak Fung Street,

From ERM- Hong Kong, Limited

18 Tak Fung Street, Hung Hom, Hong Kong Telephone: (852) 2271 3113 Facsimile: (852) 2723 5660 E-mail: jasmine.ng@erm.com

Ref/Project number Contract No. HY/2017/10

Tuen Mun – Chek Lap Kok Link – Northern Connection Tunnel Buildings, Electrical and

Mechanical Works

Subject Notification of Exceedance for Air Quality

Impact Monitoring

Date 13 August 2019



Dear Sir/ Madam,

Please find attached the Notification of Exceedance (NOE) of the following Log no.:

<u>Action Level Exceedance</u> 0463091_28July2019_1hrTSP_Station ASR5

Limit Level Exceedance 0463091_28July2019_1hrTSP_Station ASR1

Two (2) exceedances were recorded on 28 July 2019.

Regards,

Dr Jasmine Ng

Environmental Team Leader

CONFIDENTIALITY NOTICE

This facsimile transmission is intended only for the use of the addressee and is confidential. If you are not the addressee it may be unlawful for you to read, copy, distribute, disclose or otherwise use the information in this facsimile. If you are not the intended recipient, please telephone or fax us immediately.



ERM-Hong Kong, Limited

CONTRACT NO. HY/2017/10 TUEN MUN - CHEK LAP KOK LINK NORTHERN CONNECTION TUNNEL BUILDINGS, ELECTRICAL AND MECHANICAL WORKS

Air Quality Impact Monitoring


Notification of Exceedance

Log No.	Action Level Exceedance			
	0463091_28July2019_1hrTSP_Station ASR5			
	<u>Limit Level Exceedance</u>			
	04	463091_28July2019_1hrTSP_Station ASR1		
	[Total No. of Exceedances = 2]			
Date		28 July 2019 (Measured)		
	13 Aug	ust 2019 (Results obtained from ENPO Website)		
Monitoring Station		ASR1, ASR5, ASR6, ASR10, AQMS1		
Parameter(s) with		1- hr TSP		
Exceedance(s)		1- Nr 15r		
Action Levels	1-hr TSP (μg/m³)	ASR1 = 331		
		ASR5 = 340		
		ASR6 = 338		
		ASR10 = 335 ACMC1 = 237		
	AQMS1 = 337 24-hr TSP (μ g/m ³) ASR1 = 213			
	24-hr TSP (μ g/m ³) ASR1 = 213 ASR5 = 238			
	ASRS = 238			
	ASR10 = 214			
	AQMS1 = 213			
Limit Levels	1-hr TSP (μg/m³)	500		
	24-hr TSP (μg/m³)	260		
Measured Levels	Refer to the attached data sheet (Data are source from Contract No. HY/2012/08).			
Works Undertaken (at	No Works were undertaken under this Contract on 28 July 2019.			
the time of monitoring				
event)				
Possible Reason for	The exceedances are unlikely to be due to the Contract, in view of the following:			
Action or Limit Level	According to the construction information provided by the Contractor, no construction			
Exceedance(s)	works was carried out on site on 28 July 2019.			
	There are no major unpaved road and no exposed area under this Contract.			
	Based on the above, the exceedances are unlikely to be due to the Contract.			
Actions Taken / To Be	The Contractor has been reminded to ensure all dust suppression measures are implemented at the			
Taken	site area. The ET will monitor for future trends in exceedances.			
Remarks	The monitoring results on 28 J	uly and locations of air quality monitoring stations are attached. The		
	attached wind data on 28 July 2019 is sourced from <i>Contract No. HY/2012/08</i> for reference.			
	<u> </u>	, ,		

Results of Air Quality Monitoring

		Date (yyyy-mm-		Time (hh:mm,			
Project	Contract	dd)	Station	24hour)	Parameter	Results	Unit
TMCLKL	HY/2012/08	2019-07-28	AQMS1	8:51	1-hour TSP	37	ug/m3
TMCLKL	HY/2012/08	2019-07-28	AQMS1	9:33	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2019-07-28	AQMS1	10:55	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR1	8:40	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR1	9:42	1-hour TSP	646	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR1	10:44	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR10	8:05	1-hour TSP	21	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR10	9:07	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR10	10:09	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR5	8:28	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR5	9:30	1-hour TSP	410	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR5	10:32	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR6	8:16	1-hour TSP	37	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR6	9:18	1-hour TSP	175	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR6	10:20	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2019-07-28	AQMS1	11:57	24-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR1	11:46	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR10	11:11	24-hour TSP	23	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR5	11:34	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR6	11:22	24-hour TSP	32	ug/m3

Note: Indicates Exceedance of Action Level Indicates Exceedance of Limit Level



Meteorological Data for Impact Monitoring in the reporting period*					
			Average of Wind Director (degree)		
19/07/28	0:00	0	-		
19/07/28	1:00	0	-		
19/07/28	2:00	0	-		
19/07/28	3:00	0	-		
19/07/28	4:00	0	-		
19/07/28	5:00	0	-		
19/07/28	6:00	0	-		
19/07/28	7:00	0	-		
19/07/28	8:00	1.3	271		
19/07/28	9:00	0.9	199		
19/07/28	10:00	0	-		
19/07/28	11:00	0	-		
19/07/28	12:00	0.4	115		
19/07/28	13:00	1.3	202		
19/07/28	14:00	0.9	203		
19/07/28	15:00	1.8	131		
19/07/28	16:00	0.4	180		
19/07/28	17:00	0.4	101		
19/07/28	18:00	0.9	89		
19/07/28	19:00	0.4	80		
19/07/28	20:00	0.4	79		
19/07/28	21:00	0.4	95		
19/07/28	22:00	0	-		
19/07/28	23:00	0.9	61		

^{*}Wind data is sourced from Contract No. HY/2012/08 Tuen Mun - Chek Lap Kok Link - Northern Connection Sub-sea Tunnel Section