

Appendix H

Landfill Gas Monitoring
Results and Graphical
Presentation

Landfill Gas Monitoring Results on Methane Level

Project	Works	Date(yyyy-mm-dd)	Monitoring Location	Time (hh:mm, 24hour)	Results (%)	Action Level (%)	Limit Level (%)
TMCLKL	HY/2017/10	2021-01-02	Main Control Building	8:15	0	10.0	20.0
TMCLKL	HY/2017/10	2021-01-02	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-04	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-04	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-05	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-05	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-06	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-06	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-07	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-07	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-08	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-08	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-09	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-09	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-11	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-11	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-12	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-12	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-13	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-13	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-14	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-14	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-15	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-15	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-16	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-16	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-18	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-18	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-19	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-19	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-20	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-20	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-21	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-21	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-22	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-22	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-23	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-23	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-25	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-25	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-26	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-26	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-27	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-27	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-28	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-28	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-29	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-29	Main Control Building	13:15	0		
TMCLKL	HY/2017/10	2021-01-30	Main Control Building	8:15	0		
TMCLKL	HY/2017/10	2021-01-30	Main Control Building	13:15	0		
				Average	0		
				Min.	0		
				Max.	0		


Landfill Gas Monitoring Results on Oxygen Level

Project	Works	Date(yyyy-mm-dd)	Station	Time (hh:mm, 24hour)	Results (%)	Action Level (%)	Limit Level (%)
TMCLKL	HY/2017/10	2021-01-02	Main Control Building	8:15	20.8	19.0	18.0
TMCLKL	HY/2017/10	2021-01-02	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-04	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-04	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-05	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-05	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-06	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-06	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-07	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-07	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-08	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-08	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-09	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-09	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-11	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-11	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-12	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-12	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-13	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-13	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-14	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-14	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-15	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-15	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-16	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-16	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-18	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-18	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-19	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-19	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-20	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-20	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-21	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-21	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-22	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-22	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-23	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-23	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-25	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-25	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-26	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-26	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-27	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-27	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-28	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-28	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-29	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-29	Main Control Building	13:15	20.8		
TMCLKL	HY/2017/10	2021-01-30	Main Control Building	8:15	20.8		
TMCLKL	HY/2017/10	2021-01-30	Main Control Building	13:15	20.8		
				Average	20.8		
				Min.	20.8		
				Max.	20.8		


Landfill Gas Monitoring Results on Carbon Dioxide Level

Project	Works	Date(yyyy-mm-dd)	Station	Time (hh:mm, 24hour)	Results (%)	Action Level (%)	Limit Level (%)
TMCLKL	HY/2017/10	2021-01-02	Main Control Building	8:15	0.03	0.5	1.5
TMCLKL	HY/2017/10	2021-01-02	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-04	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-04	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-05	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-05	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-06	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-06	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-07	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-07	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-08	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-08	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-09	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-09	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-11	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-11	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-12	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-12	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-13	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-13	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-14	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-14	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-15	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-15	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-16	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-16	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-18	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-18	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-19	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-19	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-20	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-20	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-21	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-21	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-22	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-22	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-23	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-23	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-25	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-25	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-26	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-26	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-27	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-27	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-28	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-28	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-29	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-29	Main Control Building	13:15	0.03		
TMCLKL	HY/2017/10	2021-01-30	Main Control Building	8:15	0.03		
TMCLKL	HY/2017/10	2021-01-30	Main Control Building	13:15	0.03		
				Average	0.03		
				Min.	0.03		
				Max.	0.03		

Landfill Gas Monitoring Results on Methane Level




Landfill Gas Monitoring Results on Oxygen Level



Weather condition within the reporting period was sunny to rainy

Major construction works undertaken within the reporting period include

- ABWF Works and Handover Inspection at Fire Services Department Building;
- External cladding & luvre installation, E&M works, final finishing works and Handover Inspection at Customs and Excise Department Building



Weather condition within the reporting period was sunny to rainy

Major construction works undertaken within the reporting period include

- ABWF Works and Handover Inspection at Fire Services Department Building;
- External cladding & luvre installation, E&M works, final finishing works and Handover Inspection at Customs and Excise Department Building