

**Air Quality Monitoring Data**

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2019-12-03	AMS5	08:45	1-hr TSP	78	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-03	AMS5	09:45	1-hr TSP	78	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-03	AMS5	10:45	1-hr TSP	68	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-09	AMS5	09:01	1-hr TSP	63	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-09	AMS5	10:01	1-hr TSP	49	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-09	AMS5	11:01	1-hr TSP	46	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-13	AMS5	08:18	1-hr TSP	103	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-13	AMS5	09:18	1-hr TSP	92	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-13	AMS5	10:18	1-hr TSP	81	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-18	AMS5	09:02	1-hr TSP	40	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-18	AMS5	10:02	1-hr TSP	30	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-18	AMS5	11:02	1-hr TSP	24	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-23	AMS5	09:05	1-hr TSP	234	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-23	AMS5	10:05	1-hr TSP	182	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-23	AMS5	11:05	1-hr TSP	123	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-27	AMS5	08:00	1-hr TSP	27	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-27	AMS5	09:00	1-hr TSP	31	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-27	AMS5	10:00	1-hr TSP	37	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-02	AMS5	08:00	24-hr TSP	107	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-06	AMS5	08:00	24-hr TSP	110	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-12	AMS5	08:00	24-hr TSP	90	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-17	AMS5	08:00	24-hr TSP	65	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-21	AMS5	08:00	24-hr TSP	89	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-27	AMS5	11:05	24-hr TSP	114	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-31	AMS5	08:00	24-hr TSP	76	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-03	AMS6	08:13	1-hr TSP	74	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-03	AMS6	09:13	1-hr TSP	73	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-03	AMS6	10:13	1-hr TSP	66	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-09	AMS6	08:17	1-hr TSP	65	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-09	AMS6	09:17	1-hr TSP	64	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-09	AMS6	10:17	1-hr TSP	54	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-13	AMS6	08:57	1-hr TSP	107	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-13	AMS6	09:57	1-hr TSP	97	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-13	AMS6	10:57	1-hr TSP	85	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-18	AMS6	08:11	1-hr TSP	33	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-18	AMS6	09:11	1-hr TSP	37	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-18	AMS6	10:11	1-hr TSP	21	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-23	AMS6	08:20	1-hr TSP	251	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-23	AMS6	09:20	1-hr TSP	225	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-23	AMS6	10:20	1-hr TSP	163	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-27	AMS6	08:37	1-hr TSP	25	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-27	AMS6	09:37	1-hr TSP	25	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-27	AMS6	10:37	1-hr TSP	33	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-02	AMS6	08:00	24-hr TSP	101	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-06	AMS6	08:00	24-hr TSP	113	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-12	AMS6	08:00	24-hr TSP	81	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-17	AMS6	08:00	24-hr TSP	74	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-21	AMS6	08:00	24-hr TSP	96	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-27	AMS6	12:05	24-hr TSP	88	µg/m <sup>3</sup>
HKLR	HY/2011/03	2019-12-31	AMS6	08:00	24-hr TSP	73	µg/m <sup>3</sup>

## Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2020-01-02	AMS5	13:07	1-hr TSP	57	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-02	AMS5	14:07	1-hr TSP	79	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-02	AMS5	15:07	1-hr TSP	96	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-08	AMS5	13:00	1-hr TSP	53	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-08	AMS5	14:00	1-hr TSP	33	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-08	AMS5	15:00	1-hr TSP	31	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-14	AMS5	10:00	1-hr TSP	68	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-14	AMS5	11:00	1-hr TSP	59	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-14	AMS5	13:00	1-hr TSP	57	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-20	AMS5	10:06	1-hr TSP	85	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-20	AMS5	11:06	1-hr TSP	91	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-20	AMS5	13:06	1-hr TSP	109	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-24	AMS5	08:00	1-hr TSP	124	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-24	AMS5	09:00	1-hr TSP	117	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-24	AMS5	10:00	1-hr TSP	55	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-30	AMS5	See Remark 1	1-hr TSP	See Remark 1	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-30	AMS5	See Remark 1	1-hr TSP	See Remark 1	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-30	AMS5	See Remark 1	1-hr TSP	See Remark 1	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-06	AMS5	08:00	24-hr TSP	57	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-11	AMS5	08:00	24-hr TSP	113	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-17	AMS5	08:00	24-hr TSP	63	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-23	AMS5	08:00	24-hr TSP	33	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-29	AMS5	See Remark 1	24-hr TSP	See Remark 1	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-02	AMS6	13:04	1-hr TSP	55	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-02	AMS6	14:04	1-hr TSP	77	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-02	AMS6	15:04	1-hr TSP	85	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-08	AMS6	13:00	1-hr TSP	41	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-08	AMS6	14:00	1-hr TSP	31	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-08	AMS6	15:00	1-hr TSP	27	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-14	AMS6	08:49	1-hr TSP	102	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-14	AMS6	09:49	1-hr TSP	84	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-14	AMS6	10:49	1-hr TSP	70	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-20	AMS6	09:05	1-hr TSP	70	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-20	AMS6	10:05	1-hr TSP	71	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-20	AMS6	11:05	1-hr TSP	82	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-24	AMS6	09:00	1-hr TSP	105	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-24	AMS6	10:00	1-hr TSP	64	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-24	AMS6	11:00	1-hr TSP	47	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-30	AMS6	See Remark 1	1-hr TSP	See Remark 1	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-30	AMS6	See Remark 1	1-hr TSP	See Remark 1	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-30	AMS6	See Remark 1	1-hr TSP	See Remark 1	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-06	AMS6	08:00	24-hr TSP	53	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-11	AMS6	08:00	24-hr TSP	108	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-17	AMS6	08:00	24-hr TSP	61	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-23	AMS6	08:00	24-hr TSP	33	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-01-29	AMS6	See Remark 1	24-hr TSP	See Remark 1	µg/m <sup>3</sup>

Remark:

1) There were no works for Contract No. HY/2011/03 between 25 January 2020 and 31 January 2020. As such, 24-hr TSP monitoring (which was scheduled on 29 January 2020) and 1-hr TSP monitoring (which was scheduled on 30 January 2020) for stations AMS 5 and AMS 6 were suspended.


## Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2020-02-05	AMS5	13:00	1-hr TSP	24	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-05	AMS5	14:00	1-hr TSP	17	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-05	AMS5	15:00	1-hr TSP	17	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-11	AMS5	13:06	1-hr TSP	112	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-11	AMS5	14:06	1-hr TSP	151	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-11	AMS5	15:06	1-hr TSP	147	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-17	AMS5	10:02	1-hr TSP	12	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-17	AMS5	11:02	1-hr TSP	12	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-17	AMS5	13:02	1-hr TSP	16	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-21	AMS5	10:00	1-hr TSP	14	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-21	AMS5	11:00	1-hr TSP	10	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-21	AMS5	13:00	1-hr TSP	18	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-27	AMS5	10:03	1-hr TSP	40	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-27	AMS5	11:03	1-hr TSP	30	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-27	AMS5	13:03	1-hr TSP	28	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-04	AMS5	10:27	24-hr TSP	32	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-10	AMS5	08:00	24-hr TSP	45	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-14	AMS5	08:00	24-hr TSP	22	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-21	AMS5	10:16	24-hr TSP	43	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-26	AMS5	09:37	24-hr TSP	39	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-05	AMS6	09:08	1-hr TSP	33	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-05	AMS6	10:08	1-hr TSP	28	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-05	AMS6	11:08	1-hr TSP	35	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-11	AMS6	08:52	1-hr TSP	137	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-11	AMS6	09:52	1-hr TSP	112	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-11	AMS6	10:52	1-hr TSP	119	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-17	AMS6	09:11	1-hr TSP	14	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-17	AMS6	10:11	1-hr TSP	15	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-17	AMS6	11:11	1-hr TSP	15	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-21	AMS6	09:03	1-hr TSP	17	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-21	AMS6	10:03	1-hr TSP	17	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-21	AMS6	11:03	1-hr TSP	15	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-27	AMS6	08:53	1-hr TSP	93	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-27	AMS6	09:53	1-hr TSP	59	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-27	AMS6	10:53	1-hr TSP	53	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-04	AMS6	10:27	24-hr TSP	32	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-10	AMS6	08:00	24-hr TSP	46	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-14	AMS6	08:00	24-hr TSP	23	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-20	AMS6	08:00	24-hr TSP	40	µg/m <sup>3</sup>
HKLR	HY/2011/03	2020-02-26	AMS6	08:00	24-hr TSP	44	µg/m <sup>3</sup>

Remark:

1) Due to power failure, 24-hr TSP monitoring on 20 February 2020 at AMS5 (Ma Wan Chung Village) was rescheduled to 21 Feb 2020.


Graphical Plot of 1-hour TSP at AMS5 and AMS6



Remarks:

- 1) Due to unexpected traffic conditions and safety reason, the 1-hr TSP monitoring at AMS6-Dragonair Building was rescheduled from 11 Nov 2019 to 12 Nov 2019.
- 2) There were no works for Contract No. HY/2011/03 between 25 January 2020 and 2 February 2020. As such, 1-hr TSP monitoring (which was scheduled on 30 January 2020) for stations AMS 5 and AMS 6 were suspended.

Graphical Plot of 24-hour TSP at AMS5 and AMS6



Remarks:

- 1) There were no works for Contract No. HY/2011/03 between 25 January 2020 and 2 February 2020. As such, 24-hr TSP monitoring (which was scheduled on 29 January 2020) for stations AMS 5 and AMS 6 were suspended.
- 2) Due to power failure, 24-hr TSP monitoring on 20 February 2020 at AMS5 (Ma Wan Chung Village) was rescheduled to 21 Feb 2020.